

SIKA FAÇADE SEALING AND BONDING PRODUCT COMPARISON CHART



BUILDING TRUST

SIKA FAÇADE SEALING AND BONDING PRODUCT COMPARISON CHART

							APPLIC	TATION										SUBST	RATES				
			<u> </u>	r		<u> </u>																	<u> </u>
		Façades	Cladding	Structural Glazing	Balustrade Bonding	Insulating Glazing	Glazing	Windows/Door Frames	Fire Protection	Vandal Resistance	Roof	Air Sealing	Drinking Water	Metal	Coated/Treated Metal	Glass	Natural Stone	Concrete	Masonry	Timber	PVCu	Plaster/Plasterboard	Bitumen/Asphalt
	SikaHyflex® 250 Façade	~	1					~				1			1		1	1	1	1			
	SikaHyflex® 260 Façade	1	1				~	1				1		1	1	~			~	1			
ALING	Sikasil® WS-605 S	1	1	1			1				1	1		1	1	1							
NT SE,	Sikasil® WS-355	1	1	1			1				1			1	1	1	1						
FAÇADE JOINT SEALING	Sikaflex®-AT Connection	1	1					1				1		1	1			1	1	1	1	1	
FAI	Sikaflex® Construction		1					~				1			~			~	~	1			
	Everbuild 825		1				1	1			~	1		1	1	1		1	1	~	1		
	Everbuild 950						1							1	1	1		1	1	1			
ANE	SikaMembran®	1	1	1								1		1	1		1	1	1				
EPDM MEMBRANE SVSTEMS	SikaBond® TF+N											*											
ATING SS	Sikasil® IG-25 HM			1		1																	
INSULATING GLASS	Sikasil® IG-25 HM Plus			1		1																	
AL	Sikasil® SG-20	1	1	1		1	1								1	~							
STRUCTURAL GLAZING	Sikasil® SG-500	1		1		1	1								1	1							
STRU	Sikasil® SG-550	1		1		1	1								1	1							
BALUSTRADE	SikaGlaze® GG-735				~											~							
RAINSCREEN PANEL BONDING	SikaTack® Panel System	\$	\$											\$	\$								

NOTE: All the above subject to testing where applicable. Please refer to current Sika technical data sheet before use. Should you require further help or assistance, please contact your local Sika Area Sales Manager (see page 52).

			APPLICATION											
		Façades	Cladding	Structural Glazing	Balustrade Bonding	Insulating Glazing	Glazing	Windows/Door Frames	Fire Protection	Vandal Resistance	Roof	Air Sealing	Drinking Water	
	Sikaflex® 11FC+	1	1								1		~	
DHESIVE	SikaBond® AT Metal	1	1								~			
NDING AC	SikaBond® AT Universal		1					1						
ELASTIC BONDING ADHESIVE	Everbuild Stixall Etremem Power							~						
	Everbuild Everflex Weather Mate										1			
ИТ	Sikasil® FS-665/665 SL								~			~		
FIRE RATED SEALANT SYSTEMS	Everbuild Fire Sealant 400								1			1		
	Everbuild Fire Sealant 300								~					
	Everbuild Fire Foam B2								~					
PICK RESISTANT	Everbuild Anti Pick 109									\$				
	Everbuild Stayseal 75									~				
EXPANDING FOAMS	Sika Boom® S/GS							~				~		
EXPANDING TAPES	Sika® Expansion Tape-100							1						
	Sika® Expansion Tape-600	~	1					1						

SUBSTRATES													
Metal	Coated/Treated Metal	Glass	Natural Stone	Concrete	Masonry	Timber	PVCu	Plaster/Plasterboard	Bitumen/Asphalt				
1	1					1		1					
✓ ✓	✓ ✓												
	1			1	1	~	1	1					
1	~			1	1	~	~	1					
1									1				
1	~		~	~	~								
1	1			~	~								
			~	1	~	1		~					
				1	1	~	~	~					
1	~	~		1	1	~	~	~					
1	1		1	1	1	1							
1	\$			J	1		\$	J					
1	1	1	1	1	~	1	~						
1	1	1	1	1	1	1	1						

NOTE: All the above subject to testing where applicable. Please refer to current Sika technical data sheet before use. Should you require further help or assistance, please contact your local Sika Area Sales Manager (see page 52).

SIKA FULL RANGE SOLUTIONS FOR CONSTRUCTION:



WATERPROOFING









ALING AND BONDING

FOR MORE INFORMATION ON SIKA FAÇADES:



WHO WE ARE

Sika Limited is part of the global Sika Group, specialising in the manufacture and supply of chemical based products for construction and industry. Sika is a world-leader in its field with subsidiaries in 90 countries around the world and manufactures in over 160 factories. With approximately 17,000 employees Sika generates annual sales of CHF 5.6 billion (£3.9bn). We are also committed to providing quality, service, safety and environmental care.

In the UK, we provide market-leading solutions for concrete, waterproofing, roofing, flooring, refurbishment, sealing & bonding, and industry, and have manufacturing sites in Welwyn Garden City, Preston, and Leeds with more than 700 employees and a turnover of more than £190 million.

The information, and, in particular, the recommendations relating to the application and end use of Sika® products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users should always refer to the most recent issue of the Product Data Sheet for the product concerned, copies of which will be supplied on request..



SIKA LIMITED

Head Office Watchmead, Welwyn Garden City Hertfordshire, AL7 1BQ United Kingdom





BUILDING TRUST