

Revision Date 22.02.2019

Version 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Sikagard[®]-62 (A)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Surfaces protection

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

+44 (0)1707 363899 (available during office hours).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		¥2
Signal word	:	Warning	
Hazard statements	:	H315 H317 H319	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.

Sikagard[®]-62 (A)



Revision Date 22.0	2.2019	V	ersion 4.0	Print Date 22.02.2
		H411	Toxic to aquatic life with long las	ting effects.
Precautionary	statements :	Prevention:		
		P261	Avoid breathing dust/ fume/ gas/ pours/ spray.	′ mist/ va-
		P273	Avoid release to the environmen	t.
		P280	Wear protective gloves/ eye prot protection.	ection/ face
		Response:		
		P333 + P313	If skin irritation or rash occurs: G advice/ attention.	et medical
		P337 + P313	If eye irritation persists: Get med attention.	lical advice/
		P362 + P364	Take off contaminated clothing a before reuse.	nd wash it

Hazardous components which must be listed on the label:

- reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)
- oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Additional Labelling

EUH205 Contains epoxy constituents. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
reaction product: bisphenol-A-	25068-38-6	Eye Irrit. 2; H319	>= 40 - < 60
(epichlorhydrin); epoxy resin	500-033-5	Skin Irrit. 2; H315	
(number average molecular	01-2119456619-26-	Skin Sens. 1; H317	
weight ≤ 700)	XXXX	Aquatic Chronic 2;	
		H411	
oxirane, mono[(C12-14-	68609-97-2	Skin Irrit. 2; H315	>= 5 - < 10
alkyloxy)methyl] derivs.	271-846-8	Skin Sens. 1; H317	
	01-2119485289-22-		
	XXXX		

Sikagard®-62 (A)

Revision Date 22.02.2019

Version 4.0



SECTION 4: First aid measures

4.1 Description of first aid me	asures
General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms	and effects, both acute and delayed
Symptoms	: Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	: irritant effects sensitising effects
	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.
4.3 Indication of any immedia	te medical attention and special treatment needed
Treatment	: Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir-
		cumstances and the surrounding environment.

Sikagard[®]-62 (A)



Revision Date 22.02.2019 Version 4.0

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

• •	e equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions Environmental precautions :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for contain Methods for cleaning up :	nment and cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	: Do not breathe vapours or spray mist.
	Avoid exceeding the given occupational exposure limits (see
	section 8).
	Do not get in eyes, on skin, or on clothing.
	For personal protection see section 8.
	Persons with a history of skin sensitisation problems or asth-
	ma, allergies, chronic or recurrent respiratory disease should

Sikagard[®]-62 (A)



Revision Date 22.02.2019	Version 4.0	Print Date 22.02.
	not be employed in any process in which this used. Smoking, eating and drinking should be prohi plication area. Follow standard hygiene measures when han products	bited in the ap-
Advice on protection against : fire and explosion	Normal measures for preventive fire protection	n.
Hygiene measures :	Handle in accordance with good industrial hyperactice. When using do not eat or drink. When smoke. Wash hands before breaks and at the	en using do not
7.2 Conditions for safe storage, incl	luding any incompatibilities	
Requirements for storage : areas and containers	Keep container tightly closed in a dry and wel place. Containers which are opened must be sealed and kept upright to prevent leakage. S ance with local regulations.	carefully re-
Further information on stor- : age stability	No decomposition if stored and applied as dire	ected.
7.3 Specific end use(s)		
Specific use(s) :	Consult most current local Product Data Shee use.	et prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipr	nent	
Eye protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (0,4 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345,

Sikagard[®]-62 (A)



Revision Date 22.02.2019	Version 4.0	Print Date 22.02.201
	long-sleeved working clothing, long trop and protective boots are additionaly rec and stirring work.	, ,
Respiratory protection	: No special measures required.	
Environmental exposure	controls	
General advice	: Do not flush into surface water or sanital If the product contaminates rivers and l respective authorities.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	viscous
Colour	:	various
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	No data available
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 101 °C Method: closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	0,01 hPa
Relative vapour density	:	No data available
Density	:	1,45 g/cm3 (20 °C)
Solubility(ies) Water solubility	:	insoluble

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Silvagard® 62 (A)

Sikagard[®]-62 (A)



Revision Date 22.02.2019	Version 4.0	Print Date 22.02.2019
Solubility in other solvents :	No data available	
Partition coefficient: n- : octanol/water	No data available	
Auto-ignition temperature :	No data available	
Decomposition temperature :	No data available	
Viscosity Viscosity, dynamic :	No data available	
Viscosity, kinematic :	> 20,5 mm2/s (40 °C)	
Explosive properties :	No data available	
Oxidizing properties :	No data available	
9 2 Other information		

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Materials to avoid	:	Oxidizing agents
--------------------	---	------------------

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.



vision Date 22.02.2019	Version 4.0	Print Date
Components:		
reaction product: bisphe weight ≤ 700):	enol-A-(epichlorhydrin); epoxy resin (numl	ber average molecular
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg	
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 20.000 mg/	′kg
oxirane, mono[(C12-14-a	lkyloxy)methyl] derivs.:	
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg	
Skin corrosion/irritation Causes skin irritation.		
Serious eye damage/eye Causes serious eye irritati		
Respiratory or skin sens	itisation	
Skin sensitisation May cause an allergic skir	n reaction.	
Respiratory sensitisation		
Germ cell mutagenicity Not classified based on av	vailable information.	
Carcinogenicity Not classified based on av	ailable information.	
Reproductive toxicity Not classified based on av	ailable information.	
STOT - single exposure Not classified based on av	vailable information.	
STOT - repeated exposu	re	
Not classified based on av	ailable information.	
Aspiration toxicity		
Not classified based on av	ailable information.	

12.1 Toxicity

Components:

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700): Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Exposure time: 96 h

Sikagard[®]-62 (A)



Version 4.0	Print Date 22.02.2019
Exposure time: 48 h	
bility	
Ι	
assessment	
 This substance/mixture contains r to be either persistent, bioaccumu very persistent and very bioaccum 0.1% or higher 	ulative and toxic (PBT), or
: An environmental hazard cannot l unprofessional handling or dispos Toxic to aquatic life with long lasti	sal.
1	Exposure time: 48 h bility assessment : This substance/mixture contains to to be either persistent, bioaccume very persistent and very bioaccume 0.1% or higher : An environmental hazard cannot unprofessional handling or dispose

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product resid This material and its container must be disposed of in a s way. Dispose of surplus and non-recyclable products via a lice waste disposal contractor. Disposal of this product, solutions and any by-products sl at all times comply with the requirements of environmenta protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact soil, waterways, drains and sewers.	lues. afe ensed hould al
European Waste Catalogue	08 01 11* waste paint and varnish containing organic sol vents or other dangerous substances	I-
Contaminated packaging	15 01 10* packaging containing residues of or contamina by dangerous substances	ted

Sikagard®-62 (A)

Revision Date 22.02.2019

Version 4.0



SECTION 14: Transport information

14.1 UN number		
ADR	:	UN 3082
IMDG	:	UN 3082
ΙΑΤΑ	:	UN 3082
14.2 UN proper shipping name		
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((epoxy resin)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin)
ΙΑΤΑ	:	Environmentally hazardous substance, liquid, n.o.s. ((epoxy resin)
14.3 Transport hazard class(es)		
ADR	:	9
IMDG	:	9
ΙΑΤΑ	:	9
14.4 Packing group		
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code Remarks		III M6 90 9 (-) Transport in accordance with special provision 375
IMDG Packing group Labels EmS Code Remarks	:	III 9 F-A, S-F Transport in accordance with 2.10.2.7 of the IMDG-Code
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels Remarks	:	964 Y964 III Miscellaneous Dangerous Goods Transport in accordance with special regulation A 197
IATA (Passenger)		964

Sikagard[®]-62 (A)



Revision Date 22.02.2019

Version 4.0

	ger aircraft) Packing instruction (LQ) Packing group Labels	:	Y964 III Miscellaneous Dangerous Goods
14.5	Environmental hazards		
	ADR Environmentally hazardous	:	yes
	IMDG Marine pollutant	:	yes
	IATA (Passenger) Environmentally hazardous	:	yes
	IATA (Cargo) Environmentally hazardous	:	yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

	Safety, health and environment nternational Chemical Weapons Schedules of Toxic Chemicals an	Convention (CWC)		specific for the substance or mixture Not applicable
	REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).		:	None of the components are listed (=> 0.1 %).
	REACH - List of substances subje Annex XIV)	ect to authorisation	:	Not applicable
	Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de-	:	Not applicable
	Regulation (EC) No 850/2004 on utants	persistent organic pol-	:	Not applicable
F	REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	trea /or gula	m suppliers, and/or tion, and/or

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Sikagard[®]-62 (A)



Revision Date 22.02.2019	Version 4.0	Print Date 22.02.2019
E2	ENVIRONMENTAL HAZARDS	
Volatile organic compounds	 Law on the incentive tax for volatile orga (VOCV) Volatile organic compounds (VOC) cont no VOC duties Directive 2010/75/EU of 24 November 2 emissions (integrated pollution preventi Volatile organic compounds (VOC) cont 	tent: 0,1 % 2010 on industrial on and control)

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	: Environmental Protection Act 1990 & Subsidiary Regulations Health and Safety at Work Act 1974 & Subsidiary Regulations Control of Substances Hazardous to Health Regulations (COSHH) May be subject to the Control of Major Assident Hazardo
	May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.
	······································

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements						
H315 H317 H319 H411	: May cause	es skin irritation. ause an allergic skin reaction. es serious eye irritation. to aquatic life with long lasting effects.				
Full text of other abbreviations						
Aquatic Chronic Eye Irrit. Skin Irrit. Skin Sens. ADR	: Eye irr : Skin ir : Skin s : Europ					
CAS DNEL EC50 GHS IATA IMDG LD50	: Chem : Derive : Half m : Globa : Interna : Interna : Media once,	ical Abstracts Service d no-effect level aximal effective concentration Ily Harmonized System ational Air Transport Association ational Maritime Code for Dangerous Goods n lethal dosis (the amount of a material, given all at which causes the death of 50% (one half) of a group of nimals)				
LC50	: Media	n lethal concentration (concentrations of the chemical in t kills 50% of the test animals during the observation				

Sikagard®-62 (A)



Revision Date 22.02.2019	Version 4.0	Print Date 22.02.201
MARPOL	: International Convention for the Preve Ships, 1973 as modified by the Protoc	
OEL PBT	 Occupational Exposure Limit Persistent, bioaccumulative and toxic 	
PNEC	: Predicted no effect concentration	
REACH	 Regulation (EC) No 1907/2006 of the and of the Council of 18 December 20 istration, Evaluation, Authorisation an cals (REACH), establishing a Europea 	006 concerning the Reg- Id Restriction of Chemi-
SVHC vPvB	Substances of Very High ConcernVery persistent and very bioaccumula	ative

Further information				
Classification of the mixture:		Classification procedure:		
Skin Irrit. 2	H315	Calculation method		
Eye Irrit. 2	H319	Calculation method		
Skin Sens. 1	H317	Calculation method		
Aquatic Chronic 2	H411	Calculation method		

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN