

DecoPad Paving Support Pad & Levelling Shim

Product Description DecoPad Paving Support Pad & levelling Shim made of high density polyethylene (HD-PE) by injection moulding procedure.

Uses To accommodate paving slabs on flat roofs, plaza decks, balconies, verandas, courtyards etc.

Characteristics / Advantages

- Correct positioning of paving slabs and holding them securely in place
- Uniform spacing between paving slabs
- Very good water drainage between slabs, and below the paving level
- Paving not fixed, allowing slabs to be removed easily
- Ease of application
- Outstanding resistance to weathering, including UV irradiation
- Good impact resistance
- Recyclable

Tests

Approvals / Standards ■ Quality management system EN ISO 9001/14001

Product Data

Dimesions Pad: 175mm diameter and 15mm high
Shim: 175mm diameter and 1.5mm thick
Pad spacer thickness: 5mm

Appearance Colour: Black

Packaging: The products are packed in cartons.

Pad Packaging unit: 110 pcs.
Shim Packaging unit: 150 pcs.

Storage

Storage Conditions Store in dry conditions. Permanent storage temperatures should not exceed 40°C.

Shelf-Life Will not expire during correct storage.

Roofing





DecoPad Paving Support Pad



Paving Support levelling shim

Technical Data

Material Basis High density Polyethylene (HDPE)

System Information



**Application
Conditions / Limits**

**Installation
Instructions**

Application Method

It is important to ensure that the first row of slabs is laid carefully. There is no mechanical fixing required. The surface is secured by the weight of the slab. Unevenness is adjusted with Paving levelling shims.



Value Base	All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.
Local Restrictions	Please note that as a result of specific local regulations the performance of this product may vary from country to country. Please consult the local Product Data Sheet for the exact description of the application fields.
Ecology, Health and Safety Information	The product does not fall within the EC-regulation of hazardous goods. As a result, a material safety data sheet following EC-Guideline 91/155 EWG is not needed to bring the product to the market, transport or use it. The product does not damage the environment when used as specified.
REACH	<p>European Community Regulation on chemicals and their safe use (REACH: EC 1907/2006)</p> <p>This product is an article within the meaning of Regulation (EC) No 1907/2006 (REACH). It contains no substances which are intended to be released from the article under normal or reasonably foreseeable conditions of use. Therefore, there are no registration requirements for substances in articles within the meaning of Article 7.1 of the Regulation.</p> <p>Based on our current knowledge, this product does not contain SVHC (substances of very high concern) from the candidate list published by the European Chemicals Agency in concentrations above 0.1 % (w/w).</p>
Transportation Class	The product is not classified as hazardous good for transport.
Disposal	The material is recyclable. Any disposal must be in accordance with regulatory guidelines.
Disclaimer	The information, and, in particular, the recommendations relating to the application and end-use of Sika Liquid Plastics products, are given in good faith based on Sika Liquid Plastics' current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika Liquid Plastics' recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika Liquid Plastics reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.
Specification assistance	NBS is the industry standard specification system, which allows architects, specifiers and engineers to insert clauses into specifications by manufacturer and product, making the process quicker and more efficient. We are members of NBS Plus and therefore detailed up-to-date product information is readily available to create accurate specifications.



Contact Details

For further information please contact:

Sika Liquid Plastics
Sika House
Miller Street
Preston
PR1 1EA

Enquiry line: +44 (0)1772 259781
Fax: +44 (0)1772 255670
e-mail: liquidplastics@uk.sika.com

Registered office: Sika Ltd, Watchmead, Welwyn Garden City, Hertfordshire, AL7 1BQ
Registered in England: 226822

