According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sikafloor[®]-155 W N (A)

Date of last issue: 30.10.2020	Version 3.2	Print Date 18.08.2021
Revision Date: 18.08.2021		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Sikafloor[®]-155 W N (A)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Product is not intended for consumer use, Concrete protection

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited
		Watchmead Welwyn Garden City
		Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)						
Hazard pictograms						
Signal word	: Warning					
Hazard statements	: H315 H317 H319	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.				
Precautionary statements	: Prevention:					

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sikafloor[®]-155 W N (A)

Date of last issue: 30.10.2020 Revision Date: 18.08.2021	Ve	ersion 3.2	Print Date 18.08.2021	
	P261	Avoid breathing dust/ fume/ gas, pours/ spray.	/ mist/ va-	
	P264	Wash skin thoroughly after hand	llina.	
	P280	Wear protective gloves/ eye proprotection.		
	Response:			
	P333 + P313	If skin irritation or rash occurs: G advice/ attention.	Set medical	
	P337 + P313	If eye irritation persists: Get med attention.	lical advice/	
	P362 + P364	Take off contaminated clothing a before reuse.	and wash it	

Hazardous components which must be listed on the label:

3-aminomethyl-3,5,5-trimethylcyclohexylamine

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Componente			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
3-aminomethyl-3,5,5-	2855-13-2	Acute Tox. 4; H302	>= 1 - < 2,5
trimethylcyclohexylamine	220-666-8	Acute Tox. 4; H312	
	01-2119514687-32-	Skin Corr. 1B; H314	
	XXXX	Skin Sens. 1A; H317	
		Aquatic Chronic 3;	
		H412	
		Eye Dam. 1; H318	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sikafloor[®]-155 W N (A)

Date of last issue: 30.10.2020 Revision Date: 18.08.2021		Version 3.2	Print Date 18.08.202
If inhaled	:	Move to fresh air. Consult a physician after significant exposi	ure.
In case of skin contact	:	Take off contaminated clothing and shoes Wash off with soap and plenty of water. If symptoms persist, call a physician.	immediately.
In case of eye contact	:	Immediately flush eye(s) with plenty of wat Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialisi	
If swallowed	:	Do not induce vomiting without medical ad Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an uncon	
4.2 Most important symptoms	and	effects, both acute and delayed	
Symptoms	:	Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information and symptoms.	on on health effects
Risks	:	irritant effects sensitising effects	
		Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.	
4.3 Indication of any immediate	e me	dical attention and special treatment need	ded
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting me	asui	es	
5.1 Extinguishing modia			
5.1 Extinguishing media Suitable extinguishing media	a :	In case of fire, use water/water spray/wate ide/sand/foam/alcohol resistant foam/chem extinction.	
5.2 Special hazards arising fro	m th	e substance or mixture	
Hazardous combustion products	- :	No hazardous combustion products are kn	lown

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sikafloor[®]-155 W N (A)

Date of last issue: 30.10.2020 Revision Date: 18.08.2021	Version 3.2	Print Date 18.08.2021
5.3 Advice for firefighters		
Special protective equipment for firefighters	In the event of fire, wear self-contained	breathing apparatus.
Further information	Standard procedure for chemical fires.	
SECTION 6: Accidental release	measures	
6.1 Personal precautions, protect	ve equipment and emergency procedur	es
Personal precautions	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions		
Environmental precautions	Do not flush into surface water or sanita If the product contaminates rivers and la respective authorities.	
6.3 Methods and material for con	ainment and cleaning up	
Methods for cleaning up	Soak up with inert absorbent material (e acid binder, universal binder, sawdust). Keep in suitable, closed containers for c	
6.4 Reference to other sections		
For personal protection see se	tion 8	

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sikafloor®-155 W N (A)

Date of last issue: 30.10.2020 Revision Date: 18.08.2021		Version 3.2	Print Date 18.08.2021
Hygiene measures	:	Handle in accordance with good industrial hy practice. When using do not eat or drink. Wh smoke. Wash hands before breaks and at the	en using do not
7.2 Conditions for safe storage,	inc	uding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and we place. Store in accordance with local regulati	
Further information on stor- age stability	:	No decomposition if stored and applied as di	rected.
7.3 Specific end use(s)			

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment

Eye protection	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	: No special measures required.
Environmental exposure cont	rols
General advice	 Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
----------------	---	--------

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sikafloor®-155 W N (A)

Date of last issue: 30.10.2020 Revision Date: 18.08.2021	Version 3.2	Print Date 18.08.2021
Appearance Colour Odour	: paste : various : amine-like	
Boiling point/boiling range	: No data available	
Flash point	: > 101 °C Method: closed cup	
Auto-ignition temperature	: No data available	
рН	: Not applicable	
Viscosity		
Viscosity, kinematic	: > 20,5 mm2/s (40 °C)	
Vapour pressure	: 23 hPa	
Density	: ca. 1,6 g/cm3 (20 °C)	
9.2 Other information		
No data available		

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid	:	No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sikafloor®-155 W N (A)

Date of last issue: 30.10.2020 Revision Date: 18.08.2021 Version 3.2

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

3-aminomethyl-3,5,5-trimethylcyclohexylamine:

Acute oral toxicity	:	LD50 Oral (Rat): 1.030 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5,01 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sikafloor®-155 W N (A)

Date of last issue: 30.10.2020 Revision Date: 18.08.2021 Version 3.2

Print Date 18.08.2021

SECTION 12: Ecological information

12.1 Toxicity

Components:

3-aminomethyl-3,5,5-trimethylcyclohexylamine:

Toxicity to algae/aquatic	:	ErC50
plants		mg/l

ErC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

:

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

 The generation of waste should be avoided or minimized wherever possible.
 Empty containers or liners may retain some product residues.
 This material and its container must be disposed of in a safe way.
 Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
 Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sikafloor®-155 W N (A)

Date of last issue: 30.10.2020 Revision Date: 18.08.2021		Version 3.2	Print Date 18.08.2021	
		protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.		
European Waste Catalogue	:	08 01 11* waste paint and varnish containing or vents or other dangerous substances	ganic sol-	
Contaminated packaging	:	15 01 10* packaging containing residues of or co by dangerous substances	ontaminated	

SECTION 14: Transport information

14.1 UN number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards Not regulated as a dangerous	go	od
14.6 Special precautions for use	r	

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable for product as supplied.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sikafloor®-155 W N (A)

Date of last issue: 30.10.2020	Version 3.2	Print Date 18.08.2021
Revision Date: 18.08.2021		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)			Conditions of restriction for the fol- lowing entries should be considered: Number on list 3	
International Chemical Weapons Schedules of Toxic Chemicals an		:	Not applicable	
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). REACH - List of substances subject to authorisation		:	None of the components are listed (=> 0.1 %). Not applicable	
(Annex XIV)				
Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de-	:	Not applicable	
Regulation (EC) No 850/2004 on persistent organic pol- lutants			Not applicable	
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals			Not applicable	
REACH Information: - registered by our upstr - registered by us, and/c - excluded from the regu - exempted from the reg			am suppliers, and/or ition, and/or	
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable				
(VOCV)			or volatile organic compounds ds (VOC) content: 0,04% w/w	

volatile organic compounds (VOC) content: 0,04% w/w no VOC duties

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,04% w/w

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ- mental regulation/legislation	 Environmental Protection Act 1990 & Subsidiary Regulations Health and Safety at Work Act 1974 & Subsidiary Regulations
Country GB 00000224380	10/1

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sikafloor®-155 W N (A)

Date of last issue: 30.10.2020 Revision Date: 18.08.2021	Version 3.2	Print Date 18.08.2021
specific for the substance or mixture:	Control of Substances Hazardous to Health Re (COSHH) May be subject to the Control of Major Acciden Regulations (COMAH), and amendments.	0

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H302	:	Harmful if swallowed.
H312	:	Harmful in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H412	:	Harmful to aquatic life with long lasting effects.
Full text of other abbreviatio	ns	
Acute Tox.	:	Acute toxicity
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Skin Corr.	:	Skin corrosion
Skin Sens.	:	Skin sensitisation
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sikafloor[®]-155 W N (A)

Date of last issue: 30.10.2020 Revision Date: 18.08.2021		Version 3.2	Print Date 18.08.2021	
SVHC vPvB	cals (REACH) : Substances o	 istration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency Substances of Very High Concern Very persistent and very bioaccumulative 		
Further information				
Classification of the mixt	ure:	Classification pro	ocedure:	
Skin Irrit. 2	H315	Calculation metho	d	
Eye Irrit. 2	H319	Calculation metho	d	
Skin Sens. 1	H317	Calculation metho	d	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN