

# Sika ViscoFlow-3500 (GB)

## DECLARATION OF CONFORMITY

### No. 20175598

1	<b>UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:</b>	20175598
2	<b>INTENDED USE/S</b>	EN 934-2 High range water reducer/super plasticiser for concrete
3	<b>MANUFACTURER:</b>	Sika Limited Watchmead Welwyn Garden City Hertfordshire AL7 1BQ United Kingdom
4	<b>AUTHORISED REPRESENTATIVE:</b>	
5	<b>SYSTEM/S OF AVCP:</b>	System 2+
6a	<b>HARMONISED STANDARD:</b>	EN 934-2
	Approved body/ies:	0120

#### Declaration of Conformity

Sika ViscoFlow-3500 (GB)

20175598

2021.04 , ver. 1

1088

---

**7 DECLARED PERFORMANCE/S**

---

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Density	1.11	System 2+	EN 934-2
Dry Material Content	47%	System 2+	
pH	4.3	System 2+	
Chloride	<0.1%	System 2+	
Alkali (Na <sub>2</sub> O Equivalent)	Max 0.5%	System 2+	
Water Reduction	>= 12% over control	System 2+	
Compressive Strength	>= 90% of control	System 2+	
Air Content	<= 2% over control	System 2+	
Corrosion behaviour	Contains components only from EN 934-1:2008, Annex A.1	System 2+	

---

---

**8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION**

---

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Anthony Smith  
Function: Product Manager - Concrete  
At Sika Limited on 13 April 2021



Name : Martin Liska  
Function: R&D Manager  
At Sika Limited on 13 April 2021



End of information as required by UKCA

**Declaration of Conformity**

Sika ViscoFlow-3500 (GB)  
20175598  
2021.04 , ver. 01  
1088



21

Sika Limited, United Kingdom

DoC No. 20175598

EN 934-2

Approved Body : 0120

High range water reducer/superplasticiser for concrete

Density	1.11
Dry Material Content	47%
pH	4.3
Chloride	<0.1%
Alkali (Na <sub>2</sub> O Equivalent)	Max 0.5%
Water Reduction	>/= 12% over control
Compressive Strength	>/= 90% of control
Air Content	</= 2% over control
Corrosion behaviour	Contains components only from EN 934-1:2008, Annex A.1

<http://dop.sika.com>

## ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

## LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

### Declaration of Conformity

Sika ViscoFlow-3500 (GB)  
20175598  
2021.04 , ver. 01  
1088

**Sika Limited**  
Watchmead  
Welwyn Garden City  
Hertfordshire  
AL7 1BQ  
United Kingdom  
[www.sikaconcrete.co.uk](http://www.sikaconcrete.co.uk)

**Declaration of Conformity**  
Sika ViscoFlow-3500 (GB)  
20175598  
2021.04 , ver. 01  
1088

**4/4**

**BUILDING TRUST**

