

# Parex Maite D J20

Date of last issue: 11.08.2021	Version 2.0	Print Date 04.02.2022
Revision Date: 04.02.2022		

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name :

: Parex Maite D J20

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Mortar

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City
		Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

#### **1.4 Emergency telephone number**

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)Skin irritation, Category 2H315:Serious eye damage, Category 1H318:

H315: Causes skin irritation. H318: Causes serious eye damage.

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	N.S.	
Signal word	:	Danger	
Hazard statements	:	H315 H318	Causes skin irritation. Causes serious eye damage.
Precautionary statements	:	P101	If medical advice is needed, have product container or label at hand.
		P102 P103	Keep out of reach of children. Read label before use.



# Parex Maite D J20

Date of last issue: 11.08.2021 Revision Date: 04.02.2022		Version 2.0	Print Date 04.02.2022
	Prevention:		
	P264	Wash skin thoroughly after har	
	P280	Wear protective gloves/ eye protection.	otection/ face
	Response:		
	P305 + P351 +	P338 + P310 IF IN EYES: Rina with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- / to do. Con-

#### Hazardous components which must be listed on the label:

Cement (chromium reduced)

#### 2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

oomponenta				
Chemical name	CAS-No.	Classification	Concentration	
	EC-No.		(% w/w)	
	Registration number		· · · ·	
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 10 - < 20	
, , , , , , , , , , , , , , , , , , ,	266-043-4	Eye Dam. 1; H318		
		STOT SE 3; H335		
		(Respiratory system)		
Substances with a workplace exposure limit :				
Quartz (SiO2)	14808-60-7		>= 60 - < 80	
	238-878-4			

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# Parex Maite D J20

Date of last issue: 11.08.2021 Revision Date: 04.02.2022	Version 2.0	Print Date 04.02.2022		
calcium carbonate	471-34-1 207-439-9 01-2119486795-18- XXXX	>= 5 - < 10		

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

4.1 Description of first aid measures	5
General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled :	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact :	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms and e	effects, both acute and delayed
Symptoms :	Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks :	irritant effects
	Causes skin irritation. Causes serious eye damage.
4.3 Indication of any immediate med	lical attention and special treatment needed
Treatment :	Treat symptomatically.



# Parex Maite D J20

Date of last issue: 11.08.2021	Version 2.0	Print Date 04.02.2022
Revision Date: 04.02.2022		
SECTION 5: Firefighting measures		
5.1 Extinguishing media		

Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : No hazardous combustion products are known ucts

#### 5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

### **SECTION 6: Accidental release measures**

• • •	<ul> <li>ve equipment and emergency procedures</li> <li>Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.</li> </ul>
6.2 Environmental precautions	
Environmental precautions	<ul> <li>Try to prevent the material from entering drains or water courses.</li> </ul>
	No special environmental precautions required.
6.3 Methods and material for cont	ainment and cleaning up
Methods for cleaning up	: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.
6.4 Reference to other sections	
For personal protection see sec	tion 8.
CECTION 7: Llondling and stor	

# SECTION 7: Handling and storage

•

#### 7.1 Precautions for safe handling

Advice on safe handling

Avoid exceeding the given occupational exposure limits (see section 8).



# Parex Maite D J20

Date of last issue: 11.08.2021 Revision Date: 04.02.2022		Version 2.0	Print Date 04.02.2022
		Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibi plication area. Follow standard hygiene measures when hand products	·
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhat at places where dust is formed.	ust ventilation
Hygiene measures	:	Handle in accordance with good industrial hygi practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the e	n using do not
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well- place. Store in accordance with local regulation	
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as direc	cted.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Sheet use.	prior to any

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
Cement (chromium reduced)	65997-15-1	TWA (inhalable dust)	10 mg/m3	GB EH40	
		TWÁ (Respirable dust)	4 mg/m3	GB EH40	
calcium carbonate	471-34-1	TWA (inhalable dust)	10 mg/m3	GB EH40	
	will be collected the methods of pling and grav aerosols., The health include in air equal to dust or 4 mg.r any dust will b above these le WELs and exp	Further information: For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols., The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits., Most industrial dusts contain particles of a wide range of			

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# Parex Maite D J20

Date of last issue: 11.08.2021 Revision Date: 04.02.2022	Version 2.0	Print Date 04.02.2022
	after entry into the human respir sponse that it elicits, depend on HSE distinguishes two size fract termed 'inhalable' and 'respirabl the fraction of airborne material during breathing and is therefore respiratory tract. Respirable dus penetrates to the gas exchange tions and explanatory material a	the nature and size of the particle. tions for limit-setting purposes e'., Inhalable dust approximates to that enters the nose and mouth e available for deposition in the t approximates to the fraction that region of the lung. Fuller defini- re given in MDHS14/4., Where have their own assigned WEL, all nplied with., Where no specific d, a figure three times the long-
	TWA (Respirable dust)	4 mg/m3 GB EH40
*The above mentioned values are	e in accordance with the legislation in eff	ect at the date of the re-

ed values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### general dust value

Form of exposure	Value type	Control parameters	Basis
Inhalable	TWA	10 mg/m3	GB EH40
Respirable fraction	TWA	4 mg/m3	GB EH40

#### 8.2 Exposure controls

#### **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

	Personal protective equipmer	nt	
	Eye protection :		Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
			Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
	Skin and body protection :		Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
	Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work-
וכ	untry GB 10000039241		6





Date of last issue: 11.08.2021 Revision Date: 04.02.2022	Version 2.0	Print Date 04.02.2022
	ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substance Ensure adequate ventilation. This can be achiev exhaust extraction or by general ventilation. (EN ods for determining inhalation exposure). This a ticular to the mixing / stirring area. In case this is to keep the concentrations under the occupation limits then respiration protection measures must	red by local 689 - Meth- pplies in par- not sufficent nal exposure
Environmental exposure contro	bls	
General advice :	Try to prevent the material from entering drains courses. No special environmental precautions required.	or water

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Dhysical state					
Physical state Appearance	÷	solid powder			
Colour	:	various			
Odour	:	odourless			
	•	000011033			
Melting point/range / Freezing point	:	No data available			
Boiling point/boiling range	:	No data available			
Flammability (solid, gas)	:	No data available			
Upper/lower flammability or explosive limits					
Upper explosion limit / Up- per flammability limit	-				
Lower explosion limit / Lower flammability limit	:	No data available			
Flash point	:	Not applicable			
Auto-ignition temperature	:	No data available			
Decomposition temperature	:	No data available			
рН	:	Not applicable			
Viscosity					
Viscosity, kinematic	:	Not applicable			

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# Parex Maite D J20

Date of last issue: 11.08.2021 Revision Date: 04.02.2022		Version 2.0	Print Date 04.02.2022
Solubility(ies)			
Water solubility	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	No data available	
Density	:	> 1 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	
9.2 Other information			
No data available			

No data available

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

#### 10.4 Conditions to avoid

Conditions to avoid : No data available

#### 10.5 Incompatible materials

#### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

# Parex Maite D J20

Date of last issue: 11.08.2021 Revision Date: 04.02.2022 Version 2.0

Print Date 04.02.2022

#### Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye damage.

Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

12.2 Persistence and degradability No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# Parex Maite D J20

Date of last issue: 11.08.2021 Revision Date: 04.02.2022 Version 2.0

Print Date 04.02.2022

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Endocrine disrupting properties

#### Product:

rties according to egated regulation tion (EU) 2018/605 at
egated

#### 12.7 Other adverse effects

T TOULOU.	
Additional ecological infor- mation	: There is no data available for this product.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product

: The generation of waste should be avoided or minimized wherever possible.
Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
way.
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# Parex Maite D J20

Date of last issue: 11.08.2021	Version 2.0	Print Date 04.02.2022
Revision Date: 04.02.2022		

### **SECTION 14: Transport information**

#### 14.1 UN number

ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards				

Not regulated as a dangerous good

## 14.6 Special precautions for user

Not applicable

#### **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable for product as supplied.

# SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable	
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable	
Numtry CP 10000020211			

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# Parex Maite D J20

Date of last issue: 11.08.2021 Revision Date: 04.02.2022	Version 2	2.0	Print Date 04.02.2022
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals			Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).			None of the components are listed (=> 0.1 %).
REACH - List of substances subject to authorisation (Annex XIV)		:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer		:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)		:	Not applicable
REACH Information:			am suppliers, and/or ation, and/or

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not	ann	licable	
INOL	app	licable	

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	:	Environmental Protection Act 1990 & Subsidiary Regulations Health and Safety at Work Act 1974 & Subsidiary Regulations Control of Substances Hazardous to Health Regulations (COSHH) May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.
		5

#### Other regulations:

This product contains cement. Wet cement or mortar may cause alkali burns if in direct and/or prolonged contact with the skin. Wear protective clothing at all times when working with cement based products.

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

# Parex Maite D J20

<b>Jika</b> <sup>®</sup>

Print Date 04.02.2022

Date of last issue: 11.08.2021	Version 2.0
Revision Date: 04.02.2022	

### **SECTION 16: Other information**

Full text of H-Statements		
H315	÷	Causes skin irritation.
H318	÷	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviat	ions	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	÷	Globally Harmonized System
IATA	÷	International Air Transport Association
IMDG	÷	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation
MARPOL		period) International Convention for the Prevention of Pollution from
WARFOL	•	Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC		Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative
	•	
Further information		
Classification of the mixtur	re:	Classification procedure:
Skin Irrit. 2	НЗ	15 Calculation method
Eye Dam. 1	H3	Calculation method



# Parex Maite D J20

Date of last issue: 11.08.2021 Revision Date: 04.02.2022 Version 2.0

Print Date 04.02.2022

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN