

Date of last issue: 03.10.2022 Revision Date: 05.04.2023	Version 1.3	Print Date 05.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Sika[®] Injection-190 GB (A)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City
		Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification


2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Specific target organ toxicity - single ex-	H335: May cause respiratory irritation.
posure, Category 3, Respiratory system	

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)





Date of last issue: 03.10.2022 Revision Date: 05.04.2023	Ve	ersion 1.3	Print Date 05.04.2023
Precautionary statements :	Prevention:		
	P261	Avoid breathing dust/ fume/ gas pours/ spray.	/ mist/ va-
	P264	Wash skin thoroughly after hand	dling.
	P280	Wear protective gloves/ eye pro protection.	
	Response:		
	P304 + P340 + F	P312 IF INHALED: Remove pe air and keep comfortable for bre POISON CENTER/ doctor if you	eathing. Call a
	P305 + P351 + F	P338 + P310 IF IN EYES: Rins with water for several minutes. I tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Storage:		
	P403 + P233	Store in a well-ventilated place. tainer tightly closed.	Keep con-

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	



Date of last issue: 03.10.2022	
Revision Date: 05.04.2023	

Version 1.3

Print Date 05.04.2023

Substances with a workplace expo	osure limit :	
Limestone	1317-65-3	>= 1 - < 2,5
Contains:	215-279-6	
Quartz (SiO2) <5µm >= 0,1 %		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms a	nd e	effects, both acute and delayed
Symptoms	:	Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	:	irritant effects
		Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.



Date of last issue: 03.10.2022 Version 1.3 Print Date 05.04.2023 Revision Date: 05.04.2023 4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically. **SECTION 5: Firefighting measures** 5.1 Extinguishing media Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction. 5.2 Special hazards arising from the substance or mixture Hazardous combustion prod- : No hazardous combustion products are known ucts 5.3 Advice for firefighters Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters Further information Standard procedure for chemical fires. **SECTION 6: Accidental release measures**

Sika[®] Injection-190 GB (A)

6.1 Personal precautions, protect	tive equipment and emergency procedures
Personal precautions	 Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions	: Try to prevent the material from entering drains or water courses.
6.3 Methods and material for co	ntainment and cleaning up
Methods for cleaning up	: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.



Date of last issue: 03.10.2022 Revision Date: 05.04.2023	Version 1.3	Print Date 05.04.2023
	Avoid exceeding the given occupational expos section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohib plication area. Follow standard hygiene measures when hand products	ited in the ap-
Advice on protection against : fire and explosion	Avoid dust formation. Provide appropriate exha at places where dust is formed.	aust ventilation
Hygiene measures :	Handle in accordance with good industrial hygi practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the	n using do not
7.2 Conditions for safe storage, inc	luding any incompatibilities	
Requirements for storage : areas and containers	Store in original container. Keep in a well-venti Observe label precautions. Store in accordanc regulations.	
Further information on stor- : age stability	Keep in a dry place. No decomposition if stored and applied as dire	cted.
7.3 Specific end use(s)		

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Cement (chromium reduced)	65997-15-1	TWA (inhalable dust)	10 mg/m3	GB EH40
		TWA (Respirable dust)	4 mg/m3	GB EH40
Limestone	1317-65-3	TWA (inhalable dust)	10 mg/m3	GB EH40
	dust and inhala will be collecte the methods do pling and gravi aerosols., The health includes in air equal to o dust or 4 mg.m any dust will be above these le WELs and exp	ation: For the purpo able dust are those d when sampling is escribed in MDHS1 metric analysis or r COSHH definition of dust of any kind w or greater than 10 n a-3 8-hour TWA of r e subject to COSHH vels. Some dusts h osure to these mus dustrial dusts conta	fractions of airbor undertaken in acc 4/4 General metho espirable, thoracio of a substance has hen present at a c ng.m-3 8-hour TW espirable dust. Th d if people are exp ave been assignent t comply with the	ne dust which cordance with ods for sam- c and inhalable zardous to concentration A of inhalable is means that oosed to dust d specific appropriate



Date of last issue: 03.10.2022 Revision Date: 05.04.2023	Version 1.3	Print D	ate 05.04.2023
	sizes. The behaviour, deposition after entry into the human resp sponse that it elicits, depend of HSE distinguishes two size frac- termed 'inhalable' and 'respiral the fraction of airborne material during breathing and is therefor respiratory tract. Respirable du penetrates to the gas exchang tions and explanatory material dusts contain components that the relevant limits should be con- short-term exposure limit is list term exposure limit should be	iratory system, and in the nature and siz ctions for limit-settin ole'., Inhalable dust if that enters the nos re available for depo ist approximates to e region of the lung. are given in MDHS have their own ass omplied with., Where ed, a figure three tim	the body re- e of the particle. g purposes approximates to a and mouth osition in the the fraction that Fuller defini- 14/4., Where igned WEL, all e no specific
	TWA (Respirabl		GB EH40
*The above mentioned values are in ac	dust)	ffect at the date of t	

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Value type	Control parameters	Basis
Inhalable	TWA	10 mg/m3	GB EH40
Respirable fraction	TWA	4 mg/m3	GB EH40

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth-



Date of last issue: 03.10.2022 Revision Date: 05.04.2023	Version 1.3	Print Date 05.04.2023
	ods for determining inhalation exposure ticular to the mixing / stirring area. In ca to keep the concentrations under the oc limits then respiration protection measu	se this is not sufficent cupational exposure
Environmental exposure con	trols	
General advice	: Try to prevent the material from entering courses.	g drains or water

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	solid
Appearance Colour	÷	powder white
Odour	:	No data available
Odoui	·	No data avaliable
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	axe	losive limits
Upper explosion limit / Up-	-	
per flammability limit	•	
por narinability inite		
Lower explosion limit /	:	No data available
Lower flammability limit		
-		
Flash point	:	Not applicable
		Nie dete evellebie
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Decomposition temperature	•	
pН	:	No data available
•		
Viscosity		
Viscosity, kinematic	:	No data available
<u>,</u>		
Solubility(ies)		
Water solubility	:	No data available
-		
		No data available
Partition coefficient: n-	:	
Partition coefficient: n- octanol/water	:	
	:	No data available



Date of last issue: 03.10.2022 Revision Date: 05.04.2023	Version 1.3	Print Date 05.04.2023
Density	: ca. 1 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information No data available		

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

Conditions to avoid	: No data available
---------------------	---------------------

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.



Date of last issue: 03.10.2022	
Revision Date: 05.04.2023	

Version 1.3

Print Date 05.04.2023

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure May cause respiratory irritation.

STOT - repeated exposure Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

:

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties



Date of last issue: 03.10.2022 Revision Date: 05.04.2023	Version 1.3	Print Date 05.04.2023

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

:

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
Country CB 10000033170		

14.1 UN number or ID number



Date of last issue: 03.10.2022 Revision Date: 05.04.2023	Version 1.3	Print Date 05.04.2023
IATA (Cargo)	: Not regulated as a dangerous good	
IATA (Passenger)	: Not regulated as a dangerous good	
14.5 Environmental hazards Not regulated as a danger	us good	
14.6 Special precautions for u Not applicable	ser	
14.7 Maritime transport in bul Not applicable for product a	c according to IMO instruments is supplied.	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors			Not applicable
Regulation (EC) No 1005/2009 of plete the ozone layer	n substances that de-	: 1	Not applicable
Volatile organic compounds : Law on the incentive t (VOCV) no VOC duties		(for	volatile organic compounds
			November 2010 on industrial ion prevention and control)

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ-	: Environmental Protection Act 1990 & Subsidiary Regulations
mental regulation/legislation	Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or	Control of Substances Hazardous to Health Regulations
mixture:	(COSHH)
	May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

Other regulations:

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.



Date of last issue: 03.10.2022 Revision Date: 05.04.2023 Version 1.3

Print Date 05.04.2023

SECTION 16: Other information

Full text of H-Statements			
H315	:	Causes skin irritation.	
H318	:	Causes serious eye damage.	
H335	:	May cause respiratory irritation.	
Full text of other abbreviations			
Eye Dam.	:	Serious eye damage	
Skin Irrit.	:	Skin irritation	
STOT SE	:	Specific target organ toxicity - single exposure	
GB EH40 GB EH40 / TWA	•	UK. EH40 WEL - Workplace Exposure Limits Long-term exposure limit (8-hour TWA reference period)	
ADR	:	European Agreement concerning the International Carriage of	
	•	Dangerous Goods by Road	
CAS	:	Chemical Abstracts Service	
DNEL	:	Derived no-effect level	
EC50	:	Half maximal effective concentration	
GHS	:	Globally Harmonized System	
IATA IMDG	÷	International Air Transport Association	
LD50	:	International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at	
EDGO	•	once, which causes the death of 50% (one half) of a group of	
		test animals)	
LC50	:	Median lethal concentration (concentrations of the chemical in	
		air that kills 50% of the test animals during the observation	
		period)	
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978	
OEL		Occupational Exposure Limit	
PBT	÷	Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament	
		and of the Council of 18 December 2006 concerning the Reg-	
		istration, Evaluation, Authorisation and Restriction of Chemi-	
SVHC		cals (REACH), establishing a European Chemicals Agency Substances of Very High Concern	
vPvB	:	Very persistent and very bioaccumulative	
	•		
Further information			
Classification of the mixture:		Classification procedure:	
Skin Irrit. 2	H3	Calculation method	
Eye Dam. 1	H3	Calculation method	
STOT SE 3	H3	Calculation method	



Date of last issue: 03.10.2022 Revision Date: 05.04.2023 Version 1.3

Print Date 05.04.2023

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN