

Revision Date 31.12.2018

Version 6.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1 Product identifier** 

Trade name

Sikadur<sup>®</sup>-31 SBA SO2 Part A

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Adhesive

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

#### 1.4 Emergency telephone number

+44 (0)1707 363899 (available during office hours).

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		!
Signal word	:	Danger	
Hazard statements	:	H315 H317 H318	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.

### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

## Sikadur®-31 SBA S02 Part A



Revision Date 31.12.2018	١	/ersion 6.0	Print Date 28.01.20
	H412	Harmful to aquatic life with long fects.	lasting ef-
Precautionary statements :	Prevention:		
	P261	Avoid breathing dust/ fume/ gas pours/ spray.	/ mist/ va-
	P273	Avoid release to the environmer	nt
	P280	Wear protective gloves/ eye pro protection.	
	Response:		
	P305 + P351 + I	P338 + P310 IF IN EYES: Rins with water for several minutes. If tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/doctor.	Remove con- to do. Con-
	P333 + P313	If skin irritation or rash occurs: C advice/ attention.	Get medical
	P362 + P364	Take off contaminated clothing a before reuse.	and wash it

Hazardous components which must be listed on the label:

- reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)
- 1,4-bis(2,3 epoxypropoxy)butane

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
reaction product: bisphenol-A- (epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)	25068-38-6 500-033-5 01-2119456619-26- XXXX	Eye Irrit. 2; H319 Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 2; H411	>= 10 - < 20

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

## Sikadur<sup>®</sup>-31 SBA S02 Part A



vision Date 31.12.2018	Version 6	Print Date 28.01.2	
1,4-bis(2,3 epoxypropoxy)butane	2425-79-8 219-371-7 01-2119494060-45- XXXX	Aquatic Chronic 3; H412 Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Dam. 1; H318	>= 3 - < 5
Hydrocarbons, C10-C13, aromat- ics, <1% naphthalene Contains: naphthalene <= 1 %	Not Assigned 922-153-0 01-2119451097-39- XXXX	Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 1 - < 2,5

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

an Booonption of mot ala mouou				
General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.			
If inhaled	: Move to fresh air. Consult a physician after significant exposure.			
In case of skin contact	<ul> <li>Take off contaminated clothing and shoes immediately.</li> <li>Wash off with soap and plenty of water.</li> <li>If symptoms persist, call a physician.</li> </ul>			
In case of eye contact	<ul> <li>Small amounts splashed into eyes can cause irreversible tissue damage and blindness.</li> <li>In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.</li> <li>Continue rinsing eyes during transport to hospital.</li> <li>Remove contact lenses.</li> <li>Keep eye wide open while rinsing.</li> </ul>			
If swallowed	<ul> <li>Do not induce vomiting without medical advice.</li> <li>Rinse mouth with water.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person.</li> </ul>			
4.2 Most important symptoms and effects, both acute and delayed				
Symptoms	<ul> <li>Allergic reactions         Excessive lachrymation         Erythema         Dermatitis         See Section 11 for more detailed information on health effects and symptoms.     </li> </ul>			
Risks	: irritant effects sensitising effects			

\_



Revision Date 31.12.2018	Version 6.0	Print Date 28.01.20
	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.	
4.3 Indication of any immediate m	edical attention and special treatment nee	ded
Treatment	: Treat symptomatically.	
SECTION 5: Firefighting meas	ires	
5.1 Extinguishing media		
Suitable extinguishing media	<ul> <li>In case of fire, use water/water spray/wate ide/sand/foam/alcohol resistant foam/cher extinction.</li> </ul>	
5.2 Special hazards arising from t	he substance or mixture	
Hazardous combustion prod- ucts	: No hazardous combustion products are kr	IOWN
5.3 Advice for firefighters		
Special protective equipment for firefighters	: In the event of fire, wear self-contained bro	eathing apparatus.
Further information	: Standard procedure for chemical fires.	
	e measures ve equipment and emergency procedures	

• • •		••••••
Personal precautions	:	Use personal protective equipment.
		Deny access to unprotected persons.

### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

Revision Date 31.12.2018

Version 6.0



### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling	
Advice on safe handling :	Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection against : fire and explosion	Normal measures for preventive fire protection.
Hygiene measures :	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, incl	uding any incompatibilities
Requirements for storage : areas and containers	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor- : age stability	No decomposition if stored and applied as directed.
7.3 Specific end use(s)	

Specific use(s) : Consult most current local Product Data Sheet prior to any use.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

Personal protective equipme	nt
Eye protection	: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.



Revision Date 31.12.2018	Version 6.0	Print Date 28.01.2
	Suitable for short time use or protection a Butyl rubber/nitrile rubber gloves (0,4 mm Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	)
Skin and body protection	: Protective clothing (e.g. Safety shoes acc long-sleeved working clothing, long trouse and protective boots are additionaly recor and stirring work.	ers). Rubber aprons
Respiratory protection	: No special measures required.	
Environmental exposure cor	itrols	
General advice	: Do not flush into surface water or sanitary If the product contaminates rivers and lak respective authorities.	

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance	:	paste
Colour	:	white
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	ca. 7,5 Concentration: 500 g/l
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 101 °C Method: closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available

Revision Date 31.12.2018



Vapour pressure	:	< 0,009 hPa
Relative vapour density	:	No data available
Density	:	ca. 2 g/cm3 (20 °C)
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic Viscosity, kinematic	:	No data available > 20,5 mm2/s (40 °C)
Explosive properties	:	No data available
Oxidizing properties	:	No data available

Version 6.0

#### 9.2 Other information

No data available

### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

#### 10.4 Conditions to avoid

Conditions to avoid : N	No data available
-------------------------	-------------------

#### 10.5 Incompatible materials

Materials to avoid	:	No data available
--------------------	---	-------------------

### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.



Revision Date 31.12.2018

Information on toxicolog	ical effects
Acute toxicity Not classified based on ava	ailable information.
Components:	
reaction product: bispher weight ≤ 700):	nol-A-(epichlorhydrin); epoxy resin (number average molecula
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 20.000 mg/kg
1,4-bis(2,3 epoxypropoxy	)butane:
Acute oral toxicity	: LD50 Oral (Rat): 1.163 mg/kg
Hydrocarbons, C10-C13,	aromatics, <1% naphthalene:
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg
Acute inhalation toxicity	<ul> <li>LC50 (Rat): &gt; 4,7 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inha tion toxicity</li> </ul>
Skin corrosion/irritation	
Causes skin irritation.	
Serious eye damage/eye Causes serious eye damag	
Respiratory or skin sensi	
Skin sensitisation	
May cause an allergic skin	reaction.
Respiratory sensitisation Not classified based on available	
Germ cell mutagenicity Not classified based on ava	ailable information.
<b>Carcinogenicity</b> Not classified based on available	ailable information.
Reproductive toxicity Not classified based on ava	ailable information.
STOT - single exposure	
Not classified based on ava	ailable information.

Print Date 28.01.2019

Revision Date 31.12.2018

Version 6.0

#### **STOT - repeated exposure**

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

	reaction product: bisphenol-A-(ep Toxicity to fish :	ichlorhydrin); epoxy resin (number average molecular weight ≤ 700): LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Exposure time: 96 h
	Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia magna (Water flea)): 1,8 mg/l Exposure time: 48 h
	Hydrocarbons, C10-C13, aromati	cs, <1% naphthalene:
	Toxicity to daphnia and other : aquatic invertebrates (Chron- ic toxicity)	
12.2	Persistence and degradability No data available	
12.3	<b>Bioaccumulative potential</b> No data available	
12.4	Mobility in soil	
	No data available	
12.5	Results of PBT and vPvB asses	ssment
	Product:	
	Assessment :	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher
12.6	Other adverse effects	
	<b>Product:</b> Additional ecological infor- : mation	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

Revision Date 31.12.2018

Version 6.0



#### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods		
Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

### **SECTION 14: Transport information**

#### 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

## 14.6 Special precautions for user

Not applicable

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 International Chemical Weapons Convention (CWC)
 :
 Not applicable



Revision Date 31.12.2018	Version	6.0		Print Date 28.01.2
Schedules of Toxic Chemicals an	d Precursors			
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the compone (=> 0.1 %).	nts are listed
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable	
Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de-	:	Not applicable	
Regulation (EC) No 850/2004 on lutants	persistent organic pol-	:	Not applicable	
Regulation (EC) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable	
REACH Information:	All substances containe - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	trea /or gula	tion, and/or	

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: < 0,01 % no VOC duties
----------------------------	---	--

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ-	:	Environmental Protection Act 1990 & Subsidiary Regulations
mental regulation/legislation		Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or		Control of Substances Hazardous to Health Regulations
mixture:		(COSHH)
		May be subject to the Control of Major Accident Hazards
		Regulations (COMAH), and amendments.

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## Sikadur®-31 SBA S02 Part A

Revision Date 31.12.2018

Version 6.0



#### **SECTION 16: Other information**

Full text of H-Statements	
H302 :	Harmful if swallowed.
H304 :	May be fatal if swallowed and enters airways.
H312 :	Harmful in contact with skin.
H315 :	Causes skin irritation.
	•
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H319 :	Causes serious eye irritation.
H332 :	Harmful if inhaled.
H411 :	Toxic to aquatic life with long lasting effects.
H412 :	Harmful to aquatic life with long lasting effects.
Full text of other abbreviations	
Acute Tox. :	Acute toxicity
Aquatic Chronic :	Long-term (chronic) aquatic hazard
Asp. Tox. :	Aspiration hazard
Eye Dam. :	Serious eye damage
Eye Irrit. :	Eye irritation
Skin Irrit. :	Skin irritation
Skin Sens.	Skin sensitisation
ADR :	European Agreement concerning the International Carriage of
	Dangerous Goods by Road
CAS :	Chemical Abstracts Service
DNEL :	Derived no-effect level
EC50 :	Half maximal effective concentration
GHS :	Globally Harmonized System
IATA :	International Air Transport Association
IMDG :	International Maritime Code for Dangerous Goods
LD50 :	Median lethal dosis (the amount of a material, given all at
	once, which causes the death of 50% (one half) of a group of
	test animals)
LC50 :	Median lethal concentration (concentrations of the chemical in
	air that kills 50% of the test animals during the observation
	period)
MARPOL :	International Convention for the Prevention of Pollution from
	Ships, 1973 as modified by the Protocol of 1978
OEL :	Occupational Exposure Limit
PBT :	Persistent, bioaccumulative and toxic
PNEC :	Predicted no effect concentration
REACH :	Regulation (EC) No 1907/2006 of the European Parliament
	and of the Council of 18 December 2006 concerning the Reg-
	istration, Evaluation, Authorisation and Restriction of Chemi-
	cals (REACH), establishing a European Chemicals Agency
SVHC :	Substances of Very High Concern
vPvB :	Very persistent and very bioaccumulative
Foundly on the formula of the sec	
Further information	
Classification of the mixture:	Classification procedure:
Skin Irrit. 2 H3	Calculation method

#### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Sikadur®\_21 SBA SO2 Part A

Revision Date 31.12.2018



Sikadur	°-31 SI	BA SUZ	Part A	

Version 6.0

Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN