
Sika MonoTop 130 Seal

DECLARATION OF CONFORMITY

No. 83331819

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:	83331819
2	INTENDED USE/S	EN 1504-3: 2005 1-component class R4 mortar for the repair of concrete structures RP3 Method 3.1
3	MANUFACTURER:	Sika Limited Watchmead Welwyn Garden City Hertfordshire AL7 1BQ United Kingdom
4	AUTHORISED REPRESENTATIVE:	
5	SYSTEM/S OF AVCP:	System 2+
6a	HARMONISED STANDARD:	EN 1504-3: 2005
	Approved body/ies:	0120

Declaration of Conformity

Sika MonoTop 130 Seal
83331819
2021.04 , ver. 2
1026

7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Compressive Strength	Class R4	System 2+	EN 1504-3: 2005
Chloride Ion Content	< 0.05%	System 2+	
Adhesive Bond	> 2.0 MPa	System 2+	
Restrained Shrinkage / Expansion	> 2.0 MPa	System 2+	
Carbonation Resistance	Passed	System 2+	
Elastic Modulus	> 20GPa	System 2+	
Capillary Absorption	< 0.5 kg/m ² /h 0.5	System 2+	
Reaction to Fire	A1	System 2+	
Thermal Compatibility	NPD	System 2+	
Skid Resistance	NPD	System 2+	
Coefficient of Thermal Expansion	NPD	System 2+	
Dangerous Substances	NPD	System 2+	

**8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR -
SPECIFIC TECHNICAL DOCUMENTATION**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Steve Armfield
Function: Product Manager
At Sika Limited on 13 April 2021



Name : Martin Liska
Function: R&D Manager
At Sika Limited 13 April 2021



End of information as required by UKCA

Declaration of Conformity

Sika MonoTop 130 Seal
83331819
2021.04 , ver. 2
1026



21

Sika Limited, Hertfordshire, United Kingdom

DoC No. 83331819

EN 1504-3: 2005

Approved Body 0120

1-component class R4 mortar for the repair of concrete structures
RP3 Method 3.1

Compressive Strength	Class R4
Chloride Ion Content	< 0.05%
Adhesive Bond	> 2.0 MPa
Restrained Shrinkage / Expansion	> 2.0 MPa
Carbonation Resistance	Passed
Elastic Modulus	> 20GPa
Capillary Absorption	< 0.5 kg/m ² /h 0.5
Reaction to Fire	A1

<http://dop.sika.com>

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Declaration of Conformity

Sika MonoTop 130 Seal
83331819
2021.04 , ver. 2
1026

3/4

BUILDING TRUST



Sika Limited
Watchmead
Hertfordshire AL7 1BQ
United Kingdom
www.sika.com

Declaration of Conformity

Sika MonoTop 130 Seal
83331819
2021.04 , ver. 2
1026

