

Date of last issue: 29.01.2024	Version 3.9	Print Date 29.02.2024
Revision Date: 09.02.2024		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : EVERBUILD GUN GRADE Expanding Foam

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Polyurethane foam, Spray application

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City
		Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.
Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.



Date of last issue: 29.01.2024 Revision Date: 09.02.2024		Version 3.9	Print Date 29.02.2024
Specific target organ toxicity - r exposure, Category 2	repeated	H373: May cause damage to longed or repeated exposure	
2.2 Label elements			
Labelling (REGULATION (EC) No 1272/20	08)	
Hazard pictograms :			
Signal word :	Danger		
Hazard statements :	H222 H229 H315 H317 H319 H332 H334 H335 H351 H373	Extremely flammable aeros Pressurised container: May Causes skin irritation. May cause an allergic skin Causes serious eye irritation Harmful if inhaled. May cause allergy or asthm ing difficulties if inhaled. May cause respiratory irrita Suspected of causing cano May cause damage to orga or repeated exposure if inh	y burst if heated. reaction. on. na symptoms or breath- ation. eer. ans through prolonged
Precautionary statements :	P101 P102	If medical advice is ne container or label at h Keep out of reach of c	and.
	Preventio	•	
	P202	Do not handle until all	safety precautions
	P210	have been read and u Keep away from heat, open flames and othe smoking.	nderstood. hot surfaces, sparks,
	P211		en flame or other igni-
	P251	Do not pierce or burn,	
	P260 P271	Do not breathe dust o Use only outdoors or i	
	1 27 1	ea.	
	P280	Wear protective glove eye protection/ face p	
	Response	:	
	P304 + P3	air and keep comforta	emove person to fresh ble for breathing. Call a octor if you feel unwell.
	P342 + P3		atory symptoms: Call a



Date of last issue: 29.01.2024 Revision Date: 09.02.2024	Version 3.9	Print Date 29.02.2024
	Storage:	

Store locked up.
Protect from sunlight. Do not expose to tem- peratures exceeding 50 °C/ 122 °F.
Dispose of contents/container in accordance with local regulation.

Hazardous components which must be listed on the label:

Diphenylmethanediisocyanate, isomeres and homologues

Additional Labelling

Persons already sensitised to diisocyanates may develop allergic reactions when using this product.

Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.

This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

Persons already sensitised to diisocyanates may develop allergic reactions when using this product.

Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.

This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Date of last issue: 29.01.2024 Revision Date: 09.02.2024 Version 3.9

Print Date 29.02.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % Resp. Sens. 1; H334 >= 0,1 % Skin Irrit. 2; H315 >= 5 % STOT SE 3; H335 >= 5 %	>= 25 - < 40
propane	74-98-6 200-827-9 01-2119486944-21- XXXX	Flam. Gas 1A; H220	>= 20 - < 25
isobutane	75-28-5 200-857-2 01-2119485395-27- XXXX	Flam. Gas 1A; H220	>= 20 - < 25
Substances with a workplace expo	sure limit :		
dimethyl ether	115-10-6 204-065-8 01-2119472128-37- XXXX	Flam. Gas 1A; H220	>= 20 - < 25

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

: Move out of dangerous area.



_

Date of last issue: 29.01.2024 Revision Date: 09.02.2024		Version 3.9	Print Date 29.02.2024
		Consult a physician. Show this safety data sheet to the doctor in atte	endance.
If inhaled	:	Move to fresh air.	
In case of skin contact	:	Take off contaminated clothing and shoes imme Wash off with soap and plenty of water. If symptoms persist, call a physician.	ediately.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconsciou	
4.2 Most important symptoms ar	nd e	effects, both acute and delayed	
Symptoms	:	Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed information or and symptoms.	n health effects
Risks	:	irritant effects sensitising effects	
		Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breaties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonge exposure if inhaled.	-
4.3 Indication of any immediate	me	dical attention and special treatment needed	
Treatment	:	Treat symptomatically.	



Date of last issue: 29.01.2024 Revision Date: 09.02.2024 Version 3.9

Print Date 29.02.2024

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Water spray jet Dry powder Foam Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment.
		Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8).
		Do not get in eyes, on skin, or on clothing.
		For personal protection see section 8.



Date of last issue: 29.01.2024 Revision Date: 09.02.2024	Version 3.9	Print Date 29.02.2024
	Persons with a history of skin sensitisation prof ma, allergies, chronic or recurrent respiratory of not be employed in any process in which this n used. Smoking, eating and drinking should be prohib plication area. Take precautionary measures against static dis Provide sufficient air exchange and/or exhaust Open drum carefully as content may be under Take necessary action to avoid static electricity (which might cause ignition of organic vapours Follow standard hygiene measures when hand products	lisease should nixture is being ited in the ap- scharge. in work rooms. pressure. y discharge).
Advice on protection against : fire and explosion	Use explosion-proof equipment. Keep away fro open flames/ hot surfaces. No smoking. Do no naked flame or any incandescent material. Tak measures against electrostatic discharges.	t spray on a
Hygiene measures :	Handle in accordance with good industrial hygi practice. When using do not eat or drink. Wher smoke. Wash hands before breaks and at the	n using do not
7.2 Conditions for safe storage, inc	luding any incompatibilities	
Requirements for storage : areas and containers	BEWARE: Aerosol is pressurized. Keep away exposure and temperatures over 50 °C. Do not or throw into fire even after use. Do not spray or red-hot objects. Store in original container. Keet tightly closed in a dry and well-ventilated place precautions. Store in accordance with local reg	t open by force on flames or ep container . Observe label
Further information on stor- : age stability	No decomposition if stored and applied as dire	cted.
7.3 Specific end use(s)		
Specific use(s)	Cleaning with aprotic polar solvents must be av Consult most current local Product Data Sheet use.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Diphenylmethanediisocyanate, isomeres	9016-87-9	TWA	0,02 mg/m3	GB EH40



Date of last issue: 29.01.2024 Revision Date: 09.02.2024 Version 3.9

Print Date 29.02.2024

and homologues			(NCO)		
	Further infor	Further information: Capable of causing occupational asthma.			
		STEL	0,07 mg/m3 (NCO)	GB EH40	
dimethyl ether	115-10-6	TWA	1.000 ppm 1.920 mg/m3	2000/39/EC	
	Further infor	mation: Indicativ	/e		
		TWA	400 ppm 766 mg/m3	GB EH40	
		STEL	500 ppm 958 mg/m3	GB EH40	

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

Biological occupational exposure limits

Substance name	CAS-No.	Control parame- ters	Sampling time	Basis
Diphenylmethanediisocyanate, iso- meres and homologues	9016-87-9	isocyanate- derived diamine (Isocyanates): 1 µmol/mol creati- nine (Urine)	At the end of the period of expo- sure	GB EH40 BAT

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers).
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator.



Date of last issue: 29.01.2024 Revision Date: 09.02.2024	Version 3.9	Print Date 29.02.2024
	organic vapor (Type A) and particulate A1: < 1000 ppm; A2: < 5000 ppm; A3: P1: Inert material; P2, P3: hazardous s Ensure adequate ventilation, especially When workers are facing concentration limit they must use appropriate certified	< 10000 ppm substances y in confined areas. ns above the exposure
Environmental exposure co	ontrols	
General advice	: Do not flush into surface water or sanit If the product contaminates rivers and	

respective authorities.

SECTION 9: Physical and chemical properties

1	Information on basic physical	an	d chemical properties
	Physical state Colour	:	aerosol yellow
	Odour	:	characteristic
	Melting point/range / Freezing point	:	No data available
	Boiling point/boiling range	:	< 35 °C
	Flammability (solid, gas)	:	No data available
	Unner/lewer flommehility or a		le cive limite
	Upper/lower flammability or e Upper explosion limit / Up- per flammability limit	-	
	Lower explosion limit / Lower flammability limit	:	No data available
	Flash point	:	> 23 °C
	Auto-ignition temperature	:	No data available
	Decomposition temperature	:	No data available
	pH	:	Not applicable

9.1 Information on basic physical and chemical properties



Date of last issue: 29.01.2024 Revision Date: 09.02.2024	Version 3.9	Print Date 29.02.2024
	substance/mixture reacts with water	r
Viscosity Viscosity, kinematic	: Not applicable	
Solubility(ies) Water solubility	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 5 hPa	
Density	: 19 - 25 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions					
Hazardous reactions	:	Stable under recommended storage conditions.			
10.4 Conditions to avoid					
Conditions to avoid	:	Heat, flames and sparks.			
10.5 Incompatible materials					
Materials to avoid	:	No data available			



Date of last issue: 29.01.2024	Version 3.9	Print Date 29.02.2024
Revision Date: 09.02.2024		

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if inhaled.

Components:

Diphenylmethanediisocyanate, isomeres and homologues:

Acute oral toxicity	LD50 Oral (Rat): > 10.000 mg/kg	
Acute inhalation toxicity	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is moderate short term inhalation.	ly toxic after
Acute dermal toxicity	LD50 Dermal (Rabbit): > 9.400 mg/kg	

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.



Date of last issue: 29.01.2024	Version 3.9	Print Date 29.02.2024
Revision Date: 09.02.2024		

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Diphenylmethanediisocyanate, isomeres and homologues:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 1.000 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 1.640 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..



Date of last issue: 29.01.2024	Version 3.9	Print Date 29.02.2024
Revision Date: 09.02.2024		

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

Global warming potential

Assessment Report of the Intergovernmental Panel on Climate Change (IPCC) of the United Nations Framework Convention on Climate Change (UNFCCC)

Components:

propane:

20-year global warming potential: 0,072 100-year global warming potential: 0,02 500-year global warming potential: 0,006 Atmospheric lifetime: 0,036 yr Radiative efficiency: 0 Wm2ppb Further information: Miscellaneous compounds

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

The generation of waste should be avoided or minimized wherever possible.
Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



Date of last issue: 29.01.2024	Version 3.9	Print Date 29.02.2024
Revision Date: 09.02.2024		

SECTION 14: Transport information

14.1 UN number or ID number

	ADR	:	UN 1950	
	IMDG	:	UN 1950	
	ΙΑΤΑ	:	UN 1950	
14.2	UN proper shipping name			
	ADR	:	AEROSOLS	
	IMDG	:	AEROSOLS	
	ΙΑΤΑ	:	Aerosols, flammable	
14.3	Transport hazard class(es)			
			Class	Subsidiary risks
	ADR	:	2	2.1
	IMDG	:	2.1	
	ΙΑΤΑ	:	2.1	
14.4	Packing group			
	ADR Packing group Classification Code Labels Tunnel restriction code Remarks		Not assigned by regul 5F 2.1 (D) Transport according to	
	IMDG Packing group Labels EmS Code Remarks	:	Not assigned by regul 2.1 F-D, S-U Transport in accordar	lation nce with 2.3.2.5 of the IMDG-Code
	IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group		203 Y203 Not assigned by regul Flammable Gas 203 Y203 Not assigned by regul	



Date of last issue: 29.01.2024 Revision Date: 09.02.2024		Version 3.9	Print Date 29.02.2024
Labels	:	Flammable Gas	
14.5 Environmental hazards			
ADR Environmentally hazardous	:	no	
IMDG Marine pollutant	:	no	
IATA (Passenger) Environmentally hazardous	:	no	

IATA (Cargo)

Environmentally hazardous : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Conditions of restriction for the fol- lowing entries should be considered: Diphenylmethanediisocyanate, iso- meres and homologues (Number on list 56)
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable



Date of last issue: 29.01.2024 Revision Date: 09.02.2024	Version 3.9	Print Date 29.02.2024
UK REACH List of substances su (Annex XIV)	bject to authorisation : Not applicable	
GB Export and import of hazardou Informed Consent (PIC) Regulation		
Control of Major Accident Hazard 2015 (COMAH) Volatile organic compounds :	s Regulations P3a FLAMMABLE AEROSOLS Law on the incentive tax for volatile organic comp (VOCV) Volatile organic compounds (VOC) content: 60% Directive 2010/75/EU of 24 November 2010 on ir emissions (integrated pollution prevention and co Volatile organic compounds (VOC) content: 60%	oounds w/w ndustrial ontrol)
If other regulatory information app Sheet, then it is described in this s	lies that is not already provided elsewhere in the subsection.	Safety Data
Health, safety and environ- :	Environmental Protection Act 1990 & Subsidiary	

Health, safety and environ-	:	Environmental Protection Act 1990 & Subsidiary Regulations
mental regulation/legislation		Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or		Control of Substances Hazardous to Health Regulations
mixture:		(COSHH)
		May be subject to the Control of Major Accident Hazards
		Regulations (COMAH), and amendments.

Other regulations:

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H220	:	Extremely flammable gas.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H334	:	May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.
H335	:	May cause respiratory irritation.
H351	:	Suspected of causing cancer.
H373	:	May cause damage to organs through prolonged or repeated exposure if inhaled.



Date of last issue: 29.01.2024 Revision Date: 09.02.2024 Version 3.9

Print Date 29.02.2024

Full text of other abbreviation	ons	
Acute Tox.	:	Acute toxicity
Carc.	:	Carcinogenicity
Eye Irrit.	:	Eye irritation
Flam. Gas	:	Flammable gases
Resp. Sens.	÷	Respiratory sensitisation
Skin Irrit.	÷	Skin irritation
Skin Sens.		Skin sensitisation
STOT RE	÷	Specific target organ toxicity - repeated exposure
STOT SE	÷	Specific target organ toxicity - single exposure
2000/39/EC	÷	Europe. Commission Directive 2000/39/EC establishing a first
	-	list of indicative occupational exposure limit values
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 BAT	÷	UK. Biological monitoring guidance values
2000/39/EC / TWA	÷	Limit Value - eight hours
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
		cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative
		-

Further information

Classification of the mixtu	Classification procedure:	
Aerosol 1	H222, H229	Calculation method
Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method



Date of last issue: 29.01.2024 Revision Date: 09.02.2024		Version 3.9	Print Date 29.02.2024
Eye Irrit. 2	H319	Calculation method	
Resp. Sens. 1	H334	Calculation method	
Skin Sens. 1	H317	Calculation method	
Carc. 2	H351	Calculation method	
STOT SE 3	H335	Calculation method	
STOT RE 2	H373	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN