

Revision Date 05.07.2016

Version 0.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaGrout[®]-111 GP

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire AL7 1BQ United Kingdom
Telephone	:	+44 (0)1707 394444

1.4 Emergency telephone number

Emergency telephone num- : +44 (0)1707 363899 (available during office hours) ber

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Type of product : Mixture

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Category 1A Serious eye damage, Category 1 Specific target organ toxicity - single exposure, Category 3, Respiratory system H314: Causes severe skin burns and eye damage.

- H318: Causes serious eye damage.
- H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		!
Signal word	:	Danger	•
Hazard statements	:	H314 H335	Causes severe skin burns and eye damage. May cause respiratory irritation.
Precautionary statements	:	Prevention:	



Revision Date 05.07.2016	Ve	rsion 0.0	Print Date 05.07
	P260	Do not breathe dust or mist.	
	P280	Wear protective gloves/ protection eye protection/ face protection	
	Response:		
	P301 + P330 + P3	31 IF SWALLOWED: Rinse r NOT induce vomiting.	mouth. Do
	P303 + P361 + P3	353 IF ON SKIN (or hair): Tak ately all contaminated clothing with water/shower.	
	P304 + P340 + P3	IO IF INHALED: Remove pe air and keep comfortable for b mediately call a POISON CEN	reathing. Im-
	P305 + P351 + P3	38 + P310 IF IN EYES: Rins with water for several minutes. contact lenses, if present and Continue rinsing. Immediately POISON CENTER/doctor.	. Remove easy to do.

Hazardous components which must be listed on the label:

• 266-043-4 Cement, portland, chemicals

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
Cement, portland, chemicals 65997-15-1 266-043-4	Skin Irrit.2; H315 Eye Dam.1; H318 STOT SE3; H335	>= 25 - < 50
Substances with a workplace exposure limit :		
Quartz (SiO2) 14808-60-7 238-878-4		>= 50 - <= 100
Limestone		>= 5 - < 10
1317-65-3		
215-279-6		
Contains:		
Quartz (SiO2) <5µm >= 0,1 %		

For the full text of the H-Statements mentioned in this Section, see Section 16.



Revision Date 05.07.2016

Version 0.0

SECTION 4: First aid measures

4.1 Description of first aid measures				
General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.			
If inhaled	: Move to fresh air. Consult a physician after significant exposure.			
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul- ty.			
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing. 			
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 			
4.2 Most important symptoms an	nd effects, both acute and delayed			
Symptoms	: Cough Respiratory disorder Dermatitis See Section 11 for more detailed information on health effects and symptoms.			
Risks	 Health injuries may be delayed. corrosive effects irritant effects Causes serious eye damage. May cause respiratory irritation. Causes severe burns. 			
4.3 Indication of any immediate n	medical attention and special treatment needed			
Treatment	: Treat symptomatically.			



Revision Date 05.07.2016

Version 0.0

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions	: Do not flush into surface water or sanitary sewer system.
	If the product contaminates rivers and lakes or drains inform
	respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drink-
Advice on safe handling	: Avoid exceeding the given occupational exposure limits (see



Revision Date 05.07.2016	Version 0.0	Print Date 05.07.20
	ing should be prohibited in the applicati ard hygiene measures when handling c	
Advice on protection against fire and explosion	: Avoid dust formation. Provide appropria at places where dust is formed.	ate exhaust ventilation
Hygiene measures	: Handle in accordance with good industry practice. When using do not eat or drind smoke. Wash hands before breaks and	k. When using do not
7.2 Conditions for safe storage, i	ncluding any incompatibilities	
Requirements for storage areas and containers	: Keep container tightly closed in a dry a place. Store in accordance with local re	
Other data	: Keep in a dry place. No decomposition as directed.	if stored and applied
7.3 Specific end use(s)		
Specific use(s)	: No data available	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Components	CAS-No.	Value	Control parame- ters *	Basis *
Quartz (SiO2)	14808-60-7	TWA	0,1 mg/m3	GB EH40
Cement, portland, chemicals	65997-15-1	TWA	10 mg/m3	GB EH40
		TWA	4 mg/m3	GB EH40
Limestone	1317-65-3	TWA	10 mg/m3	GB EH40
		TWA	4 mg/m3	GB EH40

general dust value

Form of exposure	Value type	Control parameters	Basis
Inhalable	TWA	10 mg/m3	GB EH40
Respirable	TWA	4 mg/m3	GB EH40

8.2 Exposure controls

Personal protective equipment

Eye protection

: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Wear eye/face protection.



Revision Date 05.07.2016	Version 0.0	Print Date 05.
Hand protection	: Chemical-resistant, impervious gloves comp	olying with an ap-
	proved standard must be worn at all times v chemical products. Reference number EN 3 facturer specifications.	
	Recommended: Butyl rubber/nitrile rubber g Contaminated gloves should be removed.	Jloves.
Skin and body protection	: Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to long-sleeved working clothing, long trousers and protective boots are additionally recommendational stirring work.	s). Rubber aprons
Respiratory protection	 Respirator selection must be based on know exposure levels, the hazards of the product ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substate Ensure adequate ventilation. This can be added and the extraction or by general ventilation. ods for determining inhalation exposure). The ticular to the mixing / stirring area. In case the to keep the concentrations under the occup limits then respiration protection measures in 	and the safe work- ances chieved by local . (EN 689 - Meth- his applies in par- his is not sufficent ational exposure

Environmental exposure controls

General advice	 Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
	•

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	powder
Colour	:	grey
Odour	:	No data available
Odour Threshold	:	No data available
Flash point	:	Not applicable
Autoignition temperature	:	No data available



Revision Date 05.07.2016

Version 0.0

Lower explosion limit (Vol-%)	:	No data available
Upper explosion limit (Vol-%)	:	No data available
Flammability	:	No data available
Oxidizing properties	:	No data available
рН	:	> 12
Melting point/range / Freez-	:	No data available
ing point Boiling point/boiling range	:	No data available
Vapour pressure	:	No data available
Density	:	1,25 g/cm3
Bulk density	:	1.250 kg/m3
Water solubility	:	Not applicable
Partition coefficient: n- octanol/water	:	No data available
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable
Relative vapour density	:	No data available
Evaporation rate	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions.
10.4 Conditions to avoid		
Conditions to avoid	:	No data available



Revision Date 05.07.2016

Version 0.0

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.#

Skin corrosion/irritation Causes severe burns.#

Serious eye damage/eye irritation

Causes serious eye damage.#

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.# Respiratory sensitisation: Not classified based on available information.#

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.#

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.#

STOT - repeated exposure

Not classified based on available information.#

Aspiration toxicity

Not classified based on available information.#

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil



Revision Date 05.07.2016

Version 0.0

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological infor-	: There is no data available for this product.
mation	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

ADR Not dangerous goods IATA Not dangerous goods IMDG Not dangerous goods

14.6 Special precautions for user No data available



Revision Date 05.07.2016

Version 0.0

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibition/RestrictionREACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII): Not applicable			
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).		: None of the components are listed (=> 0.1 %).	
REACH - List of substances subject to authorisation (Annex XIV)		: Not applicable	
		ulation, and/or	
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma jor-accident hazards involving dangerous substances. Not applicable		ma-	
VOC-CH (VOCV)	: < 0,01 % no VOC duties		

VOC-EU (solvent)	: < 0,01 %

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	:	The Chemicals (Hazard Information and Packaging for Sup- ply) Regulations 2002 Control of Substances Hazardous to Health Regulations 2002 The Management of Health and Safety at Work Regulations 1999 Health and Safety at Work Act 1974 Environmental Protection Act 1990 & Subsidiary Regulations
Other regulations	:	This product contains cement. Wet cement or mortar may cause alkali burns if in direct and/or prolonged contact with the skin. Wear protective clothing at all times when working with cement based products.

Print Date 05.07.2016

Revision Date 05.07.2016

Version 0.0

15.2 Chemical safety assessment

This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Full text of H-Statements		
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H335	May cause respiratory irritation.	

Full text of other abbreviations

Eye Dam. Skin Irrit.	Serious eye damage Skin irritation
STOT SE	Specific target organ toxicity - single exposure
ADR	Accord européen relatif au transport international des marchandises Dangereuses par Route
CAS	Chemical Abstracts Service
DNEL	Derived no-effect level
EC50	Half maximal effective concentration
GHS	Globally Harmonized System
IATA	International Air Transport Association
IMDG	International Maritime Code for Dangerous Goods
LD50	Median lethal dosis (the amount of a material, given all at once, which
	causes the death of 50% (one half) of a group of test animals)
LC50	Median lethal concentration (concentrations of the chemical in air that
	kills 50% of the test animals during the observation period)
MARPOL	International Convention for the Prevention of Pollution from Ships,
	1973 as modified by the Protocol of 1978
OEL	Occupational Exposure Limit
PBT	Persistent, bioaccumulative and toxic
PNEC	Predicted no effect concentration
REACH	Regulation (EC) No 1907/2006 of the European Parliament and of the
	Council of 18 December 2006 concerning the Registration, Evaluation,
	Authorisation and Restriction of Chemicals (REACH), establishing a
0.410	European Chemicals Agency
SVHC	Substances of Very High Concern
vPvB	Very persistent and very bioaccumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

Revision Date 05.07.2016

Version 0.0

