

Date of last issue: 05.01.2023	Version 2.1	Print Date 29.02.2024
Revision Date: 12.12.2023		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Parex[®] PARLUMIERE STH

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone Telefax	:	+44 (0)1707 394444 +44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Skin irritation, Category 2	H315: Causes skin irritation.		
Serious eye damage, Category 1	H318: Causes serious eye damage.		
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.		

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	LE B	<u>!</u>
Signal word	:	Danger	
Hazard statements	:	H315 H317	Causes skin irritation. May cause an allergic skin reaction.



Date of last issue: 05.01.2023 Revision Date: 12.12.2023	Ve	ersion 2.1	Print Date 29.02.2024	
	H318	Causes serious eye damage.		
Precautionary statements :	Prevention:			
	P261 P264 P280	Avoid breathing dust. Wash skin thoroughly after hand Wear protective gloves/ eye prot protection.	0	
	Response:			
	P305 + P351 + F	2338 + P310 IF IN EYES: Rinse with water for several minutes. R tact lenses, if present and easy t tinue rinsing. Immediately call a CENTER/ doctor.	emove con- o do. Con-	
	P333 + P313	If skin irritation or rash occurs: G advice/ attention.	et medical	
	P362 + P364	Take off contaminated clothing a before reuse.	nd wash it	

Hazardous components which must be listed on the label:

Cement, portland, chemicals

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement, portland, chemicals	65997-15-1	Skin Irrit. 2; H315	>= 10 - < 20
	266-043-4	Eye Dam. 1; H318	
		Skin Sens. 1; H317	
		STOT SE 3; H335	



Date of last issue: 05.01.2023 Revision Date: 12.12.2023 Version 2.1

Print Date 29.02.2024

calcium dihydroxide	1305-62-0	Skin Irrit. 2; H315	>= 2,5 - < 3
-	215-137-3	Eye Dam. 1; H318	
	01-2119475151-45-	STOT SE 3; H335	
	XXXX	(Respiratory system)	
Flue dust, portland cement	68475-76-3	Skin Irrit. 2; H315	>= 2,5 - < 3
	270-659-9	Eye Dam. 1; H318	
	01-2119486767-17-	STOT SE 3; H335	
	XXXX		
Substances with a workplace exp	oosure limit :		
calcium carbonate	471-34-1		>= 2,5 - < 5
	207-439-9		
	01-2119486795-18-		
	XXXX		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms	and effects, both acute and delayed
Symptoms	 Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects



Date of last issue: 05.01.2023 Revision Date: 12.12.2023	Version 2.1	Print Date 29.02.202
	and symptoms.	
Risks	: irritant effects sensitising effects	
	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.	
4.3 Indication of any immediate n	edical attention and special treatment ne	eded
Treatment	: Treat symptomatically.	
SECTION 5: Firefighting meas	ures	
5.1 Extinguishing media		
Suitable extinguishing media	: In case of fire, use water/water spray/wat ide/sand/foam/alcohol resistant foam/che extinction.	
5.2 Special hazards arising from	he substance or mixture	
Hazardous combustion prod- ucts	: No hazardous combustion products are k	nown
5.3 Advice for firefighters		
Special protective equipment for firefighters	: In the event of fire, wear self-contained b	reathing apparatus.
Further information	: Standard procedure for chemical fires.	
SECTION 6: Accidental release	e measures	
6.1 Personal precautions, protect	ive equipment and emergency procedures	S
Personal precautions	 Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons. 	
6.2 Environmental precautions		
Environmental precautions	: Do not flush into surface water or sanitary	y sewer system.
6.3 Methods and material for con	ainment and cleaning up	
Methods for cleaning up	: Pick up and arrange disposal without creative Keep in suitable, closed containers for disposal conta	
Country GB 10000045367		



Date of last issue: 05.01.2023	
Revision Date: 12.12.2023	

Version 2.1

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling :	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against : fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures :	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, in	clı	uding any incompatibilities
	Requirements for storage : areas and containers		Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- : age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s) :		Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	



Date of last issue: 05.01.2023 Revision Date: 12.12.2023 Version 2.1

Print Date 29.02.2024

Cement, portland, chemicals	65997-15-1	TWA (inhalable dust)	10 mg/m3	GB EH40
		TWA (Respirable dust)	4 mg/m3	GB EH40
calcium carbonate	471-34-1	TWA (inhalable dust)	10 mg/m3	GB EH40
	dust and inha will be collect the methods of pling and gra- aerosols., The health include in air equal to dust or 4 mg. any dust will I above these I WELs and ex limits., Most in sizes. The be after entry int sponse that it HSE distingui termed 'inhala the fraction of during breath respiratory tra penetrates to tions and exp dusts contain the relevant I short-term ex	hation: For the purpo- lable dust are those ed when sampling is described in MDHS1 vimetric analysis or r e COSHH definition es dust of any kind w or greater than 10 r m-3 8-hour TWA of be subject to COSHI evels. Some dusts h posure to these mus- ndustrial dusts conta- haviour, deposition a o the human respira- elicits, depend on the ishes two size fraction able' and 'respirable' f airborne material the ing and is therefore act. Respirable dust the gas exchange re- lanatory material are components that has mits should be composure limit is listed e limit should be use TWA (Respirable dust)	fractions of airb s undertaken in [4/4 General me respirable, thora of a substance when present at mg.m-3 8-hour respirable dust. H if people are en ave been assig st comply with the ain particles of a part fate of any p tory system, and he nature and si ons for limit-sett ., Inhalable dus nat enters the no available for de approximates to egion of the lung ave their own as plied with., Whe , a figure three t	borne dust which accordance with ethods for sam- acic and inhalable hazardous to a concentration TWA of inhalable This means that exposed to dust ned specific the appropriate wide range of particular particle d the body re- ize of the particle. ing purposes t approximates to ose and mouth position in the the fraction that g. Fuller defini- S14/4., Where signed WEL, all re no specific
calcium dihydroxide	1305-62-0	TWÁ (Respirable fraction)	1 mg/m3	2017/164/EU
	Further inforn	nation: Indicative	<u>.</u>	
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU
		TWA	5 mg/m3	GB EH40
		TWA (Respirable fraction)	1 mg/m3	GB EH40
		STEL (Respirable fraction)	4 mg/m3	GB EH40

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Value type	Control parameters	Basis
Inhalable	TWA	10 mg/m3	GB EH40
Respirable fraction	TWA	4 mg/m3	GB EH40



Date 29.02.2024

Parex[®] PARLUMIERE STH

Date of last issue: 05.01.2023	Version 2.1	Print
Revision Date: 12.12.2023		

8.2 Exposure controls

Engineering measuresMaintain air concentrations below occupational exposure standards.
Ensure adequate ventilation, especially in confined areas.Personal protective equipmentEye/face protection:Safety glasses with side-shields conforming to EN166
Eye wash bottle with pure waterHand protection:Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling
chemical products. Reference number EN 374. Follow manufacturer specifications.Recommended: Butyl rubber/nitrile rubber gloves.
Contaminated gloves should be removed.

- Skin and body protection: Dust impervious protective suit
Protective clothing (e.g. Safety shoes acc. to EN ISO 20345,
long-sleeved working clothing, long trousers). Rubber aprons
and protective boots are additionally recommended for mixing
and stirring work.Respiratory protection: In case of inadequate ventilation wear respiratory protection.
Respirator selection must be based on known or anticipated
 - Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice	: Do not flush into surface water or sanitary sewer system.
----------------	---

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	solid
Appearance	:	powder
Colour	:	No data available



e of last issue: 05.01.2023 ision Date: 12.12.2023	Version 2.1	Print Date 29.02.2
Odour	: No data available	
Melting point/range / Freezing point	: No data available	
Boiling point/boiling range	: No data available	
Flammability (solid, gas)	: No data available	
Upper/lower flammability or	explosive limits	
Upper explosion limit / Upper flammability limit	: No data available	
Lower explosion limit / Lower flammability limit	: No data available	
Flash point	: Not applicable	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
рН	: Not applicable	
Viscosity Viscosity, kinematic	: Not applicable	
Solubility(ies) Water solubility	: soluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: No data available	
Density	: > 1 g/cm3 (20 °C)	
Relative vapour density	: No data available	8 / 15



Date of last issue: 05.01.2023 Revision Date: 12.12.2023	Version 2.1	Print Date 29.02.2024
Particle characteristics	: No data available	
9.2 Other information No data available		
SECTION 10: Stability and read	tivity	
10.1 Reactivity		
No dangerous reaction known u	under conditions of normal use.	
10.2 Chemical stability		
The product is chemically stable	9.	
10.3 Possibility of hazardous reac		
Hazardous reactions	: Stable under recommended storage conditions.	
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition pr	oducts	
No decomposition if stored and	applied as directed.	
SECTION 11: Toxicological info	ormation	
jj		
11.1 Information on hazard classe	es as defined in Regulation (EC) No 1272/2008	
Acute toxicity Not classified based on available	le information.	
Skin corrosion/irritation Causes skin irritation.		
Serious eye damage/eye irrita Causes serious eye damage.	ation	

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.



Date of last issue: 05.01.2023 Revision Date: 12.12.2023	Version 2.1	Print Date 29.02.2024
Respiratory sensitisation		
Not classified based on available information.		
Germ cell mutagenicity		
Not classified based on available information.		
Carcinogenicity		
Not classified based on available information.		
Reproductive toxicity		
Not classified based on available information.		
STOT - single exposure		
Not classified based on available information.		
STOT - repeated exposure		
Not classified based on available information.		
Aspiration toxicity		
Not classified based on available information.		
11.2 Information on other hazards		
Endocrine disrupting properties		

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or



Date of last issue: 05.01.2023 Revision Date: 12.12.2023	Version 2.1	Print Date 29.02.2024
	very persistent and very bioaccumu 0.1% or higher	llative (vPvB) at levels of
12.6 Endocrine disrupting prop	erties	
Product:		
Assessment	: The substance/mixture does not con- ered to have endocrine disrupting p REACH Article 57(f) or Commission (EU) 2017/2100 or Commission Re- levels of 0.1% or higher.	properties according to
12.7 Other adverse effects		
Product:		
Additional ecological infor- mation	: There is no data available for this p	roduct.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with
soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADR	:	Not regulated as a dangerous good	
Country GB 10000045367			11 /



_

Date of last issue: 05.01.2023 Revision Date: 12.12.2023	Version 2.1	Print Date 29.02.2024
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.3 Transport hazard class	es)	
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.4 Packing group		
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
IATA (Cargo)	: Not regulated as a dangerous good	
IATA (Passenger)	: Not regulated as a dangerous good	
14.5 Environmental hazards Not regulated as a dange	ous good	
14.6 Special precautions for Not applicable	user	
14.7 Maritime transport in bu	Ik according to IMO instruments	
Not applicable for product	as supplied.	
SECTION 15: Regulatory i	nformation	

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Not applicable
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable



Date of last issue: 05.01.2023 Revision Date: 12.12.2023	Version 2.1	Print Date 29.02.2024		
UK REACH List of substances su (Annex XIV)	ubject to authorisation : Not applicable			
GB Export and import of hazardous chemicals - Prior : Not applicable Informed Consent (PIC) Regulation				
Control of Major Accident Hazard 2015 (COMAH) Volatile organic compounds :		on industrial		

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ- mental regulation/legislation	:	Environmental Protection Act 1990 & Subsidiary Regulations Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or mixture:		Control of Substances Hazardous to Health Regulations (COSHH)
		May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

Other regulations:

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements			
H317 H318	 Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation. 		
Full text of other abbreviations			
Eye Dam. Skin Irrit. Skin Sens. STOT SE 2017/164/EU	 Serious eye damage Skin irritation Skin sensitisation Specific target organ toxicity - single exposure Europe. Commission Directive 2017/164/EU establishing a 		



Date of last issue: 05.01.2023 Revision Date: 12.12.2023		Version 2.1	Print Date 29.02.2024
		fourth list of indicative occupational exposure	e limit values
GB EH40		UK. EH40 WEL - Workplace Exposure Limits	
2017/164/EU / STEL	:	Short term exposure limit	5
2017/164/EU / TWA	:	Limit Value - eight hours	
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA refere	ance period)
GB EH40 / STEL	:	Short-term exposure limit (0-nour 1707 referen	
ADR	:	European Agreement concerning the Interna	
ADK	•	Dangerous Goods by Road	litorial Carriage of
CAS		Chemical Abstracts Service	
DNEL	:	Derived no-effect level	
EC50	:	Half maximal effective concentration	
GHS	:		
	:	Globally Harmonized System	
IATA IMDG	:	International Air Transport Association	Deede
LD50	:	International Maritime Code for Dangerous C	
LD50	•	Median lethal dosis (the amount of a materia	
		once, which causes the death of 50% (one h	all) of a group of
1.050		test animals)	of the chamical in
LC50	•	Median lethal concentration (concentrations	
		air that kills 50% of the test animals during the	ie observation
		period)	f Dellutien frem
MARPOL	•	International Convention for the Prevention of	
		Ships, 1973 as modified by the Protocol of 1	978
OEL		Occupational Exposure Limit	
PBT		Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the Europe	
		and of the Council of 18 December 2006 cor	
		istration, Evaluation, Authorisation and Rest	
		cals (REACH), establishing a European Che	micals Agency
SVHC	:	Substances of Very High Concern	
vPvB	:	Very persistent and very bioaccumulative	

Further information

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN

Country GB 10000045367

Date of last issue: 05.01.2023 Revision Date: 12.12.2023 Version 2.1

Print Date 29.02.2024

Jika®