



Drawing Reference:

KEY:

1. SIKA WATERTIGHT CONCRETE
2. SIKAPROOF A+08 MEMBRANE on suitable substrate
3. SIKAPROOF EXTAPE-150
4. SIKAPROOF P-12 MEMBRANE on SIKAPROOF PRIMER-01 (do not prime overlaps)
5. SIKASWELL S2 BEAD (as per PDS) (min.75mm Reinforced Concrete cover)
6. SIKA MONOTOP 4012 (50x50mm fillet)
7. SIKASWELL A-2010 adhered with SIKASWELL S-2 (min.75mm Reinforced Concrete cover). Joint prepared and reinforced as per Sikaswell Method Statement
8. SIKAPROOF FIXTAPE-50 (25x25mm fillet)
9. SIKA DRAIN-850 GEO
10. Location of maintainable Land Drain (when required)

Revision	Description	By:	Aprvd By:	Date

ALL DETAIL DRAWINGS ARE FOR UK USE ONLY, DO NOT SCALE FROM DRAWING

THIS DRAWING IS THE CONFIDENTIAL PROPERTY OF SIKA LIMITED AND MUST NOT BE REPRODUCED EITHER WHOLLY OR PARTLY. ALL RIGHTS IN RESPECT OF PATENTS, DESIGN AND COPYRIGHTS ARE RESERVED. SIKA LTD.
WWW.SIKA.CO.UK

	SIKA LIMITED		
	Watchmead Welwyn Garden City Hertfordshire, AL7 1BQ	Tel: +44 (0) 1707 394 444 Web: http://gbr.sika.com Email: waterproofing.technical@uk.sika.com	

Drawn by	Checked by	Approved by	Date
----------	------------	-------------	------

Description **SIKAPROOF A+ & SIKA WATERTIGHT CONCRETE - SIKAPROOF P PIPE PENETRATION DETAIL**

Drawing No. SP+W06	Issue B	Sheet 1 / 1
-----------------------	------------	----------------