## SALES SUPPORT:

0113 240 2424distribution.sales@uk.sika.com

# **TECHNICAL SUPPORT:** 0808 141 0709

distribution.technical@uk.sika.com

Sika® Limited
Site 41, Knowsthorpe Way,
Cross Green Industrial Estate,
Leeds LS9 OSW

- 0113 240 3456
   distribution.info@uk.sika.com
   gbr.sika.com/en/distribution.html
- Sika® Ireland Limited Sika® House Ballymun Industrial Estate Dublin D11 DA2V
- ↓ +353 (0) 1862 0709
   ☑ info@sika.ie
   ⓓ irl.sika.com

2024 SIKA THE COMPLETE PRODUCT GUIDE

## THE COMPLETE PRODUCT GUIDE

April 2024





## CONTENTS

#### SEALANTS

Professional	6
Fire Protection	13
DIY	14
Sika Sealants	16
Guns and Tools	17
Specifier	20
Specialist Sealants	24

ADHESIVES

Hybrid Sealants and Adhesives	30
Grab	34
Plasterboard	40
Specialist Adhesives	41
Wood	42
Flooring	44
Contact	47
Superglues and activators	48
Craft	50

#### LANDSCAPING

Jointing Compounds	54
Sealing and Protecting	57
Surface Cleaners and Treatments	60

WOOD CARE AND TREATMENT	
Treatments and Preservatives	66
Stains and Varnishes	70
ROOFING	7
ROOFING Roof Repair	74
	74 77

EXPANDING FOAMS	
Professional and DIY	82
Foam Ancillaries	84
Fire Rated Foam	85

FILLERS AND DECORATING SUNDRIES	
Surface protectors	88
Decorating Fillers	90
Wood Fillers	94
Dust sheets and Tarpaulins	96
Decorating Sundries	97

#### TAPES

Building Tapes	102
Repair Tapes	105
Masking Tapes	106
Safety Tapes	107
Packaging Tapes	107
Double sided Tapes	108
Plasterboard Tapes	109

112

114 115

## PLUMBING AND HEATING SUPPLIES

Central Heating Treatments	118
Sealers and Compounds	119
Fire and Stove Sundries	121
Fire, Stove and Flue Cements and Mortars	122

#### **BUILDING SUPPLIES**

Waterproofing	126
Building Admixtures	130
Self Levelling Compounds	138
Floor Paints and Line Markers	142
Wall Finishing	143
Concrete and Brick Repair	144
Priming	148
PVA and SBR Bonding	149
Chemical Anchors	152
Putties	154
Pointing	155

## TILING

Wet Room System	158
Tile Adhesives	160
Grouts	163

#### BUILDING FINISHING

Mineral Renders	168
Lime Renders	169
Base Coats	170
Top Coats	171
Pointing Mortars	172
Complementary Products	173

# WE ARE SIKA



**BUILDING TRUST** 

## WELCOME TO SIKA'S DISTRIBUTION DIVISION

Your trusted partner in construction and industry solutions

Sika is a specialist in construction chemicals, offering you access to a comprehensive portfolio of problem-solving products suitable for various applications, including waterproofing, roofing, concrete repair, flooring, and much more.

With a rich history dating back to 1927, we are dedicated to producing high-quality products and systems tailored for the construction and industrial sectors. Our commitment in the UK shines through across our five sites; Welwyn Garden City, Leeds, Preston, Wishaw and Redditch. With Sika's unmatched innovation in product development, high manufacturing standards, and renowned technical advice, customers have direct access to our complete product portfolio, which unlocks new opportunities for the trade industry.

Being the UK's leading manufacturer of sealants, adhesives, and building chemicals, Sika is an embodiment of the construction industry. We work closely with our merchant partners to supply the trade with high-quality products and invaluable technical expertise.



#### ACCESS TO TRAINING VIA OUR EXPERIENCED TEAM AND ONLINE KNOWLEDGE CENTRE PORTAL





DEDICATED TRAINING SUPPORT AVAILABLE AT OUR SIKA WISHAW SITE

JNRIVALLED PRODUCT AND TECHNICAL SUPPO



Stay up to Date

Keep yourself in the loop with all the latest company and product updates by connecting with us online.





# EALANTS

FOIGUEI

Professional	6
Fire Protection	13
DIY	14
Sika Sealants	16
Guns and Tools	17
Specifier	20
Specialist Sealants	24



5

SCAN TO SEE THE FULL RANGE gbr.sika.com/en/distribution.html



#### **SEALANTS** Professional

7

White

#### **Forever White** Silicone Sealant





SGAN	SIZE	COLOUR	QΤΥ	BARCODE
461971	295ML	White	12	5029347603540
461972	295ML	CLEAR	12	5029347603953
461973	295ML	IVORY	12	5029347606404
552487	295MI	GREY	12	5029347615376

#### A superior silicone sealant that's waterproof, flexible, and antibacterial - designed to be used around the home.

Forever White is a superior silicone sealant that is permanently waterproof, flexible, and ideal for sealing shower bases, cubicles, wetrooms, baths, sinks, and basins. It is also ideal for kitchens and utility rooms and sealing around window and door frames. Contains Mould Shield, which actively protects the sealant against the growth of bacteria, mildew and black mould.



FOREVER WHITE® CONTAINS A HIGH QUALITY ANTIMICROBIAL ADDITIVE, RIGOROUSLY **TESTED IN ACCREDITED** MICROBIOLOGICAL LABORATORIES TO SHOW NO MOULD GROWTH AFTER 10 YEARS\*. \* Simulated ageing. PERMANENTLY FLEXIBLE **TOOLS DOWN** SMOOTHLY



#### **Caulk Once** Acrylic Caulk






SGAN	SIZE	COLOUR	QTY	BARCODE
489514	295ML	WHITE	12	5029347612955
489516	380ML	WHITE	12	5029347612962

#### A premium quality acrylic caulk - fast drying, permanently flexible, and tailormade for a range of jobs.

Caulk Once - the best caulk you will ever use. A premium quality acrylic caulk formulated to outperform all other conventional decorating caulks and fillers. Caulk Once is manufactured using an advanced highquality polymer to offer superior adhesion, low shrink, and smooth tooling down.





NO SLUMP

EASY SMOOTH





## **EVERFLEX®**

Our huge range is ready for anything you throw at it.



#### WATCH THE VIDEO:

everbuild.co.uk/resources-andsupport/product-overview-videos/ here-comes-everflex/

#### **Contract 115** GP Building Mastic

SGAN	SIZE	COLOUR	QTY	BARCODE
489634	285ML	BROWN	25	5029347601386
489635	285ML	GREY	25	5029347601393
489636	285ML	STONE	25	5029347601409
489637	285ML	WHITE	25	5029347000141

A traditional oil-based pointing mastic that provides an effective weatherproof seal. Typically used to seal composite sectional panels and low-movement vertical building joints. This high solids formulation means excellent gap-filling properties. It is semidrying, too, so it remains permanently elastic beneath the surface skin.







# SGAN Size COLOUR OTY BARCODE 482349 300ML WHITE 25 5029347000042 485992 300ML BROWN 25 5029347601195

 485994
 300ML
 MAGNOLIA
 25
 5029347601201

 485997
 380ML
 WHITE
 12
 5029347000059

 485998
 380ML
 WHITE
 25
 5029347000059

#### A fast drying flexible decorators filler and

sealant that remains permanently flexible. It can be overpainted with most paint types or covered with wallpaper – no sanding down required. It is ideal for sealing and filling cracks and gaps before decorating and for use around skirting boards, ceiling cornices, window and door frames, damaged plaster, stair treads, and risings and fixtures adjoining walls.

+/-5%

LEXIBILITY FACTOR

Timber / Plaster / Brick / Concrete

UICK CURIN DRYING



#### Premium 145 Butyl Rubber Sealant

#### SGAN SIZE COLOUR QTY BARCODE 489633 300ML GREY 12 5029347610357

A semi-setting jointing compound. Typically used for roofing, glazing, metal containers and sectional building applications. It forms a skin in approximately 24 hours but remains permanently plastic underneath. The sealant accommodates joint movements of +/- 5% and is overpaintable. Provides an effective weatherproof seal in a variety of exterior and interior applications.



Brick / Stone / Concrete / Timber / Roofing Glazing/ Metal

#### **Premium+ 195** Siliconised Acrylic Sealant

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 482346
 300ML
 WHITE
 25
 5029347609535

A high quality sealant that remains highly flexible and can be used on a wide variety of internal and external sealing applications. 195 Acrylic has improved adhesion characteristics when compared to conventional acrylic sealants.



Timber / Plaster / Brick / PVCu / Concrete / Stone

#### **Premium 175** Universal Acrylic Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
489426	300ML	BROWN	25	5029347601218
482253	300ML	WHITE	25	5029347000066
539204	380ML	WHITE	12	5029347615031

A high quality acrylic sealant that provides a long lasting, permanently flexible seal in a wide variety of applications. Adheres to virtually all substrates. Ideal for internal and external sealing around timber and metal window and door frames. Also, for internal sealing around PVCu windows, door frames, baths, and basins, sealing cracks and gaps in brickwork, stone, and concrete, and as an adhesive for bonding polystyrene coving and tiles.



Timber / Plaster / Brick / PVCu / Concrete / Stone

#### **LMA 200** Contractors Silicone

SGAN	SIZE	COLOUR	QΤΥ	BARCODE
485984	295ML	BLACK	25	5029347601492
485985	295ML	BROWN	25	5029347601485
485986	295ML	TRANS	25	5029347601478
468667	295ML	WHITE	25	5029347601461

A cost effective acetoxy cure sealant that adheres to most smooth and nonporous materials. It contains an anti-fungal compound to prevent mould growth to the sealant in areas of high humidity. Ideal for aluminium sealing, sealing around baths, showers, basins, and other sanitary ware. Also, as an adhesive for fixing PVCu trims, cladding, and panels, sealing around worktops and laminates, pointing and door frames, for aluminium gutter sealing, and general draughtproofing.



Glass / Timber / Aluminium / Ceramics / Laminates





#### Contract 225 Industrial and Glazing Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
486133	295ML	BLACK	25	502934760122
486134	295ML	STEEL	25	502934760248
486135	295ML	TRANS	25	5029347601249
486136	295ML	WHITE	25	502934700001

A mid modulus acetoxy cure silicone sealant that adheres to most smooth and nonporous substrates. Typically used for single glazing, draught-proofing and general industrial use. Quick curing, with low dirt pick up, it remains permanently flexible and provides a waterproof seal. Temperature resistant. Contains a powerful anti-fungal compound to prevent mould growth to the sealant.



Glass / Timber / Aluminium / Ceramics / Laminates

Premium+ 450	
Builders Silicone	

SGAN	SIZE	COLOUR	QΤΥ	BARCODE
484831	300ML	BUFF	25	5029347601317
484832	300ML	BLACK	25	5029347601324
484833	300ML	BROWN	25	5029347601331
484834	300ML	GREY	25	5029347601348
484835	300ML	OAK	25	5029347603502
484836	300ML	TRANS	25	5029347601355
484830	300ML	WHITE	25	5029347000035

A premium quality low modulus non-corrosive neutral cure silicone sealant that adheres to virtually all substrates, both porous and non-porous. Typically used for construction expansion joints and perimeter pointing of all types of door and window frames. Low dirt pick up - which is particularly important in PVCu work. Conforms to ISO 11600 Class: F 25LM and G 25LM.



#### Timber / Brick / Stone / PVCu / Concrete / Metal

#### Premium 335 **Construction Silicone**

SGAN	SIZE	COLOUR	QTY	BARCODE
486137	295ML	BLACK	25	5029347601256
486138	295ML	BROWN	25	5029347601263
486139	295ML	GREY	25	5029347601287
486150	295ML	BRONZE	25	5029347601270
486152	295ML	TOFFEE	25	5029347601294
486154	295ML	TRANS	25	5029347601300
486153	295ML	WHITE	25	5029347000028

A low modulus reactive cure silicone sealant specially formulated as a cost-effective PVCu sealant, which also adheres to many common building substrates. It remains permanently flexible, forming a weather tight rubber-like seal. Contains anti-fungal compound to prevent mould growth to the sealant.



PVCu / Brick / Aluminium / Plastics / Glass

Premium+ 500	
Bath and Sanitary Silicone	

SGAN	SIZE	COLOUR	QTY	BARCODE
484838	295ML	GREY	12	5029347603373
484839	295ML	IVORY	25	5029347601362
484840	295ML	STONE	12	5029347603380
484841	295ML	TRANS	25	5029347601379
484842	295ML	WHITE	25	5029347000127

A premium quality mid modulus acetoxy cure silicone sealant that contains a high level of powerful anti-fungal compound to protect the sealant. Typically used in areas of high humidity, such as bathrooms and kitchens. Permanently flexible, waterproof seal. Will not discolour on ageing even in humid or damp conditions.

+/-20%

FACTOR

Ceramics / Acrylic / Laminates / Aluminium / Glass

UICK CURIN DRYING



#### Premium+ 565 Clean Room Silicone

#### SGAN SIZE COLOUR QTY BARCODE 486155 295ML WHITE 25 5029347612399

An advanced neutral curing hygienic sealant that contains Mould Shield®, a powerful anti-bacterial compound, and is food contact approved. Prevents the growth of most common moulds. Offers outstanding adhesion to most substrates including plastics, ceramics and metal. Virtually odourless in application with a slow skinning time. Ideal for long joint runs in larger applications. Remains permanently flexible with a movement capability of +/- 25%. Approved for food contact to 21CFR177.2600 by IANESCO (France) and meets ISO 11600 F 25LM.



Metal / Ceramics / Glass / Most Plastics

#### Contract AC50 Acoustic Sealant and Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
489512	900ML	WHITE	9	5029347600112
489513	380ML	WHITE	12	5029347600358

A high strength, permanently flexible sealant and adhesive specifically formulated for sealing and bonding plasterboard and other kraft lined insulation boards. Typically used for walls, ceilings, and dry lining applications. Water-based, solvent-free formula, easy to use and clean up, and adheres to most building substrates.



Timber / Plaster / Brick / Stone / Concrete

#### Contract 700T LMN Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
486156	300ML	BROWN	25	5029347615123
486157	300ML	BRONZE	25	5029347615130
486158	300ML	CARAMEL	25	5029347615147
486160	300ML	TRANS	25	5029347600631
486161	300ML	WHITE	25	5029347615116
486162	300ML	BLACK	25	5029347615161
486166	600ML	TRANS	12	NO BARCODE
474142	600ML	WHITE	12	NO BARCODE

SEALANTS

Professional

A fast, neutral cure, low modulus sealant specially formulated for the PVCu and roofline industry. For perimeter pointing window and door frames, sealing plastic roofline areas, general weather sealing, and also sanitary applications.



Timber / Brick / Stone / PVCu / Concrete / Metal

#### Check out our full range of guns, tools and nozzles for cartridge and foil packs

See pages 17-20 within the Sealants section







#### **Silicone Eater**

SGAN	CODE	SIZE	COLOUR	QΤΥ	BARCODE
482505	SILEAT	100ML	-	12	5029347115005

A revolutionary chemical that breaks up and removes all types of silicone sealant. It is harmless to most surrounding surfaces and can be used to remove sealant from baths, kitchen worktops, basins, showers, doors, and window frames.



Aqua Mate Aquarium Sealant





Glass / PVCu / Aluminium

SOLVEN

SOLVEN' FREE

UICK CURING

#### Weather Mate Gap Filler and Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489689	WEACL	295ML	CLEAR	25	5029347601454
489692	WEAWE	295ML	WHITE	25	5029347000073
489693	WEABK	295MI	ΒΙ ΑΓΚ	25	5029347601447

Based on an advanced isoacrylic formula that provides the ultimate in technology for adhesion to many surfaces. It can be applied in wet weather, to wet surfaces, even under water. Resistant to all weather extremes, remains permanently flexible and can be overpainted with most paints and wood stains when cured, although overpainting is not essential.



Metal / Timber / Galvanised Steel / Bitumen

<b>Galva Mate</b> Duct Sealant		

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489540	GALVAM	295ML	GREY	25	502934700070

A high performance solvent free adhesive and sealant specifically designed for sealing high velocity duct work in heating and ventilation systems. Very strong adhesion to galvanised and stainless steel surfaces, excellent slump resistance, permanently flexible, and resistant to mildew and mould growth.



<b>Heat Mate</b> Heat Resistant Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484772	HEAT	295ML	RED	12	502934711300
484776	HTSBK	295ML	BLACK	12	502934761530

A high modulus permanently flexible 100% silicone which is temperature resistant up to 275°C. Ideal for sealing industrial and high performance gaskets, oven doors, and much more. It cures quickly to reduce dirt pick up. Remains permanently flexible, forming a water tight rubber-like seal. Excellent adhesion to most non-porous surfaces.



#### SGAN CODE SIZE COLOUR QTY BARCODE 486216 LEAD 295ML GREY 25 5029347007355

SEALANTS

Specially formulated as an alternative to mortaring lead flashing and sheet into brick, stone and concrete, providing a fully waterproof joint. Cleaner and easier to apply than conventional mortar, and a great time-saver. Excellent weathering characteristics, permanently flexible and accommodates thermal movement in lead. Tack free in 1 hour. Temperature resistant to 150°C.



#### Fire Mate Intumescent Acrylic Sealant

SGAN SIZE COLOUR QTY BARCODE 486028 295ML WHITE 25 5029347000134 GREY 25 5029347613648 486040 295ML 295ML BROWN 25 5029347613631 486029

An intumescent acrylic sealant that swells when exposed to temperatures in excess of 125°C to prevent the passage of fire and smoke. Has a fire rating of up to 4 hours in certain joint configurations. Fire rated to EN1366-4. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1. Tested to EN1366-3.



Brick / Concrete / Stone / Timber / Plasterboard

Timber / Brick / Stone / Glass / Concrete / Metal



Lead / Brick / Concrete / Stone / Timber

#### **Pvro Mate** Fire Rated Silicone

#### SGAN SIZE COLOUR QTY BARCODE 486041 295ML WHITE 12 5029347608941

A neutral cure elastic silicone sealant which conforms to EN1366-4 for fire protection and has a fire rating of up to 4 hours in certain joint configurations. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components/products for residential ventilation. Conforms to ISO 11600 class: F25LM and EN15651 to ISO 9047. 8339 and 10563.





Professional / Fire Protection



#### Contract AC95 Intumescent Sealant and Adhesive

SGAN SIZE COLOUR QTY BARCODE 486163 900ML WHITE 9 5029347602413

An intumescent acrylic sealant and adhesive specifically formulated for fire rated sealing and bonding applications on plasterboard and other kraft lined insulation boards. Provides up to 4 hours fire resistance. Tested to EN1366-4. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components/ products for residential ventilation. Tested to EN13963, Type 4A.





#### Firespan Intumescent Putty Pads

SGAN SIZE COLOUR QTY BARCODE 486164 SINGLE RED 20 NO BARCODE 486165 DOUBLE RED 20 NO BARCODE

Designed to be used on the inside or outside of electrical socket boxes to maintain fire and smoke barrier where service holes are cut into dry lining and all types of fire rated boarding. Tested to EN1366-3 to provide up to 2 hours fire protection, and also maintain acoustic integrity of the drylining system. High tack adhesion, pliable and mouldable, self bonding.

Single Socket Pad Size: 4MM thick x 170MM x 170MM. Double Socket Pad Size: 4MM thick x 230MM x 170MM.

Acoustic rated to BS EN ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components/products for residential ventilation.



Timber / Plaster / Brick / Stone / Concrete

#### **General Purpose** Silicone

#### EASI-SQUEEZE

SGAN SIZE COLOUR QTY BARCODE CLEAR 12 5029347606060 12 5029347606022 483130 80MI 483131 80ML WHITE

CARTRIDGE							
SGAN	SIZE	COLOUR	QTY	BARCODE			
485955	280ML	BLACK	25	5029347600938			
485956	280ML	BROWN	25	5029347200008			
487789	280ML	GREY	25	5029347608965			
467060	280ML	CLEAR	25	5029347100001			
467061	280ML	WHITE	25	5029347000004			
485957	280ML	BLACK	12	5029347600938			
485958	280ML	BROWN	12	5029347200008			
481298	280ML	GREY	12	5029347608965			
482390	280ML	CLEAR	12	5029347100001			
482391	280ML	WHITE	12	5029347000004			

A mid modulus silicone sealant

that adheres to most smooth and non-porous materials. Contains an anti-fungal compound to be mould resistant in areas of high humidity. Forms a permanently flexible rubber seal. Available in both cartridges and squeezy tubes.



#### **Bath and Kitchen** Sealant

#### EASI-SQUEEZE SGAN SIZE COLOUR OTY BARCODE

484863 200ML WHITE 12 5029347000547

#### CARTRIDGE

SGAN SIZE COLOUR OTY BARCODE 486278 290ML WHITE 12 5029347000554

A high quality, acrylic based sealant that provides an effective, yet economical seal that is easy to use. With added anti-fungal compound. Perfect for use in bathrooms and kitchens. Available in both cartridge and squeezy tube form.



Acrylic / Ceramics / Laminates / Timber / Plaster

#### Showerproof Bathroom Silicone

SGAN SIZE COLOUR QTY BARCODE 12 5029347609610 12 5029347609627 467063 280ML WHITE 467062 280ML CLEAR

A mid modulus sanitary and shower silicone sealant that adheres to most smooth and non-porous materials. Contains a powerful anti-fungal compound to be mould resistant in areas of high humidity. Forms a permanently flexible rubber seal.



Glass / Ceramics / Timber / Aluminium / Laminates

#### Flexible Decorators Filler

#### EASI-SQUEEZE

ath

1cm

SGAN SIZE COLOUR OTY BARCODE 484864 200ML WHITE 12 5029347601041

SEALANTS

15

ΠΙΥ

#### CARTRIDGE

SGAN SIZE COLOUR OTY BARCODE 486009 290ML WHITE 12 5029347000554

A fast drying, acrylic based filler and sealant that remains permanently flexible. Can be overpainted with most paint types or covered over with wallpaper. No sanding down required. Available in both cartridge and squeezy tube form.



Glass / Ceramics / Timber / Metal / Laminates

#### **Timber and Laminate** Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
483196	290ML	BEECH	6	5029347600143
483199	290ML	OAK	6	5029347600136
483200	290ML	PINE	6	5029347600129

A polymer rich, permanently flexible sealant and gap filler designed for sealing around laminate flooring, fitted furniture and kitchen worktops. Formulated using high clarity lightfast colour pigments.





Timber / Laminates / MFC / MDF





#### Roof and Gutter Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
486214	295ML	BLACK	12	5029347000172

A premium quality butyl based sealant and adhesive that provides instant, permanent weather-proofing to a wide variety of roofing applications. Adheres to most common roofing materials such as bitumen, asphalt, felt, metals and wood.



Felt / Slates / Tiles / Wood / Bitumen / Gutters

#### Sika<sup>®</sup> Sanisil Sanitary Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
73988	300ML	CLEAR	12	3240240006050
73999	300ML	WHITE	12	3240240006043

A high quality, acetoxy curing, sanitary silicone containing a powerful anti-fungal compound for resistance to fungus and mildew. Sika® Sanisil is the ideal choice for sealing around baths, showers, sinks, kitchens and areas subject to high humidity levels. It can also be used for cap sealing to metal, timber, PVCu window frames.



Metal /Timber / PVCu / Baths / Showers / Basins / Sanitaryware

#### **External Frame** Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
483170	290ML	BROWN	12	5029347000585
483173	290ML	GREY	12	5029347000592
483174	290ML	STONE	12	5029347000608
483175	290ML	WHITE	12	5029347000530

A high quality acrylic based sealant that provides a long lasting, permanently flexible seal that can be overpainted when cured.



#### Timber / Plaster / Brick / Stone / Concrete

#### Sikaseal<sup>®</sup> Multi Purpose General Purpose Silicone

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 548128
 300ML
 TRANSLUCENT
 12
 5055492701961

 548127
 300ML
 WHITE
 12
 5055492701947

A versatile acetoxy curing silicone sealant, suitable for a variety of household applications. Contains an anti-fungal compound to prevent mould growth in the sealant when used in areas of high humidity. Adheres to smooth and non-porous substrates and forms a permanently flexible seal.



**Sika® Plastix-22A** Premium LMN Silicone

SGAN	COLOUR	QΤΥ	BARCODE
507294	ANTHRACITE	12	5055492701480
507295	BLACK	12	5055492701503
507297	CHARTWELL GREEN	12	5055492701541
507296	CARAMEL	12	5055492701527
507293	TEAK	12	5055492701466
507292	TRANSLUCENT	12	5055492701442
507285	BRILLIANT WHITE	12	5055492701428
	507294 507295 507297 507296 507293 507293 507292	507294         ANTHRACITE           507295         BLACK           507297         CHARTWELL GREEN           507296         CARAMEL           507297         TEAK           507292         TRANSLUCENT	507294         ANTHRACITE         12           507295         BLACK         12           507297         CHARTWELL GREEN         12           507296         CARAMEL         12           507293         TEAK         12           507294         TRANSLUCENT         12

A premium grade, low-modulus, neutral curing silicone sealant that is ideal for glazing and roofline applications, along with other construction and industrial uses. This product's low dirt pick up makes it ideal for use with PVCu and plastics. Certified for facade, glazing, cold climate and sanitary applications.





uPVC / Wood / Aluminium / Glazing / Soft Metals / Coated Metals / Stainless Steel

#### **Foil Pack** Spare Nozzles and Push Disc

 SGAN
 SIZE
 QTY
 BARCODE

 489586
 1
 5029347600815

 Refill pack for foil pack applicator gun; contains 10 x nozzles and 1 x push disc.
 Note that the second s



#### Professional Sealant Gun

SGAN	SIZE	QTY	BARCODE
483371	C3/310ML	12	5029347602246
485999	C4/400ML	12	5029347600952

Sturdy skeleton gun with hexagonal rod and reinforced ring and hook end.



#### **Jumbo** Sealant Gun



With swivel action and extra heavy duty push rod mechanism to cope with stiff acoustic sealants. For all 900ML cartridges.







17





#### **Power Pro** Sealant Gun

SGAN	SIZE	QΤΥ	BARCODE
484912	C4/400ML	6	5029347600945

The ultimate heavy duty sealant gun, extra pull trigger, hook end and swivel action barrel for both 310ML and 400ML cartridges. Engineered for the trade.



#### **Superflow** Sealant Gun

SGAN	SIZE	QTY	BARCODE
489588	C3/310ML	6	5029347613082

Engineered to be what we believe is the best gun ever, with a rotating barrel, smooth action trigger, soft grip handle, and a non-drip device all wrapped up in a robust, sturdy gun that will handle the toughest of conditions.



#### Foil Pack Applicator Gun

SGAN	SIZE	QTY	BARCODE
483370	600ML	1	5029347600808


The Foil Pack applicator gun is designed for use with foil packs, the enclosed aluminium barrel can also be used for standard cartridges.





#### Sika<sup>®</sup> PowerCure Dispenser

DISPENSER			
SGAN	SIZE	QTY	BARCODE
671579	600ML	1	7612895699936



The Sika PowerCure Dispenser provides a quick and efficient way of applying SikaBooster technology found in Sikaflex 423 Powercure. The fast curing technology coupled with the Sika PoweCure Dispenser creates the most convenient application method for when time is of the essence.



Standard Nozzles	



Standard cartridge nozzles, handy replacements packed in 6's.

#### Seal Rite Strip-Out Tool

SGAN	SIZE	QTY	BARCODE
482769	-	12	5029347603557

The Strip-Out Tool works on any type of sealant and is the ideal partner for use before applying silicone sealant. The Strip-Out Tool is incredibly simple and its design and shape provides a really quick way to strip all types of sealant out of any 90° angle joint.





#### **Seal Rite** Smooth-Out Tool

SGAN	SIZE	QTY	BARCODE
486847	-	12	5029347603618

The Smooth-Out Tool is a unique tool that is ideal for smoothing out all sealants after application – it creates a perfect seal every time. Even better, you will have no edge marks and no mess! This tool is really remarkable, once used, you'll never seal again without it.

#### Seal Rite Strip-Out and Smooth-Out Twin Pack

SGAN	SIZE	QTY	BARCODE
483399	-	12	5029347609603

A Twin pack with Strip-Out Tool for easy sealant removal and Smooth-Out Tool to create the perfect seal. Ideal for use with our full range of Silicone Sealants.







#### Silicone 825 Silicone Sealant





SGAN	SIZE	COLOUR	QTY	BARCODE
467283	380ML	ANTHRACITE	25	5029347615741
467206	380ML	BEIGE	25	5029347615734
467204	380ML	BLACK	25	5029347615727
467208	380ML	BROWN	25	5029347615710
467209	380ML	BRICK RED	25	5029347615703
467222	380ML	BUFF	25	5029347615697
534360	380ML	DARK ANTHRACITE	25	5029347615673
467225	380ML	DARK GREY	25	5029347615680
467226	380ML	LIMESTONE WHITE	25	5029347615666
467229	380ML	MAGNOLIA	25	5029347615659
467240	380ML	MID GREY	25	5029347615642
467242	380ML	PORTLAND STONE	25	5029347615628
467202	380ML	WHITE	25	5029347603977
518711	600ML	WHITE	12	5029347612870

	20-30		
rement Accommodation +/-35% (ASTM C	+/-35% (ASTM C719)		
nning Time 30-45 mins			
tic Recovery >80%			
nning Time 30-45 mins	_/19)		

## Silicone 825 is a low modulus, neutral curing silicone sealant based on a filled alkoxy curing system.

Conforms to ISO 11600 class F25LM and G25LM. Used for expansion joints to stone, brick, concrete and composite panels, perimeter pointing around all types of window and door frames. Substrates: glass, aluminium and PVC – all primerless.

## **SCAN TO** DOWNLOAD DATA SHEET SUBSTRATES: GLASS. ALUMINIUM AND PVC - ALL PRIMERLESS. CNIC TECHNICAL EXCELLENCE PROFESSIONAL PERFORMANCE BUNE **CONFORMS TO ISO** 11600 CLASS F25LM AND G25LM

#### **Fire Sealant 300** Intumescent Acrylic Sealant

SGAN	SIZE	COLOUR	QΤΥ	BARCODE
486192	380ML	GREY	25	5029347603984
486194	380ML	WHITE	25	5029347603984
486195	600ML	GREY	12	NO BARCODE
486196	600ML	WHITE	12	NO BARCODE

2.5%
nins
%

An intumescent and acoustic acrylic sealant that swells when exposed to temperatures in excess of 150°C to prevent the passage of fire and smoke, with a fire rating of up to 4 hours. Typically used for sealing joints, voids and irregular holes in fire walls, partitions and other structures. For internal perimeter pointing of fire rated door and window frames. Fire rated to EN1366-4 and EN1366-3, Acoustic rated to BS EN ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components – products for residential ventilation.

#### **Silicone S50** Sanitary Silicone Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
486319	310ML	JASMINE	25	5029347604844
486430	310ML	MANHATTAN GREY	25	5029347604844
486431	310ML	TRANS	25	5029347604844
486433	310ML	WHITE	25	5029347604844

Movement Accommodation	+/-20%
Skinning Time	15 mins @20°C
Cure Time	3-4MM per 24hrs
Service Temp	-40 to +150°C

A mid modulus, acetoxy curing silicone sealant that contains a powerful antifungal compound to prevent mould and fungal growth to the sealant in areas of high humidity. Gives improved adhesion and flexibility when compared to standard sanitary grades. Tested to ISO 11600 F/ G20LM and EN15651.

#### **Fire Sealant 400** Fire Rated Silicone Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
489708	380ML	BLACK	25	5029347603991
489710	380ML	GREY	25	5029347603991
489703	380ML	WHITE	25	5029347603991

SEALANTS

Specifier

21

HISE SEALANT A

Movement Accommodation	+/-25%
Skinning Time	30 - 45 mins
Elastic Recovery	80%
Elongation at Break	350%

A neutral cure, elastic, acoustic rated silicone sealant with a fire rating of up to 4 hours. Typically used for all building and glazing joints which require a fire rating, sealing joints, voids and irregular holes in fire walls, partitions and other structures. Fire rated to EN1366-4, Acoustic rated to BS EN ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components – products for residential ventilation. ISO 11600 class: F25LM.

#### Joint Backer Rod

FIRE SEALANT 3

LIGUNE

SGAN	SIZE	COLOUR	OTY	BARCODE
489399	1150MT	GREY	1	NO BARCODE
489410	750MT	GREY	1	NO BARCODE
489411	550MT	GREY	1	NO BARCODE
489412	350MT	GREY	1	NO BARCODE
489413	200MT	GREY	1	NO BARCODE
489414	160MT	GREY	1	NO BARCODE

The Joint Backer Rod is a non absorbent compressible grey closed cell polyethylene foam backing material. It is inserted into a joint to control sealant depth and create a backstop to allow proper sealant applications.





#### **HM Silicone** Acetoxy sanitary silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
725250	310ML	WHITE	25	5029347610210
780554	310ML	JASMINE	25	7612895960777
780551	310ML	ANTHRACITE	25	7612895960715
780552	310ML	MANHATTAN GREY	25	7612895960739
780553	310ML	TRANSLUCENT	25	7612895960753
780550	310ML	LIMESTONE WHITE	25	7612895960197

Movement Capability	+/-20 % (ISO9047)
Elongation at break	>350% (ISO8339)
Elastic Recovery	>95 % (ISO7390)
Curing Time	2-4 mm/24 hours
	(23 °C and 50 % RH)

A premium, acetoxy curing silicone sealant engineered to provide enhanced body and superior toolability in sanitary applications.

It contains powerful anti-fungal compound to prevent mould and fungal growth to the sealant in areas of high humidity.



#### **Hybriflex 25LM** Low Modulus Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
484641	380ML	WHITE	25	5029347612054

Shore A Hardness 20-30 Skin Formation at 23°C and 50% RH 20-45 mins

A one part low modulus building sealant based on hybrid polymer technology. For perimeter pointing of uPVC, window/ door frames, for expansion joints, weather sealing applications, parapet and roofline sealing, weatherproofing sealing, construction and dilation joints. Overpaintable. Tested to ISO11600 class: F25LM.



SGAN	SIZE	COLOUR	QTY	BARCODE
492024	295ML	GREY	12	5029347613334

Shore A Hardness	50 +/-5
Skinning Time	10-40 mins
Cure Time	2mm/24 hr
Elastic Recovery	>60%

A high modulus, one-component hybrid based adhesive which adheres strongly to most substrates. Provides excellent resistance to most common chemicals and solvents and can be overpainted when cured.

WUMPLEN 25

7771



SGAN	SIZE	COLOUR	QTY	BARCODE
518713	600ML	BLACK	12	NO BARCODE
486224	600ML	WHITE	12	NO BARCODE
Shore A H				55-60
Skinning	30-45 mins			
Elastic Re	>75%			

**Tensile Strength** 15N/mm A high strength, permanently elastic, neutral cure hybrid polymer based adhesive. Isocyanate, silicone and halogen free, overpaintable with most paints, excellent

adhesion to most construction substrate, resistant to



#### Hybriflex SMP **Flooring Sealant**

most chemicals.

SGAN	SIZE	COLOUR	QTY	BARCODE
486738	600ML	GREY	12	NO BARCODE
Shore A H	ardness			30-40
Movemen	t Accommo	odation		+/-20%
Elongation at Break (ISO 8339)				>250%
Service Te	emperature	5		-40°C to +90°C

Formulated to provide a high shore A sealant combined with a low viscosity to enable high speed application into floor joints. Suitable for sealing saw cut and pre-formed expansion joints on both internal and external floor joints, provides exceptional abrasion resistance.

#### Hvbriflex 480 Hybrid Polymer Building Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
486725	380ML	GREY	25	5029347616007
486727	380ML	WHITE	25	5029347606107
Shore A H	ardness		35-	45

Shore A Hardness	35-45
Skinning Time	+/-25%
Elastic Recovery	20-35 mins
Tensile Strength	>70%

A one part general purpose building sealant based on hybrid polymer technology. Ideal for perimeter pointing which needs to be painted over afterwards, such uPVC and all window or door frames, expansion joints, weatherproof sealing, and much more. Conforms to ISO 11600 Class: F25HM.

#### Hybriflex FR Fire Rated Hybrid Polymer

SGAN	SIZE	COLOUR	QTY	B	ARCODE
501991	600ML	GREY	12	NC	BARCODE
Shore A H	ardness				40+/-5
Movemen	it Accommo	dation			+/-25%
Skin Formation at 23°C and 50% RH				20-55 mins	
Elongation at Break (ISO 8339)			>200%		

A one part, chemically curing sealant and adhesive. Specifically designed multi-purpose floor/wall sealant for all concrete saw cuts and cladding applications and/ or slab expansion joints, where fire resistance is required. Fire rated up to 4 hours in certain joint configurations (when tested to EN1366 Part 4 2006 - Warrington Fire Certificate 195854/A October 2010).







**HYBRIFLEX 480** 

777



Curing Time at 23°C and 50% RH

A very high modulus, one part, chemically

accommodating small movement for areas

curing sealant. Specifically designed

for providing a hand pick resistant seal

5029347610210

5029347610210

5029347610210

ANTI PICK

Bat

100000

**WASSIDIEX OD** 

10000

60% elongation

2mm / 24hr

Pick Resistant Sealant

Anti Pick 109



#### **Puraflex 25** Low Modulus PU

SGAN	SIZE	COLOUR	QΤΥ	BARCODE
464966	300ML	BLACK	12	5029347613174
464969	300ML	BROWN	12	5029347613181
465347	300ML	BUFF	12	5029347613198
464968	300ML	GREY	12	5029347613204
464967	300ML	WHITE	12	5029347613211
464714	600ML	BLACK	20	NO BARCODE
464962	600ML	GREY	20	NO BARCODE
464961	600ML	WHITE	20	NO BARCODE

Shore A Hardness 20 +100/-50% (ASTM C719) **Movement Accommodation Skinning Time** 70 mins

A one part low modulus building sealant based on polyurethane technology. It is suitable for most construction expansion and dilation joints and adheres to most building surfaces such as concrete, ceramics, wood, metal, uPVC etc. **Conforms ISO11600** F25LM and is CE marked to EN15651-1: 2012 Type F EXT-INT CC.



**Cure Time** 

FURAFLEN 25

SGAN	SIZE	COLOUR	QTY	BARCODE
464963	300ML	BLACK	12	5029347613143
464965	300ML	GREY	12	5029347613150
464964	300ML	WHITE	12	5029347613167
464712	600ML	BLACK	20	NO BARCODE
464839	600ML	GREY	20	NO BARCODE
464960	600ML	WHITE	20	NO BARCODE
Shore A H	ardness		30-	40
Skinning Time				) mins

Elastic Recovery >75% A high modulus, one-component PU sealant and adhesive which adheres strongly to most substrates. Provides excellent mechanical resistance (Shore A 30-40), resistance to most common chemicals and can be overpainted when cured.

3.5mm/24 hr



#### Sikaflex<sup>®</sup> PRO-3 Purform Polyurethane Sealant

SGAN SIZE COLOUR QTY BARCODE 693977 600ML BLACK 20 7612895756448 694153 600ML GREY 20 7612895755496 694308 600ML WHITE 20 7612895758466

Containing new Purform technology for a futureproof polyurethane formula, Sikaflex PRO 3 Purform is a one-part, moisture curing, elastic joint sealant with superior mechanical properties combined with excellent weather and chemical resistance. Ideal for use in floor joint sealing. Ultra-low monomer and VOC content and certified for use in food contact areas.





#### Sikasil<sup>®</sup> Pool Silicone Sealant

SGAN COLOUR OTY BARCODE 130877 GREY 12 7612894590906 WHITE 12 7612894609400 150295

+/-25%

A one-component, neutral curing silicone sealant for joints located in and around swimming pools and areas under permanent water immersion.



#### Sikaflex<sup>®</sup> PRO-3 Self Levelling Polyurethane Floor Sealant

#### SGAN SIZE COLOUR QTY BARCODE 410863 600ML CONCRETE GREY 20 7612894826821

A one-component, moisture curing, self-levelling, elastic joint sealant which is based on polyurethane. Sikaflex® PRO-3 Self-Levelling is designed for horizontal applications in movement and connection joints in floors, pedestrian and traffic areas, as well as warehouses and production areas. This product is certified for use in food contact areas.





#### SikaHyflex®-250 Polyurethane Sealant

SGAN	SIZE	COLOUR	QΤΥ	BARCODE
443600	600ML	BASALT GREY	20	7612894991093
435543	600ML	CONCRETE GREY	20	7612894945478
435616	600ML	DARK GREY	20	7612894946819
443569	600ML	IVORY	20	7612894991079
435614	600ML	WHITE	20	7612894949094

A high performance, one-part, moisture curing, lowmodulus sealant. SikaHyflex®-250 is designed to provide an elastic and waterproof seal on movement and connection joints in commercial building envelopes. This product possesses excellent weathering and ageing resistance along with good adhesion to many substrates.





#### Sikaflex<sup>®</sup> Tank N Polyurethane Sealant

SGAN SIZE COLOUR OTY BARCODE 156879 600ML CONCRETE GREY 20 7612894633962

A one-component, moisture curing, elastic joint sealant based on polyurethane. Sikaflex® Tank N is designed for use in areas for the storage, handling and filling of water polluting liquids.







Sikaflex<sup>®</sup> Construction+ Polyurethane Sealant

#### SGAN SIZE COLOUR OTY BARCODE 438640 600ML CONCRETE GREY 20 7612894961690

A one-component, moisture curing, flexible joint sealant. Sikaflex<sup>®</sup> Construction+ is designed for movement and connection joints in concrete and masonry facades.





SEALANTS 25 Specialist Sealants





#### **Sikaflex®-423** Powercure

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 713122
 600ML
 GREY
 14
 7612895813158

Sikaflex®-423 Powercure is a 1-part, non-sag, highperformance polyurethane sealant and booster, for vertical and horizontal joints in civil engineering application. Mixed by the Sika PowerCure dispenser, correct ratios of sealant and SikaBooster are applied directly to the joint for a quick and convenient application. Provides high movement capability, and high mechanical and chemical resistance.





#### Sikasil® DW

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 715630
 600ML
 BLACK
 20
 7612895817651

 715585
 600ML
 SIGNAL GREY
 20
 7612895817637

Sikasil® DW is suitable for joints in contact with potable (drinking) water, e.g. in the water industry in drinking water reservoirs, tanks, treatment and filtration plants.







Sika® Primer 3N

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 122239
 1LTR
 TRANSPARENT
 1
 7612894543216

A one-component, solvent based primer and adhesion promoter; designed for use on porous substrates and metals. Evaporates quickly.



#### Sikaflex<sup>®</sup>-415 Universal

SGAN	SIZE	COLOUR	QTY	BARCODE
718414	600ML	CONCRETE GREY	20	7612895821337


Sikaflex®-415 Universal is a one-part, moisture curing, elastic polyurethane sealant for sealing floor and wall joints. Sikaflex®-415 Universal is a onepart, moisture curing, elastic polyurethane sealant for sealing floor and wall joints.



 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 649763
 290ML
 LIGHT GREY
 20
 761289565595

Sikaflex<sup>®</sup>-117 Metal Force is a one part construction adhesive, specifically formulated to seal and bond metals, without the use of a primer for a one step application.



# ADHESIVES

Hybrid Sealants and Adhesives	30
Grab	34
Plasterboard	40
Specialist Adhesives	41
Wood	42
Flooring	44
Contact	47
Superglues and activators	48
Craft	50



SCAN TO SEE THE FULL RANGE gbr.sika.com/en/distribution.html



#### ADHESIVES Sealant and Adhesive Hybrid

TREME POW



#### Stixall Extreme Power

Stixall Extreme Power is a combined adhesive and sealant, based on hybrid polymer technology, with extreme power to both bond and seal nearly everything in almost all conditions, even underwater and in the rain!

Available in both cartridges and easi-squeeze tubes. CE Marked.

SGAN	SIZE	COLOUR	QTY	BARCODE
483107	290ML	BLACK	12	5029347603281
483108	290ML	BROWN	12	5029347603304
483168	290ML	CRYSTAL CLEAR	12	5029347603960
483109	290ML	GREY	12	5029347603298
483110	290ML	WHITE	12	5029347602604
546801	290ML	NATURAL	12	5029347615291
483124	80ML	CRYSTAL CLEAR	12	5029347606053
483111	80ML	WHITE	12	5029347606015

INTERIOR AND EXTERIOR USE


ANTI-SLUMP





and the state of the state





WATERPROOF

OVER-PAINTABLE °°0

00

WORKS UNDER WATER



#### Sikaflex<sup>®</sup> EBT+





SGAN	SIZE	COLOUR	QTY	BARCODE
511392	300ML	WHITE	12	7612894368475
463337	300ML	CLEAR	12	5055492700780
511395	300ML	BEIGE	12	7612894370546
511394	300ML	BLACK	12	7612894368437
511393	300ML	BROWN	12	7612894370560
511397	300ML	GREY	12	7612894368451

A multi-purpose, permanently- elastic, one-part, polyurethane\* adhesive and sealant. Sikaflex® EBT+ bonds to all common building materials; its excellent grab and gap filling properties makes it ideal for use in a wide range of building and maintenance applications.

\*Clear product is a hybrid polymer



3-IN-1 ADHESIVE, SEALANT AND FILLER PERMANENTLY FLEXIBLE AND ELASTIC WATERPROOF AND WEATHERPROOF

HIGH-GRAB, NON-SAG





## EB25





SIZE	COLOUR	QTY	BARCODE
300ML	ANTHRACITE	12	5029347615598
300ML	BLACK	12	5029347615550
300ML	CRYSTAL CLEAR	12	5029347615543
300ML	GREY	12	5029347615567
300ML	WHITE	12	5029347615536
	300ML 300ML 300ML 300ML	300MLANTHRACITE300MLBLACK300MLCRYSTAL CLEAR300MLGREY	300ML         ANTHRACITE         12           300ML         BLACK         12           300ML         CRYSTAL CLEAR         12           300ML         GREY         12

EB25 uses cutting-edge technology and a unique polymer blend, we've developed a truly universal, top quality hybrid. It's extremely flexible, certified for indoor and outdoor use, and in sanitary and food preparation areas (ISEGA). Plus, it's exceptionally strong, sticks to almost anything and even works underwater!

It's resistant to mould, temperature extremes, chemicals, petrol, UV radiation, plus it does all this whilst meeting the toughest emissions classification! CE Marked.



Brick / Timber / Metal / Plastic / Glass



**ADHESIVES** 

Sealant and Adhesive Hybrid

33










SECO



#### **Multi Stick** Hybrid Polymer A







BONDS VIRTUALLY ANYTHING

EXCELLENT BOND STRENGTH

**ANTI-SLIP BONDING** 

APPLY TO POROUS AND NON-POROUS SURFACES IN THE WET OR DRY!

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 525020
 350ML
 WHITE
 12
 5055492701725

Multi Stick is a superior grab adhesive with the ability to bond virtually anything to everything in both wet and dry conditions, even underwater or in the rain.

With incredible initial grab, high bonding strength, and almost limitless applications, no tradesman should be without a tube of this next generation adhesive. Think of any bonding application and it is virtually certain Multi-Stick will handle it with ease.



Metal / Brick / Timber / Plastic / Concrete / PVCu



#### Gun A Nail Extra Solvent Based Adhesive

#### SGAN SIZE COLOUR QTY BARCODE 486026 380ML BEIGE 12 5029347111007

Gun A Nail Extra is a high strength, solvent based, gap filling adhesive providing extra bond strength and a quick cure in external applications. Ideal for bonding two nonporous materials together.



Brick / Stone / Concrete / Timber

#### **Clear Fix** Crystal Clear Hybrid Polymer Adhesive

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 461970
 290ML
 CLEAR
 12
 5029347612931

A clear hybrid polymer grab adhesive that has the ability to bond just about everything in both interior and exterior applications. With added UV stabilisers, Clear Fix is the ideal choice for applications where you may see the colour of the product. Clear Fix is a versatile product which can be used in almost every application imaginable – even when immersed under water! Even more, Clear Fix comes in a completely Clear cartridge to illustrate the clarity of the product.



Metal / Glass / Brick / Timber / PVCu

#### Gun A Nail Standard Solvent Free Adhesive

#### SGAN SIZE COLOUR QTY BARCODE 485954 290ML WHITE 25 5029347000110

ADHESIVES

Gun A Nail Standard is a high strength, gap filling multi-purpose building adhesive based on a tackified solvent free system for use in a wide variety of building and home improvement applications. Gun A Nail Standard can be used where at least one of the substrates to be bonded is porous. Ideal for fixing skirting boards, wall panels, cladding, framework and floorboards.



Brick / Stone / Timber / Concrete

#### **Mirror Mate** Mirror Adhesive

I	SGAN	SIZE	COLOUR	QTY	BARCODE
	486027	290ML	WHITE	12	5029347112004

Mirror Mate is a one component adhesive based on Hybrid Polymer technology that is specially formulated for bonding mirrors to most common surfaces. The totally neutral curing system will not attack the mirror backing. Excellent primerless adhesion to most surfaces including metals, most plastics, concrete, plaster, plasterboard, polyester, perspex, glass, wood, enamel, painted surfaces and much more.





35

Grab

TAXABLE IN COLUMN

TATLES

Mirrors / Metal / Plaster / Perspex / Plastic



#### Maximum Torque



 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 484807
 290ML
 WHITE
 12
 5029347610814

Maximum Torque, based on next generation hybrid polymer technology is the ultimate high grab adhesive, providing a level of immediate grab strength not previously possible with cartridge packed adhesives.

The unique polymer blend gives incredible initial grab, typically double that of most grab adhesives on the market today, eliminating the need for temporary support in most applications. Maximum Torque has the ability to bond basically everything to anything in virtually all conditions.



Brick / Metal / Glass / Timber / PVCu




#### **Griptite** Solvent Based A

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 486238
 310ML
 BUFF GREEN
 12
 5029347611965

 486717
 350ML
 BUFF GREEN
 12
 5029347611964

Griptite is an extra-tough, high grab construction adhesive that combines great performance with 'easyflow' gunability. This high bond strength, solvent based adhesive adheres to most common substrates and can be used on direct bond or double stick applications. With good early grab properties Griptite is suitable for a wide variety of applications including being usable in both vertical and horizontal positions.



Brick / Stone / Timber / Concrete

#### Instant Nails Solvent Free Adhesi

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 484866
 200ML
 WHITE
 12
 5029347000578

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 484815
 290ML
 WHITE
 12
 5029347000561

 484816
 290ML
 WHITE
 12
 5029347000561

Instant Nails is a high strength, solvent free, gap filling, multi use adhesive that provides a quick grab and replaces mechanical fixings in many home improvement applications. Dries white and may be overpainted if required.



Plaster / Timber / Polystyrene / Brick /Stone Concrete / PVCu

#### **Coving Adhesive and Joint Filler**

**ADHESIVES** 

37

Grab

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 486008
 290ML
 WHITE
 12
 5029347600921

A high strength solvent free gap filling adhesive that provides a quick 'grab' for fixing polystyrene, plaster coving and cornices to sound porous surfaces. Dries white and is overpaintable when dry.



Plaster / Timber / Polystyrene / Brick / Stone / Concrete





#### **Pinkgrip** Solvent Based Adhesive

Pinkgrip will stick just about anything on a building site that needs sticking.

Its amazing grabbing strength not only removes the need to pin under the workpiece to prevent slumping, but its revolutionary initial 'Direct Bond' eliminates the need for double stick methods. Pinkgrip can be used inside and outside and adheres to just about every building substrate.





 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 486022
 350ML
 PINK
 12
 5029347601690






#### **Pinkgrip SF** Solvent Free Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
486023	380ML	PINK	12	5029347602420
486024	380ML	WHITE	12	5029347610081

A direct bond adhesive with all the legendary grabbing performance of original Pinkgrip but in a solvent free formula. Can be used to replace mechanical fixings in a wide variety of home improvement applications. Ideal for bonding wood, brick, plaster, plasterboard, polystyrene, metals and plastics. Available in Pink and White colours.



Brick / Metal / Timber / Concrete / Plastic

## WONDER WIPES BIODEGRADABLE

**THE WIPE THAT WORKS** 

Extra thick for the toughest grime

See page 113

## ADHESIVES 39





#### **Pinkgrip Dry Fix FR**









Pinkgrip Dry Fix FR is a revolutionary type of fast curing, adhesive foam that has been specially developed for the rapid installation of Plasterboard, Insulation Boards and other sheet materials such as Roof Decking and Floorboards.

The Dual Flow system means that it can be applied using the nozzle provided or attached to the Dry Fix Applicator Gun. Pinkgrip Dry Fix FR provides significant labour saving and convenience benefits when compared to traditional dry wall adhesives. It will bond to most common building substrates; can be applied horizontally or vertically to the board, wall or battens/beams.

Dry Fix FR conforms to the requirement of EN13501-1 Class E for fire rating.



Brick / Stone / Concrete / Timber / Plasterboard

**Pinkgrip Dry Fix** 

SGAN SIZE COLOUR QTY BARCODE 1 5029347606466 486434 - -Pinkgrip Dry Fix Applicator Gun – for use with Pinkgrip Dry Fix Fast Cure Dry Wall Adhesive.



### Smart Tack Handy




Standard aerosol for smaller jobs. Offers all benefits with lower pressure application. 500ML aerosol will cover 2.5-3.5m<sup>2</sup> of laminate when applied to both surfaces.

Smart Tack

SGAN SIZE COLOUR QTY BARCODE 760277 22KG CLEAR 1 5029347601171

For large scale use, delivers adhesive via a flexible hose to the gun. Bulk Tank will cover ca. 128m<sup>2</sup> per 17kg of laminate when applied to both surfaces.





Laminates / Timber / Cork / Rubber / Metal

## Smart Tack

SGAN SIZE COLOUR QTY BARCODE 488889 - -1 NO BARCODE For use with Smart Tack bulk tank and hose.





Laminates / Timber / Cork / Rubber / Metal

Smart Tack

SGAN SIZE COLOUR QTY BARCODE 488892 --1 NO BARCODE For use with Smart Tack bulk tank and gun.

Hose length: 3.66 metres.





## **D4**

SGAN	SIZE	COLOUR	QTY	BARCODE
484942	1LTR	WHITE	12	5029347602703
484947	25LTR	WHITE	1	5029247611545

A solvent free industrial grade wood adhesive based upon hybrid resin technology. Can be used internally or externally, gives a high strength, totally waterproof, impact and temperature resistant bond. Dries clear, sets in 10 minutes. Ideal for all general woodworking and joinery uses, assembly line work, RF/HF Cure systems, wood on wood laminating, furniture assembly and household DIY use. **Conforms to** EN 204. D4 Strength and WATT91.

## **502 All Purpose Weatherproof**

SGAN	SIZE	COLOUR	QTY	BARCODE
483366	125ML	-	12	5029347005276
482248	250ML	-	12	5029347005238
482247	500ML	-	20	5029347005207
479511	1L	-	12	5029347005214
488859	5L	-	4	5029347005252
488861	25L	-	1	5029347052492

All Purpose Weatherproof Wood Adhesive is a high quality, resin based wood adhesive for all wood bonding. It can be used internally and externally and provides a high strength, impact resistant bond that is usually stronger than the wood itself. Ideal for all general woodworking and joinery uses, furniture assembly and household DIY use. Dries clear. Fast cure, initial set in just 10 minutes. Conforms to the international standard EN 204 D3 and EN 14256 for resistance to static load.

## 5 Minute Polyurethane

SGAN SIZE COLOUR OTY BARCODE 484682 310MI TRANS 12 5029347809034

Lumberjack 5 Minute Polyurethane Wood Adhesive Gel is a thixotropic, transparent, gap filling gel which sets hard in just 5 minutes. This product gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which in turn increases the bond strength. Particularly suitable for equipment manufacture and production line applications where rapid handling is required. Conforms to EN 204. D4 Strength.



Wood / Metal / Brick / Concrete / Stone

## **5 Minute Polyurethane**

#### SGAN SIZE COLOUR OTY BARCODE 484683 750GR BROWN 6 5029347601133

Lumberjack 5 minute polyurethane wood adhesive liquid is brown in colour and is ideal for larger applications, or in the workshop where greater economy is required. Sets hard in 5 minutes. The liquid is 100% waterproof, gives exceptionally high bond strength and is resistant to most chemicals. The product foams slightly on application to fill small gaps, which increases bond strength. Conforms to EN 204. D4 Strength.





## **30 Minute Polyurethane**

#### SGAN SIZE COLOUR QTY BARCODE TRANS 12 5029347809010 484684 310ML

Lumberjack 30 Minute Polyurethane Wood Adhesive Gel is a thixotropic, transparent, gap filling gel which sets hard in 30 minutes. This one part, moisture curing gel gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which increases bond strength. Conforms to EN 204. D4 Strength.

## 30 Minute Polyurethane

#### SGAN SIZE COLOUR QTY BARCODE 484685 750GR BROWN 6 5029347809027

Lumberjack 30 Minute Polyurethane Wood Adhesive Liquid is brown in colour and ideal for larger, horizontal applications where greater economy is required. Sets hard in 30 minutes. This liquid gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which increases bond strength. Conforms to EN 204. D4 Strength.

**ADHESIVES** 

Wood



## 45 Minute Polyurethane

SGAN SIZE COLOUR OTY BARCODE 484686 750GRM BROWN 6 5029347610258

Lumberjack 45 Minute is a one part moisture curing wood adhesive which sets hard in 45 minutes. Supplied as a liquid which is waterproof, gives exceptionally high bond strength and is resistant to most chemicals. The product foams slightly on application to fill small gaps, which increases bond strength. Conforms to EN 204. D4 Strength.



Wood / Metal / Brick / Concrete / Stone



Wood / Metal / Brick / Concrete / Stone

#### **Our Wood Filler** range is perfect for professional preparation

See page 94 in the Fillers and Decorating





Wood / Metal / Brick / Concrete / Stone



#### SikaBond®-52 Wood Floor Adhesive

#### SGAN SIZE COLOUR OTY BARCODE 424418 600ML BEIGE 20 7612894887525

A one-component, solvent-free, fast-curing, elastic wood flooring adhesive for professional use. SikaBond®-52 Wood Floor is suitable for use on most common types of wood floors, even problematic woods such as beech, maple and bamboo using liquid batten. Suitable for use with underfloor heating when used with the Sika® AcouBond System.









#### SikaBond®-151 Wood Floor Adhesi

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 583888
 17KG
 PARQUET BROWN
 1
 7612895512556

A one-part, solvent-free wood floor adhesive which is suitable for use on all types of wood flooring and most common types of floor substrates. SikaBond®-151 is a elastic adhesive that is easy to spread, whilst maintaining stable trowel peaks.

#### **SikaBond® MS** Wood Floor Adhesive

SikaBond®-54

600MI

700ML

13KG

SGAN

489209

423888

427784

SIZE COLOUR OTY BARCODE

1

A one-component, solvent-free and elastic wood flooring

adhesive that is for professional use. SikaBond<sup>®</sup>-54 Wood

Floor is a full stick down adhesive for use on both solid and

engineered wood floors. This product is also suitable for

7612894887525

7612894885484

7612894907285

BEIGE 20 BEIGE 12

BEIGE

use with underfloor heating systems.

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 466914
 14KG
 PARQUET BROWN
 1
 5055492700902

A high quality, trowel applied MS adhesive which is specifically designed for bonding wooden floors to all common substrates. SikaBond® MS Wood Floor utilises a formulation that is completely water free, thereby reducing the likelihood of wooden boards cupping or crowning. With an extended open time of 40 minutes, this product is ideal for larger application areas.





A high quality, gun applied MS adhesive which is specifically designed for bonding wooden floors to all common substrates. Suitable for use with the AcouBond System.

#### **SikaBond®** 5500 S

1kg/M<sup>2</sup>

APPROX

SGAN	SIZE	COLOUR	QTY	BARCODE
165745	16KG	BEIGE	1	5055047210177

A one-part, solvent based, rigid adhesive for bonding wood block parquet and engineered boards onto porous substrates. SikaBond®-5500 S provides a high strength bond that is suitable for use with underfloor heating. This product is suitable for use with all types of wood.





**Sika**® Silent Layer Mat

SGAN	SIZE	COLOUR	QTY	BARCODE
50368	16.66M	-	1	5055047210252
55606	13.33MTR	-	1	5055047210269

A high quality, polyethylene foam mat that is specifically designed to reduce the sound of footfall. Ideal for use in conjunction with SIkaBond<sup>®</sup> MS Wood Floor gun grade or SikaBond<sup>®</sup> 52. Sika<sup>®</sup> Silent Layer Mat is pressure resistant and dimensionally stable.







ADHESIVES Flooring





## Lumberjack 650

SGAN SIZE COLOUR QTY BARCODE 484940 14KG BUFF 1 5029347603175

Lumberjack 650 is a standard setting, hybrid polymer, trowel applied adhesive, specially designed for fixing all types of wooden floors directly on to all common substrates. Lumberjack 650 is 100% active, and will not cause warpage of wood.







## Lumberjack 160

SGAN	SIZE	COLOUR	QTY	BARCODE
484937	10LTR	BUFF	1	5029347609665

Lumberjack 160 is a high specification, trowel applied adhesive, based on resins in solvent and is specifically designed for fixing all types of wooden floors directly onto porous substrates.



SGAN SIZE COLOUR QTY BARCODE 484939 300ML BUFF 12 5029347603151 12 5029347603168 484938 600ML BUFF

Lumberjack 550 is a high specification, hybrid polymer, cartridge or foil pack applied adhesive specially designed for fixing all types of wooden floors directly on to all common substrates. Lumberjack 550 is 100% active and water free, and will not cause warpage of wood.

These These and

## Stick 2

SGAN	SIZE	COLOUR	QTY	BARCODE
484614	125ML	BEIGE	10	5029347006518
484613	250ML	BEIGE	12	5029347065027
484612	750ML	BEIGE	12	5029347065058
484611	5L	BEIGE	4	5029347006556

Stick 2 All Purpose Contact Adhesive is a premium grade rubber based contact adhesive suitable for use with a wide variety of materials for both professional and DIY use. The product may be used for bonding decorative laminates, all types of wood, rigid PVC, ABS, leather, cork, linoleum, rubber, stone, metals and dense fabrics.

## Stick 2

SGAN	SIZE	COLOUR	QTY	BARCODE
484593	500ML	-	12	5029347060855

A sprayable glue which bonds to most common materials including wood, concrete, stone, tiles, rubber, foam, metals, rigid plastics, polyethylene, canvas fabrics, cardboard, paper and cork. Ideal for securing most carpets/floor coverings. Suitable for internal and external use. Time saving spray - easier and quicker to apply than most trowel/spreader applied adhesives. Repositionable.

ADHESIVES

Contact



Laminates / Timber / Cork / Rubber / Metal

## Stick 2

SGAN SIZE COLOUR QTY BARCODE 488880 500ML 12 5029347603212

Sprayable medium duty glue which fixes P.U. and foam backed carpets, carpet tiles, underlay, paper felt and cork to most common substrates. Economical and time saving - quicker and easier than spreader applied adhesives. Foaming formula gives low soak into substrates.





47

Wood / Concrete/ Stone / Tiles/ Rubber / Foam Metal/Rigid Plastic / Fabrics/Cardboard

Mammoth

SOLVEN

BASED

#### SGAN SIZE COLOUR OTY BARCODE 483334 500ML 12 5029347611323

A ready to use solvent based flooring adhesive designed for fixing carpet grippers and trims, stair nosings and plastic and wooden skirting. Adheres to most common surfaces including wood, carpet, metal, stone, concrete, PVCu and much more.

















## Stick 2

SGAN	SIZE	COLOUR	QTY	BARCODE
484651	20GRM	CLEAR	25	5029347900069
484652	50GRM	CLEAR	20	5029347602345

Medium viscosity formula fills gaps to 0.1mm. For use on perfect fit surfaces where fast set is required. Bonds nonporous surfaces eg. most plastics, metals, glass, PVCu, rubber and EPDM. Viscosity at 25°C – 100cPs. Set time 5 to 15 seconds. Packed in self merchandising display boxes.

## Stick 2

SGAN SIZE COLOUR QTY BARCODE 484654 484655 20GRM 50GRM CLEAR 25 5029347601072 CLEAR 20 5029347601089

High viscosity formula for porous and non porous substrates where a slightly delayed set is required. For use on MDF, rubber, metals, PVCu and plastics. Viscosity at 25°C - 1500 cPs. Set time range 10 to 30 seconds. Packed in self merchandising display boxes.



PVCu / Plastic / Glass / Metal

#### Stick 2 Superglue De-bonder

#### SGAN SIZE COLOUR QTY BARCODE 488881 20ML CLEAR 10 5029347601096

For de-bonding cured cyanoacrylate adhesive from most common surfaces e.g. steel, plastic, wood, glass and rubber. Can also be used on skin when applied as per instructions.







PVCu / Plastic / Glass / Metal

Stick 2

486668 10GRM BLUE 10 5029347601720 Medium strength anaerobic, allows for disassembly, thixotropic non-drip formula For nuts, bolts, screws and threads. Can be used on oil contaminated parts.



## **PVCu Acti-Spray**

#### SGAN SIZE COLOUR QTY BARCODE 486901 200ML CLEAR 12 5029347602765

PVCu Acti-Spray is an aerosol applied activator for use with Stick 2 Industrial Superglue GP and HV, setting superglue in 10 seconds. Guaranteed not to stain PVCu. Acti-Spray is ideal for use on all PVCu and plastics, and works on all common building surfaces.

Mitre Fast

SGAN	SIZE	COLOUR	QTY	BARCODE
489755	STD	CLEAR	6	5029347601119
462029	STD	CLEAR	24	5029347611637
489750	LRGE	CLEAR	6	5029347601126

Mitre Fast Bonding Kit is a two part instant adhesive system comprising a cyanoacrylate adhesive and aerosol activator. Mitre Fast is mainly used in the furniture, timber, kitchen and plastics industries where its instant bonding properties dramatically reduce assembly times for mitre joints.

ADHESIVES

Superglues and Activators

49



PVCu / Plastic / Glass / Metal

## **Mitre Fast**

SGAN SIZE COLOUR QTY BARCODE 489752 50GRM CLEAR 10 5029347603434

Mitre Fast Adhesive is a cyanoacrylate adhesive and forms one part of the two part instant adhesive system.

The Mitre Fast Kit is mainly used in the furniture, timber, kitchen, and plastics industries, where its instant bonding properties dramatically reduce assembly times for mitre joints.

Timber / Plastics / Metal



STATES OF **PVC**e

**VOID-SING** 









Timber / Plastics / Metal





## Mitre Fast

SGAN SIZE COLOUR QTY BARCODE 489753 200ML CLEAR 12 5029347000615

Mitre Fast Adhesive is an aerosol activator. and forms one part of the two part instant adhesive system.

The Mitre Fast Kit is mainly used in the furniture, timber, kitchen, and plastics industries, where its instant bonding properties dramatically reduce assembly times for mitre joints.









10 5029347609580

57%

Enand

## **Stick 2 Instant Bond**

SGAN SIZE COLOUR QTY BARCODE 489420 30ML BEIGE 10 5029347601607

Stick 2 Contact Adhesive is a premium grade rubber contact adhesive suitable for internal and external use with laminate. trim. wood, rigid PVC, ABS, leather, cork and metals. Instant bond.



applications.



#### Laminates / Timber / Cork / Metal

## Stick 2 All Purpose

THRE SGAN SIZE COLOUR QTY BARCODE 489510 30ML 12 5029347600013

Stick 2 All Purpose Clear Adhesive is a strong, clear, quick drying adhesive suitable for a variety of household repairs and hobbies. Will stick ceramic, porcelain, wood, card, paper, most plastics, leather, cork, linoleum, rubber, stone, glass, metals and dense fabrics. 5 minutes repositionable.





## Stick 2 All Purpose Superglue

TUBE SGAN SIZE COLOUR QTY BARCODE - 12 5029347600013 483372 3GM

BOTTLE SGAN SIZE COLOUR QTY BARCODE - 6 5029347605933 483374 5GM

Stick 2 All Purpose Superglue fills gaps up to 0.1mm and bonds non-porous surfaces such as plastics, metals, PVCu, rubber, ceramics and much more. 1 minute instant bond, perfect where a fast set is required. Re-sealable cap.






PVCu / Plastic / Glass / Metal

## Stick 2

SGAN SIZE COLOUR QTY BARCODE 482347 30ML CLEAR 10 5029347601638







PVCu / Plastic / Glass / Metal

Stick 2 Superglue

Stick 2 Superglue Gel will bond

most common materials. The

high viscosity formula is ideal

482348 3GM

SGAN SIZE COLOUR QTY BARCODE

12 5029347605926

Stick 2 Rapid Epoxy

SGAN SIZE COLOUR QTY BARCODE 490483 12ML X 2 16 5029347605964

Stick 2 Rapid Epoxy Tube is an industrial strength, two part clear adhesive system which sets hard in just 4 minutes. Ideal for bonding most materials and once cured can be drilled, sanded and painted.



Metal / Glass / Wood / Ceramics



cleaning

Stick 2

487746 25ML



SGAN SIZE COLOUR QTY BARCODE

-

A high quality gloss enamel that

provides superior rust protection

and dries to a mirror like finish. It

is ideal for touching up scratches

and chips or enamel and lacquer

damages on bathroom fixtures,

kitchen appliances and ceramics. It

provides excellent colour and gloss



## Stick 2 Rapid Epoxy

#### SGAN SIZE COLOUR QTY BARCODE 483851 24ML 12 5029347601645 -

Stick 2 Rapid Epoxy Syringe is an industrial strength two part clear adhesive which sets hard in 10 minutes. Will bond most common materials and once cured may be drilled, sanded or painted. For industry and home.







Metal / Glass / Wood / Ceramics

**Check out our** Wonder Wipes range **Cleaning Products section** 







# ANDSCAPING

Jointing Compounds	54
Sealing and Protecting	56
Surface Cleaners and Treatments	60



53

SCAN TO SEE THE FULL RANGE gbr.sika.com/en/distribution.html





#### **Sika® FastFix All Weather** Paving Jointing Compound





SGAN	SIZE	COLOUR	QTY	BARCODE
669017	15KG	DARK BUFF	1	5055492703644
669016	14KG	DEEP GREY	1	5055492703637
626733	15KG	CHARCOAL	1	5055492703125
626734	15KG	FLINT	1	5055492703118
626320	15KG	STONE	1	5055492703101

A self-setting paving jointing compound that provides the ideal solution to perfect pointing on paving, paths and patios. Containing a unique formula, Active Resin Technology for advanced durability, Sika<sup>®</sup> FastFix All Weather is ready to use with no mixing required.

Suitable for use in all weather conditions; even in the rain. This product will not shrink or crack over time. Available in 5 colours.



Colour swatches are a guide only and may vary.





NO WASTE – STORE AND REUSE ONCE OPENED



WATCH THE VIDEO

#### **SikaCeram® FlowFix** Porcelain Paving System

SikaCeram<sup>®</sup> FlowFix is a high performance porcelain paving installation system, consisting of a bonding primer and jointing compound.

SikaCeram<sup>®</sup> FlowFix Bonding Primer is used to provide an exceptional bond between porcelain paving and the bedding mortar. Mixed solely with water, SikaCeram<sup>®</sup> FlowFix Bonding Primer is applied with a brush or roller to the rear of the paving when laying, to prevent the paving system breaking away from the mortar bed.

SikaCeram<sup>®</sup> FlowFix Jointing Compound is a controlled, cementitious flowable jointing grout which is applied by mixing with water on site. SikaCeram<sup>®</sup> FlowFix Jointing Compound is poured over joints with ease and worked into other exposed joints by squeegee. Once dry, the surplus is simply washed off. SikaCeram<sup>®</sup> FlowFix Jointing Compound is a highly workable product that is non-permeable once cured.




EVERBUILD.CO.UK/RESOURCES-AND-SUPPORT/HOW-TO-VIDEOS/SIKACERAM-FLOWFIX-APPLICATION-VIDEO/

SikaCeram <sup>®</sup> -62 FlowFix	Sika
Bonding Primer	Porce
APPROX ACVORDACE MCHARACE ACVORDACE	Exterior

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 633196
 20KG
 1
 5055492703286





ikaCeram®-621 FlowFix

prcelain Jointing Compound

40M<sup>2</sup>

15MM



UICK CURI

Colour swatches are a guide only and may vary.



#### **Sika® Setting Sand** Narrow Paving Joint Filler

#### SGAN SIZE COLOUR QTY BARCODE 442722 20KG BUFF 1 5055492700223

A easy to use, moisture curing jointing compound for narrow joints. Sika® Setting Sand can be simply poured or swept into joints before being saturated with water. Provides perfect pointing for all types of block paving; once cured, it will not wash out, shrink or crack over time.









#### SGAN SIZE COLOUR QTY BARCODE 115338 5LTR CLEAR 4 5055047206354

A low-odour, water-based, acrylic coating that is ideal for sealing and protecting patios, paths, natural stone, concrete and block paving. Sika® Patio Seal protects against the effects of water, petrol and organic growth. The product dries to a hard-wearing, water repellent film which gives a low sheen slip-resistant finish.





Patio Seal



SGAN	SIZE	COLOUR	QTY	BARCODE
407296	5LTR	CLEAR	4	5055047210986

Sika Water Repel+ is a solvent free water repellent and protector for concrete, brick, stone and masonry which protects against rainwater penetration without changing the aesthetic appearance of the substrate.

Sika<sup>®</sup> Water Seal Waterproofer and Protector

#### SGAN SIZE COLOUR QTY BARCODE 171270 5LTR 4 5055047210580

LANDSCAPING

Sealing and Protecting

A solvent based water sealer for masonry. Protects structures against rain and damp. Upon application, Sika® Water Seal penetrates up to a depth of 5mm. This product is designed to have minimal affect on appearance or breathability of the surface it product is applied to.



Ċ

PROOF

SOLVENT

Sika<sup>®</sup> Stone Protector Water Based Protector and Sealer

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 410465
 SLTR
 CLEAR
 4
 5055047210993

SOLVENT

4-8M

A water-based sealer which is suitable for all forms of porous stone. Once applied to a surface, Sika $^{\circ}$  Stone Protector resists stains without changing the aesthetic look of the surface it is applied to.





SGAN	SIZE	COLOUR	QTY	BARCODE
114882	5LTR	CLEAR	4	5055047206330
114883	25LTR	CLEAR	1	5055047206347

A clear, low-odour resin solution that impregnates, enhances and seals block paving to improve the overall appearance by leaving a protective finish. Sika® Block Paving Seal is ideal for use on vehicle and pedestrian areas as well as new and existing drives.







#### **Resiblock Indian Sandstone Sealer** Invisible

#### SGAN SIZE COLOUR QTY BARCODE 173783 5LTR INVISIBLE 4 5036143000039

A urethane based, low-viscosity, surface sealer that provides long-term resistance against staining and algae growth for paths, patios and driveways. Resiblock Indian Sandstone Sealer Invisible lasts up to five years and can be applied in one simple coat.

#### **Resiblock Indian Sandstone Sealer** Colour Enhancer

SGAN SIZE COLOUR QTY BARCODE 171756 5LTR 4 5036143000237

A urethane based, low-viscosity surface sealer and colour enhancer. Resiblock Indian Sandstone Colour Enhancer incorporates a completely unique moisture curing system to enhance Indian Sandstone or coloured concrete products.

SHOCK!

DIAN

ALER

COLOUR ENHANCER

1

NOSTONE







PROOF

SOLVENT

SOLVENT

SOLVENT

1.8-2.6M<sup>2</sup>

## **Resiblock Superior** Block Paving Sealer

APPROX OVERAG

6M<sup>2</sup>

ECOND COA

SOLVEN

SGAN	SIZE	COLOUR	QTY	BARCODE
116918	5LTR	GLOSS	4	5036143000015
116919	25LTR	GLOSS	1	5036143000022
119626	5LTR	NATURAL	4	5036143000312
119627	25LTR	NATURAL	1	5036143000244

A urethane based, low-viscosity, paving sealer and jointing sand stabiliser that protects the paver face from oil and water infiltration.

RESILICIA

BLOCK PAVING SEALER SUPERIOR OLOSS

and income the second



SGAN SIZE COLOUR OTY BARCODE 171755 4 5036143000503 1 5036143000510 5I TR 171757 25LTR

A solvent free, all purpose sealer that is suitable for concrete and clay paving as well as most forms of natural stone. Resiblock Trade is ideal for binding jointing sand, sealing the surface of concrete block paving.

PAVING



SGAN	SIZE	COLOUR	QTY	BARCODE
488954	5L	-	4	5029347004255
488955	25L	-	1	5029347004262

A high performance transparent water repellent specially formulated to prevent water penetration on all mineral substrates such as brick, stone, masonry, pebble dashed and rendering. Water Seal is water based and not harmful to the user or the environment, and it's non-flammable.

## 405 Path and Patio Seal

SGAN	SIZE	COLOUR	QΤΥ	BARCODE
482656	5L	-	4	5029347000653
482655	25L	-	1	5029347000660

LANDSCAPING

Path and Patio Seal is an acrylic coating used to seal and protect patios, paths, natural stone, concrete, and block paving from the effects of water, petrol and fungal/green growth. The milky solution dries to a clear hard-wearing, water repellent film giving a low sheen slip resistant finish.



#### **409 Block-Guard** Block Paving Seal and Joint Sand Stabiliser

SGAN	SIZE	COLOUR	QTY	BARCODE
482659	5L	-	4	5029347603083
482658	25L	-	1	5029347605780

Block Guard is a block paving seal and joint sand stabiliser based on a clear solvent based acrylic coating to bind jointing sand and form a durable seal over block paving and other mineral pavers/flags. It penetrates deeply into pavers and jointing sand and then cures by solvent evaporation.

#### 408 Super Seal High Performance Water Repellent

#### SGAN SIZE COLOUR QTY BARCODE 489023 5L 4 5029347606817

Super Seal is a solvent based transparent water repellent, formulated to prevent attack by water penetration on brick, stone, masonry, plaster, rendering, and much more. Super Seal penetrates deep into the treated area to provide effective repellency for many years. Dries clear. Can be applied by spray, brush or roller.











#### Sika<sup>®</sup> Mould Buster Mould and Algae Treatment

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 174996
 5LTR
 4
 5055047209096

A powerful, fast acting solution which is effective on most surfaces. Sika<sup>®</sup> Mould Buster removes algae, mould and green growth without the need for scrubbing or pressure washing.



 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 102476
 5LTR
 4
 5055047200581

A fast acting, acid based cleaning solution for brickwork, concrete and paving. Sika® Brick and Patio Cleaner contains a powerful formula that dissolves mortar and cement stains, ingrained dirt, efflorescence on mineral surfaces.



#### Sikagard®-112 Mortar and Brick Cleaner

SGAN	SIZE	COLOUR	QTY	BARCODE
649545	5LTR	-	4	5055492703347

Sikagard<sup>®</sup>-112 Mortar and Brick Cleaner is a highly concentrated, fast acting acid based formula which dissolves mortar and cement stains, ingrained dirt and most paints on mineral surfaces such as brick, render and concrete.



#### **Sika® Dustproofer** Concrete Surface Hardener

SOLVEN FREE

00000

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 102470
 5LTR
 4
 5055047200611

A economic, ready to use dustproofer and concrete surface hardener for concrete floors, paths and driveways. Sika® Dustproofer is suitable for hardening and dustproofing both old and new concrete.



 SGAN
 Size
 Coloor
 QTY
 BARCode

 484097
 5LTR
 4
 5029347004156

Brick and Patio Cleaner is a fast acting acid based formula (9.5% strength) that dissolves mortar and cement stains and ingrained dirt and paint on most mineral surfaces such as brick, concrete, paving flags and earthenware.



61

LANDSCAPING

SGAN	SIZE	COLOUR	QΤΥ	BARCODE
488957	5LTR	-	4	5029347004354
488958	25LTR	-	1	5029347004361

Concrete Hardener and Dustproofer is formulated from high quality silicate resins to both harden and dustproof new and old concrete floors for both internal and external use. It reacts chemically with the lime content of concrete to form a hard-wearing surface. **Tested to BSEN1504-2.** 





#### **404** Fungicidal Wash

 SGAN
 SIZE
 COLOUR
 QTV
 BARCODE

 488952
 1LTR
 12
 5029347004415

 488953
 5LTR
 4
 5029347004453

Fungicidal Wash is a powerful, fungicidal wash for the removal of lichens, fungi and algae on all mineral surfaces such as walls, paths, roofs, drives, and much more.



Need a quick fix before you clean and treat? Check out our Concrete and brick repair range.

 $5M^2$ 

SOLVEN

See page 146













5M<sup>2</sup>



#### **406** Stabilising Solution

SGAN	SIZE	COLOUR	QTY	BARCODE
483195	5L	-	4	5029347601508

406 Stabilising Solution is a microscopically fine polymer emulsion which penetrates dusty/chalky and badly weathered surfaces to leave a stable sound base for decoration with paint, wallpaper, tiling or other material finishes. Suitable for both interior and exterior, or other material finishes.



 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 488959
 5LTR
 4
 5029347040758

407 Mortar Stain Remover is a highly concentrated fast acting acid based formula (18% strength) which dissolves mortar and cement stains, ingrained dirt and most paints on mineral surfaces such as brick, render and concrete.



#### Patio Wizard Mould and Algae Treatment



Patio Wizard kills algae, green growth, mould and fungi on patios, paths, driveways and all hard surfaces. It is so easy to use, just apply and leave to dry, no need for any washing off, scrubbing or pressure washing. Supplied as a concentrate that dilutes with water at 1:10 i.e. 5L makes 50L and 1L makes 10L.

60M<sup>2</sup>





#### **Oil-Away** Oil Remover

#### SGAN SIZE COLOUR QTY BARCODE 484752 1L 12 5029347611187

Oil-Away is a ready to use high performance cleaner for drives, paths and patios. Oil-Away is the quick and easy solution for removing oil, petrol, diesel, and grease stains from driveways, garage floors and car parks. It works on most common surface types including concrete, stone, tarmac, and most common paving materials. Oil-Away can also be used as a general cleaner to revive the look of pathway and patio areas.



#### **Cemstrip** Cement Stain Remover

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 482948
 1LTR
 12
 502934761033

 482947
 5LTR
 4
 5029347611026

Everbuild Cemstrip is a new type of cement, concrete and mortar stain remover that provides a more environmentally friendly alternative to conventional hydrochloric acid based cement removers. Cemstrip will also remove salts and efflorescence from the surface of mineral substrates and is a very effective general cleaner for removing ingrained dirt, grease and stains from paths and patios as well as being safe for use on metal surfaces such as tools and cement mixers. Cemstrip is a highly concentrated formula that can be diluted by up to 10 times with water to suit a variety of applications.



#### **Salt-Away** Salt Remover

## SGAN SIZE COLOUR QTY BARCODE 484750 5L 4 5029347611200 484751 1L 12 502934761194

LANDSCAPING

Surface Cleaners and Treatments

63

Salt-Away removes salt and unsightly white efflorescence from bricks and concrete. It is a biodegradable formula, works on walls, paths and patios, and can be poured, sprayed or brushed on.



#### **Tarmac Restorer**

SGAN	SIZE	COLOUR	QTY	BARCODE
488956	5LTR	BLACK	4	5029347612856

Tarmac Restorer is a high performance surface coating specially formulated to make tired old tarmac look just like new. Tarmac Restorer provides a tough, durable, low sheen finish which protects from weathering, oil or petrol spills, and unsightly plant and weed growth. Tarmac restorer is easy to apply, provides long term protection, reduces further tarmac repair needs and restores the deep, black finish of your tarmac. As it is quick drying, driveways can be used after only 4 hours of the product being applied.



# WOOD CARE AND TREATMENT

Treatments and Preservatives	66
Stains and Varnishes	70



SCAN TO SEE THE FULL RANGE gbr.sika.com/en/distribution.html



#### WOOD CARE AND TREATMENT Treatments and Preservatives

#### Sikagard<sup>®</sup> Universal 5 Star Wood Treatment

#### SCAN SIZE COLOUR QTY BARCODE 422881 5LTR CLEAR 4 5055047210344

An all-in-one, deeply penetrating wood treatment and preservation solution with micro-fine active technology. Contains fungicides, algaecides and permethrin to actively kill and protect against all known wood rot, decay, fungi, and wood boring insects.

#### **Sikagard®** Woodworm Killer

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 408177
 5LTR
 CLEAR
 4
 5055047210368

A low-solvent, low-odour solution based on micro-fine active technology with added insecticide to penetrate deep into the wood to actively and effectively kill all life stages of wood boring insects and protect against re-infestation.



#### Sikagard® Wood Preserver

# 


#### SGAN SIZE COLOUR QTY BARCODE 172046 5LTR CLEAR 4 5055047210436

A low-odour solution based on micro-fine active technology. Sikagard® Wood Preserver contains fungicides and algaecides that are finely dispersed ensuring deep penetration and long term protection.



## TRANSFORM IT WITH CONFIDENCE

Finish paving, quickly and professionally with the market leader. Super-simple, Sika FastFix All Weather jointing compound





#### WOOD CARE AND TREATMENT Treatments and Preservatives

#### Wood Preserver

SGAN	SIZE	COLOUR	QTY	BARCODE
482976	1LTR	CLEAR	10	5029347802011
482977	5LTR	CLEAR	4	5029347802035
482978	25LTR	CLEAR	1	5029347802042
483723	5LTR	DARK OAK	4	5029347802073
483724	5LTR	GOLDEN CHESTNUT	4	5029347802110
483725	5LTR	RED CEDAR	4	5029347802158
483727	5LTR	FIR GREEN	4	5029347803032

Wood Preserver is a low odour solution that effectively penetrates wood to give long lasting protection. Can be used on most interior and exterior wood and joinery and contains micro fine actives which penetrate deep into the wood. Wood Preserver is quick drying, available in light fast colours and provides an even colour distribution.

SEVEN

W000

PRESERVER

Triple Action Wood Treatment
---------------------------------

SGAN	SIZE	COLOUR	QTY	BARCODE
483183	1LTR	CLEAR	10	5029347801014
483184	2.5LTR	CLEAR	6	5029347801021
483185	5LTR	CLEAR	4	5029347801038
483186	25LTR	CLEAR	1	5029347801045

Triple Action takes care of remedial wood treatment and preservation in one can. Deeply penetrates all wood and joinery to give lasting protection from damage caused by wet rot, dry rot, fungi, and wood boring insects/larvae. Kills, protects, preserves. Micro fine actives penetrate deep into the wood.

## 

#### Woodworm Killer

#### SGAN SIZE COLOUR QTY BARCODE 483790 5LTR CLEAR 4 5029347610975

Woodworm Killer is a ready to use treatment for the eradication of all types and life stages of wood boring insects and their larvae, specifically woodworm. The added insecticide also aids to actively kill the woodworm and protect against re-infestation. Low odour with micro fine actives that penetrate deep into the wood.



Don't forget your patio, paths, stone and surface care treatments

See page 60





Creocote

#### reatments and Preserv

#### Masonry Dry Rot Treatment



Masonry Dry Rot Treatment is a ready to use treatment for the eradication of dry rot in masonry and brickwork. The added biocide helps to protect against re-infestation. Low solvent, low odour and low VOC.

SGAN	SIZE	COLOUR	QTY	BARCODE
489043	4LTR	DARK BROWN	4	502934761040
489045	4LTR	LIGHT BROWN	4	5029347610388

Creocote is an oil based wood treatment, effective when applied to exterior timbers such as garden sheds, fences, and trellis work. The oil based properties provide excellent surface water repellence and restricts weather damage. The product improves grain definition and exhibits the characteristic odour familiar to traditional Creosote users.

69



#### Shed and Fence Mate Water Repellent Treatment

SGAN	SIZE	COLOUR	QTY	BARCODE
514334	5LTR	BURNT OAK	1	5029347805036
514335	5LTR	COUNTRY OAK	1	5029347805050
515025	5LTR	EBONY BLACK	1	5029347805098
514337	5LTR	RUSTIC RED	1	5029347805074

Shed and Fence Mate is an easy to use, solvent free shed and fence treatment specifically designed to provide a safe alternative to creosote. Penetrates and protects wood to give a durable, water repellent finish. Uses advance colour pigmentation, carefully selected UV resistant pigments and water repellent waxes that will make the colour last up to six times longer than creosote. Designed for use on all rough sawn and garden timber including sheds, fences, gates, hutches, kennels, cold frames and trellises. Totally harmless to plants and animals. Easy to use, solvent free, water repellent, no VOC's.







### WOOD CARE AND TREATMENT Stains and Varnishes

#### Wood Stain




SGAN	SIZE	COLOUR	QTY	BARCODE	
483215	250ML	NATURAL OAK	6	5029347612177	
483219	250ML	ANTIQUE PINE	6	5029347612184	
483210	250ML	MAHOGANY	6	5029347612191	
483229	250ML	WALNUT	6	5029347612214	
483229	250ML	ROSEWOOD	6	5029347612221	
483207	250ML	DARK OAK	6	5029347612238	
483226	250ML	TEAK	6	5029347612207	
483216	750ML	NATURAL OAK	6	5029347611330	
483221	750ML	ANTIQUE PINE	6	5029347611347	
483212	750ML	MAHOGANY	6	5029347611354	
483230	750ML	WALNUT	6	5029347611378	
483224	750ML	ROSEWOOD	6	5029347611385	2
483208	750ML	DARK OAK	6	5029347611392	
483227	750ML	TEAK	6	5029347611361	
483217	2.5L	NATURAL OAK	2	5029347611408	
483222	2.5L	ANTIQUE PINE	2	5029347611415	
483214	2.5L	MAHOGANY	2	5029347611422	
483231	2.5L	WALNUT	2	5029347611446	
483225	2.5L	ROSEWOOD	2	5029347611453	
483209	2.5L	DARK OAK	2	5029347611460	
483228	2.5L	TEAK	2	5029347611439	
483204	750ML	CLEAR	6	5029347611514	

#### A professional, wood stain that enhances the natural qualities of wood, and provides long lasting protection, with a satin finish.

The weatherproof protection provided also gives a crack and peel resistant finish and excellent resistance to ultra violet light degradation. Ideal for use on smooth planed exterior and interior timber, such as doors, window frames, architectural timbers, conservatories, cladding, and garden furniture. Under normal weathering conditions it can be expected to provide protection for up to 5 Years. Maintenance Clear Coat is a clear wood stain maintenance coat that protects and enhances without colouring or darkening.













These swatch colours may not be a true representation, please obtain a sample from your local stockist.

## WOOD CARE AND TREATMENT Stains and Varnishes



#### **Clear Varnish**

SGAN	SIZE	COLOUR	QTY	BARCODE
482973	250ML	CLEAR	6	5029347611477
482980	750ML	CLEAR	6	5029347611484
482975	2.5LTR	CLEAR	2	5029347612047
482967	250ML	CLEAR	6	5029347611491
482968	750ML	CLEAR	6	5029347611507
482969	2.5LTR	CLEAR	2	5029347612030
482972	250ML	CLEAR	6	5029347612979
482971	750ML	CLEAR	6	5029347612986
482970	2.5LTR	CLEAR	2	5029347612993

Quick Drying Clear Varnish is a professional, low solvent varnish that enhances the natural qualities of wood, and provides long lasting protection. It has been developed specifically to give an ultra hard, scratch resistant and heatproof, non-yellowing finish. It is ideal for use on interior wood such as tables, chairs, doors, skirtings, furniture, and much more.







#### **Floor Varnish**

SGAN	SIZE	COLOUR	QTY	BARCODE
488529	750ML	CLEAR	6	5029347612580
488530	2.5L	CLEAR	2	5029347612597

Hard Floor Varnish is a clear, quick drying varnish ideal for use on most common types of wooden floors including hardwood, softwood, hardboard, chipboard and composite wooden boards. Floor Varnish has been specifically developed to provide an ultra-hard scratch resistant natural finish to most interior wooden floors. Suitable for use in kitchens, bathrooms, lounge, dining areas or where heavy foot traffic would be expected. It provides superior protection for wooden floors and has a hammer hard, tough finish to protect wood against scratches and spills and is touch dry in 30 mins.





# ROOFING

oof Repair	74
lashing	77
itumen	78



73

SCAN TO SEE THE FULL RANGE gbr.sika.com/en/distribution.html



## ROOFING Roof Repair



#### **Evercryl One Coat** Roof Repair Compound





Evercryl is a resin based, fibre re-enforced\* roof repair compound which is effective on all common roofing surfaces, giving instant roof repairs even in the wet and on wet surfaces. May also be applied in frosty conditions down to -5°C.

Evercryl is instantly waterproof when applied, there is no fear of wash off so emergency leaks can be tackled immediately as there is no need to wait for the rain to stop. Evercryl is brush applied and dries to a smooth seamless flexible membrane which resists algae and fungal growth. Because of the high level of fibre reinforcement, Evercryl will bridge small cracks and requires only a one coat brush application to give instant and total water protection, even in areas subject to ponding. Evercryl requires no primer on sound non-porous surfaces. Specifically designed for the following applications: general sealing, maintenance, repair and waterproofing of most common roofs in wet or dry conditions - for use on concrete, fibre/cement, roofing felt, mastic asphalt, existing bituminous roof coatings, rigid PVCu, corrugated iron, metals, slates, brickwork, tiles, lead, copper and zinc.

**NO PRIMER NEEDED EVERCRYL** ONE COAT STANT WATERPRODUMS **ONE COAT APPLICATION APPLY WITH A BRUSH** SGAN SIZE COLOUR QTY BARCODE 2.5KG 5KG 1KG 484619 5029347600969 BLACK 484625 BLACK 5029347600976 484621 TRANS 5029347612658 12 484620 TRANS 5029347612665 5KG 1KG GREV 484626 5029347609658 12 484627 5029347600709 2.5KG GREY 484628 5KG GREV 502934760071 1 484629 20KG GREY 5029347600723 484640 5KG WHITE 4 5029347600686

CAN BE USED IN THE WET



### **Evercryl** Emergency Roof Repair Cartridge

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 486678
 C3
 GREY
 12
 5029347612368

 486271
 C3
 TRANS
 12
 5029347612375

Evercryl Emergency Roof Repair is an emergency repair aid for use on external roofing applications. The formula has a gel consistency to allow it to be cartridge applied while still containing the top quality fibres that you expect with Evercryl. The product is applied through a special 'duck bill' shaped nozzle ideal for emergency repairs to gaps, cracks and holes in roofs, gutters, flashing, upstands and felt. It even works in wet conditions so there is no need to wait for the rain to stop.

#### **Leadmate** Patination Oil

SGAN	SIZE	COLOUR	QTY	BARCODE
489040	500ML	-	10	5029347608927
489041	1LTR	-	10	5029347608873


Specially formulated to provide a protective coating for newly installed leadwork, that helps to prevent the white carbonate staining that affects new lead and surrounding tiles, brickwork, and stonework. Just one coat of Patination Oil helps to provide a uniform attractive appearance to newly installed lead and helps the ageing process whilst the natural patina of the lead is being formed.



\*Excludes translucent.



## ROOFING Roof Repair



SGAN SIZE COLOUR OTY BARCODE 511382 SLATE GREY 4 5029347614164 7KG 511383 21KG SLATE GREY 5029347614171 97480 1M X 50M 7612894436402

#### An easy to use, all weather roofing system ideal for waterproofing flat or pitched roofs.

Liquid Roof is a one-component, fast curing, polyurethane based waterproofing system for flat and pitched roofs.

Applied in two coats by brush or roller, Liquid Roof creates a solid, seamless, waterproof membrane that remains permanently flexible, making it the ideal solution for new installations, the refurbishment of old or to overlay most common roofing substrates.

Liquid Roof comes ready to use and is cold applied by brush or roller, using moisture in the air to cure meaning no additional catalyst is required. And what's more, it will cure in many weather conditions becoming completely rain resistant in just 10 minutes, even if a pool of water forms on top of it.


Suitable for use on a variety of substrates, Liquid Roof is compatible with concrete, mortar, stone, fibre cement, roof tiles and metals. Not only that but it can also be applied to wood, asphalt, roofing felt and bituminous coatings with the use of full reinforcement in the form of Sikalastic Fleece-120.



PU WATERPROOFING LIQUID MEMBRANE FOR FLAT AND PITCHED ROOFS

FAST CURING - RAIN **RESISTANT IN 10 MINUTES** 





FOR NEW ROOFS AND **REFURBISHING OLD ROOFS** 







If required, apply on top of the first coat whilst still wet.

#### **STEP FOUR**



Apply a second coat at a similar thickness to the first, immediately after laying the fleece.

For full application instructions, please refer to latest Product Data Sheet or contact the Sika Technical Team.




**STEP ONE** Ensure all surfaces are sound. clean and free from dust and loose friable material.






**STEP THREE** Sikalastic Fleece-120 overlapping the edges.







A self-adhesive, bituminous tape that is suitable for sealing cracks and joints in common domestic and commercial situations.







SGAN	SIZE	COLOUR	QTY	BARCODE
482958	75MM	LEAD LOOK	8	5029347099015
482959	100MM	LEAD LOOK	6	5029347099022
482960	150MM	LEAD LOOK	4	5029347099039
482961	225MM	LEAD LOOK	2	5029347099046
482962	300MM	LEAD LOOK	2	5029347099053
482963	450MM	LEAD LOOK	1	5029347099060

Black Jack self adhesive flashing with natural lead-look finish. All available in 10mtr long rolls

ROOFING

Flashing


77



**Black lack** Flashing Tape DIY

SGAN	SIZE	COLOUR	QTY	BARCODE
490255	100MM	LEAD LOOK	6	5029347099084
490256	150MM	LEAD LOOK	4	5029347099091
490258	225MM	LEAD LOOK	2	5029347099107

Black Jack self adhesive flashing with natural lead-look finish. All available in 3mtr long rolls.





<b>901</b> Black	Bitumen	Paint	

SGAN	SIZE	COLOUR	QTY	BARCODE
486937	1LTR	BLACK	12	5029347009113
486938	2.5LTR	BLACK	6	5029347009120
486939	5LTR	BLACK	4	5029347009151
486951	25LTR	BLACK	1	5029347009137

Black Bitumen Paint is a solvent based, full bodied black bituminous paint. When dry, the product forms an odourless and taint free black film suitable for metal protection, and overcoating felt.



SIZE COLOUR QTY BARCODE SGAN 486984 1LTR BLACK 12 5029347009212 BLACK 4 5029347009250 486986 5LTR

Bitumen and Flashing Primer is a thin black primer used to give a key prior to applying bitumen paints, roof coatings and flashing.



#### 903 **Bitumen Trowel Mastic**

SGAN	SIZE	COLOUR	QTY	BARCODE
486987	1LTR	BLACK	12	5029347009311
486989	2.5LTR	BLACK	6	5029347009328
486991	5LTR	BLACK	4	5029347009359

A trowel applied, black, heavily filled bituminous compound with added fibres for reinforcement. The product forms a surface skin, but the mass below remains soft to allow for moderate movement. Suitable for sealing and filling holes in mastic asphalt, roofing felt, corrugated iron, metal guttering and downpipes.

	TOLINE
FAST DRYING	BLACK JA
EXTERIOR USE SOLVENT BASED	BITUMEN F FLASHING PRIMER
10M <sup>2</sup> per L APPROX COVERAGE	

<b>904</b> Roof Felt Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
486992	1LTR	BLACK	12	5029347009410
486993	2.5LTR	BLACK	6	5029347009427
486995	5LTR	BLACK	4	5029347009458
486996	25LTR	BLACK	1	5029347009434

Roof Felt Adhesive is a cold applied, oxidised bitumen based adhesive used to bond roofing felt to most surfaces. Specifically designed for bonding all types of roofing felt to metal and concrete, sealing felt laps and as a cold gritting solution for bonding mineral chippings





SGAN SIZE COLOUR QTY BARCODE 486998 5LTR BLACK 4 5029347009557 BLACK 1 5029347009533 487000 25LTR BLACK 5029347009533

A solvent based, full bodied black brushable bitumen compound with added fibres for reinforcement. It is an effective general purpose roof coating that is resistant to wash off by rain almost immediately. The product is specifically designed for general waterproofing in all roofing applications.



#### SGAN SIZE COLOUR QTY BARCODE 487001 5LTR BLACK 4 5029347009656

Bitumen Roofing Emulsion is a stable bitumen/water emulsion of medium brushing consistency which dries to a black, flexible coating. The product is specially designed for general waterproofing of roofs and provides protection against corrosion of pipes and structural steelwork.



# CONTRACT, BLACK JACK BITUMEN ROOFING EMULSION SOLVENT

#### 907 Solar Reflective Paint

SGAN SIZE COLOUR QTY BARCODE 482683 5I TR SILVER 5029347009755 4 482682 25LTR SILVER 5029347601027

Solar Reflective Paint is a thin bituminous based aluminium protective paint of brushable consistency which dries to a silvery finish. The product is specifically designed for application over primed metal walls and roofs to reduce heat absorption.



1-2M<sup>2</sup>

APPROX

USE

1.25M<sup>2</sup>

SGAN	SIZE	COLOUR	QΤΥ	BARCODE
487003	5LTR	BLACK	4	5029347009854
487004	25LTR	BLACK	1	5029347009830

DPM is an rubber enriched bitumen emulsion which provides a highly effective sandwich damp proof membrane for floors. Acts as a waterproofer for walls, above ground structures and foundations. DPM is also suitable as an adhesive for wood block and mosaic panels, insulation boards etc.











# EXPANDING FOAMS

Professional and DIY	82
Foam Ancillaries	84
Fire Rated Foam	85



SCAN TO SEE THE FULL RANGE gbr.sika.com/en/distribution.html



## EXPANDING FOAMS Professional and DIY

#### Fix and Fill Expanding Foam

SGAN	SIZE	COLOUR	QTY	BARCODE
484689	500ML	-	12	5029347000080
484700	750ML	-	12	5029347000097

#### ADDITIONAL NOZZLES

SGAN SIZE COLOUR QTY BARCODE 1 NO BARCODE 488732

Fix and Fill Expanding Foam is a quick setting polyurethane based foam which expands greatly on application and yields up to 50 times original can contents. Can be cut, sawn, plastered and sealed over after approximately one hour. Fills irregular gaps, fixes framework, insulates and sound deadens.



Thermofoam



Exact Gap

484702 750ML

Expanding Foam

SGAN SIZE COLOUR QTY BARCODE

-

Formulated to provide a more precise

extruded on application. The controlled

application significantly reduces the

to be cut back, reducing the danger

and staining this can cause.

amount of cured excess foam that has

of wet foam falling onto the floor and

surrounding substrates, and the damage

foam product that only expands

by between 5-10% from the bead

12 5029347609337

PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber



SGAN SIZE COLOUR QTY BARCODE 484704 750ML -12 5029347602383

#### ADDITIONAL NOZZLES

SGAN SIZE COLOUR QTY BARCODE 488733 NO BARCODE

Using new foam technology, No Waste Expanding Foam is the first Hand Held Foam that allows part used cans to be saved and used again and has a shelf life of 24 months, compared with 12 months for conventional foams. Its unique safety valve will not clog or leak.



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber



#### SGAN SIZE COLOUR OTY BARCODE 489712 750ML 12 5029347613587


Specially formulated, highly flexible PU foam that absorbs component movement thereby giving an air tight seal to reduce heat loss and improve energy efficiency in buildings.



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

#### **Professional Gun Grade** Expanding Foam

EXPANDING FOAMS



Professional and DIY

A quick setting polyurethane based foam which expands greatly on application and yields up to 50 times original can contents. Can be cut, sawn, plastered and sealed over after approximately one hour. Fills irregular gaps, fixes framework, insulates and sound deadens.

For professional use only.



83



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

SGAN	SIZE	COLOUR	QTY	BARCODE
538593	750ML	-	12	5029347615024

A high strength adhesive foam designed for use in a multitude of building applications. Adheres well to most common building materials. Once cured, it's rot-proof, and moisture and temperature resistant from -40°C to +80°C. Suitable for a wide range of applications, for example as an adhesive for fixing plasterboard, insulation board, fixing skirting boards or a mortar substitute for building rough garden walls, planters, and much more.





Brick / Stone / Concrete / Metal / Timber







# **EXPANDING FOAMS**

#### **P45 Medium Duty** Metal Gun

SGAN	SIZE	COLOUR	QTY	BARCODE
486679	P45	-	1	5029347603526

P45 Foam Gun gives the user more control to apply the foam precisely in hard to reach places, saving unnecessary wastage

SGAN SIZE COLOUR QTY BARCODE 486680 P65 -1 5029347123000

A gun for heavy duty applications, with unique 'Easy Clean Tip' for cleaning of the valve and gun nozzle. For use with all gun grade foams.



SGAN SIZE COLOUR QTY BARCODE 488714 750ML PINK 12 5029347125004

Firefoam B1 Handheld is a quick-setting fire rated, one part polyurethane foam. It expands on application to yield up to 50 times the can contents and meets the test criteria BS476 Part 20. Fire rated up to 4 hours in certain joint configurations. Once cured, the foam can be cut, sawn or plastered over after approx one hour.

#### Firefoam B1 Gun Grade

EXPANDING FOAMS

SGAN SIZE COLOUR QTY BARCODE 488715 750ML PINK 12 5029347611729

A quick-setting fire rated, one part polyurethane foam. It expands on application to yield up to 50 times the can contents. Fire rated up to 4 hours in certain joint configurations, meets requirements of the test criteria DIN 4102 Part 1 for Construction Materials, Class B1 and BS 476 Part 20.

Fire Rated Foam

85

#### For professional use only.



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Firefoam B2 Gun Grade

SGAN SIZE COLOUR QTY BARCODE 488718 750ML PINK 12 5029347600464

Firefoam B2 Gun Grade is a quick setting fire rated, one part polyurethane foam for application by a foam applicator gun. Fire resistant for up to 2 hours in certain joint configurations. It expands on application to up to 50 times the can contents and meets the requirements of the test criteria for BS476 Part 20.

#### For professional use only.



FIRE FOAM



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber



#### **Dual Purpose** Foam Cleaner

#### SGAN SIZE COLOUR QTY BARCODE 488713 500ML -12 5029347126001

Dual Purpose Foam Cleaner is used to remove wet/ uncured foam. Attaches to Gun Foam Applicator for purging through; also includes spray nozzle for use without applicator to remove wet foam from outside of the gun and from most building substrates. The unique threaded collar fits most gun foam applicators, including the above foam applicators guns.













PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

#### Firefoam B2 Handheld

SGAN SIZE COLOUR QTY BARCODE 488717 750ML PINK 12 5029347600471

Firefoam B2 Handheld is a quick setting fire rated, one part polyurethane foam in a ready to use hand held canister. Fire resistant for up to 2 hours in certain joint configurations. It expands on application to up to 50 times the can contents and meets the requirements of the test criteria for BS476 Part 20.









**BT FIRE FOAM** 

2

# ILLERS AND ECORATING UNDRIES

HE

THEM .

Surface protectors	88
Decorating Fillers	90
Wood Fillers	94
Dust sheets and Tarpaulins	96
Decorating Sundries	97



SCAN TO SEE THE FULL RANGE gbr.sika.com/en/distribution.html



# FILLERS AND DECORATING SUNDRIES

#### **Roll and Stroll** Premium Carpet Protector





 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 462111
 25MTR
 YELLOW
 6
 5029347605636

 484946
 75MTR
 YELLOW
 1
 5029347605643

The ultimate fire-rated, self-adhesive carpet protector with the adhesive coating on the outside making light work of unwinding and applying to the area. Safer than dust sheets, Roll and Stroll is totally waterproof, won't tear and can be left for up to 4 weeks.





# FILLERS AND DECORATING SUNDRIES

89

#### Roll and Stroll Textured Non-Slip Carpet Protector

## SGAN SIZE COLOUR QTY BARCODE 484868 75MTR YELLOW 1 5029347610265

Roll and Stroll Textured Non-Slip Carpet Protector is the ultimate self adhesive carpet protection system. With the adhesive coating on the outside, it is easy to unwind, safer than dust sheets and has a multitude of uses across all trade sectors. Totally waterproof and textured to make it non-slip.



#### **Roll and Stroll** Hard Surface Protector

SGAN	SIZE	COLOUR	QTY	BARCODE
462110	25MTR	CLEAR	6	502934760607
484945	75MTR	CLEAR	1	5029347606084

Roll and Stroll Hard Surface Protector is the ultimate self adhesive floor protection, works on all hard surfaces such as timber, ceramic tiles, laminate, vinyl, metal and stone. It is also suitable for use on worktops, window sills; doors and kitchen units. With the adhesive coating on the outside it is easy to unwind, safer than dust sheets and has a multitude of uses, protects against spillage and won't tear or rip.



#### Roll and Stroll Contract Carpet Protector

# SGAN SIZE COLOUR QTY BARCODE 484869 50MTR CLEAR 1 5029347606206 484910 100MTR CLEAR 1 5029347606213

Roll and Stroll Contract Carpet Protector is the ultimate clear self adhesive carpet protection system. With the adhesive coating on the outside, it is easy to unwind, safer than dust sheets and has a multitude of uses across all trade sectors. Totally waterproof, it protects against spillage, and won't tear or rip.







## Glass Protector

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 467445
 25MTR
 RED
 15
 5029347611248

Glass Protector is the ultimate self adhesive protector ideal to protect glass against the mess, dirt, staining, spillages and soiling that occurs during general building and decorating work. It also reduces the risk of costly scratches to glass. With the adhesive coating on the outside it is also easy to apply.



STROL

SUPPROF

Glass Pr



# FILLERS AND DECORATING SUNDRIES **Decorating Fillers**

#### Fill Once Ready Mixed Filler





The best filler you will ever use - Fill Once is a revolutionary ready mixed filler ideal for filling large or small holes in one application.

Provides a smooth, fine finish that won't shrink and only requires minimal sanding. Sets hard and will support nails or screws. Apply once - job done.



Brick / Stone / Concrete / Plaster



# FILLERS AND DECORATING SUNDRIES

91 Decorating Fillers

#### All Purpose Ready Mixed Filler

SGAN SIZE COLOUR QTY BARCODE 480176 600GM WHITE 12 5029347000899 1KG WHITE 12 5029347000882 480182 WHITE

All Purpose Filler is an easy to use ready mixed filler which is suitable for both interior and exterior use. Fills holes up to 9mm deep. Dries to a smooth but tough crack resistant sandable finish which may be painted, papered or stained. Designed for repairs to plaster, plasterboard, brick, render, wood, stone and most other building materials.

#### Fine Surface Ready Mixed Filler

#### SGAN SIZE COLOUR QTY BARCODE 480440 600GM WHITE 12 5029347000998

Fine Surface Filler is an easy to use ready mixed filler for filling small holes up to 4mm deep, and surface imperfections in most porous surfaces such as plaster and wood. Dries to a very smooth finish that can be painted or papered.







**Deep Gap** Ready Mixed Filler

SGAN SIZE COLOUR QTY BARCODE 480445 1LTR LIGHT GREY 6 5029347609368

Deep Gap Filler is a revolutionary filler, formulated to fill most holes and cracks; especially deep holes up to 50mm, in just one quick application. It will not shrink, sag or crack and finishes smooth, requiring little or no sanding.



# Keep it simple with Caulk Once

See page 7













# FILLERS AND DECORATING SUNDRIES

#### **One Strike** Ready Mixed <u>Filler</u>






SGAN	SIZE	COLOUR	QTY	BARCODE
461918	250ML	WHITE	18	5029347300029
461917	450ML	WHITE	12	5029347300050
461916	1LTR	WHITE	6	5029347300012
488534	2.5LTR	WHITE	1	5029347603458
480347	5LTR	WHITE	1	5029347300500


#### One Strike is a revolutionary filler, formulated using lightweight polymer bubbles that fill most holes and cracks; even deep holes.

For use in plaster, wood, brick, stone and rendering. Ideal for overhead applications as One Strike will not slump out of cracks. One Strike finishes smooth, requiring little or no sanding and is ready to paint or wallpaper over in just 30 minutes.



Brick / Stone / Concrete / Plaster





# FILLERS AND DECORATING SUNDRIES



#### **All Purpose** Powder Filler

Fill and Skim

trade and DIY use.

Ready Mixed Plaster

SGAN SIZE COLOUR QTY BARCODE

486745 5LTR WHITE 1 5029347603229

Fill and Skim is a ready mixed lightweight plaster for both

patching jobs and covering larger areas. Fill and skim is ideal for covering over old textured surfaces. Ideal for

SGAN	SIZE	COLOUR	QTY	BARCODE
480442	450GM	WHITE	16	5029347600570
480443	1.5KG	WHITE	10	5029347600587
480444	5KG	WHITE	1	5029347611873

All Purpose Powder Filler for both interior and exterior use, with added PVA for extra strength. Fills holes up to 40mm deep. For repairs to plaster, brick, stone, wood, can be nailed or screwed when dry. Quick setting, non-shrink.

#### All Purpose Ready Mixed Filler Easi Squeeze

# SGAN SIZE COLOUR QTY BARCODE 480266 330GRM WHITE 12 5029347600389

Fast drying ready mixed filler in an easy to use squeeze tube, can be used for a multitude of filling applications both internally and externally. Fills holes up to 5mm deep.



# NTERDRAND USE



#### Filler Coat Thick Base Coat

# SGAN SIZE COLOUR QTY BARCODE 486746 5LTR WHITE 1 5029347610067

Filler Coat is a thick base coat for use on imperfect surfaces prior to painting. It hides and obliterates areas that have been filled, as well as covering and preventing the reappearance of hairline cracks. Working like a roll on filler, the thick formula completely covers strong colours. Ideal for use on walls and ceilings.







Brick / Stone / Concrete / Plaster

Brick / Stone / Concrete / Plaster



# FILLERS AND DECORATING SUNDRIES

#### Multi Purpose Joinery Grade Wood Filler

SGAN	SIZE	COLOUR	QΤΥ	BARCODE
480449	100ML	LIGHT STAINABLE	6	5029347603335
480461	250ML	LIGHT STAINABLE	6	5029347603359
480462	250ML	MEDIUM STAINABLE	6	5029347603366
480463	250ML	PINE	6	5029347608286
480464	250ML	MAHOGANY	6	5029347608323
480465	250ML	LIGHT OAK	6	5029347608309
480466	250ML	DARK OAK	6	5029347608316
499701	250ML	TEAK	6	5029347613921
480467	250ML	WHITE	6	5029347608293

Multi-Purpose Wood Filler fills nail holes, cracks, gaps and minor imperfections in wood. It is easy to sand, can be stained, varnished and painted and is solvent free.



Wood / Brick / Stone / Concrete / Plaster

#### **2 Part High Performance** Wood Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
481022	500GR	LIGHT STAINABLE	6	5029347608194
481023	1.4KG	LIGHT STAINABLE	6	5029347608262
481028	500GR	MAHOGANY	6	5029347608156
481029	1.4KG	MAHOGANY	6	5029347608248
481024	500GR	MEDIUM STAINABLE	6	5029347608200
481051	500GR	OAK	6	5029347608132
481050	1.4KG	OAK	6	5029347608217
481027	500GR	PINE	6	5029347608170
481026	1.4KG	PINE	6	5029347608330
481052	500GR	REDWOOD	6	5029347608187
481053	1.4KG	REDWOOD	6	5029347608347
484991	500GR	WHITE	6	5029347608149
484990	1.4KG	WHITE	6	5029347608231

2 Part High Performance Wood Filler, is a fast drying, interior and exterior wood filler. The 2 Part Wood Filler is easy to mix and apply and is completely weatherproof. Once mixed, the filler sets hard to a shatterproof finish in approximately 30 mins and may be drilled, carved or planed once dry.



Wood / Brick / Stone / Concrete / Plaster



Wood Filler

# FILLERS AND DECORATING SUNDRIES

95

#### **Pro-Fill** High Performance Filler

# SGAN SIZE COLOUR QTY BARCODE 490423 500GR LIGHT GREY 6 5029347608781

Pro-Fill 2 Part High Performance filler, for joinery, decorating and building applications, suitable for repairing most building materials including concrete, metal, wood and GRP. Rapid cure non-tack surface that's easy to sand.

#### Wood Filler Hardener / Catalyst

# SGAN SIZE COLOUR QTY BARCODE 488531 40GRM 25 NO BARCODE

Spare catalyst/hardener tubes for use with all 2 part wood fillers.



 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 488537
 250ML
 6
 5029347807016

Wet Rot Wood Hardener is a highly penetrative solution of selected resins in solvent which soaks deep into the fibres of decaying wood and dries to leave the wood hard and resistant to further moisture penetration. The resin modified wood then becomes an ideal base for repair with Everbuild 2 part wood fillers.

TEMPER

ardene

The state of the s

#### Is time of the essence? Use our 5 minute Polyurethane Wood Adhesive

See page 42





## FILLERS AND DECORATING SUNDRIES Dust Sheets and Tarpaulins

# FILLERS AND DECORATING SUNDRIES

Decorating Sundries

97

#### **Cotton** Dust Sheets

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 484993
 3.7M × 2.7M (12' × 9')
 10
 5029347604127

Genuine cotton twill, protect from spills, splashes and dust. Strong hardwearing cotton resists wear from tools, stepladders and feet. Reversible, machine washable.

	<b>inated Cotto</b> t Sheets	"			
SGAN	SIZE	COLOUR	οτν	BARCODE	
	3.7M X 2.7M (12' X 9')	-	10	5029347602574	

# Brush Cleaner



A thin solvent based liquid which removes wet paint quickly from brushes, rollers and pads. Works on emulsion, spirit based paints, varnish and is water washable. Conditions to prolong brush/roller life. Brush Restorer

## SGAN SIZE COLOUR QTY BARCODE 488550 500ML 12 5029347601829

A thin solvent based liquid which removes paint from gummed up and old hardened brushes. Works on most paint types and is water washable.



#### **Polythene** Dust Sheets

 SCAN
 SIZE
 COLOUR
 QTY
 BARCODE

 484995
 3.7M X 2.7M (12' X 9')
 CLEAR
 20
 5029347602253

Heavy duty, perfect for painting. Protects from paint spills, splashes, dirt and dust.



Tarpaulins			

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 484996
 3.7M X 2.7M (12' X 9')
 BLUE
 25
 5029347605612

 484997
 3.7M X 5.5M (12' X 18')
 BLUE
 8
 5029347605629

Heavy duty tarpaulin. 100% waterproof and tear proof. Reinforced eyelets and corners.

Comes in two sizes: Standard: 12ft x 9ft - 90gm Heavy Duty: 12ft x 18ft - 120gm



**Sugar Soap Powder** 

a general household cleaner.

488588 430GR

SGAN SIZE COLOUR QTY BARCODE

A silicate free powder which when diluted with water

effectively removes grease and grime from painted

surfaces to improve adhesion and gives a better final finish. Sugar Soap Powder is also the ideal choice as

-



12 5029347601911



#### Sugar Soap Liquid and Spray

0000

SOLVEN


SGAN	SIZE	COLOUR	QTY	BARCODE
488589	500ML	-	12	5029347601904
488591	500ML	-	6	5029347610883

A concentrated solution which when diluted with water effectively removes grease, grime and nicotine from painted surfaces to ensure improved adhesion. Also ideal as a general household cleaner. Also available in ready to use spray.













# FILLERS AND DECORATING SUNDRIES

488596

**Turps Substitute** 

2LTR

SGAN SIZE COLOUR QTY BARCODE

A solvent designed for cleaning paint off

brushes and rollers to prolong their life and

as a general household cleaner/degreasant.

- 8 5029347601935

FILLERS AND DECORATING SUNDRIES

#### Stain Block

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 488592
 400ML
 12
 5029347602017

Stain Block is a spray applied, heavily pigmented white paint which permanently prevents existing stains from water, mould, rust, nicotine, grease, soot, crayon showing through subsequent coatings. Quick drying, overcoat in 15 mins, easy to apply.



#### White Spirit

SGAN	SIZE	COLOUR	QTY	BARCODE
488597	750ML	-	12	5029347602000
488598	2LTR	-	8	5029347601997
488599	4LTR	-	4	5029347602215

White spirit is a solvent designed for thinning paints and varnishes, cleaning brushes and general household degreasing and cleaning.



#### **Methylated Spirit**

# SGAN SIZE COLOUR QTY BARCODE 488607 500ML 6 5029347605872

Mineralised Methylated Spirits is an alcohol prepared for industrial use. Suitable for use as a solvent for patent knotting, some varnishes, some spirit based paints and French polish. Can also be used as a cleaner/degreaser for paint work, glassware, for wiping resinous matter from knots prior to knotting and as a fuel.



ng Ig,	STAIN BLOCK	SOLVENT SOLVENT BASED Safer Spirit
DE 1997 2215 ning 1d 1g.		SGAN       SIZE       COLOUR       QTY       BARCODE         488594       750ML       -       12       502934761174         Safer Spirit is a revolutionary water based alternative to White Spirit. Safer Spirit can be used for many of the same applications as White Spirit. It is not only low in VOC's and has a solvent content of below 8%, but it is also virtually odourless, non-toxic, non-flammable and non-corrosive. Safer Spirit also contains a conditioning agent, leaving paint brushes soft and supple.         Image: State AND St

### Wallpaper Stripper

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 488619
 500ML
 12
 5029347601980

A highly concentrated solution of surfactants designed to strip wallpaper fast. Dilute to make up to 18 litres. Water washable.



# **All Purpose** Wallpaper Adhesive

SIZE	COLOUR	QTY	BARCODE
5ROLL	-	25	5029347601874
10ROLL	-	12	5029347601850
30ROLL	-	10	5029347601867
	5ROLL 10ROLL	5ROLL - 10ROLL -	SROLL         -         25           10ROLL         -         12

A powdered adhesive which when mixed with water is suitable for hanging all common wallcoverings including sculptured, blown and textured vinyl, washable and heavy embossed. Also suitable for fixing polystyrene tiles. High tack combines with excellent adjustability. Contains a powerful fungicide.



Ready Mixed Wallcovering Adhesive

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 488621
 4.5KG
 2
 5029347601973

A ready mixed paste suitable for hanging all common papers including vinyls and heavy embossed. High tack, excellent adjustability. Contains a powerful fungicide.



#### Raw Linseed Oil

 SCAN
 SIZE
 COLOUR
 QTY
 BARCODE

 484802
 500ML
 12
 5029347601898

A traditional wood treatment for use on cricket bats, oak beams and as a lubricant in the French polishing industry. Nourishes and revives wood.



#### **Overlap and Border** Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
488615	250GR	-	12	5029347601799

A high strength, ready mixed paste suitable for all types of borders (inc. vinyl). May be used for adhering overlaps and repairs to damaged paper sections. Will stick all common papers as well as to gloss and emulsion paint. High tack excellent adjustability. Contains a powerful fungicide.





99

#### **Boiled Linseed Oil**

# SGAN SIZE COLOUR QTY BARCODE 484799 500ML 12 5029347601775

A traditional wood treatment used to replace the natural sheen in aged/ tired wood. Quicker drying than raw linseed oil. May also be mixed with mastic sand to make trowel grade pointing mastic.





CK CURING/ DRYING

Teak Oil

# SGAN SIZE COLOUR QTY BARCODE 484805 500ML 12 5029347601928

A traditional wood treatment used to replace the natural oils lost through ageing or weathering and brings out the natural colour of wood. Suitable for interior or exterior use on unpolished timbers.



BAW

100451-01





# TAPES

uilding Tapes	102
epair Tapes	105
asking Tapes	106
afety Tapes	107
ackaging Tapes	107
ouble sided Tapes	108
asterboard Tapes	109



SCAN TO SEE THE FULL RANGE gbr.sika.com/en/distribution.html



#### Mammoth Powerful Grip Tape Extra Strong Double Sided Tape



1	SGAN	SIZE	COLOUR	QTY	BARCODE
	484678	12MM X 2.5MTR	CLEAR	48	5029347605896
	484679	25MM X 2.5MTR	CLEAR	24	5029347605773
	484680	50MM X 2.5MTR	CLEAR	12	5029347605766

Mammoth Powerful Grip Tape is a double sided tape that breaks the rules, with an incredible immediate bond strength that has to be seen to be believed. It will bond to virtually any material, indoors or outdoors including ceramics, brickwork, wood, metal, plastics and PVC.

It is moisture resistant and will not degrade with U.V light. Ideal for use in the home, industry, construction and office. Can be used in many applications to replace drilling, plugging and unsightly screws.











# Mammoth

SGAN	SIZE	COLOUR	QTY	BARCODE
483326	50MM X 50MTR	BLACK	24	5029347600549
483327	50MM X 50MTR	BLUE	24	5029347604226
483328	50MM X 50MTR	RED	24	5029347602611
483329	50MM X 50MTR	SILVER	24	5029347602628
483330	50MM X 50MTR	WHITE	24	5029347602635
483331	50MM X 50MTR	YELLOW	24	5029347604233

The ultimate all purpose duct tape, top quality cloth with aggressive natural rubber adhesive. Tough, durable and waterproof, for thousands of applications on site, in the home and industry, in the widest possible range of colours.

<b>Mammoth</b> Gaffa Tape
------------------------------

SGAN	SIZE	COLOUR	QTY	BARCODE
467448	50MM X 45MTR	BLACK	12	5029347611743
696047	50MM X 45MTR	SILVER	12	5029347611736

Gaffa Tape is a strong, tough and durable utility grade cloth tape for use in repairs in construction, industry, home and garden.



SGAN SIZE COLOUR QTY BARCODE 488634 50MM X 10MTR CLEAR 36 5029347610494

Strong Weatherproof Tape with aggressive adhesive, ideal for jointing and repairing all PVC and polythene Sheets and many other uses in construction, industry and the home. Also ideal for repairing cracks in glass and acrylic without obscuring vision/light.

ADD AT THE OWNER AND

# Silweld

#### SGAN SIZE COLOUR QTY BARCODE 484806 3MTR BLACK 6 5029347611279

Silweld is the incredible silicone self fusing tape that can be used to repair almost anything from an emergency repair to a water hose or air pipe to insulating electrical wires or connections.

It creates an air tight, watertight seal in seconds without the need for any adhesive and even works underwater. Excellent electrical insulator up to 8,000 volts, withstands extreme temperatures -65°C to 260°C and even withstands pressure to 700psi. Silweld also resists petrol, oil, acids, solvents, salt water and UV rays.









# Mammoth

SGAN	SIZE	COLOUR	QTY	BARCODE
488626	50MM X 33MTR	BLACK	24	5029347604646
488627	75MM X 33MTR	BLACK	16	5029347604653

Strong PVC tape with versatile adhesive, ideal for jointing all PVC and polythene sheets and membranes. Perfect for contamination barrier fastening, dust sealing of sheets and many other uses in construction and industry.

ammoth			
uminium	<b>T</b>		

SGAN	SIZE	COLOUR	QΤΥ	BARCODE
482270	50MM X 45MTR	SILVER	24	5029347604509
482271	75MM X 45MTR	SILVER	16	5029347604516
482259	100MM X 45MTR	SILVER	12	5029347604523

Heat and light reflective aluminium foil tape, heat resistant to 180°c, flame retardant to Class O. Excellent moisture resistance, ideal for use as a vapour barrier between foil faced insulation panels in roof and wall applications, duct sealing on all types of air conditioning and ventilation and protecting wires and pipes from heat.







# Protect your flooring with Roll & Stroll

See the full range on page 88





#### Mammoth Low Tack Masking Tape

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 486865
 25MM X 25MTR
 OFF WHITE
 60
 5029347604622

 486864
 50MM X 25MTR
 OFF WHITE
 30
 5029347604639

The professionals choice for application to more delicate surfaces and wallpaper, where conventional Masking Tapes could damage the surface. Can be left on for up to 7 days, without a residue being left on the surface.

<b>Mammoth</b> Pro Blue Masking Tape



Professional long stay masking tape that can be left on for up to 14 days without leaving a residue or damage to the surface.

#### **Mammoth** PVC Hazard Tape

 SCAN
 SIZE
 COLOUR
 QTY
 BARCODE

 488638
 50MM X 33MTR
 RED/WHITE
 24
 5029347604400

 488639
 50MM X 33MTR
 BLACK/YELLOW
 24
 5029347604394

A strong and durable self adhesive PVC Hazard tape for all hazard marking, ideal for marking floors, walls and overhead. Abrasion resistant, damp tolerant, can be used internally and externally.

Mammoth	

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 482932
 72MM X 500MTR
 RED/WHITE
 8
 5029347604424

Safety Tapes / Packaging Tapes

TAPES


107

Super strength non adhesive polythene barrier tape supplied in an individual box.

VALUE PACK

18.81

1812











#### Mammoth Multi-Purpose Double Sided Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
488735	25MM X 25MTR	CLEAR	48	5029347604707
488736	50MM X 25MTR	CLEAR	24	5029347604714
488737	50MM X 5MTR	CLEAR	30	5029347610623

High tack multi-purpose double sided tape, ideal for securing many items to smooth surfaces, vertically and horizontally.





A premium quality, heavy duty, double sided tape with a strong, thick cloth membrane and an aggressive rubber resin adhesive. Ideal for fixing floor coverings and other heavy duty applications. **EuroScrim** Self Adhesive Scrit



FLEXIBLE, WILL NOT BUBBLE OR BLISTER

FOR DRYWALL, PLASTER WALLS AND CEILINGS

SGAN	SIZE	COLOUR	QTY	BARCODE
484687	48MM X 90MTR	WHITE	24	5029347611750
484688	100MM X 90MTR	WHITE	12	5029347612627

EuroScrim is a premium quality, quick and easy to apply, self-adhesive scrim tape that is made in Europe to perform!

EuroScrim has a quality high tack adhesive and an open mesh that will not blister or bubble, creating perfect joints every time.









#### Mammoth Carpet Fix Cloth Ta

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 488761
 50MM X 25MTR
 CLEAR
 24
 5029347604738

Premium quality double sided Carpet Fix Cloth Tape is ideal for fixing all carpets to all surfaces. Easily torn by hand during application.







QUICK AND EASY TO APPLY

SELF ADHESIVE -ELIMINATES NEED FOR PRE-PLASTERING



# EANERS

Wipes	112
Glazing Cleaners	114
Cleaners and Lubricants	115



**SCAN TO SEE THE FULL RANGE** gbr.sika.com/en/distribution.html



# **CLEANERS**



#### Wonder Wipes Multi-Use



SGAN	SIZE	COLOUR	<b>QTY</b>	BARCODE
467442	100	-	6	5029347601522
484948	300	-	1	5029347604172
524290	500	-	1	5029347614379

#### Multi-Use Wonder Wipes are specially formulated to clean hands, tools and surfaces from wet and semi-cured paint, sealant, adhesive, bitumen, expanding foam, oil, grease and even silicone.

Useful when there is no water on site. Wonder Wipes contain a powerful anti-bacterial additive that is tested by an independent laboratory to BSEN 1276:2009.



**ROBUST AND EXTRA** ABSORBENT TRIPLE LAYER WIPE THAT TRAPS DIRT AND ABSORBS MOISTURE

> ANTIBACTERIAL ADDITIVE TO PROVIDE PROTECTION

TOOLS / SURF Silicone + Paint - Stole Straine - Ritarian - Dil - Gradini I spanding have is much many

HE WIPE THAT W

<b>CONTAINS VITAMIN</b>
AND ALOE VERA TO
NOURISH HANDS

#### Wonder Wipes Biodegradable

Introducing Sika Wonder Wipes Biodegradable, a fantastic addition to the popular range, offering exceptional cleaning power on hands, tools, and surfaces.

These 100% biodegradable and plastic-free wipes are engineered with extra thickness, providing superior strength for a reliable and durable cleaning experience. Formulated to easily clean tough grime, these wipes can remove Paint, Silicone, Adhesive, Bitumen, Expanding Foam, Oil, Grease, and more.

Sika Wonder Wipes Biodegradable are available in flowrap packaging for easy storage, improved accessibility, as well as keeping the wipes fresher for longer.





#### **Wonder Wipes** Heavy Duty

SGAN SIZE COLOUR QTY BARCODE 467443 6 5029347609467 75

Heavy Duty Wonder Wipes are textured wipes specially formulated for the building, engineering and allied trades to clean ingrained dirt from hands, tools and surfaces.





#### Wonder Wipes Multi-Use Spray

#### SGAN SIZE COLOUR OTY BARCODE 511711 12 5029347613952 1LTR

Multi-Use Wonder Wipes is available in a hand spray. Wonder Wipes Spray is the ideal solution for cleaning large surface areas by using the spray with Paper Wipe Rolls or refreshing a Wipe to make it go that extra mile. Wonder Wipes Spray is also the perfect way to keep the PVC door






#### **Glass Cleaner**

## SCAN SIZE COLOUR QTY BARCODE 490894 1LTR 12 5029347900014

Glass Cleaner is a powerful glass cleaning agent containing a high level of detergents and solvents for rapid drying to a smear and static free finish. May also be used on tiling, VDUs, TV screens, chrome, and other glass items.



**PVCu Solvent Cleaner** 

SGAN SIZE COLOUR QTY BARCODE

486919 1LTR - 12 5029347900045

100



#### PVCu Cream Cleaner

SGAN	SIZE	COLOUR	QTY	BARCODE
486930	1LTR	-	12	5029347900052

PVCu Cream Cleaner is a solvent free formulation designed to remove ingrained dirt, stains and pollution from PVCu window frames without scratching. Buffs to a deep sheen.



 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 467444
 150MTR
 6
 5029347603427

 488767
 280MTR
 2
 5029347119003

Paper Glass Wipe Rolls are made of an extra strong, soft 2-ply paper for effective glass industrial and home cleaning.

#### All Purpose XT44 Maintenance Spray

## SGAN SIZE COLOUR QTY BARCODE 484811 400ML 12 5029347600044

All Purpose Maintenance Spray has 100s of uses around the home, garage, workshop and in industry. Penetrates rusted parts and fastenings to assist dismantling, lubricates locks, hinges and tools. Can be used to protect metals and tools from rusting. Displaces water and can be used to assist starting wet petrol engines and damp ignition systems. Lubricates just about any moving part.



#### Graffiti Remover

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 484814
 400ML
 12
 5029347601683

Graffiti Remover is a powerful nondrip gel formula, works on vertical and horizontal surfaces to remove paint, felt tip marker pen and most other forms of casual graffiti. Water washable, effective on all substrates. Graffiti Remover is aided by its slow evaporation rate, penetrating deeply into graffiti and after a few minutes, marks are easily and safely removed by rinsing with water.



#### All Purpose Silicone Spray

## SGAN SIZE COLOUR QTY BARCODE 484813 400ML 12 5029347600648

All Purpose Silicone Spray is a dry silicone lubricant and mould release agent for the easing of friction between two surfaces. Ideal for use in mould making/release industries, to ease installation of rubber and EPDM gaskets to window and door frames and has 100's of uses around the home, garage, workshop and industry. Silicone Spray will also enhance the appearance of vinyl and hard surfaces such as car dashboards etc, where the dry-bright finish will eliminate the need for polish.



115









10.00





# PUMBING AND HEATING SUPPLIES

Central Heating Treatments	118
Sealers and Compounds	119
Fire and Stove Sundries	121
Fire, Stove and Flue Cements and Mortars	12.



SCAN TO SEE THE FULL RANGE gbr.sika.com/en/distribution.html



# PLUMBING AND HEATING SUPPLIES **Central Heating Treatments**

**P26 Biocide** 

1001

RADI

## PLUMBING AND HEATING SUPPLIES Sealers and Compounds



**P24 Power Cleaner** 



SGAN SIZE COLOUR QTY BARCODE 688226 500ML 12 5055492703774

P24 Power Cleaner is a high-strength, universal, rapid liquid cleaner for all central heating systems. It is designed to remove all debris, sludge, flux and scale from existing systems – its high-strength formulation makes it ideal for use for both new and older systems with heavier build-up.



#### **P28 Filter Fluid**

SGAN SIZE COLOUR QTY BARCODE 687374 500ML 12 5055492703798

P28 Filter Fluid has been specifically developed to penetrate, release and lift magnetite deposits and contaminants. Debris is delivered directly to the in-line filter for fast and safe removal. Magnetite particles are over five times heavier than water and tend to settle in less turbulent areas of the system and cannot be captured by the filter.



#### **P32 Leak Sealer**

SGAN SIZE COLOUR QTY BARCODE 687371 500ML 12 5055492703804 -

COMPLIAN

P32 Leak Sealer is a rapid, internal leak sealer that is designed for central heating systems suffering from small, inaccessible leaks and weeps which may cause pressure loss. Once added to the system, the product locates the area of water loss and forms a soft barrier to seal the hole. P32 Leak Sealer is effective within 1 to 24 hours and has been tested and proven to prevent blockages or restrictions in system components.








# **P30 Protector**

SGAN SIZE COLOUR QTY BARCODE 687372 500ML 12 5055492703811

P30 Protector is a high performance, long lasting, easy to use inhibitor that protects domestic heating systems against internal corrosion, limescale and hydrogen gassing. This product has enhanced pH buffering capabilities to ensure the system water pH level does not drop below 8.0 or exceed 8.5 – the optimum pH





**Plumbers Gold** Sealant & Adhesive



P26 Biocide is a high-strength, rapid attacking biocide designed for use with all central heating and underfloor heating systems. This product contains three active biocidal ingredients that rapidly acts to eliminate and prevent further formation of fungal growth and bacteria in heating systems.



# CAN BE APPLIED TO WET SURFACES









Brick / Timber / Metal / PVCu / Glass

290ML

290MI

486777

CLEAR WHITE

Specially formulated for the plumbing professional, Plumbers Gold is a sealant

and adhesive based on hybrid polymer technology that offers outstanding adhesion to all sanitary, bathroom,

wetroom, kitchen and plumbing materials.

12

5029347607081 5029347607074







# PLUMBING AND HEATING SUPPLIES Sealers and Compounds

**P13** 

#### **P12** Silicone Grease

#### SGAN SIZE COLOUR QTY BARCODE 12 5055492703842 687373 200GR

P12 Silicone Grease is a lubricant and sealant with excellent resistance to most chemicals, extreme temperatures and exceptional water resistance. It has low vapour tension up to 200 °C, enabling low residual pressure to be achieved. P12 Silicone Grease is also chemically inert - it is non-corrosive on metals and has no plasticising effect on rubbers or plastics.

# Putty

#### SGAN SIZE COLOUR OTY BARCODE 488411 750GR BEIGE 12 5029347600655

Plumber's Putty is a ready-mixed, waterproof, non-setting putty designed for sealing and bedding WC soil pipes. joints in sanitary wear, sinks and waste water fittings. Plumber's Putty will seal ceramics, vitreous enamels, metals and PVC. Remains permanently flexible to allow for joint movement.

# PLUMBING AND HEATING SUPPLIES

Sealers and Compounds / Fire and Stove Sundries

#### Heat Resistant Matt Black Paint Tin

#### SGAN SIZE COLOUR QTY BARCODE 486783 125ML BLACK 12 5029347609306

Heat Resistant Paint is a protective and decorative paint which is heat stable for temperatures up to 600°C. It is suitable for use on domestic stoves, furnace chimneys, industrial ovens and exhausts. It can be used as a single coat, or two coats on bare ferrous metal surfaces.

#### **Heat Resistant** Matt Black Paint Aerosol

#### SGAN SIZE COLOUR QTY BARCODE 486786 400ML BLACK 12 5029347609313

Heat Resistant Paint in an aerosol is a protective and decorative paint which is heat stable for temperatures up to 600°C. It is suitable for use on domestic stoves, furnace chimneys, industrial ovens and exhausts. It can be used as a single coat, or two coats on bare ferrous metal surfaces.



#### P16 **PVC** Pipe Cement

SGAN	SIZE	COLOUR	QTY	BARCODE
488408	250ML	-	12	5029347607029

PVC Pipe Cement is a non-drip, thixotropic solvent based pipe cement for bonding non-pressure PVC and ABS thermoplastic pipes and conduits to themselves and each other. Conforms to BSEN14814 and BSEN14680.



### **P18** Gas Leak Detector

SGAN SIZE COLOUR QTY BARCODE 486898 400ML 12 5010618216101

Gas Leak Detector is a specially formulated foam designed specifically to identify even the smallest positive pressure, gaseous leak. It is suitable for use with most common gases and is compatible with paintwork, metals, wood and most plastics.







121

#### P20 Flux Soldering Paste



Plumber's Flux is a soft paste which is applied to joint areas prior to soldering. It is suitable for use with most metal types. It is self cleaning and can be used with potable water.



#### SGAN SIZE COLOUR QTY BARCODE BLACK 12 5029347609290 486749 310ML

Heat Resistant Silicone is a high temperature resistant, fast cure, silicone, heat stable up to 275°C. which is permanent flexibility - high modulus sealant. It is ideal for joints and assemblies in ducting, metal chimneys, industrial/domestic ovens, heating appliances. Excellent adhesion to most non-porous surfaces.

€€ 0.6m



PVC/PVCu/ABS

















# PLUMBING AND HEATING SUPPLIES

Fire, Stove and Flue Cements and Mortars

#### KOS Fire Cement






SGAN	SIZE	COLOUR	QTY	BARCODE
484657	500G	BUFF	18	5010618001110
484658	1KG	BUFF	12	5010618002117
484659	2KG	BUFF	6	5010618003114
484670	6KG	BUFF	2	5010618005118
484672	25KG	BUFF	1	5029347606657
484673	500G	BLACK	18	5029347606619
484674	1KG	BLACK	12	5029347606626
484675	2KG	BLACK	6	5029347606633
484676	12.5KG	BLACK	1	5029347606640

KOS Fire Cement is a ready mixed blend of thermo setting resins and inorganic fillers that cures when exposed to heat, resulting in a mortar which is resistant to temperatures up to 1250°C.

Can be used for domestic and commercial applications. Excellent adhesion to fire bricks, blockwork, stone and clayware.







# PLUMBING AND HEATING SUPPLIES

Fire, Stove and Flue Cements and Mortars

SGAN SIZE COLOUR QTY BARCODE

KOS Flue Cement is a high temperature

(to 1250°C) ready mixed fireproof mortar

paste, designed for the safe installation/

jointing of Type A1 (BSEN1857) concrete

and stoves e.g. coal, wood burning or gas

flue liners for use with domestic fires

12 5010618016169

KOS Flue Cement

488394 300ML

(including flame effect).

# KOS

SGAN SIZE COLOUR QTY BARCODE 486239 300ML BUFF 12 5010618070161 BLACK 488425 300ML 12 5029347606886

KOS Fire Cement is a ready mixed blend of thermo setting resins and inorganic fillers that cures when exposed to heat, resulting in a mortar which is resistant to temperatures up to 1250°C. Can be used for domestic and commercial applications. Excellent adhesion to fire bricks, blockwork, stone and clayware.



#### Flue Jointing Compound

SGAN	SIZE	COLOUR	QTY	BARCODE
488403	500GM	-	12	5010618050019
488407	1KG	-	12	5010618050217

Flue Jointing Compound is a finely dispersed asbestos free material with a stiff consistency. It will not harden completely and small movements can be accommodated without cracking. Flue Jointing Compound is nonflammable and, therefore, there is no risk of fire.



#### XL Fire Cement

SGAN	SIZE	COLOUR	QTY	BARCODE
488389	500G	BUFF	18	5010404120056
488390	1KG	BUFF	12	5010404120100
488391	2KG	BUFF	6	5010404120209
488392	5KG	BUFF	2	5010404012054


XL Fire Cement is a ready mixed blend of thermo setting resins and inorganic fillers that cures when exposed to heat, resulting in a mortar which is resistant to temperatures up to 1250°C. Can be used for domestic and commercial applications. Excellent adhesion to fire bricks, blockwork, stone and clayware.











# BUILDING SUPPLIES

24

O Salt

Waterproofing	126
Building Admixtures	130
Self Levelling Compounds	138
Floor Paints and Line Markers	142
Wall Finishing	143
Concrete and Brick Repair	144
Priming	148
PVA and SBR Bonding	149
Chemical Anchors	152
Putties	154
Pointing	155



SCAN TO SEE THE FULL RANGE gbr.sika.com/en/distribution.html




# **BUILDING SUPPLIES**

## **BUILDING SUPPLIES** Waterproofing

# 127

#### Sika®-1 Waterproofer Liquid Waterproofing Additive





#### Sika®-2 Water Plug

#### SGAN SIZE COLOUR QTY BARCODE 114452 5LTR RED 4 7612895673288

A ready to use, rapid setting, leak stopping liquid which is mixed with ordinary portland cement to produce a paste for immediate leak sealing against high water pressure infiltration. Suitable to seal severe water leaks and to be applied on surfaces with running surface water.

#### Sika®-4 Rapid Setting

#### SGAN SIZE COLOUR QTY BARCODE 114453 5LTR BROWN 4 5055047200086

A ready to use liquid for accelerating the set time of mortars and renders where low water pressure or slow water movement exists. Sika®-4 Rapid Setting Provides excellent resistance to backwater pressure and prevents cement wash out.





Čľ,

0.35LTO 1KG

0.7LT0

1KG

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 114454
 5LTR
 CLEAR
 4
 7612895669489

A ready to use, quick setting, liquid which is mixed with water and ordinary portland cement to produce a paste for leak stopping .Sika®-4a Water Stop is suitable for use against high or moderate water pressure infiltrations.



Sikalastic<sup>®</sup>-1K

0.7LTO 

DOSAGE

Č٢

SGAN	SIZE	COLOUR	QTY	BARCODE
489549	20KG	GREY	1	5055492701305

A one-component, highly flexible, cementitous, fibrereinforced mortar for the waterproofing of concrete structures. It can be used for the outside waterproofing and protection of basement walls as well as on hydraulic structures, such as swimming pools.













# **BUILDING SUPPLIES**

#### Sika<sup>®</sup> Damp Proofing Slurry

SGAN	SIZE	COLOUR	QTY	BARCODE
456454	20KG	GREY	1	5055492700704
102198	25KG	GREY	1	5055047201021

A high-quality, thin layer, waterproof slurry coating that contains special cements and admixtures that provides a finish that prevents dampness and water penetration. Easy to mix and apply as well as being overpaintable with vapour permeable coatings.



SikaMur<sup>®</sup>

175179

425016

InjectoCream-100

600MI

300ML

SGAN SIZE COLOUR QTY BARCODE

WHITE 10 7612894718317 WHITE 12 7612894892604

A silane-based, waterproof cream that can be inserted into

holes in mortar course of the wall to provide a Damp Proof Course (DPC) that will block future rising damp.

# Febtank Super Waterproof Coating

SGAN	SIZE	COLOUR	QTY	BARCODE
486609	25KG	GREY	1	5029347607807
489396	20KG	GREY	1	5029347609856

Febtank Super, when mixed with clean water, forms an extremely durable waterproof coating for concrete and masonry which is easily applied by a stiff hand brush, broom or spray. Ideal permanent waterproofing system for basements, cellars, pools, reservoirs and below ground level applications. Resists both negative and positive water pressure. BBA approved. Tested to BSEN 1504-3.



```
        SGAN
        SIZE
        COLOUR
        QTY
        BARCODE

        486603
        5KG
        GREY
        1
        5029347607814
```

Febtank Plug is an ultra-rapid setting, durable plugging compound designed to stop active water leaks in concrete and masonry.

Once applied, the material expands as it cures to form a permanent watertight seal with similar characteristics to concrete. Suitable for use with Febtank Super.







# THE WATERTIGHT SOLUTION ENGINEERED FOR BASEMENTS



Our ground-breaking Sika® Watertight Concrete System is specifically designed for water resistance underground. Made in Britain by the original innovators of watertight concrete to keep water in its place. Available now in powdered (hydrophobic or crystalline) and bulk liquid (hydrophobic).

- Keeps water out and in for swimming pools
- Industry leading design and technical support for complex projects
- Includes complementary jointing products for a complete watertight seal
- Incorporates the latest concrete admixture technology
- No.1 in the UK all formulas are BBA certified, backed with 15-year Sika<sup>®</sup> Guarantee



#### Find out more at sikawaterproofing.co.uk

**BUILDING TRUST** 



# **BUILDING SUPPLIES Building Admixtures**

#### SikaMix<sup>®</sup> Plus Mortar Plasticiser

SGAN	SIZE	COLOUR	QTY	BARCODE
445021	5LTR	-	4	5055492700483
445917	25LTR	-	1	5055492700544

A general purpose, liquid mortar plasticiser for brick and blockwork mortars. SikaMix® Plus Increases the workability and improves the quality of mortars, renders and plasters. Also, improves the frost resistance of hardened mortar.

Sika® Rendermix	
Water Resisting Plasticiser	

SGAN SIZE COLOUR OTY BARCODE 5LTR YELLOW 4 5055047200529 102452

0.5-1L

**50KG** 

DOSAGE

΄H<sub>2</sub>Ο

00

( [1]2

30M<sup>2</sup>

APPROX

A water resisting plasticiser and air entraining agent for improving renders and screeds. Can also be used as an admixture for pebble dashing or roughcast finishes.





A chloride free admixture for concrete that is suitable for use with steel reinforcement. Sika® Wintermix allows mortars and concretes to be used in sub-zero temperatures, eliminating the need for a separate frostproofer.

#### **Sikamix**® Powdered Mortar Plasticiser

**BUILDING SUPPLIES** 

SGAN	SIZE	COLOUR	QTY	BARCODE
165860	250 SACHETS	-	1	5055047209041

SikaMix<sup>®</sup> Powdered Mortar Plasticiser (PMP) is a premeasured air entraining admixture which complies to EN 934-3 and replaces or complements the use of lime in sand and cement bricklaying and rendering.

Building Admixtures

131









#### Sika<sup>®</sup> Proof Liquid Waterproofer

50KG

SGAN	SIZE	COLOUR	QTY	BARCODE
102327	5LTR	WHITE	4	7612895673219

General purpose, economic waterproofing admixture for mortars and concretes. Ideal for use on swimming pools, water tanks, ponds, below ground applications and more.



SGAN SIZE COLOUR QTY BARCODE 513849 5LTR CLEAR 4 5055047200604

A ready to use, formwork release agent that is suitable for mould and shuttering. Sika® Release Oil is suitable for use prior to casting concrete in order to achieve a clean release after removal of formwork.









# **BUILDING SUPPLIES**

#### Sika<sup>®</sup> MaxMix Waterproofer


#### SGAN SIZE COLOUR QTY BARCODE 697906 1LTR YELLOW 6 7612894695649

A highly concentrated waterproofing and air entraining admixture for sand and cement mortars, renders and screeds. Sika® MaxMix® Waterproofer improves the workability of mortar/render and helps prevent shrinkage, cracking, crazing and mild frost damage.

#### Sika<sup>®</sup> MaxMix Frostproofer and Accelerator

#### SGAN SIZE COLOUR QTY BARCODE 170378 1LTR STRAW 6 7612894695724

A highly concentrated air entraining admixture which is designed specifically for cold weather by eliminating the requirement for a second frostproofing admix. Sika® MaxMix<sup>®</sup> Frostproofer and Accelerator reduces the setting time of sand and cement based mortars, renders, screeds etc.





\*

FROST-

**Ľ**12

DDD

CCELED ATO

500ML

50KG

5-10ML

50KG /

Ľk.

FREE

΄H<sub>2</sub>Ο

WATER

#### Sika<sup>®</sup> MaxMix Cement Colour

SGAN	SIZE	COLOUR	QTY	BARCODE
170406	1LTR	BLACK	6	7612894695823
170408	1LTR	BROWN	6	7612894695861
170410	1LTR	RED	6	7612894695908
170412	1LTR	YELLOW	6	7612894695946

A concentrated, one-shot cement colourant that provides a uniform shade of colour to cement mortars, renders, concrete and pointing.

#### Sika<sup>®</sup> MaxMix Mortar Plasticiser

#### SGAN SIZE COLOUR OTY BARCODE BROWN 6 7612894694888 170376 1LTR

A highly-concentrated, air entraining liquid plasticising admixture that is twenty five times the strength of conventional products. Forms extremely stable air bubbles in mortar mixes that improves the consistency and workability of mortar. Sika® MaxMix® Mortar Plasticiser helps to prevent shrinkage, cracking, crazing and mild frost damage.





Opti-Mix Integral Waterproofer is a plasticiser, waterproofing agent and salt inhibitor, all in one. Waterproofs, plasticises, controlled dosage, consistent mix design, easy to use, no waste. 1 litre is equivalent to 25 litres of standard product. Tested to EN934-3 (2009) +A1 (2012).

#### Opti-Mix 3-In-1 Render Additive

#### SGAN SIZE COLOUR OTY BARCODE 697962 1LTR - 12 5029347609917

Opti-Mix 3-in1 render designed specifically for use with renders, giving increased retarding properties with additional waterproofing, plasticising and salt inhibiting capability. Controlled dosage for a consistent mix in an easy to use design with zero waste. 1 litre is equivalent to 25 litres of standard product. **Tested to EN934-3** (2009) + A1 (2012).



Opti-Tone

# 12 5029347609924

Opti-Mix Cement Colourant is a cement colourant that enables accurate colour matching and consistency between different batches of mortar. Fast colouring formulation, controlled dosage, consistent mix design, easy to use and no waste. 1 litre is equivalent to 5 litres of standard product. Tested to EN12878.



**Opti-Mix** Mortar Plasticiser

H<sub>2</sub>O

5-10M

DOSAGE

(Cl<sub>2</sub>

ASTICISER

( [1]2

CHLORIDE

-mix

#### SGAN SIZE COLOUR OTY BARCODE 486210 1LTR 12 5029347609870

The world's first 1:25 plasticiser is just Pure Admix, smells and works like the best traditional Admix. Controlled dosage, consistent mix design, easy to use, no waste. 1 litre is equivalent to 25 litres of standard product. Tested to EN934 (2009) +A1 (2012).


















Cement Colourant Black

SGAN SIZE COLOUR QTY BARCODE 486213 1LTR



## **BUILDING PRODUCTS Building Admixtures**

#### 201 Mortar Admix

SGAN	SIZE	COLOUR	QTY	BARCODE
486187	5LTR	-	4	5029347002152
486189	25LTR	-	1	5029347002169

Mortar Admix is an air entraining plasticiser that replaces lime in the mix to provide an easy to work 'butter like' consistency to the mortar and to prevent shrinkage, cracking and crazing during the setting process. Tested to BSEN934-Part 3 (2009)+A1(2012).

<b>202</b> Integral Liquid Waterproofer

SGAN SIZE COLOUR QTY BARCODE 488850 5LTR 4 5029347002251 488851 25LTR 5029347002268

Integral Liquid Waterproofer is a liquid additive that provides long term water protection to mortar, concrete and rendering. Reduces water permeability and is suitable for all applications where resistance to water absorption is necessary. Tested to EN934-3 (2009)+A1(2012).

nteara

Waterproofer



#### 203 Accelerator and Frostproofer

SGAN SIZE COLOUR OTY BARCODE 488853 4 5029347002350 5I TR 488854 25I TR 5029347002367

Accelerator and Frostproofer is a liquid additive formulated to accelerate setting and hardening times of mortar, concretes, screeds and rendering to provide frost protection during the setting period. Effective even in subzero temperatures. Tested to EN934-2 (2009)+A1(2012).



SGAN SIZE COLOUR QTY BARCODE 4 5029347600006 488855 5I TR 25I TR 5029347070533 488856

Evermix 3 in 1 triple action admixture waterproofs, plasticises and retards to assist workability, reduce water penetration and allow larger areas to be covered in one application. Evermix 3 in 1 is particularly formulated for use in renders, dry dash and pebble-dashing. Tested to EN934-3 (2009)+A1(2012).











Strike Release Oil is a highly effective release agent to enable concrete shuttering to be removed easily, leaving the edge of the concrete structure clean and well formed. Suitable for most types of form work, not affected by rain after application.





concrete structures. Tested to EN934-3 (2009)+A1(2012).

207

SGAN

488857

488858

0

LEAN U 2.5LTO

-4°c

DOSAGE

 $\mathbb{D}\mathbb{D}\mathbb{D}$ 

Zeromix C.F.F

5LTO







SCAN HERE or visit gbr.knowledge.sika.com/ webinars and white papers







## BUILDING PRODUCTS Building Admixtures

#### Febmix Admix Air Entraining Plasticiser

SGAN	SIZE	COLOUR	QTY	BARCODE
486723	5LTR	DARK BROWN	4	5029347607203
487244	25LTR	DARK BROWN	1	5029347607210
487247	5LTR	DARK BROWN	4	5029347610791
487249	25LTR	DARK BROWN	1	5029347610807

Febmix Admix is an original air entraining plasticiser that replaces lime in the mix to provide an easy to work "butter like" consistency and to prevent shrinkage, cracking and crazing during the setting process. For use in brick laying and plastering mortars. Provides a degree of frost resistance and long term resistance to freezethaw cycles when set. There is also a South West formula specially designed for South Wales and the West Country. **Conforms fully with the requirements of** 

#### Febmix Plus Air Entraining Plasticiser

SGAN	SIZE	COLOUR	QTY	BARCODE
487142	5LTR	DARK BROWN	4	5029347607180
487143	25LTR	DARK BROWN	1	5029347607197

Febmix Plus is a liquid ultra stable synthetic air entraining mortar plasticiser designed to enhance the workability and freeze thaw resistance of brick and block laying mortars. It may be used to replace or supplement the use of lime, and is designed to maintain efficiency with variations in cement and aggregate sources. **Conforms to EN 934-3:(2009) +A1 (2012).** 



#### **Febproof Plus** Waterproofer and Plasticiser

SGAN	SIZE	COLOUR	QTY	BARCODE
487146	5LTR	AMBER	4	5029347607319
487147	25LTR	AMBER	1	5029347607326

Febproof Plus is a waterproofer and plasticiser that provides water protection to mortar and non-structural concrete and improves workability. Suitable for use in rendering finishes and pointing mortars. Reduces the incidence of efflorescence. **Conforms to EN 934-3:(2009) +A1 (2012).** 







### **Rendamix** Retarder and Plasticiser

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 487149
 SLTR
 AMBER
 4
 5029347607234

Feb Rendamix is a water resisting, retarding and plasticising admixture for use in sand: cement rendering mortars. The product also acts as an inhibitor for efflorescence. **Conforms to EN 934-3:(2009) for air entraining properties.** 

#### **Febspeed** Accelerator and Frostproofer

**BUILDING PRODUCTS** 

SGAN	SIZE	COLOUR	QTY	BARCODE
487184	5LTR	-	4	5029347607333

Febspeed is a chlorine free liquid admixture formulated to accelerate the setting time of cement based mortar, non-reinforced concrete, renders and screeds. Also provides frost protection in the wet mortar during the setting period; even in sub-zero temperature and can also be used neat with cement as a plugging aid. **Tested to the** requirements of EN 934-2: 2009 +A1 (2012).

Building Admixtures

 VICUUM
 VICUUM

#### Wintamix Accelerator and Frostproofer

₩

ROOFE

5LTO

-8°c

DOSAGE

 $\square$ 

SGANSIZECOLOUROTYBARCODE487186SLTRCLEAR45029347607258Feb Wintamix is a chloride free, double action liquid<br/>frostproofer and air entraining mortar admixture for<br/>use throughout the winter period, and also in sub-zero<br/>temperatures. Suitable for steel reinforced concrete,<br/>improves workability of mortar and increases resistance<br/>to frost in both wet and hardened state.Conforms to<br/>EN943-3:2009.



Cleaner and Degreasing Solution

Brickclean

 SCAN
 SIZE
 COLOUR
 QTY
 BARCODE

 487189
 SLTR
 CLEAR
 4
 5029347607852

 Feb Brickclean is a fast acting acid based cleaner and degreasing solution which dissolves mortar and cement stains, ingrained dirt and most paints on mineral surfaces such as brick, concrete, paving slabs and earthenware.









# **BUILDING PRODUCTS** Self Levelling Compounds

#### Sikafloor®-122 Level Self Levelling Compound

#### SGAN SIZE COLOUR QTY BARCODE 618323 25KG GREY 1 5055047206316

A one-part, multi-purpose, cement based self-leveller for smoothing and levelling uneven internal rigid floors prior to applying a final wearing covering. Suitable for underfloor heating applications beneath heating systems this product is highly fluid and easy to apply.

#### Sikafloor®-125 Level Latex Self Levelling Compound

#### SGAN SIZE COLOUR OTY BARCODE 619027 25KG GREY 1 5055047206323

A one-part, latex modified smoothing and levelling compound with added polymer powder for improved flexibility and resilience. This product is suitable for smoothing and levelling rigid internal floors prior to applying final wearing coverings. Suitable for underfloor heating applications beneath heating systems.





#### Sikafloor<sup>®</sup>-440 Level Fibre Reinforced Self Levelling Compound

#### SGAN SIZE COLOUR QTY BARCODE 612787 20KG GREY 1 5055492702944

A one-part, fibre and polymer re-enforced, flexible, high strength heat resistant cement based levelling compound. Designed specifically for the embedment of underfloor heating elements and for use on timber floors. SikaFloor® 440 Level Fibre Reinforced can be left as a final wearing surface or may be overlaid with floor coverings.





WATCH THE VIDEO: HTTPS://WWW.EVERBUILD.CO.UK/ RESOURCES-AND-SUPPORT/PRODUCT-OVERVIEW-VIDEOS/SIKAFLOOR-440-LEVEL-FIBRE-REINFORCED/



### Sikafloor®-131 Level Latex Ultra

#### SGAN SIZE COLOUR QTY BARCODE 619525 25KG GREY 1 5055047210726

A one-part, latex modified, high-strength self leveller for smoothing and levelling uneven rigid floors. SikaFloor® 131 Level Latex Ultra may be overlaid with common floor coverings or may be left as a final wearing surface. A rapid setting heavy duty product which is suitable for both internal and external floors, this product is also strong enough to withstand vehicular traffic.



BUILDING PRODUCTS

#### SGAN SIZE COLOUR OTY BARCODE 612979 25KG GREY 1 5055492702951

Self Levelling Compounds

A one-part, thick bed, smoothing and resurfacing compound for levelling out highly uneven floors and screeds down to the depth of 50mm in just one coat. This product is known for is extremely low shrinkage properties and is suitable for use on internal and external floors.







Need a quick fix before you clean and treat? Check out our **Concrete and brick** repair range.

See page 146







## BUILDING PRODUCTS Self Levelling Compounds

#### 720 Febflor Fibre Plus Fibre Self Levelling Compound



A fibre modified, cement based, protein free self-levelling compound used for levelling out uneven floors and screeds. Contains powdered polymer to eliminate the need for a separate latex liquid being added. Free flowing mix that sets in 4 hours and can be overlaid after 8 hours.

<u>†††</u>

T-C30-F

4.3m<sup>2</sup>

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 647831
 20KG
 GREY
 1
 5029347615796



FOR USE ON INTERNAL UNEVEN RIGID

SUITABLE FOR UNDERFLOOR HEATING

**APPLICATIONS BENEATH HEATING** 

FLOORS

SYSTEMS

FLEXIBLE FORMULA - NO NEED TO ADD A SEPARATE LIQUID LATEX ADDITIVE

## BUILDING PRODUCTS Self Levelling Compounds

#### **708 Febflor Universal** Self Levelling Compound

## SGAN SIZE COLOUR QTY BARCODE 620324 20KG GREY 1 5029347003012

Perfect for most applications. Levelling floors prior to laying ceramic or thermoplastic tiles, lino, wood block flooring or carpet. Use on internal uneven rigid floors and underfloor heating applications beneath heating systems.

Cement based, free flowing, sets in 2–4 hours and can be overlaid after only 8 hours at 20°C. Mix with Febflor 709 to add moisture resistance, additional flexibility and durability.

#### 710 Febflor Flexiplus Self Levelling Compound

# SGAN SIZE COLOUR QTY BARCODE 620325 20KG 1 5029347071028

For increased flexibility. Use to level out uneven floors where there may be a small level of movement. Selfsmoothing with added latex powder for improved flexibility, resilience and adhesion. Suitable for use on internal uneven rigid floors, underfloor heating applications beneath heating systems.

141



#### **709 Febflor Latex Plus** Liquid Additive



To increase flexibility and durability by adding to flooring compounds and tile adhesives. Ideal for use on timber flooring substrates to allow for a limited amount of movement. Rubber based latex liquid. 5 litres mixes with a 20kg bag of 708 Febflor Universal Self Levelling Compound.







## BUILDING SUPPLIES Floor Paints and Line Markers

#### Floor Paint

SGAN	SIZE	COLOUR	QTY	BARCODE
538684	5LTR	GREY	4	5029347602826
538683	5LTR	RED	4	5029347602833



Floor Paint is a solvent-based polyurethane formula designed to provide a clean hard wearing finish to concrete, stone and wooden floors subject to light to medium traffic. Ideal for use on garage floors, workshops, storerooms, and walkways. Floor Paint gives enhanced durability, abrasion resistance and a good resistance to dilute acids/alkalis and oils.



#### Surveyline Marking Paint

SGAN	SIZE	COLOUR	QTY	BARCODE
490207	700ML	BLUE	12	5029347601560
490209	700ML	GREEN	12	5029347601584
490210	700ML	ORANGE	12	5029347608415
490213	700ML	RED	12	5029347601577
490214	700ML	WHITE	12	5029347000943
490215	700ML	YELLOW	12	5029347601553

#### A spray applied marking paint for contractors/surveyors spot marking. Colour coded for electric, gas, water and cable company use. Semi permanent formula lasts at least 3 months after application. Survey Line is available in seven different colours: White (General Marker), Red (Electricity), Yellow (General Marker, Gas), Blue (Water), Orange (General Marking), Green (Cable Work) and Black (Covering Old Lines).



**Trafficline** Marking Paint

SGAN	SIZE	COLOUR	QTY	BARCODE
489774	700ML	WHITE	12	5029347602987
489782	700ML	YELLOW	12	5029347602994

A spray applied marking paint for permanent line marking. Heavy duty latex formulation for use over concrete, asphalt and most other surfaces. Ideal for car parks, warehouses, tennis courts, playgrounds etc. Trafficable in 1 hour at normal temperatures. Designed to be used with applicator or by hand. Available in three colours: White (General Marking), Yellow (Caution/ Hazard), Red (Danger/Prohibited).

#### **Febond Blue Grit** Plaster Bonding Agent







#### **507 Rendagrip** Render Bonding Agent

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 461975
 10LTR
 RED
 1
 5029347612610

Rendagrip is an extra grip render bonding agent that contains a fine aggregate to provide an improved key before applying render on external surfaces e.g. concrete, lightweight blockwork, brick etc. The fine aggregates are suspended in a unique waterproof polymer to ensure easy application and an even spread of aggregate avoiding any weak spots in the key coat and preventing the aggregate particles coming loose during application.



Febond Blue Grit is a high performance, plasterers grip coat bonding agent specifically designed to provide an improved key to smooth surfaces. Containing a fine aggregate, it provides a mechanical key to backgrounds such as plaster, concrete, painted surfaces, textured surfaces and ceramic tiles. One coat application, coloured blue to indicate coverage.

Wall Finishing

143

**BUILDING SUPPLIES** 



#### **505** Plasterers Gripcoat

SGAN	SIZE	COLOUR	QTY	BARCODE
461974	10LTR	BLUE	1	5029347611538

Plasterers Gripcoat is a high performance, plasterers grip coat bonding agent specifically designed to provide an improved key to smooth surfaces. Containing a fine aggregate, it provides a mechanical key to backgrounds such as plaster, concrete, painted surfaces, textured surfaces and ceramic tiles. One coat application, coloured blue to indicate coverage; now, with new improved colour.





## BUILDING SUPPLIES Concrete and Brick Repair

#### **SikaGrout®** 111 GP

## SGAN SIZE COLOUR QTY BARCODE 527763 25KG GREY 1 7612895340319

A one part, general purpose, high precision, shrinkage compensated cementitious grout. SikaGrout<sup>®</sup> 111 GP is easy to mix and apply; it is perfect for a multitude of jobs, such as filling voids, machine and base plates.




 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE


 534999
 1.2KG
 GREY
 8
 8428868015646

A two-component, solvent-free, cold cure, thixotropic epoxy adhesive that is suitable for damp and dry substrates. Sikadur® 31 EF contains a combination of epoxy resins and special fillers that make it ideal for use at temperatures between +10 °C and +30 °C. This product is also available as rapid.










Sikagard<sup>®</sup> 550 W Elastic

Crack Bridging and Protective Coating



**BUILDING SUPPLIES** 

Concrete and Brick Repair



RAL 1015

#### Sikagard 550 W Elastic is a one component, plasto-elastic coating based on UV-curing acrylic dispersion with excellent crack-bridging properties even at temperatures below 0°C.

It has been specifically deisgned for the protection and enhancement of concrete structures (normal and lightweight concrete), especially exposed outdoor concrete surfaces with a risk of cracking. Sikagard 550 W Elastic is the perfect solution for overpainting render in the colour of your choice, gibing an exceptional protection against UV, weather and aging.



Colour swatches are a guide only and may vary.

RAL 7037



RAL 9002





## **BUILDING SUPPLIES** Concrete and Brick Repair

#### Jetcem Rapid Repair Cement

SGAN	SIZE	COLOUR	QTY	BARCODE
620460	ЗКG	GREY	4	5010618043103
620438	6KG	GREY	2	5010618044100

Ideal for rapid patching or when a fast repair job is needed. Sets in approximately 30 minutes. Sets in the cold and wet.

#### Jetcem Deep Rapid Repair Sand and Cement

SGAN SIZE COLOUR QTY BARCODE 620326 GREY 5010618047101 2KG 620439 6KG GREY 5010618048108

30 MINS

SET TIM

25-150MN

FILL DEPT

Strong and easy to use rapid setting repair compound. Internal and external repairs to gaps and cracks on walls, floors, steps and kerbstones. Repairs deep holes in concrete, stone and brick.



#### Jetcem Waterproof Rapid Repair Čement

SGAN	SIZE	COLOUR	QTY	BARCODE
620436	ЗКG	-	4	5029347610166

Fast, strong and easy to use waterproof repair compound. Internal and external repairs to cracks and holes in structures subject to permanent water immersion. Ideal for patch repairs to tanking and water retaining structures including ponds. Suitable for use on concrete, stone and brick.



<b>Jetcem Plaster</b> Rapid Repair	

QTY BARCODE SGAN SIZE COLOUR 2 5029347610173 620437 6KG OFF WHITE

Fast, strong and easy to use repair compound for patching plaster. Internal repairs for plasterboard, brick wood and stone. With added PVA powder to increase strength and reduce cracking and shrinkage.

OFF

COLOUR

 $\langle \hat{\mathbf{i}} \rangle$ SET TIM

FILL DEPT

#### Febset 45 Rapid High Strength Repair Mortar

#### SGAN SIZE COLOUR QTY BARCODE 628382 25KG GREY 1 5029347607630

Febset 45 is a specially formulated repair mortar, based on magnesia-phosphate cement pre-mixed with selected aggregates, which gives controlled, extremely high early strengths in temperatures ranging from -20°C up to over 30°C. Trafficable after 45 minutes. High bond strength, no primers required.



**BUILDING SUPPLIES** 

#### SGAN SIZE COLOUR QTY BARCODE 627865 25KG GREY 1 5055492703156

Febgrout Flowable is a structural fluid precision grout, specifically formulated to give high strength, shrinkage compensation and vibration resistance. It's suitable for grouting equipment and machinery, bearing pads, bridge bearings, rails and stanchion base plates. It can also be used to fill cavities, voids, gaps, recesses, and sealing around penetrations. Fills gaps in concrete 10mm to 150mm wide.

Concrete and Brick Repair







147

#### **Pro Point** Gun Kit

SGAN SIZE COLOUR QTY BARCODE 489049 1 5029347603410

Mortar Pointing Gun Kit complete with nozzles for both mortar and tile grout and mixing paddle. Designed to apply mortar deep into joints for maximum protection and strength. Comes complete with two plastic nozzles, a metal ended nozzle and a mixing paddle packed in a high impact printed box.















#### EpoxySet 105 Heavy Duty Epoxy Mortar Kit

SGAN	SIZE	COLOUR	QTY	BARCODE
490359	4KG	GREY	1	5029347010515
490405	14KG	GREY	1	5029347010522

Epoxyset 105 is a three part general purpose repair mortar based on epoxy technology. Formulated to withstand chemicals, impact and abrasion and can be used to repair concrete, screeds, stone, brick and steel in even the most demanding domestic and industrial situations. Pack includes finishing solvent and gloves.

<b>EpoxySet NF</b> Epoxy Adhesive and Bedding Compound	
---	--

SGAN SIZE COLOUR OTY BARCODE 5029347607609 490427 ЗКG GREY 10KG 5029347607616 490431 GREV

Epoxyset NF is a two-part epoxy resin mortar for use as an adhesive in industrial and domestic bonding and bedding applications. Ideal for bedding stone and concrete lintels, stone mullions, ceramic and stone tiles. Pack includes finishing solvent and gloves.



Brick / Stone / Concrete

#### SikaBond<sup>®</sup> Rapid DPM

#### SGAN SIZE COLOUR QTY BARCODE 5LTR BROWN 4 5055047210603 175129

A solvent-free, single-part, moisture curing polyurethane primer and damp proof membrane, ideal for use on cement based substrates. SikaBond® Rapid DPM can be used for priming, consolidating and sealing in various applications. This product is particularly ideal to use on absorbent and non-absorbent subfloors, consolidating weak cement screeds and isolating old adhesive residue. Can be used as DPM on subfloors under hydrostatic pressure.



Brick / Stone / Concrete / Metal

**H**ogo

Sika <sup>®</sup> Primer		
MB		

SGAN SIZE COLOUR OTY BARCODE 498982 5KG 7612894379990 BLUE 10KG BLUE 7612894354652 703839

A low viscosity, solvent-free, two-component epoxy resin based primer and moisture barrier for wooden floors. Suitable for use in conjunction with SikaBond® elastic adhesives on critical substrates.

<b>SikaBond®</b> PVA+		

SGAN	SIZE	COLOUR	QTY	BARCODE
446005	1LTR	WHITE	12	5055492700568
446004	2.5LTR	WHITE	6	5055492700575
443233	5LTR	WHITE	4	5055492700469
445915	25LTR	WHITE	1	5055492700520

A medium viscosity general purpose adhesive, sealer and mortar admixture. It is easy to use, has excellent adhesion and reduces surface dusting. SikaBond<sup>®</sup> PVA + Conforms to BS5270.

SikaBond® Waterproof PVA

#### SGAN SIZE COLOUR QTY BARCODE 183382 5LTR WHITE 4 5055047209867

A water resistant, vinyl acetate polymer, specifically formulated for exterior use as an adhesive and sealer. Suitable for brickwork, mortar render, screed and plaster. Easy to use and, unlike normal PVA, will not re-emulsify when wet.



#### SikaBond® Contractors PVA

SGAN SIZE COLOUR OTY BARCODE 10KG WHITE 1 5055492701688 509205

A multi-purpose, economic adhesive, sealer and mortar admixture. SikaBond<sup>®</sup> Contractors PVA Adheres to most common building materials, making it ideal for priming unsound surfaces prior to plastering or painting. Also suitable for use as an adhesive, general dust sealer and cement admixture.

Si	ka	Во	nd	8
SE	3R-	+		

SGAN	SIZE	COLOUR	QTY	BARCODE
445916	25LTR	WHITE	1	5055492700537
443839	5LTR	WHITE	4	5055492700476

A one-component, water-based, general purpose bonding agent and mortar admixture. As an admixture diluted with water, it produces a gauging solution for improving adhesion, workability and water resistance of mortars and cementitious mixes. Suitable for improving resistance to abrasion, chemicals and oils.





















## **BUILDING SUPPLIES** PVA and SBR Bonding

**BUILDING SUPPLIES** PVA and SBR Bonding



#### 501 PVA Bond

SGAN	SIZE	COLOUR	QTY	BARCODE
489545	500ML	WHITE	20	502934700510
479075	1LTR	WHITE	12	502934700511
489546	2.5LTR	WHITE	6	502934700512
482246	5LTR	WHITE	4	502934700515
489547	25LTR	WHITE	1	502934700516

501 PVA Bond is a multi-purpose bonding agent, primer, sealer, cement and plaster admixture that adheres to most common building and DIY materials. Fully conforms to BS 5270.



# **503** S.B.R Bond

SGAN	SIZE	COLOUR	QTY	BARCODE
489469	2.5LTR	WHITE	6	5029347613624
489466	5LTR	WHITE	4	5029347005351
489467	25LTR	WHITE	1	5029347005368

503 S.B.R Bond is a latex based, water resistant bonding agent and admixture for use in areas subject to humidity and dampness contact. Improves water resistance of cement mixtures by forming a reinforcing polymer that increases long term durability and flexibility of the mix on renderings.



#### 506 Contractors PVA

SGAN	SIZE	COLOUR	QTY	BARCODE
489453	5KG	WHITE	4	5029347602680
489454	25KG	WHITE	1	5029347613372

Contractors PVA is a multi-purpose primer, sealer, cement and plaster admixture that adheres to most common building and DIY materials. Ideal for priming and dust sealing on flaking surfaces and as an adhesive on wood, cork etc.

#### Febond PVA

SGAN	SIZE	COLOUR	QTY	BARCODE
495084	1LTR	WHITE	12	5029347607449
495223	2.5LTR	WHITE	6	5029347607456
489517	5LTR	WHITE	4	5029347607463
495224	25LTR	WHITE	1	5029347607470

Febond PVA is the original multi purpose quick drying PVA adhesive, sealer and bonding agent and cement admixture which has many applications in the building and construction markets. Ideal primer and sealer for concrete and plaster. Conforms to the requirements of BS 5270-1:1989.





#### Febond SBR

SGAN	SIZE	COLOUR	QTY	BARCODE
489444	5LTR	WHITE	4	5029347607357
489445	25LTR	WHITE	1	5029347607364

Febond SBR is a styrene-butadiene co-polymer latex specifically designed for use with cementitious mixes and as a reliable water resistant bonding agent. Ideal for concrete strengthening and repair, floor screeds and toppings, waterproofing and tanking.

#### Feb General Purpose PVA

SGAN	SIZE	COLOUR	QTY	BARCODE
489446	5KG	WHITE	4	502934760748

Feb General Purpose PVA is a multi purpose quick drying PVA adhesive, sealer and bonding agent and cement admixture which has many applications in the building and DIY markets. Bonds a wide variety of building materials including wood, plaster, concrete and ceramics.



WATCH THE VIDEO:

KITCHEN-WALL-BACKSPLASH/













#### Why Chemical Anchors?

**Chemical Anchors** 

152

# Chemical Anchors, also often referred to as 'Resin Bonded' anchors, are being increasingly used where a critical or heavy weight loading needs fastening.

**BUILDING PRODUCTS** 

Unlike intrusive mechanical expansion anchors or plastic plugs, chemical anchors make the fixing an integral part of the substrate as the load is spread throughout the entire fixing area, removing the stress caused within the substrate when mechanical anchors or plastic plugs are "tightened" up.

This key difference is particularly relevant on lightweight substrates, and poor and friable substrates, cracked concrete, sandstone and masonry as well for fixings close to the edge.

#### How are they used?

The hole is drilled to the required diameter dependent upon the threaded bar to be used, and the loading it has to take. Full tables of relevant hole diameter sizes and loading strengths can usually be found on all packs and technical data, but for example for an M8 fixing a 10mm diameter hole would normally be used in concrete.

#### Where are they used?

In addition to the more critical structural applications Chemical Anchors also provide a more robust fixing solution in many day to day building applications such as:

- Satellite Dishes Railings Heavy Pipes • Gates • Sanitary Fixings • Wall Ties • Fire Surrounds • Lamps • Steel Structures
- Kitchen Wall Cupboards Towel Holders

#### Anchorset Green 150 Styrene Free Anchor Fixing Resin

SGAN	SIZE	COLOUR	QTY	BARCODE
490165	150ML	GREY	12	5029347606503

Anchorset Green 150 is a styrene free anchor fixing resin packed using a twin bag system for application with a standard sealant gun. Applied in one single action, this general purpose resin will produce a strong, chemical resistant fixing. Ideal for a multitude of uses including fixing railings, satellite dishes, brackets etc. which require heavy loads.





#### **Anchorset Green 300** Styrene Free Anchor Fixing Resin

### SGAN SIZE COLOUR QTY BARCODE 482457 300ML GREY 12 5029347606046

A styrene free chemical anchor in a new easy to use twin bag system operated by a standard sealant gun, therefore easy to use by a general builder. Applied in one single action, this general purpose resin will produce a strong, chemical resistant fixing. Perfect for satellite dish mountings, gate hinges, balcony rails etc. Complete with a mixer nozzle.



#### **Sika®** AnchorFix-1



A two-component, fast curing, solvent and styrene free, polyester based chemical anchoring adhesive. Sika® AnchorFix®-1 is recommended for standard applications with low to medium loads.



#### Anchorset Nozzle

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 489048
 25
 NO BARCODE


Nozzle No. 4 – Standard mixer nozzle, 215MM length for use with Anchorset 150 and 300.

#### **Sikadur<sup>®</sup> 33** Structural Epoxy Adhesive

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 498629
 250ML
 GREY
 12
 7612894403688

A two-component, solvent-free, cold cure, thixotropic epoxy resin, structural adhesive. Sikadur® 33 is supplied in a cartridge with an in-line mixer nozzle.







# BUILDING PRODUCTS



#### **101 Multi Purpose** Linseed Oil Putty

SGAN	SIZE	COLOUR	QTY	BARCODE
489026	0.5KG	BROWN	12	5029347001179
489027	1KG	BROWN	12	5029347001186
480207	0.5KG	NATURAL	12	5029347001100
480210	1KG	NATURAL	12	5029347001117
480211	2KG	NATURAL	6	5029347001124
480212	5KG	NATURAL	1	5029347001155

101 Multi-Purpose Linseed Oil Putty is specially formulated using only the best grade linseed oil, for glazing single glass into metal, softwood and hardwood window frames.



#### **102 Premium** Butyl Glazing Compound

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 489029
 2KG
 BROWN
 6
 5029347001223

102 Butyl Glazing Compound is specially formulated for glazing double glazed units into timber window frames where a timber bead is to be used. Suitable for both soft and hardwood frames.

01	
	seed Oil Putty
_	一日
4	T Part

Trowel Mastic	

102 D.

SGAN	SIZE	COLOUR	QTY	BARCODE
488963	ЗКG	RED	4	5029347600532
488964	ЗКG	STONE	4	5029347600525
488965	6KG	RED	2	5029347606787
488966	6KG	STONE	2	5029347606794

103 Trowel Mastic is a premium oil based mastic for perimeter pointing around wood and metal window and door frames.





<b>208</b> Powder Mortar Tone	

SGAN	SIZE	COLOUR	QTY	BARCODE
489429	1KG	BLACK	6	5029347002817
489440	1KG	BROWN	6	5029347002831
489441	1KG	BUFF	6	5029347002855
489442	1KG	MARIGOLD	6	5029347002848
489443	1KG	RED	6	5029347002824

Powder Mortar Tone is formulated from best quality oxide pigments for colouring all types of mortars. The pigments disperse easily into the mix to give a uniform shade for each mix batch, shading can be adjusted to provide a wider variety of colour depths. **Tested to EN12878**.

#### **209** Liquid Mortar Tone

	SGAN	SIZE	COLOUR	QTY	BARCODE
	488950	1LTR	BLACK	12	5029347002916
	488951	5LTR	BLACK	4	5029347002954

Liquid Mortar Tone is formulated to provide a colour to all types of mortars, rendering, concrete and pointing. The liquid disperses evenly throughout the mix to give uniform shade for each mix batch. Shading can be adjusted to provide a wide variety of colour depths. **Tested to EN12878.** 













TILING



SCAN TO SEE THE FULL RANGE gbr.sika.com/en/distribution.html



## Aquaseal




The Aquaseal Wet Room System Kit gives you everything you need to waterproof both walls and floors prior to tiling showers, wet rooms, wet zones and other areas susceptible to water and excessive moisture. Ideal for use on Plasterboard, Plaster, MDF, Plywood, Cementitious Boards, Block work, Concrete and Specialist Wet Room Boards.

The Aquaseal Tanking Kit is available in two sizes; Standard - everything you need to waterproof 4.5m<sup>2</sup> and Large – everything you need to waterproof 7.5m<sup>2</sup>.

Both kits come complete with:

- Waterproof Tanking Primer (1L)
- Waterproof Tanking Membrane (3LTR - Standard, 5LTR - Large)
- Waterproof Tanking Tape (10MTR)
- Waterproof Tanking Drain Mat
- Aguaseal Wet Room System instruction leaflet









Tanking Membrane The ready-to-use membrane is applied by brush in a 2 coat system at right angles to each other.

**Tanking Primer** 



Aquaseal

SGAN	SIZE	COLOUR	QTY	BARCODE
487333	5LTR	BLUE	1	5029347611163

Aquaseal Waterproof Tanking Membrane is the ideal product for use when waterproofing before tiling. It forms a permanently flexible watertight membrane, is non hazardous and solvent free. Aquaseal Tanking Membrane is easy to apply by brush, is quick drying and can be tiled after 12 hours.



Aquaseal

SGAN SIZE QTY BARCODE 683645 10MTR NO BARCODE

Aquaseal Waterproof Tanking Tape is a self adhesive joint and corner tape ideal for use when waterproofing showers, wet rooms and wet zones in bathrooms before tiling. A permanently flexible butyl backed fleece with cross directional stability, Waterproof Tanking Tape can be used on all board joints, corners and pipe entries. Can be tiled directly or overcoated with Aquaseal Waterproof Tanking Membrane for full wet zones and is easy to apply with a pre-cut release liner.







# SikaCeram<sup>®</sup>-140

SGAN	SIZE	COLOUR	QTY	BARCODE
674162	20KG	GREY	1	5055492703712

SikaCeram<sup>®</sup>-140 Rapid Set is a water-resistant tile adhesive, suitable for bonding ceramic and mosaic tiles to floor or walls in both thick and thin bed applications.

Classification C1FT

<b>SikaCeram®-240</b> Flexible Rapid Set
---

SGAN SIZE COLOUR OTY BARCODE 677239 20KG GREY 1 5055492703729

SikaCeram<sup>®</sup>-240 Flexible Rapid Set Tile Adhesive is suitable for bonding ceramic tiles to walls or floors with a thick or thin bed application, with crack resistant properties making it ideal for applications where slight surface movement is likely. Classification C2 FE



#### SikaCeram<sup>®</sup>-272 Ultra Flexible Rapid Set

SGAN SIZE COLOUR QTY BARCODE 1 5055492703736 677329 2086 WHITE

SikaCeram®-272 Ultra Flexible is a rapid-setting, water resistant tile adhesive with superior flexibility, and is ideal for tiling heavy duty areas including heavily walked floors or areas under constant immersion.

Classification C2 FTE S1







SikaCeram<sup>®</sup>-277 Flexible Standard Set

SGAN SIZE COLOUR QTY BARCODE 5055492703743 677506 20КС WHITE 1 5055492703743 1 5055492703750 GREY 677508 20KG

SikaCeram<sup>®</sup>-277 Flexible Standard Set is a thin bed adhesive with a long working pot-life and extended open time for applications where extensive cutting is required during application.

#### Classification C2 TE S1

**[~**]

EXTERIOR AN

 $5M^2$ 

APPROX COVER AG

HEATING

60





678298 20KG GREY 1 5055492703767

SikaCeram<sup>®</sup>-282 Fibre Reinforced is a highly flexible, lightweight, fibre reinforced tile adhesive for applications where movement is expected. Classification C2 TE S2

## **701 Non Slip Showerproof**

SGAN	SIZE	COLOUR	QTY	BARCODE
487066	3.75KG	OFF WHITE	1	5029347070120
487067	7.5KG	OFF WHITE	1	5029347070137
487068	14KG	OFF WHITE	1	5029347070144

Acrylic Non Slip Tile Adhesive is an acrylic based formula for extra slip resistance and grab. Designed for general use in bathroom and kitchen areas. May be used in domestic showers when used in conjunction with Everbuild Powdered Wall Tile Grout. Tested to EN 12004 type D1T.



702 Water Resistant Ready Mixed Tile Adhesive

SUITABLE FOI USE WITH

JNDERFLOO HEATING

SET TIME

00

SGAN SIZE COLOUR QTY BARCODE 5029347070250 487071 
 7.5KG
 OFF WHITE
 1
 5029347070250

 16KG
 OFF WHITE
 1
 5029347070205
 487072

Water Resistant Tile Adhesive is a premium grade adhesive that can be used in areas subject to prolonged/permanent wet conditions and in areas of high humidity and condensation. Tested to EN 12004 type D2T.



703 Fix And Grout Ready Mixed Tile Adhesive and Grout


SGAN	SIZE	COLOUR	QTY	BARCODE
487074	750G	WHITE	12	5029347600426
487075	1.5KG	WHITE	12	5029347070311
487077	3.75KG	WHITE	1	5029347070328
487078	7.5KG	WHITE	1	5029347070359

Fix and Grout Tile Adhesive is a premium grade adhesive, formulated to be used as both an adhesive and grout. Contains a fungicide to prevent mould growth and dries to a brilliant white finish. Tested to EN 12004 type D2T.













#### **TileSet 700 Universal** Floor and Wall Tile Adhesive

SGAN	SIZE	COLOUR	QΤΥ	BARCODE
678329	20KG	GREY	1	5029347615819
695061	20KG	WHITE	1	5029347615826

700 TileSet Universal is a standard setting tile adhesive, ideal for when an extended opening time is required. Suitable for fixing ceramic, mosaic and natural stone tiles to semi-porous surfaces.



#### TileSet 705 Rapid Floor and Wall Tile Adhesive

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 486663
 20KG
 GREY
 1
 5029347070526

705 TileSet Rapid is fast setting tile adhesive, drying in just 1-2 hours making it ideal for when same day fixing, and grouting is required. Suitable for bonding ceramic tiles to floors and walls.



#### WATCH THE VIDEO:

HTTPS://WWW.EVERBUILD.CO.UK/RESOURCES-AND-SUPPORT/HOW-TO-VIDEOS/HOW-TO-EASILY-TILE-A-KITCHEN-WALL-BACKSPLASH/









#### **TileSet 711 Flexiplus S1** Floor and Wall Tile Adhesive

SGAN SIZE COLOUR QTY BARCODE GREY 1 5029347071110 WHITE 1 5029347615901 486660 20KG 20KG 695062

711 TileSet Flexiplus S1 is a rapid setting tile adhesive with added latex powder for improved flexibility. Can be used for ceramic, porcelain, and large format tiles.

# SGAN SIZE COLOUR QTY BARCODE

695765	2.5KG	WHITE	4	5029347615918
486468	5KG	WHITE	1	5029347612283
486045	5KG	ANTHRACITE	1	5029347612337
486466	5KG	IVORY	1	5029347612306
486465	5KG	GREY	1	5029347612290

730 Universal Flexible Hygienic Wall and Floor Tile Grout

730 Uniflex Flexible Hygienic Wall and Floor Tile Grout is a cementitious grout designed specifically for wall and floor tile applications for joints up to 15mm wide. The added powder polymer provides flexibility and water resistance to provide a durable water repellent finish.

Suitable for most common tiles including ceramic, natural stone and porcelain. 730 Uniflex Flexible Hygienic Wall and Floor Tile Grout contains Mould Shield for long lasting Anti-Fungal protection against black mould.\*. \*Simulated ageing.



WATCH THE VIDEO: HTTPS://WWW.EVERBUILD.CO.UK/RESOURCES-AND-SUPPORT/HOW-TO-VIDEOS/HOW-TO-EASILY-TILE-A-KITCHEN-WALL-BACKSPLASH/









TILING

Grouts

163



WHITE



ANTHRACITE

These swatch colours may not be a true representation, please obtain a sample from your local stockist.









# SikaCeram<sup>®</sup> CleanGrout Floor and Wall Tile Grout

	SGAN	SIZE	COLOUR	QTY	BARCODE
	427156	5KG	ANTHRACITE	4	7612894904116
	427154	5KG	ASH	4	7612894904079
	427155	5KG	BEIGE	4	7612894904093
	445625	5KG	ABSOLUTE BLACK	4	7612895008011
	445651	5KG	JASMIN	4	7612895008318
	427153	5KG	MANHATTAN GREY	4	7612894904055
4	445640	5KG	SAND	4	7612895008110
	427157	5KG	WHITE	4	7612894904130

SikaCeram<sup>®</sup> CleanGrout is a cementitious, floor and wall tile grout for joints 1mm to 8mm in width; incorporating a high-quality, water-repellent formula which also prevents colours from fading over time.

**Used**: in applications where water-resistance is essential including swimming pools and tanks.

Inhibits the formation of mould and bacterial growth

Suitable for interior and exterior applications

For use on all types of tiles, mosaic, marble and natural stone.









MANHATTAN GREY





ANTHRACITE



These swatch colours may not be a true representation, please obtain a sample from your local stockist.

# **Forever White** Powder Wall Tile Grout

SGAN	SIZE	COLOUR	QTY	BARCODE
560638	1.2KG	ARCTIC WHITE	8	5029347606145
485874	ЗКG	ARCTIC WHITE	1	5029347606367

Forever White Powder Wall Tile Grout is a cement based powdered grouting compound with added PVA to promote adhesion and water repellents to shed water.

Simply mix with water to give a pure white paste. Can be used on wall joints up to 3mm.





#### **Forever White** Grout Reviver

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 487331
 200ML
 ARCTIC WHITE
 12
 5029347606152

Forever White Grout Reviver is the easy way to restore discoloured and dirty grout to a bright white finish.

Simply apply to grout lines using the easy to use applicator, allow to dry and remove any excess residue with a damp cloth. Depending upon size of tile, will cover approx 20m<sup>2</sup> of tiles.





# BUILDING FINISHING

Mineral Renders	168
Lime Renders	169
Base Coats	170
Top Coats	171
Pointing Mortars	172
Complementary Products	173




SCAN TO SEE THE FULL RANGE gbr.sika.com/en/distribution.html



#### BUILDING FINISHING Mineral Renders

BUILDING FINISHING Mineral Renders / Lime Renders

# 169





711840

632422

633990

673948

concrete walls. Suitable as a grey coat finishing render or

as a base coat for receiving a

Parex decorative finish.

PARMUREX

## BUILDING FINISHING Topcoats

Parex Revlane+ Ignifuge Taloche Fin

A pre-mixed, vapour permeable, ready to apply

Acrylic based decorative coating for external

and internal walls. Finished appearance is

171

#### SikaWall®-1015 SikaWall®-100 Base Coat Adhesive Coat SGAN SIZE PALLET QTY SGAN SIZE COLOUR PALLET QTY 25KG 40 711844 25KG WHITE 40 SikaWall®-100 Base Coat is for SikaWall®-1015 Adhesive use prior to the application of Coat is an adhesive to bond SikaWall®-530 Top Coat. insulation as part of Sika Made in the UK. EWI systems. 10000 ALC: NO. OF Parex Maité Parex Monogris E SGAN SIZE PALLET QTY SGAN SIZE COLOUR PALLET QTY 25KG 25KG GOO 48 674154 25KG J20 A high-performance polymer An Insulation adhesive and modified, weather resistant, base coat used with the grev base coat and finishing Parextherm and Parexdirect THE REAL PROPERTY AND INCOME. render for vertical external render systems. and internal walls. MONOGRIS E MAIT Parex Parmurex **One-Coat GPR** General Purpose Render SGAN SIZE PALLET QTY SGAN SIZE COLOUR QTY BARCODE 25KG 636028 25KG Grey 1 5055492703194 48 One-coat weather resistant One-Coat General Purpose Render used to render over prepared masonry to provide a weather resistant, grey render for internal and external dense masonry and PARTICIAL ASTRO

for use on brickwork, blockwork and

concrete substrates. Dries to a grey surface finish that complies to W2 water capillary resistance.



#### Parex Revlane+ Ignifuge Taloche Gros

A pre-mixed, vapour permeable, ready to apply Acrylic based decorative coating for external and internal walls. Finished appearance is based upon grain size, Gros 1.6mm.



An acrylic-based, ready-to-use coloured primer designed to adjust the base absorption to substrates and increase the depth of colour prior to the application of Parex REVLANE+ top coat finishes.



An acrylic binder paint specially designed
for new and existing building façades with
excellent coverage. Can be used pure or dilute
with water. Please see the Revlane Colour cha





breathable rendered finish. Applied to a thickness of up to 15mm which cures to an overpaintable finish and perfect



SCAN FOR **FULL COLOUR** RANGE

offering increased weather resistance and water run off properties. Finished appearance



An activity binder paint specially designed he hart



## **FULL COLOUR** RANGE



## BUILDING FINISHING Pointing Mortars

## **BUILDING FINISHING Complementary Products**

SIZE PALLET QTY

90

28

A water vapour-permeable and microporous substrate

porosity regulator and key coat admixture, particularly

suitable for lime or earth-based substrates where high

breathability of the substrate is required or where a high

Parex Fixopierre

5LTR

absorption substrate is expected. FIXOPIERRE improves the adhesion of façade renders by reducing the risk of the product drying out

20LTR

SGAN

before hardening.

633436

633435

173

Historic Mortar

Designed for gun-injection, Parex Historic Mortar provides a cementfree mortar for pointing soft brick or stonework. Consistent in both colour and finish. Parex Historic mortars are pumped deep into the joint, providing a complete fill and a degree of flexibility.

## Historic Mortar KL

Designed for gun-injection, Parex Historic Mortar KL is a cement-free mortar suitable for use with dense masonry and brick tiles, eg. Corium Brick Cladding System, where porosity is low and suction is limited.



#### **Standard Mortar**

Designed for gun-injection, Parex Standard Mortar provides a clean, quick, lasting solution for pointing sound brickwork or masonry.





SCAN FOR **FULL COLOUR** RANGE







#### Parex TV10 Reinforcement Mesh

SGAN SIZE PALLET QTY 633203 1M X 50M ROLL 33

A glass fibre mesh fabric combined with specially designed surface treatments that can be used in a wide range of Parex cement and lime render applications. For ease of identification the TV10 mesh is coloured green and has the Parex logo throughout the mesh.



#### Parex Render Bead Adhesive

SGAN SIZE COLOUR BOX QTY 651522 350ML WHITE

A new ready-to-use, high-strength render bead adhesive. The bead adhesive has been designed for ease of application, fast drying and is capable of bonding to a wide range of substrates.



#### SGAN SIZE PALLET QTY 20LTR 669718 74

Parex Monaccel Plus

Monaccel Plus is an admixture used to reduce the initial setting time of one-coat renders and other general mortars.




#### **Parex Paraguard**


SGAN SIZE PALLET QTY 630036 630037 5LTR 25LTR 48 74

A water-based coating, which provides a weatherproof, lotus leaf effect. water resistant surface to a range of render. paving, masonry and timber substrates.






10-GOBETI







Micro Gobetis 3000 is designed to control suction to high absorption or low porosity substrates and improves the adhesion for one coat

render systems.

633272 20LTR 27 A pink coloured liquid with a high granular

Parex Micro Gobetis 3000

SGAN SIZE PALLET QTY





## TERMS AND CONDITIONS

Standard terms and conditions of sale for goods sold by Sika Limited

#### 

In these Terms and Conditions the following expressions will have the following meanings unless inconsistent with

the context:

"Bespoke Goods"

means any Goods which are made to measure, bespoke, or otherwise manufactured to a unique specification.

"Brexit" means the United Kingdom ceasing to be a member state of

the European Union. "Buver"

the person(s), firm or company whose order for the Goods or Services is accepted by the Company in accordance with these Terms and Conditions.

#### "Company"

Sika Limited (Company number:226822) whose registered office is located at Watchmead, Welwyn Garden City, Herts, AI 7 1BO

"Confidential Information"

means all information in respect of the business of the Company including, but not limited to, know-how, prices or other matters connected with the Goods

or Services (which shall include any instructions of ocedures, instruction manuals, user guides and other ormation which is supplied by the Company with the Goods or Services) and any other information of whatever nature which. if disclosed, will be liable to cause harm to the Company "Contract"

any contract between the Company and the Buyer for the sale and purchase of the Goods or Services formed in accordance with Condition 2

#### "Delivery Point"

the place where delivery of the Goods is agreed to take place. as set out in the Company's written acknowledgement of

"Final Inspection Certificate"

A Certificate issued for the benefit of a third party at the completion of the Services "Goods"

any goods which the Company supplies to the Buyer (including any of them or any part of them) under a Contract

"Guarantee"

a guarantee or Final Inspection Certificate for or related to he Goods in a form to be provided by the Company in favou of a third party nominated by the Buyer

#### "Guarantee Period"

the on-going period of protection provided to a third party as set out in a Guarantee.

#### "Intellectual Property Rights"

all intellectual and industrial property rights including patents, know-how, registered trade marks, registered designs, utility models, applications for and rights to apply for any of the foregoing, unregistered design rights, unregistered trade marks, rights to prevent passing off for unfair competition and copyright, database rights, topography rights and any other rights in any invention, discovery or process, in each case in the United Kingdom and all other countries

in the world and together with all renewals and extension "Services"

any services which the Company performs for the Buyer under a Contract, which are ancillary to the supply of Goods. "Service Point"

the place at which the Services are to be performed, as set the Company's written acknowledgement of o

"Specific Delivery Requirement" any goods, which are required to be delivered by a type of vehicle specified by the Buyer.

"Terms and Conditions"

the standard terms and conditions of sale set out in this document together with any special terms agreed in v between the Buyer and the Company.

"Trademark"

the SARNAFIL trademark registered in the United Kingdom under trademark number 1046240.

"Working Day" any day other than Saturday or Sunday or a public or bank

liday in England. 2. FORMATION AND INCORPORATION

2.1 Subject to any variation under Condition 14.5 the 2.1 Subject to any variation under Condition 14.5, the Contract will be upon these Terms and Conditions, to the exclusion of all other terms and conditions and all previous oral or written representations including any terms or conditions which the Buyer purports to apply under any purchase order, confirmation of order or similar document, whether or not such document is referred to in the Contract

2.2 Each order or accentance of a quotation for Good or Services will be deemed to be an offer by the Buyer to purchase Goods or Services upon these Terms and Conditions. The Contract is formed when the Buyer receives confirmation that the order is accepted by the Company Such confirmation may either be given orally or in writing No contract will come into existence until such confirmation has been given by the Company.

2.3 The Buver must ensure that the terms of its order and any

applicable specification are complete and accurate. 2.4 Acceptance of delivery of the Goods or commencement of the performance of the Services will be deemed conclusive evidence of the Buyer's acceptance of these Terms and

2.5 Subject to Condition 5, the Buyer may not cancel the Contract. The Company may cancel the Contract at any time prior to delivery of the Goods or commencement of the performance of the Services.

3 DESCRIPTION OF THE GOODS AND SERVICES 3.1 The description of the Goods will be as set out in the

Company's price list. All samples, drawings, descriptive matter, specifications and advertising issued by the Inducer, specifications and advertising issued by the Company and any descriptions or illustrations contained in the Company's catalogues or brochures are issued or published for the sole purpose of giving an approximate idea of the Goods represented by or described in them. They will not form part of the Contract and this is not a sale by sample.

3.2 The Company may make any change to the specification, design, materials or finishes of the Goods which are:

3.2.1 required to conform with any applicable safety, statutory or regulatory requirement; o

3.2.2 do not materially affect their quality

3.3 The Company will only perform Services which ar ancillary to, or relating to, Goods provided under a contract. 3.4 The Services will only be performed by the Company at

the Service Point. 3.5 The Company shall use all reasonable endeavours to

3.5.1 to the standard required for the issue of a Final

ion Certificate 3.5.2 promptly, but time shall not be the essence for the

nce of the services 3.6 The Company shall have the right to make any changes to the Services which are necessary to comply with applicable safety, statutory or regulatory requirements, or which do not materially affect the nature or quality of the Services, and the Company shall notify the Buyer in any such event. 4. PRICE AND PAYMENT

4.1 The price for the Goods or Services will be the price set 4.1 The price for the Goods or Services will be the price set out in the Company's published price list current at the date of delivery of Goods or performance of Services or as otherwise notified by the Company to the Buyer prior to the Contract being made. Orders for Goods valued below £2000 (before VAT) are exclusive of any costs of packaging and carriage. VAT and any other applicable sales tax or duty which will be added to the sum in question. Orders for Goods valued greater than £2000 (before VAT) and which are to be disc before the construction of the the top of top of the top of the top of the top of the top of top of top of top of top of the top of be dispatched from the Company's warehouse within th United Kingdom are inclusive of any costs of packaging and carriage within the United Kingdom but exclusive of VAT and any other applicable sales tax or duty will be added to the sum in question.

4.2 The Company may invoice the Buyer for the Goods on or at any time after dispatch, or for the Services on or at any time after performance commences and payment is due in pounds sterling by the last day of the next calendar month ellowine the data of invoice or unene toremination of the ing the date of invoice, or upon termination of the Contract, whichever occurs first

4.3 Time for payment will be of the essence. No payment will be deemed to have been received until the Company has received cleared funds.

4.4 All payments to be made by the Buyer under the Contract will be made in full without any set-off, restriction o condition and without any deduction for or on account of

4.5 If any sum payable under the Contract is not paid when due then, without prejudice to the Company's other rights under the Contract: that sum will bear interest from the due under the Contract: that sum will bear interest from the due date until payment is made in full, both before and after any judgment, at a combined rate of the Bank of England base rate from time to time and the rate provided by the Late Payment of Commercial Debts (Interest) Act 1998 as amended from time to time; and the Company will be entitled to suspend deliveries of the Goods or performance of the Services until the outstanding amount has been

4.6 The Company reserves the right to recoup any sum, resulting from costs incurred from legal proceedings to recover the sum payable under the contract.

4.7 Any invoice queries must be communicated to the Company within ten (10) Working Days of receipt of the invoice by the Buyer

5 INSTALMENTS

5.1 The Company may deliver the Goods, or perform Services, by separate instalments. Each instalment will be a separate Contract and no cancellation or termination of any one Contract relating to an instalment will entitle the Buy to repudiate or cancel any other Contract or instalme unless otherwise notified by the Company. Each separate instalment will be invoiced and paid for in accordance with the provisions of the Contract.

#### 6. DELIVERY OF GOODS

6.1 Delivery of the Goods within the UK mainland will be CPT Delivery Point INCOTERMS 2010 (save that carriage may be charged to the Buyer in accordance with Condition 6.4 and or Condition 6 5)

6.2 Delivery of the Goods to Northern Ireland, the Scottish Isles, the Channel Islands or the Isle of Man will be made FOB Delivery Point INCOTERMS 2010.

6.3 Delivery of the Goods outside the UK will be made FAS Delivery Point INCOTERMS 2010, except that risk shall pass to the Buyer at the time that the Goods leave the Company's

6.4 Delivery of the Goods will be accepted at any time of day.

At the sole discretion of the Company, overnight deliveries At the sole discretion of the Lompany, overnight deliveries or deliveries at specified times may be agreed in certain Notwithstanding condition 5.1, such deliveries shall be subject to an additional charge being raised by the Company. If the Buyer fails to take delivery, or provide any necessary documents, the Goods will be deemed to have been delivered and the Company, without prejudice to its other rights, may at its ontion-

6.4.1 store or arrange for storage of the Goods until actual delivery or sale and charge the Buyer for all related costs and expenses (including, without limitation, storage and insurance): and/or

6.4.2 following written notice to the Buyer, sell any of the Goods at the best price reasonably obtainable in the circumstances and charge the Buyer for any shortfall below the price under the Contract.

Excessive waiting times may also be charged to the Buyer in

6.5 The Company will use reasonable endeavours to delive b.5 The Lompany will use reasonable endeavours to deliver Goods five (5) Working Days after the date on which the order is confirmed by the Company, but the time of delivery will not be of the essence of a Contract. Notwithstanding condition 6.1, carriage will be charged on deliveries required within five (5) Working Days, or deliveries with specific time or vehicle type stipulations. If, despite those endeavours, the second seco the Company is unable for any reason to fulfil any delivery of Goods on a specified date, the Company will be deemed not to be in breach of the Contract, nor (for the avoidance of doubt) will the Company have any liability to the Buyer for direct, indirect or consequential loss (all three of which terms includes, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss) howsoever caused (including as a result of negligence) by any delay or failure in delivery of Goods except as set out in this condition. Any delay in delivery of Goods will not entitle the Buyer to cancel the order unless and until the Buyer has given ten (10) Working Days' written notice to the Company equiring the delivery of the Goods and the Company has no fulfilled the delivery of the Goods within that period. If the Buyer cancels the order in accordance with this Condition 6.5 then, save as excluded under Condition 6.6: 6.5.1 the Company will refund to the Buyer any sums which

the Buyer has paid to the Company in respect of the Goods which have been cancelled: 6.5.2 and the Buyer will be under no liability to make any further payments under Condition 4 in respect of the Goods

that have been

6.6 Notwithstanding, the provisions of Condition 5, the Company will be under no obligation to:

6.6.1 to refund the Buyer any sums which the Buyer has paid to the Company in respect of the Bespoke Goods which ha been cancelled under Condition 5; and

6.6.2 waive any outstanding further payments due by the Buyer in respect of Bespoke Goods which have been cancelled under Condition 5.

6.7 The Buver will provide at its expense at the Delivery Point adequate and appropriate equipment and manual lab off- loading the goods.

6.8 A £10.00 handling charge will be made in addition to the carriage charge for overnight dispatch of Goods. This service is offered as resources allow and is subject to available.

6.9 The type of vehicle used to deliver Goods and the method of packaging of the Goods for delivery will be at the discretion of the Company.

6.10 Any change required by the Buyer to the delivery vehicle and/or the method of packaging the Goods for delivery selected by the Company will constitute a Specific Delivery Requirement. The Buyer will incur any additional costs for a Specific Delivery Requirement 6.11 The Buyer will provide a full and correct address, including postcode, for the delivery of the company.

7. RISK/TITLE IN THE GOODS

7.1 Risk of damage to or loss of the Goods will pass to the Buyer in accordance with Condition 6.

7.2 Ownership of the Goods will not pass to the Buyer until the Company has received in full (in cash or cleared funds) all sums due to it in respect of:

#### 7.2.1 the Goods: and

7.2.2 all other sums which are, or which become due to the Company from the Buyer on any account, whether for Goods or Services

7.3 Until ownership of the Goods has passed to the Buyer, the Buver must:

7.3.1 hold the Goods on a fiduciary basis as the Company's

7.3.2 store the Goods (at no cost to the Company) separately from all other Goods of the Buyer or any third party in such a way that they remain readily identifiable as the Company's property:

7.3.3 not destroy, deface or obscure any identifying mark o packaging on or relating to the Goods; and

7.3.4 maintain the Goods in satisfactory condition insured on the Company's behalf for their full price against all risks to the reasonable satisfaction of the Company, and will to the reasonabl never requested by the Company produce a copy of the policy of insurance.

7.4 The Buyer may resell the Goods before ownership has passed to it solely on the following conditions

7.4.1 anv sale will be effected in the ordinary course of the Buver's business at full market value and the Buver wil account to the Company accordingly; and

7.4.2 any such sale will be a sale of the Company's property on the Buyer's own behalf and the Buyer will deal as principal when making such a sale

7.5 The Buyer's right to possession of the Goods will

## TERMS AND CONDITIONS Standard terms and conditions of sale for goods sold by Sika Limited.

14 CENEDAL

Company is not of the essence.

of any other right, power or remedy.

the Company's prior written consent.

statements made fraudulently.

under the Contract

14.1 Time for performance of all obligations of the Buyer is of the essence. Time for performance of all obligations of the

14.2 Each right or remedy of the Company under the Contract

is without prejudice to any other right or remedy of the Contract Company whether under the Contract or not.

14.3 If any condition or part of the Contract is found by

14.3 If any condition or part or the Lontract is found by any court, thibunal, administrative body or authority of competent jurisdiction to be illegal, invalid or unenforceable then that provision will, to the extent required, be severed from the Contract and will be ineffective, without, as far as is possible, modifying any other provision or part of the Contract which will remain in full force and effect.

14.4 No failure or delay by the Company to exercise any right,

power or remedy will operate as a waiver of it, nor will any partial exercise preclude any further exercise of the same, or

14.5 Save as set out in the Contract and Condition 81.5

these Terms and Conditions may only be varied or amended in writing and signed by a senior manager of the Company.

14.6 The Company may assign, delegate, license, hold on

trust or sub-contract all or any part of its rights or obligation

14.7 The Contract is personal to the Buyer who may not

assign, delegate, license, hold on trust or sub-contract al

or any of its rights or obligations under the Contract withou

or Services and supersedes any prior written or oral agreements, representations or understandings between the parties relating to such Goods and/or Services. The

Buyer acknowledges that it has not relied on any statement, promise or representation made or given by or on behalf of the Company which is not set out in the Contract. Nothing in

this Condition 14.8 will exclude any liability which one party would otherwise have to the other party in respect of any

14.9 Save as set out in Condition 8.7 the parties to the

14.9 Save as set out in Condition 8.7 the parties to the Contract do not intend that any of its terms will be enforceable by virtue of the Contracts (Rights of Third Parties) Act 1999 by any person not a party to it.

14 10 Any notice in connection with the Contract will be in

writing addressed to the other party at its registered office, or principal place of business and will be delivered by hand, or first class or special delivery post or The notice will be

demot to have been duly served, if delivered by hand, when left at the proper address for service or if made by pre-paid, first class post or special delivery post, forty-eight (48) hours after being posted or in the case of Airmail, fourteen (14) days after being posted.

14.11 The formation, existence, construction, performance,

14.11 in e formation, existence, construction, performance, validity and all aspects whatsoever of the Contract or of any term of the Contract to will be governed by English law. The English courts will have exclusive jurisdiction to settle any dispute which may arise out of, or in connection with the Contract. The parties agree to submit to that jurisdiction.

14.12 Where Part II of the Housing Grants. Construction

agreement for the appointment of an adjudicator shall be set out in the Model Adjudication Procedures published

by the Construction Industry Council current at the date of

reference. The nominating body shall be the Technology and Construction Solicitors' Association or any successo

14.13 The Buyer will keep confidential any and all

14.13 The Buyer will keep contridential any and all Confidential Information that it may acquire. The Buyer will not use the Confidential Information for any purpose other than to perform its obligations under the contract. The Buyer will ensure that its officers and employees comply with the provisions of this Condition 41.13. The obligations on the Buyer set out in this Condition will not apply to any

information which is publicly available or becomes publicly available through no act or omission of the Buyer or if the Buyer is required to disclose by order of a court of competen

14.14 Where a Brexit Trigger Event occurs (as defined below)

14.14.1 the Company shall not be liable to the Buyer for any failure or delay or for the consequences of any failure or delay in performance of the Contract where there is a Brexit Trigger

14.14.2 the Company may require the Buyer to negotiate in good faith an amendment to the Contract to alleviate the Brexit Trigger Event; and if no such amendment is made

to the Contract within seven (7) days from notice given by

the Company, the Company may terminate the Contrac by giving Buyer not less than twenty one (21) days writter

14.15 For the avoidance of doubt the rights afforded by this

clause 14.14 are without prejudice to the entitlement of the Company to exercise its rights pursuant to Condition 2.5, and the Company to exercise its rights pursuant to and the company or delivery of the Cookdo or commencement of the performance of the Services, for any reason

14.16 "Brexit Trigger Event" means any of the following

14.16.1 an adverse impact on the Company's ability to

perform the Contract in accordance with its terms and the law (and the Company shall determine in its absolute discretion whether such an adverse impact has occurred);

14.16.2 an increase in the costs incurred by the Company

performing the Contract since the price for the Good last agreed.

Revised April 2020

events occurring at any time on or after Brexit

and the Company gives notice to the Buyer of the same:

Event (and the notice shall have effect from its date)

is Agreement ires and the

.12 Where Part II or the Housing urants, cons id Regeneration Act 1996 applies, either party m y dispute or difference arising under this Agr adjudication. The adjudication procedures a

organisation

urisdiction

14.8 The Contract contains all the terms which the Compa and the Buyer have agreed in relation to the Goods an

8.8 The Buyer agrees to indemnify, keep indemnified and hold harmless the Company from and against all costs (including the costs of enforcement), expenses, liabilities (including any tax liability), injuries, direct, indirect or consequential loss (all three of which terms include,

Consequential loss (all three of which terms include, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss), damages, claims, demands, proceedings or legal costs (on a full indemnity basis) and judgments which the Company incurs or suffers as a consequence of a direct or indirect breach or negligent performance or failure or delay in performance by the Dewner of the Longer of the Construct.

the Buver of the terms of the Contract. Where a Guarantee

has been issued, such indemnity shall continue until the end

9.1 Where the Company provides a Warranty additional to

the guarantee in Condition 8 hereof, the Buyer may request

that the Warranty be provided in favour of an interested third party nominated by the Buyer.

9.2 The Warranty shall be on such terms and in such form as

9.3 The Warranty shall only be provided when all payments

due from the Buyer have been received and if in association with a Final Inspection Certificate, when the Company has been given all reasonable opportunity to carry out a technical

9.4 The Buyer acknowledges that in the event of a claim

9.4 The Buyer acknowledges that in the event of a claim being brought against the Company under, and in accordance with the terms of a Warranty, which is solely or partially due to the installation of the Goods not having been carried out

in accordance with the Company's recommendations or with the skill and care expected of an experienced contractor, the

9.4.1 recognise the continuing obligations of the Company

and the Buyer to remedy defects in the Goods for the Guarantee Period; and

9.4.2 not seek to rely on and, if and to the extent necessary.

expressly waive any entitlement to rely on the provisions o the Limitation Act 1980 in defence of such claim.

The Company will not be in breach of the Contract and

/ or liable to the Buyer for any failure or delay, or for the consequences of any failure or delay, in performance of the Contract if such failure or delay is due to any event or

the Contract if such tailure or delay is due to any event or circumstance beyond the reasonable control of the Company including, without limitation, any act of God, disease, epidemic, pandemic, war, industrial dispute, protest, fire, tempest, explosion, act of terrorism, and national emergency, and the Company will be entitled to a reasonable extension of time for performing its obligations in such

11.1 The Company may by written notice terminate the

11 1 1 is in material breach of any of the terms of the Contract

11.1.2 becomes bankrupt, insolvent, makes any composition with his creditors, has a receiver appointed under the Mental Health Act 1983 or dies;

11.1.3 has any distraint, execution or other process levied or

11.1.4 ceases to trade or appears in the reasonable opinion of

11.1.5 the equivalent of any of the above occurs to the Buyer under the jurisdiction to which the Buyer is subject.

11.2 The Company may terminate the Contract in accordance

11.3 The termination of the Contract howsoever arising is without prejudice to the rights, duties and liability of either

the Buyer or the Company accrued prior to termination. The

conditions which expressly or impliedly have effect after termination will continue to be in force notwithstanding

12.1 No right or licence is granted to the Buyer in respect of the existing Intellectual Property Rights of the Company, except the right to use, or re-sell the Goods in the Buyer's ordinary course of business.

12.2 All Intellectual Property Rights in or arising out of or in connection with the performance of Services shall be owned

12.3 The Buyer will not without the Company's prior consent allow the Trademark or any other trade marks of

the Company or other words or marks applied to the Goods to be obliterated, obscured or omitted nor will he add any

13.1 The Buyer shall not give additional or more favourable

warranties than the ones given under clause 8 if it resells the Coods, and the Company shall not bear any liability whatsoever in relation thereto.

Furthermore, if the Buver intends to resell the Goods for a

respect to such a resale. Furthermore, the Buyer/Reseller shall indemnify and hold harmless the Company against any third party claim in relation to such a resale, including

without limitation, expenses, fees and damages that could be claimed against the Company.

n-approved Sika use or outside of the United Kingdom, en the Buyer/Reseller shall do so at its own risk and e Company shall not bear any liability whatsoever with

termination, which shall include but shall not be limited the Buyer's obligations in relation to any Guarantee.

the Company likely or is threatening to cease trade

life in material breach of any of the terms of the Contract. llure to pay any sums due in accordance with Condition 4.2 i material breach of the terms of the Contract which is not

Buyer shall indemnify the Company and shall;

of the Guarantee Period

the Company considers appropriate.

9. GUARANTEE

tihuc

10. FORCE MAIEURE

event or circumstance

Contract immediately if the Buyer:

enforced on any of its property:

12. INTELLECTUAL PROPERTY

itional marks or words

11. TERMINATION

canable of remedy-

with Condition 14 14

by the company.

13. DISTRIBUTION

is a mate

terminate immediately if any of the circumstances set out in Condition 11.1 occur.

7.6 The Company will be entitled to recover payment for the Goods notwithstanding that title in any of the Goods has not

7.7 The Buyer grants the Company, its agents and employees an irrevocable licence at any time to enter any premises where the Goods are or may be stored in order to inspect them, or, where the Buyer's right to possession has

7.8 Where the Company is unable to determine whether any Goods are the goods in respect of which the Buyer's right to possession has terminated, the Buyer will be deemed to have sold all goods of the kind sold by the Company to the Buyerin the order in which they were invoiced to the Buyer.

7.9 On termination of the Contract howspever caused the

Company's (but not the Buyer's) rights contained in this Condition 7 will remain in effect.

8.1 The Company will, free of charge, within a period of twelve (12) months from the date of delivery of Goods, or where a Guarantee has been issued, for the Guarantee

Period, which are proved to the reasonable satisfaction of

The company to be missing, damaged or defective due to defects in material or design (other than a design made, furnished or specified by the Buyer), repair, or at its option provide or replace, such Goods. This obligation will not apply

8.1.1 the Goods have been improperly altered in any way

8.1.2 the Goods have been improperly installed or connected;

8.1.3 any maintenance requirements relating to the Goods

8.1.4 the Buyer has failed to notify the Company of any defect(s) or missing item(s) from the order

acknowledgement within forty-eight (48) hours of delivery where the defect(s) or missing item(s) should be apparent on reasonable inspection, or within forty-eight (48) hours

on reasonable inspection, or within forty-eight (48) hours of the same coming to the knowledge of the Buyer where the defect(s) or missing item(s) is not that which should be apparent on reasonable inspection, and in any event no later

8.1.5 where a guarantee has been issued, and has been breached by the third party beneficiary of the Guarantee within the Guarantee Period

8.2 Any Goods which have been replaced by the Company

6.2 Any Golds which have been replaced by the Company will belong to the Company. Any replacement Goods will be liable to repair or replacement under the terms specified in Condition 8.1 for the unexpired portion of the twelve (12) month period from the original date of delivery

of the replaced Goods or where a Guarantee has been issued

8.3 In the event of any breach of the Company's express obligations under Conditions 5, 8.1 and 8.2 above the remedies of the Buyer will be limited to damages.

8.4 The Company does not exclude its liability (if any) to

8.4.1 for breach of the Company's obligations arising under section 12 Sale of Goods Act 1979 or section 2 Supply of Goods and Services Act 1982;

8.4.2 for personal injury or death resulting from the

8.4.5 for any matter which it would be illegal for the

Company to exclude (or to attempt to exclude) its liability: or

8.5 Except as provided in Conditions 6.5 and 8.1 to 8.4, the Company's liability to the Buyer (whether in contract, tort (including negligence), breach of statutory duty, restitution

or otherwise) for any injury, death, damage or direct, indirect or consequential loss (all three of which terms include,

vithout limitation, pure economic loss, loss of profits, loss

of business, depletion of goodwill and like loss) howsoeve

8.5.1 any of the Goods, or the manufacture or sale or supply,

or failure or delay in supply, of the Goods by the Company or on the part of the Company's employees, agents or sub

8.5.2 any of the Services, or their performance, or failure or delay in performance, of the Services by the Company or on the part of the Company's employees, agents or sub-

8.5.3 any breach by the Company of any of the express or

8.5.4 any use made or resale by the Buyer of any of the

8.5.5 any use made by the Buyer of any of the Services, or of

8.5.6 any statement made or not made. or advice given or not

given, by or on behalf of the Company or otherwise under the Contract, shall be limited to the invoiced value of the Goods

8.6 Except as set out in Conditions 6.5 and 8.1 to 8.5, the

Company hereby excludes to the fullest extent permissible in law, all conditions, warranties and stipulations, express

8.7 Each of the Company's employees, agents and sub-

contractors may rely upon and enforce the exclusions and restrictions of liability in Conditions 6.5 and 8.3 to 8.6 in

as if the words "its employees, agents and sub-contractors' followed the word Company wherever it appears in thos conditions save each reference in Condition 8.5.1.

statutory, customary or otherwise which, but for si exclusion, would or might subsist in favour of the Buyer.

that person's own name and for that person's own b

stract) or

Goods, or of any product incorporating any of the G

any product incorporating any of the Services; or

(other than those set out in the Co

8.4.3 under section 2(3) Consumer Protection Act 1987:

than twelve (12) months from the date of delivery:

whatsoever, or have been subject to misuse or unau

nassed from the Company

terminated to recover them

8. LIABILITY OF COMPANY

not been comp

for the Guarantee Period

Company's negligence;

rising out of or i

implied terms of the Contract:

8.4.6 for fraud

contractors

175



## **PRODUCT INDEX**

9

134

134

134

134

135

135

155

155

10

43

43

10

61

59

61

61

59

62

62

59

59

43

10

42

42

10

150

42

150

143

150

143

11

162

11

161

161

161

162

141

141

141

162

140

163

20

78

Е

EB25

Damp Proofing Slurry

Deep Gap Ready Mixed Filler

Dual Purpose Foam Cleaner

#### Numbers

101 Multi Purpose Putty 102 Butyl Glazing Compound 103 Trowel Mastic 105 EpoxySet 115 GP Building Mastic 125 One Hour Caulk 145 Premium Butyl Rubber Sealant 175 Premium Universal Acrylic Sealant 195 Premium+ Siliconised Acrylic Sealant 2 Part High Performance Wood Filler 200 LMA Contractors Silicone 201 Mortar Admix 202 Integral Liquid Waterproofer 203 Accelerator and Frostproofer 204 Evermix 3 In 1 206 Strike Release Oil 207 Zeromix C.F.F 208 Powder Mortar Tone 209 Liquid Mortar Tone 225 Contract Industrial and Glazing Silicone 30 Minute PU Wood Adhesive Gel 30 Minute PU Wood Adhesive Liquid 335 Premium Construction Silicone 401 Brick and Patio Cleaner 402 Water Seal 403 Concrete Hardener and Dustproofer 404 Fungicidal Wash 405 Path and Patio Seal 406 Stabilising Solution 407 Mortar Stain Remover 408 Super Seal 409 Block-Guard 45 Minute PU Wood Adhesive Liquid 450 Premium+ Builders Silicone 5 Minute PU Wood Adhesive Gel 5 Minute PU Wood Adhesive liquid 500 Premium+ Bath and Sanitary Silicone 501 PVA Bond 502 All Purpose Weatherproof Wood Adhesive 503 SBR Bond 505 Plasterers Gripcoat 506 Contractors PVA 507 Rendagrip 565 Premium+ Clean Room Silicone 700 TileSet Universal 700T Contract LMN Silicone 701 Non-Slip Tile Adhesive 702 Water Resistant Tile Adhesive 703 Fix and Grout 705 TileSet Rapid 708 Febflor Universal 709 Febflor Latex Plus 710 Febflor Flexiplus 711 TileSet Flexiplus S1 720 Febflor Fibre Plus 730 Universal Flexible Hygienic 825 Silicone Sealant 901 Black Bitumen Paint

	902 Bitumen Flashing and Primer
154	903 Bitumen Trowel Mastic
154	904 Roof Felt Adhesive
154	905 All Weather Roof Coating
148	906 Bitumen Roofing Emulsion
8	907 Solar Reflective Paint
8	908 DPM
9	
9	Δ
9	AC50 Contract Acoustic Sealant & Adhes
94	AC95 Contract Intumescent Sealant & Ad
0	ACDD CONTRACT INTRUMESTERIT DEGIGING & AC

		F
Α		Feb Brickclean
AC50 Contract Acoustic Sealant & Adhesive	11	Feb General Purpos
AC95 Contract Intumescent Sealant & Adhesive	14	Feb Rendamix
Adhesive Spray - Mammoth	47	Feb Wintamix
All Purpose Powder Filler	93	Febgrout Flowable
All Purpose Ready Mixed Filler	91	Febmix Admix
All Purpose Ready Mixed Filler Easi Squeeze	93	Febmix Plus
All Purpose XT44 Maintenance Spray	115	Febond Blue-Grit
Aluminium Tape	104	Febond PVA
American Duct Tape	103	Febond SBR
Anchorset Green 150	152	Febproof Plus
Anchorset Green 300	152	FebSet 45
Anchorset Nozzle	153	Febspeed
Anti Pick 109	22	Febtank Plug
Agua Mate	12	Febtank Super
Aquaseal Waterproof Tanking Membrane	159	Fill and Skim
Aquaseal Wet Room Kit	158	Fill Once
Aquaseal Wet Room Tape	159	Filler Coat
··		
		Fine Surface Ready
В		Fire Mate
Barrier Tape	107	Fire Sealant 300
Bath and Kitchen Sealant	15	Fire Sealant 400
Blanc du littoral	169	FireFoam B1 Gun Gr
Boiled Linseed Oil	99	FireFoam B1 Handh
Brush Cleaner	97	Firefoam B2 Gun Gr
Brush Restorer	97	Firefoam B2 Handh
Builders PVC Tape	104	Firespan Intumesce
		Fix and Fill
С		Flashing Tape - DIY
	10.0	Flashing Tape - Trac
Carpet Fix Cloth Tape	108	Flexible Decorators
Caulk Once	7	Floor Paint
Cemstrip	63	Floor Varnish
Clear Fix	35	Flue Jointing Compo
Clear Varnish	71	Foil Pack Applicator
Clear Weatherproof Tape	105	Foil Pack Spare Noz
Constructa-Pro	83	Forever White
Cotton Dust Sheets	96	Forever White Grou
Coving Adhesive and Joint Filler	37	Forever White Grou
Creocote	69	
		G
D D A Marcel Adhereitur	42	Gaffa Tape
D4 Wood Adhesive	42	Galva Mate

EpoxySet NF	148
Euro Scrim	109
Evercryl Emergency Roof Repair	75
Evercryl One Coat Roof Repair Compound	74
Exact Gap Foam	82
External Frame Sealant	16

78

78

78

79

79

79

79

/9		
	F	
	Feb Brickclean	137
11	Feb General Purpose PVA	151
14	Feb Rendamix	137
47	Feb Wintamix	137
93	Febgrout Flowable	147
91	Febmix Admix	136
93	Febmix Plus	136
115	Febond Blue-Grit	143
104	Febond PVA	151
103	Febond SBR	151
152	Febproof Plus	136
152	FebSet 45	147
153	Febspeed	137
22	Febtank Plug	128
12	Febtank Super	128
159	Fill and Skim	93
158	Fill Once	90
159	Filler Coat	93
	Fine Surface Ready Mixed Filler	91
	Fire Mate	13
107	Fire Sealant 300	21
15	Fire Sealant 400	21
169	FireFoam B1 Gun Grade	85
99	FireFoam B1 Handheld	85
97	Firefoam B2 Gun Grade	85
97	Firefoam B2 Handheld	85
104	Firespan Intumescent Putty Pads	14
	Fix and Fill	82
	Flashing Tape - DIY	77
108	Flashing Tape - Trade	77
7	Flexible Decorators Filler	15
63	Floor Paint	142
35	Floor Varnish	71
71	Flue Jointing Compound	123
105	Foil Pack Applicator Gun	18
83	Foil Pack Spare Nozzles and Push Disc	17
96	Forever White	6
37	Forever White Grout	165
69	Forever White Grout Reviver	165

	G
42	Gaffa Tape
128	Galva Mate
91	General Purpose Silicone
84	Glass Cleaner
04	Graffiti Remover
	Griptite
	Gun A Nail Extra
33	Gun A Nail Standard

104

12

14

114

115

37

35

35

н
Heat Mate
Heat Resistant Paint
Heat Resistant Paint Aerosol
Heat Resistant Silicone
Heavy Duty Double Sided Tape
Heavy Duty Wonder Wipes
Historic Mortar
Historic Mortar KL
HM Silicone
Hybriflex 25LM
Hybriflex 40
Hybriflex 480
Hybriflex 55
Hybriflex FR

# Instant Nails

Hybriflex SMP

Jetcem Deep Rapid Repair Sand and Cement 146 146 Jetcem Plaster Rapid Repair Cement Jetcem Rapid Repair Cement Jetcem Waterproof Rapid Repair Cement 146 Joint Backer Rod

#### К

KOS Fire Cement KOS Fire Cement - Cartridge KOS Flue Cement

#### Laminated Dust Sheets Lead Mate Lead Mate Patination Oil Liquid Roof All Weather Roofing System Low Tack Masking Tape Lumberjack 160 Woodbond Lumberjack 550 Floor Adhesive Lumberjack 650 Floor Adhesive

#### М Masking Tape - Labelled Masking Tape - Value Masonry Dry Rot Treatment Maximum Torque Mega All Purpose Tape Methylated Spirit Mirror Mate Mitre Fast Activator Mitre Fast Adhesive Mitre Fast Kit Multi Stick Multi-Purpose Double Sided Tape Multi-Purpose Wood Filler

#### Ν No Waste 13 121

121

121

108

113

172

172

22

22

22

23

23

23

23

37

146

21

122

123

123

96

13

75

76

106

46

46

46

106

106

69

36

104

98

35

49

49

49

34

108

94

Р

Nozzles - Standard

#### 0 Oil-Away Foam

One Strike Ready Mixed Filler One-Coat GPR General Purpose Render Opti-Mix 3-In-1 Integral Waterproofer Opti-Mix 3-In-1 Render Additive Opti-Mix Mortar Plasticiser Opti-Tone Cement Colourant Black Overlap and Border Adhesive

# P12 Silicone Grease

P13 Plumbers Putty P16 Pipe Cement P18 Gas Leak Detector P20 Flux Soldering Paste P24 Power Cleaner P26 Biocide P28 Filter Fluid P30 Protector P32 Leak Sealer P45 Medium Duty Foam Gun P65 Heavy Duty Foam Gun Packaging Tape - Labelled Packaging Tape - Value Paper Glass Wipe Roll Parex Crylane Parex Fixopierre Parex Maité Parex Micro Gobetis 3000 Parex Monaccel Plus Parex Monoblanco Parex Monogris E Parex Monorex GF Parex Monorex GM Parex Paraguard Parex Parmurex Parex Render Bead Adhesive Parex Revlane Siloxane Ignifuge Taloche Fin Parex Revlane Siloxane Ignifuge Taloche Gros 171 Parex Revlane+ Ignifuge Taloche Fin Parex Revlane+ Ignifuge Taloche Gros Parex Revlane+ Regulateu Parinter Renovation Parlumiere Clair Parlumiere Fin Parlumiere Moven Parlumiere STH Patio Wizard Pinkgrip Pinkgrip Dry Fix Applicator Gun Pinkgrip Dry Fix FR Pinkgrip Solvent Free Plumbers Gold

PRODUCT INDEX	1
---------------	---

Polythene Dust Sheets	96
Powerful Grip Tape	102
Pro Blue Masking Tape	106
Pro Point Gun Kit	147
Professional Gun Grade Foam	83
Pro-Fill High Performance Filler	95
Puraflex 25	24
Puraflex 40	24
PVC Cream Cleaner	114
PVC Hazard Tape	107
PVC Solvent Cleaner	114
PVCu Acti-Spray	49
Pyro Mate	13

77

#### 0

83

19

63

92

170

133

133

133

133

99

120

120

120

120

121

118

118

118

118

118

84

84

107

107

114

171

Raw Linseed Oil	
Ready Mixed Wallcovering Adhesive	
Reproface	
Resiblock Indian Sandstone Sealer	
Resiblock Superior	
Resiblock Trade	
Roll and Stroll Contract Carpet Protector	
Roll and Stroll Glass Protector	
Roll and Stroll Hard Surface Protector	
Roll and Stroll Premium Carpet Protector	
Roll and Stroll Textured Carpet Protector	
Roof and Gutter Sealant	

		S	
	173		
	170	Safer Spirit	98
	173	Salt-Away	63
	173	Seal Rite Smooth-Out Tool	19
	168	Seal Rite Strip-Out / Smooth-Out Twin Pack	19
	170	Seal Rite Strip-Out Tool	19
	168	Sealant Gun Jumbo	17
	168	Sealant Gun Power Pro	18
	173	Sealant Gun Professional	17
	170	Sealant Gun Superflow	18
	173	Shed and Fence Mate	69
	171	Showerproof Bathroom Silicone	15
S	171	Sika Anchorfix-1	153
	171	Sika Block Paving Seal	57
	171	Sika Brick and Patio Cleaner	60
	171	Sika Dustproofer	60
	169	Sika FastFix All Weather	54
	169	Sika MaxMix Cement Colour	132
	169	Sika MaxMix Frostproofer and Accelerator	132
	169	Sika MaxMix Mortar Plasticiser	132
	169	Sika MaxMix Waterproofer	132
	62	Sika Mould Buster	60
	38	Sika Multiseal	77
	40	Sika Patio Seal	56
	40	Sika Plastix 22A Premium LMN Silicone	17
	39	Sika Powercure Dispenser	18
	119	Sika Primer 3N	26



## PRODUCT INDEX

Sika Primer MB Sika Proof Sika Release Oil Sika Rendermix Sika Sanisil Sanitary Silicone Sika Setting Sand Sika Silent Layer Mat Sika Stone Protector Sika Water Repel+ Sika Water Seal Sika Wintermix Sika-1 Waterproofer Sika-2 Water Plug Sika-4 Rapid Setting Sika-4A Water Stop SikaBond Contractors PVA SikaBond MS Wood Floor Adhesive SikaBond MS Wood Floor Foil Adhesive SikaBond PVA+ SikaBond Rapid DPM SikaBond SBR+ SikaBond Waterproof PVA SikaBond-151 Wood Floor Adhesive SikaBond-52 Wood Floor Adhesive SikaBond-54 Wood Floor Adhesive SikaBond-5500S SikaCeram CleanGrout SikaCeram FlowFix Bonding Primer SikaCeram FlowFix Jointing Compound SikaCeram FlowFix Porcelain Paving System SikaCeram-140 Rapid SikaCeram-240 Flexible Rapid SikaCeram-272 Ultra Flexible SikaCeram-277 Flexible Standard SikaCeram-282 Fibre Reinforced Sikadur-31 EF Normal Sikadur-33 Sikaflex -117 Metal Force Sikaflex -415 Universal Sikaflex -423 Powercure Sikaflex Construction+ Sikaflex EBT+ Sikaflex PRO-3 Purform Sikaflex PRO-3 Self Levelling Sikaflex Tank N Sikafloor-122 Level Sikafloor-125 Level Latex Sikafloor-131 Level Latex Ultra Sikafloor-245 Level Deep Fill Ultra Sikafloor-440 Level Fibre Reinforced SikaGard Universal 5 Star Wood Treatment SikaGard Wood Preserver Sikagard Woodworm Killer Sikagard-112 Mortar and Brick Cleaner Sikagard-550 W Elastic SikaGrout-111 GP Sikahyflex-250 Sikalastic-1K SIkaMix Plus

144

25

127

130

w

Wallpaper Adhesive

99

148	Sikamix Powdered Mortar Plasticiser	131
130	SikaMur InjectoCream-100	128
130	Sikaseal Multi Purpose Silicone	16
130	Sikasil DW	26
16	Sikasil Pool	24
56	SikaWall-100	170
45	SikaWall-1015	170
57	SikaWall-500	168
57	SikaWall-530	168
57	SikaWall-580 Monorex GM UK	168
131	Silicone Eater	12
126	Silicone S50	21
127	Silicone Spray	115
127	Silweld	105
127	Smart Tack Bulk Tank	41
149	Smart Tack Bulk Tank Gun	41
44	Smart Tack Bulk Tank Hose	41
45	Smart Tack Handy Aerosol	41
149	Stain Block	98
148	Standard Mortar	172
149	Stick 2 All Purpose Clear Adhesive	50
149	Stick 2 All Purpose Superglue Bottle	50
44	Stick 2 All Purpose Superglue Tube	50
44	Stick 2 Carpet Fix Instant Adhesive - Spray	47
44	Stick 2 Hard Plastic Adhesive	50
45	Stick 2 Instant Bond Contact Adhesive	50
164	Stick 2 Instant Contact Adhesive	47
55	Stick 2 Instant Contact Adhesive - Spray	47
55	Stick 2 Rapid Epoxy Syringe	51
55	Stick 2 Rapid Epoxy Tube	51
160	Stick 2 Superglue Gel	51
160	Stick 2 Touch Up Enamel	51
160	Stixall Extreme Power	30
160	Sugar Soap Liquid	97
161	Sugar Soap Powder	97
144	Superglue De-bonder	48
153	Superglue Industrial GP	48
27	Superglue Industrial HV	48
27	Surveyline	142
26		
25	т	
32	Tarmac Restorer	63
24		96
25	Tarpaulin Taak Oil	
25	Teak Oil	99
138	Thermofoam	82
138	Threadlock GP Timber and Laminate Sealant	48
139		15
139	Trafficline	142
138	Triple Action Wood Treatment	68
66	Turps Substitute	98
66		
66	U	
60		
145	N.	
	V	

Wallpaper Stripper	98
Weather Mate	12
Wet Rot Wood Hardener	95
White Spirit	98
Wonder Wipes Biodegradable	113
Wonder Wipes Multi-Use	112
Wonder Wipes Spray	113
Wood Filler Hardener / Catalyst	95
Wood Preserver	68
Wood Stain	70
Woodworm Killer	68

XYZ XL Fire Cement

nt

123

**Acetoxy** – A product that cures by a reaction with moisture in the air, giving off an odour of Acetic Acid or vinegar. Acetoxy cure sealants shouldn't be used when they are primarily in contact with alkaline substrates such as concrete.

**Acrylic** – Water based sealants which cure through the loss of water into the substrate. These products are commonly used for interior finishing and can be overpainted once cured.

C E RR

**CE / UKCA** – There are four main types of approval under the sealant CE / UKCA Mark:

F - Façade use which is split into two sub categories with FINT meaning internal use only and F EXT INT meaning the product can be used both internally and externally. F EXT INT is then split into various classifications:

> P – Plastic which means the product has limited elastic recovery and behaves more like a plastic bag.

> **E** – Elastic which means the product behaves more like an elastic band.

HM - High Modulus.

- LM Low Modulus.
- 2 G Glazing use.
- 3 S Sanitary use which is only approved for internal use and is split into two sub categories S and XS with the latter being the more stringently tested of the two. A number will always follow the S or XS with 1 showing the least biological growth and 3 showing the most, basically meaning S3 is the lowest classification and XS1 is the highest.
- 4 PW Pedestrian Walkway use.

# JARGON BUSTER

**Fire Rating** – The measure of a sealants ability to maintain its insulation and integrity in a joint when exposed to fire.

**Hybrid Polymers / MS** – This is the next generation technology combining a sealant and adhesive into one product which can be used on most porous and non-porous materials giving them an almost unlimited number of application possibilities. One major advantage these products have over other sealants is that they can be applied in the wet and even under water.

**Neutral Cure** – Products which cure by a system of crosslinkers that, when activated by exposure to moisture in the air release almost odourless by-products, mainly alcohols. Neutral cure sealants have very little effect on the substrate applied to i.e. non-corrosive.

**Modulus** – Sealants can be either high, mid or low modulus and refers to the elastic nature of the material.

**Flexibility** – The degree of movement a sealant can cope with when applied with a greater number meaning the sealant is more flexible.

**Shore A Hardness** – A number which denotes the surface hardness of a sealant once cured. The higher the number, the harder the surface.

**Silicone** – The most common form of sealant on the market, silicones come is a variety of grades for multiple application uses.

**Polyurethanes** – Combining the properties of a sealant, adhesive and filler into one product.

**Oil Based Mastic** – A traditional product mainly used in wooden window installations and pre-cast concrete panel sealing applications.

**Treated Articles** – Some products now state 'Please use treated articles responsibly' within the health and safety panel which refers to any item which contains a preservative to protect the product through its life cycle.