

Date of last issue: 16.03.2023	Version 3.2	Print Date 29.02.2024
Revision Date: 19.12.2023		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Sikadur®-12 Pronto Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone Telefax	:	+44 (0)1707 394444 +44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Category 2 H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (Hazard pictograms	EC) :	No 1272/2008)	
Hazard statements	:	H411	Toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P273 Response:	Avoid release to the environment.



Date of last issue: 16.03.2023 Revision Date: 19.12.2023	Version 3.2		Print Date 29.02.2024
	P391	Collect spillage.	
	Disposal:		
	P501	Dispose of contents/container i with local regulation.	in accordance

Additional Labelling

EUH208 Contains dibenzoyl peroxide. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
dibenzoyl peroxide	94-36-0 202-327-6 01-2119511472-50- XXXX	Org. Perox. B; H241 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Acute 1;	>= 0,25 - < 0,5
		H400 Aquatic Chronic 1; H410	
		M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	-
Substances with a workplace expo	osure limit :		
Limestone	1317-65-3		>= 25 - < 40
Contains:	215-279-6		
Quartz (SiO2) <5µm >= 0,1 %			
Quartz (SiO2) $<5\mu$ m >= 0,1 % For explanation of abbreviations s	ee section 16.		



Date of last issue: 16.03.2023	Version 3.2	Print Date 29.02.2024
Revision Date: 19.12.2023		

SECTION 4: First aid measures

4.1 Description of first aid measures				
General advice	:	No hazards which require special first aid measures.		
If inhaled	:	Move to fresh air.		
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.		
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.		
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.		
4.2 Most important symptoms a	nd e	effects, both acute and delayed		
Symptoms	:	See Section 11 for more detailed information on health effects and symptoms.		
Risks	:	No known significant effects or hazards.		
4.3 Indication of any immediate	me	dical attention and special treatment needed		
Treatment	:	Treat symptomatically.		
SECTION 5: Firefighting mean	sur	es		
5.1 Extinguishing media				
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.		
5.2 Special hazards arising from the substance or mixture				
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.		
Hazardous combustion prod- ucts	:	No hazardous combustion products are known		



Date of last issue: 16.03.2023 Revision Date: 19.12.2023		Version 3.2	Print Date 29.02.2024
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing	j apparatus.
Further information	:	Collect contaminated fire extinguishing water seg must not be discharged into drains. Fire residues and contaminated fire extinguishing be disposed of in accordance with local regulation	g water must

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Avoid breathing dust.
----------------------	-------------------------

6.2 Environmental precautions

Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
		If the product contaminates rivers and lakes or drains inform
		respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). For personal protection see section 8. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.



Date of last issue: 16.03.2023 Revision Date: 19.12.2023		Version 3.2	Print Date 29.02.2024			
7.2 Conditions for safe storage, including any incompatibilities						
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-v place. Store in accordance with local regulations				
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as direc	ted.			
7.3 Specific end use(s)						
Specific use(s)	:	Consult most current local Product Data Sheet puse.	prior to any			

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Limestone	1317-65-3	TWA (inhalable dust)	10 mg/m3	GB EH40
	dust and inhal will be collected the methods of pling and grav aerosols., The health include in air equal to dust or 4 mg.r any dust will b above these le WELs and exp limits., Most in sizes. The bel after entry into sponse that it HSE distinguis termed 'inhala the fraction of during breathi respiratory tra penetrates to tions and expl dusts contain the relevant lin short-term exp	ation: For the purpo able dust are those added ust are those allocation of solution of any kind w or greater than 10 m n-3 8-hour TWA of m as a shour TWA of m as subject to COSH aviour, deposition a bosure to these must addustrial dusts contant aviour, deposition a bost wo size fraction ble' and 'respirable' airborne material the shes two size fraction ble' and 'respirable' airborne material are components that has nits should be compo posure limit is listed, a limit should be use TWA (Respirable	fractions of airbor undertaken in act 4/4 General meth espirable, thoracid of a substance ha hen present at a c ng.m-3 8-hour TW respirable dust. Th i f people are exp ave been assigne at comply with the in particles of a w and fate of any par fory system, and the nature and size ons for limit-setting at enters the nose available for depose approximates to the egion of the lung. I e given in MDHS14 ve their own assigned a figure three tim	ne dust which cordance with ods for sam- c and inhalable zardous to concentration /A of inhalable his means that oosed to dust appropriate ide range of rticular particle he body re- of the particle. I purposes pproximates to a and mouth sition in the he fraction that Fuller defini- 4/4., Where gned WEL, all no specific
		dust)		



Date of last issue: 16.03.2023 Revision Date: 19.12.2023	Version	3.2	Print Da	te 29.02.2024
dibenzoyl peroxide	94-36-0	TWA	5 mg/m3	GB EH40

	Further information: Where no specific short-term exposure limit is
	listed, a figure three times the long-term exposure limit should be
	used.
F L1	and a second state of the state

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
Inhalable		TWA	10 mg/m3	GB EH40
Respirable fraction		TWA	4 mg/m3	GB EH40

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipme	ent	
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.



Sikadur®-12 Pronto Part B

Date of last issue: 16.03.2023 Revision Date: 19.12.2023	Version 3.2	Print Date 29.02.2024
Environmental exposure co	ontrols	
General advice	: Do not flush into surface water or san If the product contaminates rivers and respective authorities.	
SECTION 9: Physical and ch		
9.1 Information on basic physic	al and chemical properties	
Physical state	: solid	

Appearance Colour	:	solid powder grey
Odour	:	odourless
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available

Upper/lower flammability or explosive limits

Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 8 (20 °C) Concentration: 50 %
Viscosity Viscosity, kinematic	:	Not applicable



Version 3.2	Print Date 29.02.202
: insoluble	
: No data available	
: No data available	
: No data available	
: ca. 1,26 kg/m3 (20 °C)	
: No data available	
: No data available	
	 insoluble No data available No data available No data available No data available ca. 1,26 kg/m3 (20 °C) No data available

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions				
Hazardous reactions	•	Stable under recommended storage conditions.		
	•			
10.4 Conditions to avoid				
Conditions to avoid	:	No data available		

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



Date of last issue: 16.03.2023 Revision Date: 19.12.2023 Version 3.2

Print Date 29.02.2024

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

dibenzoyl	peroxide:
-----------	-----------

Acute oral toxicity		LD50 Oral (Rat): > 5.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 24,3 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:



Date of last issue: 16.03.2023 Revision Date: 19.12.2023	Version 3.2	Print Date 29.02.2024
Assessment	 The substance/mixture does not contain of ered to have endocrine disrupting properti REACH Article 57(f) or Commission Deleg (EU) 2017/2100 or Commission Regulation levels of 0.1% or higher. 	ies according to gated regulation
SECTION 12: Ecological inform	nation	
12.1 Toxicity		
Components:		
dibenzoyl peroxide: M-Factor (Acute aquatic tox- icity)	: 10	
M-Factor (Chronic aquatic toxicity)	: 10	
12.2 Persistence and degradabilit No data available	y	
12.3 Bioaccumulative potential No data available		
12.4 Mobility in soil No data available		
12.5 Results of PBT and vPvB ass	essment	
Product:		
Assessment	: This substance/mixture contains no comp	

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

2



Sikadur[®]-12 Pronto Part B

Date of last issue: 16.03.2023 Revision Date: 19.12.2023	Version 3.2	Print Date 29.02.2024
Additional ecological infor- mation	: An environmental hazard cannot be excluded in unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.	n the event of

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number				
ADR	:	UN 3077		
IMDG	:	UN 3077		
ΙΑΤΑ	:	UN 3077		
14.2 UN proper shipping name				
ADR	:	ENVIRONMENTALL N.O.S. (ethylene dibenzoate	Y HAZARDOUS SUBSTANCE, SOLIE	D,
IMDG	:	ENVIRONMENTALL N.O.S. (ethylene dibenzoate	Y HAZARDOUS SUBSTANCE, SOLIE	D,
ΙΑΤΑ	:	Environmentally hazardous substance, solid, n.o.s., Environ- mentally hazardous substance, solid, n.o.s. (ethylene dibenzoate)		
14.3 Transport hazard class(es)				
		Class	Subsidiary risks	
ADR	:	9		
IMDG	:	9		
Country GB 10000026556				11 /



ate of last issue: 16.03.2023 evision Date: 19.12.2023	Version 3.2	Print Date 29.02.2024
ΙΑΤΑ	: 9	
4.4 Packing group		
ADR		
Packing group	: III	
Classification Code	: M7	
Hazard Identification Number	: 90	
Labels	: 9	
Tunnel restriction code	: (-)	
IMDG		
Packing group	: III	
Labels	: 9	
EmS Code	: F-A, S-F	
IATA (Cargo)		
Packing instruction (cargo aircraft)	: 956	
Packing instruction (LQ)	: Y956	
Packing group	: III	
Labels	: Miscellaneous	
IATA (Passenger)		
Packing instruction (passen- ger aircraft)	: 956	
Packing instruction (LQ)	: Y956	
Packing group	: 111	
Labels	: Miscellaneous	

14.5 Environmental hazards

ADR Environmentally hazardous	:	yes
IMDG Marine pollutant	:	yes
IATA (Passenger) Environmentally hazardous	:	yes
IATA (Cargo) Environmentally hazardous	:	yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



Date of last issue: 16.03.2023	Version 3.2	Print Date 29.02.2024
Revision Date: 19.12.2023		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (An	nnex 17)	:	Not applicable
UK REACH Candidate list of subs concern (SVHC) for Authorisation		:	Not applicable
The Persistent Organic Pollutants Regulation (EU) 2019/1021 as am ain)		:	Not applicable
International Chemical Weapons (Schedules of Toxic Chemicals and		:	Not applicable
Regulation (EC) No 1005/2009 on plete the ozone layer	substances that de-	:	Not applicable
UK REACH List of substances sul (Annex XIV)	bject to authorisation	:	Not applicable
GB Export and import of hazardou Informed Consent (PIC) Regulation		:	Not applicable
Control of Major Accident Hazards 2015 (COMAH) Volatile organic compounds :	-		/IRONMENTAL HAZARDS
	no VOC duties		
			4 November 2010 on industrial ution prevention and control)
If other regulatory information app Sheet, then it is described in this s		prov	ided elsewhere in the Safety Data
	Environmental Destant		A at 1000 8. Cultaidiam Damidatiana

Health, safety and environ-	: Environmental Protection Act 1990 & Subsidiary Regulations
mental regulation/legislation	Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or	Control of Substances Hazardous to Health Regulations
mixture:	(COSHH)
mixture:	(COSHH)



Date of last issue: 16.03.2023 Revision Date: 19.12.2023 Version 3.2

Print Date 29.02.2024

May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H241	:	Heating may cause a fire or explosion.
H317	:	May cause an allergic skin reaction.
H319	:	Causes serious eye irritation.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
Full text of other abbreviati	ons	
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Irrit.	:	Eye irritation
Org. Perox.	:	Organic peroxides
Skin Sens.	:	Skin sensitisation
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
a - :		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
0.410		cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative



Date of last issue: 16.03.2023 Revision Date: 19.12.2023	Version 3.2	Print Date 29.02.2024
Further information		
Classification of the mixture.	Classificatio	n procedure

Classification of the mixture: Aquatic Chronic 2 H411 Classification procedure: Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN