

Date of last issue: 14.12.2023	Version 8.15	Print Date 29.02.2024
Revision Date: 26.01.2024		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : EVERBUILD CLEAR FIX

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone Telefax	:	+44 (0)1707 394444 +44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)						
Eye irritation, Category 2	H319: Causes serious eye irritation.					
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.					
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.					

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H317	May cause an allergic skin reaction.



Date of last issue: 14.12.2023 Revision Date: 26.01.2024	Version 8.15 Print Date 29.02.20		
	H319 H412	Causes serious eye irritation. Harmful to aquatic life with long fects.	lasting ef-
Precautionary statements :	P101	If medical advice is needed, hav container or label at hand.	re product
	P102	Keep out of reach of children.	
	Prevention:		
	P261 P264 P280	Avoid breathing mist or vapours. Wash skin thoroughly after hand Wear protective gloves/ eye prot protection.	lling.
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	accordance

Hazardous components which must be listed on the label:

trimethoxyvinylsilane Pentamethyl piperidylsebacate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
distillates (petroleum), hydrotreat-	64742-55-8	Asp. Tox. 1; H304	>= 5 - < 10
ed light paraffinic	265-158-7	EUH066	
	01-2119487077-29-		
	XXXX		



Date of last issue: 14.12.2023 Revision Date: 26.01.2024 Version 8.15

Print Date 29.02.2024

trimethoxyvinylsilane Contains:	2768-02-7 220-449-8	Flam. Liq. 3; H226 Acute Tox. 4; H332	>= 2,5 - < 5
tetramethyl orthosilicate <= 0,2 %	01-2119513215-52- XXXX	Skin Sens. 1B; H317	
		Acute toxicity esti- mate	
		Acute inhalation tox- icity (vapour): 16,8 mg/l	
3-(trimethoxysilyl)propylamine	13822-56-5 237-511-5 01-2119510159-45- XXXX	Skin Irrit. 2; H315 Eye Dam. 1; H318	>= 2,5 - < 3
Pentamethyl piperidylsebacate Contains: bis(1,2,2,6,6-pentamethyl-4- piperidyl) sebacate methyl 1,2,2,6,6-pentamethyl-4- piperidyl sebacate	1065336-91-5 915-687-0 01-2119491304-40- XXXX	Skin Sens. 1A; H317 Repr. 2; H361f Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,25 - < 1
		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
octamethylcyclotetrasiloxane [D4]	556-67-2 209-136-7 01-2119529238-36- XXXX	Flam. Liq. 3; H226 Repr. 2; H361f Aquatic Chronic 1; H410	>= 0,0025 - < 0,025
Ear explanation of obbraviations as		M-Factor (Chronic aquatic toxicity): 1010	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.



Date of last issue: 14.12.2023 Revision Date: 26.01.2024		Version 8.15	Print Date 29.02.202
In case of eye contact		Immediately flush eye(s) with plenty of v Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specia	
If swallowed		Do not induce vomiting without medical Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unc	
4.2 Most important symptor	ns and ef	fects, both acute and delayed	
Symptoms		Allergic reactions Excessive lachrymation See Section 11 for more detailed inform and symptoms.	ation on health effects
		irritant effects	
Risks		sensitising effects	
Risks		sensitising effects May cause an allergic skin reaction. Causes serious eye irritation.	
		May cause an allergic skin reaction.	eeded
	liate medi	May cause an allergic skin reaction. Causes serious eye irritation.	eeded
4.3 Indication of any immed Treatment	liate medi	May cause an allergic skin reaction. Causes serious eye irritation. ical attention and special treatment ne Treat symptomatically.	eeded
4.3 Indication of any immed Treatment SECTION 5: Firefighting	liate medi	May cause an allergic skin reaction. Causes serious eye irritation. ical attention and special treatment ne Treat symptomatically.	eeded
4.3 Indication of any immed	liate medi : measure edia :	May cause an allergic skin reaction. Causes serious eye irritation. ical attention and special treatment ne Treat symptomatically.	ater jet/carbon diox-
 4.3 Indication of any immed Treatment SECTION 5: Firefighting 5.1 Extinguishing media 	liate medi : measure edia :	May cause an allergic skin reaction. Causes serious eye irritation. ical attention and special treatment ne Treat symptomatically. PS In case of fire, use water/water spray/wa ide/sand/foam/alcohol resistant foam/ch extinction.	ater jet/carbon diox-
 4.3 Indication of any immed Treatment SECTION 5: Firefighting 5.1 Extinguishing media Suitable extinguishing m 5.2 Special hazards arising 	liate medi : measure edia : from the	May cause an allergic skin reaction. Causes serious eye irritation. ical attention and special treatment ne Treat symptomatically. PS In case of fire, use water/water spray/wa ide/sand/foam/alcohol resistant foam/ch extinction.	ater jet/carbon diox- emical powder for
 4.3 Indication of any immed Treatment SECTION 5: Firefighting 5.1 Extinguishing media Suitable extinguishing m 5.2 Special hazards arising Hazardous combustion p 	liate medi : measure edia : from the	May cause an allergic skin reaction. Causes serious eye irritation. ical attention and special treatment ne Treat symptomatically. In case of fire, use water/water spray/wa ide/sand/foam/alcohol resistant foam/ch extinction. substance or mixture	ater jet/carbon diox- emical powder for
 4.3 Indication of any immed Treatment SECTION 5: Firefighting 5.1 Extinguishing media Suitable extinguishing m 5.2 Special hazards arising Hazardous combustion p ucts 	liate medi : measure edia : from the prod- :	May cause an allergic skin reaction. Causes serious eye irritation. ical attention and special treatment ne Treat symptomatically. In case of fire, use water/water spray/wa ide/sand/foam/alcohol resistant foam/ch extinction. substance or mixture	ater jet/carbon diox- emical powder for known



Date of last issue: 14.12.2023 Revision Date: 26.01.2024	Version 8.15	Print Date 29.02.2024
SECTION 6: Accidental releas	e measures	
6.1 Personal precautions, protec	tive equipment and emergency procedur	res
Personal precautions	: Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions		
Environmental precautions	: Do not flush into surface water or sanita If the product contaminates rivers and la respective authorities.	
6.3 Methods and material for cor	tainment and cleaning up	
Methods for cleaning up	: Soak up with inert absorbent material (acid binder, universal binder, sawdust). Keep in suitable, closed containers for o	
6.4 Reference to other sections		

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Keep container tightly closed in a dry and well-ventilated
--------------------------	---	--



Date of last issue: 14.12.2023 Revision Date: 26.01.2024		Version 8.15	Print Date 29.02.2024
areas and containers		place. Store in accordance with local regulations.	
Further information on stor- age stability	:	No decomposition if stored and applied as directed	≩d.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Sheet pr use.	ior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
------------	---------	----------------------------------	---------------------------	---------

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
methanol	67-56-1	TWA	200 ppm 260 mg/m3	2006/15/EC
	Further information: Indicative, Identifies the possibility of signifi- cant uptake through the skin			
		TWA	200 ppm 266 mg/m3	GB EH40
	Further information: Can be absorbed through the skin. The as- signed substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		STEL	250 ppm 333 mg/m3	GB EH40

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm)



Date of last issue: 14.12.2023 Revision Date: 26.01.2024		Version 8.15	Print Date 29.02.2024
	Sui Vite	ntaminated gloves should be removed. itable for permanent exposure: on gloves (0.4 mm), eakthrough time >30 min.	
Skin and body protection	lon and	otective clothing (e.g. Safety shoes acc. g-sleeved working clothing, long trouse d protective boots are additionaly recom d stirring work.	ers). Rubber aprons
Respiratory protection	: No	special measures required.	
Environmental exposure co	ontrols		
General advice	lf th	not flush into surface water or sanitary ne product contaminates rivers and lake pective authorities.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	liquid paste clear
Odour	:	alcohol-like
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	exp	losive limits
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 61 °C Method: closed cup
Auto-ignition temperature	:	No data available

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EVERBUILD CLEAR FIX

	Version 8.15	Print Date 29.02.2024
:	No data available	
:	Not applicable substance/mixture is non-soluble (in water)	
:	250.000 mPa.s (20 °C)	
:	> 30 mm2/s (40 °C)	
÷	insoluble	
:	No data available	
:	1 hPa	
:	ca. 1,04 g/cm3 (20 °C)	
	No. 1. Constanting	
:	INO GATA AVAIIADIE	
:	No data available	
		 No data available Not applicable substance/mixture is non-soluble (in water) 250.000 mPa.s (20 °C) 250.000 mPa.s (40 °C) > 30 mm2/s (40 °C) insoluble insoluble No data available 1 hPa ca. 1,04 g/cm3 (20 °C) No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.



Date of last issue: 14.12.2023 Revision Date: 26.01.2024	Version 8.15	Print Date 29.02.2024
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition p	roducts	
Hazardous decomposition products	: methanol	

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

trimethoxyvinylsilane:

Acute oral toxicity	:	LD50 Oral (Rat): ca. 7.120 mg/kg			
Acute inhalation toxicity	:	LC50: ca. 16,8 mg/l Exposure time: 4 h Test atmosphere: vapour			
		Acute toxicity estimate: 16,8 mg/l Test atmosphere: vapour Method: Calculation method			
Acute dermal toxicity	:	LD50: 3.540 mg/kg			
Pentamethyl piperidylsebacate:					
Acute oral toxicity	:	LD50 Oral (Rat): 3.230 mg/kg			
octamethylcyclotetrasiloxane [D4]:					
Acute inhalation toxicity	:	LC50 (Rat): 36 mg/l Exposure time: 4 h Test atmosphere: vapour			
Skin corrosion/irritation					

Not classified based on available information.

Components:

distillates (petroleum), hydrotreated light paraffinic:



: Repeated exposure may cause skin dry	ness or cracking.				
ritation					
sation					
eaction.					
able information.					
able information.					
Carcinogenicity					
Not classified based on available information.					
able information.					
able information.					
able information.					
able information					
as					
erties					
ered to have endocrine disrupting prope REACH Article 57(f) or Commission Del	erties according to legated regulation				
	eaction. lable information. lable information. lable information. lable information. lable information. lable information. lable information. rds erties : The substance/mixture does not contair ered to have endocrine disrupting proper REACH Article 57(f) or Commission Del (EU) 2017/2100 or Commission Regular				

12.1 Toxicity

Components:

Pentamethyl piperidylsebacate:

Toxicity to fish

: LC50 (Fish): 0,97 mg/l Exposure time: 96 h



Date of last issue: 14.12.2023 Revision Date: 26.01.2024	Version 8.15	Print Date 29.02.2024
M-Factor (Acute aquatic tox- : icity)	1	
M-Factor (Chronic aquatic : toxicity)	1	
12.2 Persistence and degradability No data available	,	
12.3 Bioaccumulative potential No data available		
12.4 Mobility in soil No data available		
12.5 Results of PBT and vPvB ass	essment	
Product:		
Assessment	This substance/mixture contains no component to be either persistent, bioaccumulative and to very persistent and very bioaccumulative (vPv 0.1% or higher	oxic (PBT), or
Components:		
octamethylcyclotetrasiloxane	[D4]:	
Assessment	PBT substance.	
:	vPvB substance.	
12.6 Endocrine disrupting propert	es	
Product:		
Assessment	The substance/mixture does not contain comp ered to have endocrine disrupting properties a REACH Article 57(f) or Commission Delegate (EU) 2017/2100 or Commission Regulation (E levels of 0.1% or higher.	iccording to d regulation
12.7 Other adverse effects		
Product:		
Additional ecological infor-	An environmental hazard cannot be excluded unprofessional handling or disposal. Harmful to aquatic life with long lasting effects	



Date of last issue: 14.12.2023	Version 8.15	Print Date 29.02.2024
Revision Date: 26.01.2024		

Global warming potential

Assessment Report of the Intergovernmental Panel on Climate Change (IPCC) of the United Nations Framework Convention on Climate Change (UNFCCC)

Components:

octamethylcyclotetrasiloxane [D4]:

20-year global warming potential: 2,66 100-year global warming potential: 0,739 500-year global warming potential: 0,211 Atmospheric lifetime: 0,027 yr Radiative efficiency: 0,12 Wm2ppb Further information: Miscellaneous compounds

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	

14.2 UN proper shipping name



Date of last issue: 14.12.2023 Revision Date: 26.01.2024	Version 8.15	Print Date 29.02.2024		
ADR	Not regulated as a dangerous good			
IMDG	Not regulated as a dangerous good			
ΙΑΤΑ	Not regulated as a dangerous good			
14.3 Transport hazard class(es)				
ADR	Not regulated as a dangerous good			
IMDG	Not regulated as a dangerous good			
ΙΑΤΑ	Not regulated as a dangerous good			
14.4 Packing group				
ADR	Not regulated as a dangerous good			
IMDG	Not regulated as a dangerous good			
IATA (Cargo)	Not regulated as a dangerous good			
IATA (Passenger)	Not regulated as a dangerous good			
14.5 Environmental hazards Not regulated as a dangerous good				
14.6 Special precautions for user Not applicable				
14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.				

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Not applicable
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable
Regulation (EC) No 1005/2009 on substances that de-		Not applicable



Date of last issue: 14.12.2023 Revision Date: 26.01.2024	Version 8.15	Print Date 29.02.2024		
plete the ozone layer				
UK REACH List of substances su (Annex XIV)	bject to authorisation : Not applicable			
	GB Export and import of hazardous chemicals - Prior : Not applicable Informed Consent (PIC) Regulation			
Control of Major Accident Hazard 2015 (COMAH)	s Regulations Not applicable			
Volatile organic compounds :	Law on the incentive tax for volatile organic com (VOCV)	pounds		
	Volatile organic compounds (VOC) content: < 09 no VOC duties	% w/w		
	Directive 2010/75/EU of 24 November 2010 on i emissions (integrated pollution prevention and c Volatile organic compounds (VOC) content: < 0	ontrol)		

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	: Environmental Protection Act 1990 & Subsidiary Regulations Health and Safety at Work Act 1974 & Subsidiary Regulations Control of Substances Hazardous to Health Regulations (COSHH)
	May be subject to the Control of Major Accident Hazards
	Regulations (COMAH), and amendments.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H226	:	Flammable liquid and vapour.
H304	:	May be fatal if swallowed and enters airways.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H332	:	Harmful if inhaled.
H361f	:	Suspected of damaging fertility.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.



Date of last issue: 14.12.2023 Revision Date: 26.01.2024 Version 8.15

Print Date 29.02.2024

Full text of other abbreviations

Acute Tox. Aquatic Acute Aquatic Chronic Asp. Tox. Eye Dam. Flam. Liq. Repr. Skin Irrit. Skin Sens. 2006/15/EC GB EH40 2006/15/EC / TWA GB EH40 / TWA GB EH40 / TWA GB EH40 / STEL ADR CAS DNEL EC50 GHS IATA IMDG LD50		Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Aspiration hazard Serious eye damage Flammable liquids Reproductive toxicity Skin irritation Skin sensitisation Europe. Indicative occupational exposure limit values UK. EH40 WEL - Workplace Exposure Limits Limit Value - eight hours Long-term exposure limit (8-hour TWA reference period) Short-term exposure limit (15-minute reference period) Short-term exposure limit (15-minute reference period) European Agreement concerning the International Carriage of Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of
LC50	:	test animals) Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC vPvB	÷	Substances of Very High Concern
VFVD	•	Very persistent and very bioaccumulative

Further information

Classification of the m	nixture:	Classification procedure:	
Eye Irrit. 2	H319	Calculation method	
Skin Sens. 1	H317	Calculation method	
Aquatic Chronic 3	H412	Calculation method	



Date of last issue: 14.12.2023 Revision Date: 26.01.2024 Version 8.15

Print Date 29.02.2024

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN