

# SIKA BALCONY SYSTEMS

Sikafloor® MonoFlex MB-25, Sikafloor® Pronto RB-28 & Sikafloor® Pronto RB-58



## Sikafloor® MonoFlex MB-25

Durable, flexible, slip-resistant floor coating for balconies, terraces and stairs


## OVERCOME THE SPECIAL CHALLENGES OF BALCONIES, TERRACES AND WALKWAYS

Outdoor exposure comes in many guises: UV light, heat, hail, snow and low temperatures to name just a few of the challenges. Then there's the wear caused by potentially heavy traffic concentrated on narrow walkways. Sika systems are designed to withstand all of these, and more.

#### WHY CHOOSE SIKAFLOOR® MONOFLEX MB-25?

- ✓ **DURABLE** good wear and chemical resistance to road salt, chlorides and alkaline cleaners
- ✓ **CONSISTENT** formulated to be UV resistant and colour stable
- ✓ LOW ODOUR scientifically proven to emit negligible unpleasant smells\*
- ✓ SAFE TO INSTALL uses safe raw materials and Sika i-Cure® technology to protect professional applicators
- ✓ **THERMAL RESISTANCE** gives the same performance in high and very low temperatures


\*Determination of odour concentration according to EN 13725: 2003, test performed at Odournet, Report No: 456-2014-00



### Sikafloor® MonoFlex MB-25

System build up, advantages and available colours

#### SIKAFLOOR® MONOFLEX MB-25 **SYSTEM BUILD UP**



#### 1 PRIMER\*

Sikafloor® -151, Sika® Concrete Primer, or Sika® Bonding Primer

#### 2 BASE COAT

Sikafloor® -420 Natural Broadcasted with Quartz Sand

#### 3 TOP COAT


Sikafloor® -420

\*Primer option varies depending on the substrate. Please refer to system data sheet.

A 10-year Sika Guarantee may be available on request. Please consult your Area Sales Manager.

SINGLE COMPONENT	SLIP RESISTANT	UV RESISTANT	EASY TO CLEAN	QUICK APPLICATION	LOW TEMPERATURE APPLICATION
1	X				**
Easy to apply	Reduced risk of injuries	Improved colour stability	Saves time and money	For minimal downtime	With no compromise in performance

#### COLOUR RANGE



Sikafloor® -420 is available in standard colours shown. Additional colours subject to minimum order quantity. Colours shown for illustrative purposes only.

## Sikafloor® Pronto RB-28

Slip resistant, fast curing, waterproofing, coloured floor coverings for for areas with high traffic load

## FOR WHEN YOU'RE STARTING WITH AN IMPERFECT FLOOR SURFACE

We understand your projects don't always start with a smooth, unbroken substrate. So, among its many useful qualities, Sikafloor® Pronto RB-28 features handy rapid application and curing times.

#### WHY CHOOSE SIKAFLOOR® PRONTO RB-28?


- ✓ RAPID APPLICATION AND CURING TIMES
- ✓ STATIC CRACK-BRIDGING PROPERTIES
- ✓ SLIP AND SKID-RESISTANT
- ✓ UV RESISTANT
- ✓ EASY-TO-CLEAN
- ✓ RAPID APPLICATION
- ✓ VERY LOW TEMPERATURE APPLICATION



## Sikafloor® Pronto RB-28

System build up, advantages and available colours

## SIKAFLOOR® PRONTO RB-28 **SYSTEM BUILD UP**



#### 1 PRIMER\*

Sikafloor® -10 Pronto N

### 2 WEARING COAT & BROADCASTING IN EXCESS

Sikafloor® -32 Pronto Broadcasted with Quartz Sand

#### 3 TOP COAT

Sikafloor® 18 Pronto Broadcasted with Quartz Sand

\* For more details, please refer to the system data sheet. A 10-year Sika guarantee may be available on request. Please consult your Area Sales Manager.

FAST CURING	VERSATILE	WATERPROOF	GOOD ABRASION RESISTANCE	CRACK-BRIDGING PROPERTIES	SLIP AND SKID RESISTANT
<u></u>	**				X
Even at low temperatures	Can be used on concrete and asphalt surfaces	Suitable for indoor and outdoor use	Looks good for longer	Improves durability	Mitigates accident risk

#### **COLOUR RANGE**



Sikafloor® Pronto RB-28 is available in standard colours shown. Additional colours subject to minimum order quantity. Colours shown for illustrative purposes only.

### Sikafloor® Pronto RB-58

Slip resistant, fast curing, waterproofing, coloured floor coverings for bridging cracks on ramps

## PURPOSE-DESIGNED TO BRIDGE CRACKS ON RAMPS

Complementing Sikafloor® Pronto RB-28, Sikafloor® Pronto RB-58 was originally designed for use on car park ramps but it provides a great system for balconies too. Based on reactive acrylic resins, it's suitable for indoor and outdoor use and has a slip resistant, semi-gloss finish.

#### WHY CHOOSE SIKAFLOOR® PRONTO RB-58?


- ✓ RAPID APPLICATION AND CURING TIMES
- ✓ DYNAMIC CRACK BRIDGING PROPERTIES
- ✓ SLIP RESISTANT
- ✓ UV RESISTANT
- ✓ EASY-TO-CLEAN
- ✓ RAPID APPLICATION
- ✓ VERY LOW TEMPERATURE APPLICATION



### Sikafloor® Pronto RB-58

System build up, advantages and available colours

## SIKAFLOOR® PRONTO RB-58 **SYSTEM BUILD UP**



1 PRIMER\* Sikafloor®-10 Pronto N

2 BASE COAT - ENCAPSULATION LAYER & FLEECE Sikafloor®-32 Pronto with Sika® Reemat Premium


3 BASE AND WEARING COAT Sikafloor®-32 Pronto

4 TOP COAT Sikafloor®-18 Pronto

\* For more details, please refer to the system data sheet. A 10-year Sika guarantee may be available on request. Please consult your Area Sales Manager.

FAST CURING	VERSATILE	WATERPROOF	GOOD ABRASION RESISTANCE	CRACK-BRIDGING PROPERTIES	SLIP AND SKID RESISTANT
<u>—</u> C					X
Even at low temperatures	Can be used on concrete and asphalt surfaces	Suitable for indoor and outdoor use	Looks good for longer	Improves durability	Mitigates accident risk

#### **COLOUR RANGE**



Sikafloor® Pronto RB-58 is available in standard colours shown. Additional colours subject to minimum order quantity. Colours shown for illustrative purposes only.

### SIKA FULL RANGE SOLUTIONS:





























### FOR MORE INFORMATION:

#### **WHO WE ARE**

Sika Limited and Sika Ireland Limited are part of the global Sika Group, specialising in the manufacture and supply of chemical-based products. Sika has a leading position in the development and production of systems and products for bonding, sealing, damping, reinforcing, and protecting in the building sector and the motor vehicle industry. Sika has subsidiaries in 101 countries around the world and manufactures in over 300 factories. With more than 27,000 employees Sika generates annual sales of CHF 9.3 billion (£7.54 bn). We are also committed to providing quality, service, safety and environmental care.

In the UK and Ireland, we provide market-leading solutions for concrete, waterproofing, roofing, flooring, refurbishment, sealing & bonding, and industry, and have manufacturing sites in Welwyn Garden City, Preston, Leeds, Wishaw and Dublin with more than 1000 employees and a turnover of more than £360 million.

The information, and, in particular, the recommendations relating to the application and end use of Sika® products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The proprietary rights of third parties must be observed. Please refer to our homepage www.sika.co.uk for our current standard terms & conditions applicable to all orders. Users should always refer to the most recent issue of the Product Data Sheet for the product concerned, copies of which will be supplied on request.







#### **SIKA LIMITED**

Head Office Watchmead Welwyn Garden City Hertfordshire, AL7 1BQ United Kingdom

#### SIKA IRELAND LIMITED

Sika House Ballymun Industrial Estate Dublin 11 D<sub>11</sub> DA<sub>2</sub>V Ireland

#### Contact

Phone 0800 112 3865

E-Mail constructionsolutions@uk.sika.com

www.sika.co.uk @SikaLimited

#### Contact

Phone +353 1862 0709 +353 1 862 0707 E-Mail info@ie.sika.com

www.sika.ie **■** @Sikalreland

