

Date of last issue: 18.08.2021	Version 4.0	Print Date 10.10.2022
Revision Date: 10.10.2022		

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Icosit<sup>®</sup> KC 340/7 (A)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Polyurethane coating, For professional users only.

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited
		Watchmead Welwyn Garden City
		Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person	:	EHS@uk.sika.com
responsible for the SDS		-

#### 1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1H317: May cause an allergic skin reaction.Long-term (chronic) aquatic hazard, Category 2H411: Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		*	
Signal word	:	Warning	•	
Hazard statements	:	H317 H411	May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.	
Precautionary statements	:	Prevention: P261	Avoid breathing mist or vapours.	



Date of last issue: 18.08.2021 Revision Date: 10.10.2022	Version 4.0		Print Date 10.10.2022
	P273 P280	Avoid release to the environmer Wear protective gloves.	t.
	Response:		
	P333 + P313	If skin irritation or rash occurs: G advice/ attention.	et medical
	P362 + P364	Take off contaminated clothing a before reuse.	and wash it
	P391	Collect spillage.	

## Hazardous components which must be listed on the label:

6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine 4-morpholinecarbaldehyde

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
6-methyl-2,4- bis(methylthio)phenylene-1,3- diamine	106264-79-3 403-240-8 01-0000015292-76- XXXX	Acute Tox. 4; H302 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Acute toxicity esti- mate Acute oral toxicity: 1.515 mg/kg	>= 5 - < 10



Date of last issue: 18.08.2021 Revision Date: 10.10.2022	Version 4.0		Print Date 10.10.2022	
4-morpholinecarbaldehyde	4394-85-8 224-518-3 01-2119987993-12- XXXX	Skin Sens. 1; H317	< 1	
Ear avalanation of abbraviations	and addition 16			

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.		
If inhaled :	Move to fresh air. Consult a physician after significant exposure.		
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.		
In case of eye contact :	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.		
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.		
4.2 Most important symptoms and e	effects, both acute and delayed		
Symptoms :	Allergic reactions See Section 11 for more detailed information on health effects and symptoms.		
Risks :	sensitising effects		
	May cause an allergic skin reaction.		
4.3 Indication of any immediate medical attention and special treatment needed			
Treatment :	Treat symptomatically.		

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon diox-



Date of last issue: 18.08.2021 Revision Date: 10.10.2022	Version 4.0	Print Date 10.10.2022
	ide/sand/foam/alcohol resistant foam/chem extinction.	nical powder for
5.2 Special hazards arising from th	e substance or mixture	
Specific hazards during fire- : fighting	Do not allow run-off from fire fighting to entrourses.	er drains or water
Hazardous combustion prod- : ucts	No hazardous combustion products are kn	own
5.3 Advice for firefighters		
Special protective equipment : for firefighters	In the event of fire, wear self-contained bre	athing apparatus.
Further information :	Collect contaminated fire extinguishing war must not be discharged into drains. Fire residues and contaminated fire extinguished be disposed of in accordance with local reg	uishing water must

### **SECTION 6: Accidental release measures**

Icosit<sup>®</sup> KC 340/7 (A)

	<b>ve equipment and emergency procedures</b> Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for conta	inment and cleaning up
Methods for cleaning up :	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.
6.4 Reference to other sections	
For personal protection see sect	ion 8.

## **SECTION 7: Handling and storage**

1

## 7.1 Precautions for safe handling

Advice on safe handling

Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing.



Date of last issue: 18.08.2021 Revision Date: 10.10.2022		Version 4.0	Print Date 10.10.2022
		For personal protection see section 8. Persons with a history of skin sensitisation ma, allergies, chronic or recurrent respirato not be employed in any process in which the used. Smoking, eating and drinking should be pro- plication area. Follow standard hygiene measures when he products	bry disease should his mixture is being phibited in the ap-
Advice on protection against fire and explosion	:	Normal measures for preventive fire protec	tion.
Hygiene measures	:	Handle in accordance with good industrial practice. When using do not eat or drink. W smoke. Wash hands before breaks and at	/hen using do not
7.2 Conditions for safe storage, in	nc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and v place. Containers which are opened must l sealed and kept upright to prevent leakage ance with local regulations.	be carefully re-
Further information on stor- age stability	:	No decomposition if stored and applied as	directed.
7.3 Specific end use(s) Specific use(s)	:	Consult most current local Product Data Sł use.	neet prior to any

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

## Personal protective equipment

Eye protection	: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm)



Date of last issue: 18.08.2021 Revision Date: 10.10.2022	Version 4.0	Print Date 10.10.2022
	Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	
Skin and body protection Respiratory protection	<ul> <li>Protective clothing (e.g. Safety shoes acc. to long-sleeved working clothing, long trousers and protective boots are additionaly recomm and stirring work.</li> <li>No special measures required.</li> </ul>	). Rubber aprons
Environmental exposure con	rols	
General advice	: Do not flush into surface water or sanitary so If the product contaminates rivers and lakes respective authorities.	

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state Colour Odour	:	liquid various slight
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
<b>Upper/lower flammability or e</b> Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
<b>Viscosity</b> Viscosity, dynamic	:	ca. 4.100 mPa.s (20 °C)

## SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# Icosit<sup>®</sup> KC 340/7 (A)

Date of last issue: 18.08.2021 Revision Date: 10.10.2022	Version 4.0	Print Date 10.10.2022
Viscosity, kinematic	: > 20,5 mm2/s (40 °C)	
Solubility(ies)		
Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 0,01 hPa	
Density	: ca. 0,97 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
<b>9.2 Other information</b> No data available		

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

#### 10.4 Conditions to avoid

Conditions to avoid : No data available

### 10.5 Incompatible materials

Materials to avoid : No data available

## **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.



Date of last issue: 18.08.2021 Revision Date: 10.10.2022 Version 4.0

Print Date 10.10.2022

## **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### **Components:**

#### 6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine:

Acute oral toxicity : LD50 Oral (Rat): 1.515 mg/kg

Acute toxicity estimate: 1.515 mg/kg

Method: Calculation method

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### **Reproductive toxicity**

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

1

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment

The substance/mixture does not contain components consid-



Date of last issue: 18.08.2021	
Revision Date: 10.10.2022	

Version 4.0

Print Date 10.10.2022

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Endocrine disrupting properties

Product:		
Assessment :	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.	
12.7 Other adverse effects		
Product:		
Additional ecological infor- : mation	<ul> <li>An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.</li> <li>Toxic to aquatic life with long lasting effects.</li> </ul>	

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Pro	duc	:t
1 10	uuu	,ι

: The generation of waste should be avoided or minimized



Date of last issue: 18.08.2021 Revision Date: 10.10.2022		Version 4.0	Print Date 10.10.2022
		wherever possible. Empty containers or liners may retain some pr This material and its container must be dispos way. Dispose of surplus and non-recyclable product waste disposal contractor. Disposal of this product, solutions and any by- at all times comply with the requirements of er protection and waste disposal legislation and a local authority requirements. Avoid dispersal of spilled material and runoff a soil, waterways, drains and sewers.	ed of in a safe ts via a licensed products should nvironmental any regional
European Waste Catalogue	:	08 04 09* waste adhesives and sealants cont solvents or other dangerous substances	aining organic
Contaminated packaging	:	15 01 10* packaging containing residues of or by dangerous substances	contaminated

## **SECTION 14: Transport information**

14.1 UN number		
ADR	:	UN 3082
IMDG	:	UN 3082
ΙΑΤΑ	:	UN 3082
14.2 UN proper shipping name		
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine)
ΙΑΤΑ	:	Environmentally hazardous substance, liquid, n.o.s. (6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine)
14.3 Transport hazard class(es)		
ADR	:	9
IMDG	:	9
ΙΑΤΑ	:	9
14.4 Packing group		
<b>ADR</b> Packing group	:	III

## SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# Icosit<sup>®</sup> KC 340/7 (A)

Date of last issue: 18.08.2021 Revision Date: 10.10.2022	Version 4.0	Print Date 10.10.2022
Classification Code Hazard Identification Number Labels Tunnel restriction code	: M6 : 90 : 9 : (-)	
<b>IMDG</b> Packing group Labels EmS Code	: III : 9 : F-A, S-F	
<b>IATA (Cargo)</b> Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	: 964 : Y964 : III : Miscellaneous	
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels	: 964 : Y964 : III : Miscellaneous	
14.5 Environmental hazards		
ADR Environmentally hazardous	: yes	
IMDG Marine pollutant	: yes	
IATA (Passenger) Environmentally hazardous	: yes	
<b>IATA (Cargo)</b> Environmentally hazardous	: yes	
14.6 Special precautions for use		

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

## **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)

: Conditions of restriction for the following entries should be considered:



Date of last issue: 18.08.2021 Revision Date: 10.10.2022	Version 4.0	Print Date 10.10.2022
		1,2-Benzenedicarboxylic acid, di-C9- 11-branched alkyl esters, C10-rich (Number on list 52)
International Chemical Weapon Schedules of Toxic Chemicals a	( )	Not applicable
Regulation (EC) No 1005/2009 plete the ozone layer	on substances that de- :	Not applicable
GB Export and import of hazarc Informed Consent (PIC) Regula Control of Major Accident Haza 2015 (COMAH) Volatile organic compounds	tion rds Regulations E2 EN : Law on the incentive tax for (VOCV) Volatile organic compound no VOC duties Directive 2010/75/EU of 2	Not applicable VIRONMENTAL HAZARDS or volatile organic compounds ds (VOC) content: 0,1% w/w 4 November 2010 on industrial ution prevention and control)
If other regulatory information a	Volatile organic compound	/ided elsewhere in the Safety Data
Sheet, then it is described in thi		
Health, safety and environ-	: Environmental Protection	Act 1990 & Subsidiary Regulations

Health, safety and environ-	: Environmental Protection Act 1990 & Subsidiary Regulations
mental regulation/legislation	Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or	Control of Substances Hazardous to Health Regulations
mixture:	(COSHH)
	May be subject to the Control of Major Accident Hazards
	Regulations (COMAH), and amendments.

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## **SECTION 16: Other information**

Full text of H-Statemer	nts
H302 H317 H400 H410	<ul> <li>Harmful if swallowed.</li> <li>May cause an allergic skin reaction.</li> <li>Very toxic to aquatic life.</li> <li>Very toxic to aquatic life with long lasting effects.</li> </ul>
Full text of other abbre	eviations
Acute Tox. Aquatic Acute Aquatic Chronic	<ul> <li>Acute toxicity</li> <li>Short-term (acute) aquatic hazard</li> <li>Long-term (chronic) aquatic hazard</li> </ul>



Date of last issue: 18.08.2021 Revision Date: 10.10.2022		Version 4.0	Print Date 10.10.2022
Skin Sens.	:	Skin sensitisation	
ADR	:	European Agreement concerning th Dangerous Goods by Road	e International Carriage of
CAS	:	Chemical Abstracts Service	
DNEL	:	Derived no-effect level	
EC50	:	Half maximal effective concentration	1
GHS	:	Globally Harmonized System	
IATA	:	International Air Transport Association	on
IMDG	:	International Maritime Code for Dan	
LD50	:	Median lethal dosis (the amount of a	
		once, which causes the death of 50	% (one half) of a group of
LC50		test animals) Median lethal concentration (concer	strations of the chemical in
2030	•	air that kills 50% of the test animals	
		period)	during the observation
MARPOL		International Convention for the Pre	vention of Pollution from
	•	Ships, 1973 as modified by the Prot	
OEL		Occupational Exposure Limit	
PBT	:	Persistent, bioaccumulative and tox	ic
PNEC	÷	Predicted no effect concentration	
REACH		Regulation (EC) No 1907/2006 of th	e European Parliament
	-	and of the Council of 18 December	
		istration, Evaluation, Authorisation a	
		cals (REACH), establishing a Europ	
SVHC	:	Substances of Very High Concern	- <u> </u>
vPvB	:	Very persistent and very bioaccumu	lative
Further information			
Classification of the mixtur	e:	Classifica	tion procedure:
Skin Sens. 1	H3	17 Calculation	method
Aquatic Chronic 2	H4	11 Calculation	method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN