

Date of last issue: 25.09.2023	Version 7.0	Print Date 29.02.2024
Revision Date: 01.12.2023		

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Sarnafil T Prep

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use	: Pretreatment agent, Cleaning agent, For professional users
	only.

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited
		Watchmead Welwyn Garden City
		Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person	:	EHS@uk.sika.com
responsible for the SDS		

#### **1.4 Emergency telephone number**

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Flammable liquids, Category 2	H225: Highly flammable liquid and vapour.			
Eye irritation, Category 2	H319: Causes serious eye irritation.			
Specific target organ toxicity - single exposure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.			

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

2



Date of last issue: 25.09.2023 Revision Date: 01.12.2023	Ve	ersion 7.0	Print Date 29.02.2024
Hazard statements :	H225 H319 H336	Highly flammable liquid and vap Causes serious eye irritation. May cause drowsiness or dizzin	
Supplemental Hazard : Statements	EUH066	Repeated exposure may cause or cracking.	skin dryness
Precautionary statements :	<b>Prevention:</b> P210 P233 P261 P280	Keep away from heat, hot surfact open flames and other ignition s smoking. Keep container tightly closed. Avoid breathing mist or vapours Wear protective gloves/ protection eye protection/ face protection.	ources. No
	<b>Response:</b> P303 + P361 + F P370 + P378	P353 IF ON SKIN (or hair): Tak ately all contaminated clothing. I with water. In case of fire: Use dry sand, dry alcohol-resistant foam to extingu	Rinse skin / chemical or

#### Hazardous components which must be listed on the label:

1-methoxy-2-propanol

#### Additional Labelling

The data sheet for medical personnel is available at the here provided emergency address.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Date of last issue: 25.09.2023	
Revision Date: 01.12.2023	

Version 7.0

Print Date 29.02.2024

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
1-methoxy-2-propanol	107-98-2	Flam. Liq. 3; H226	>= 40 - < 60
Contains:	203-539-1	STOT SE 3; H336	
2-methoxypropanol <= 0,3 %	01-2119457435-35-	(Central nervous	
	XXXX	system)	
butanone	78-93-3	Flam. Liq. 2; H225	>= 40 - < 60
	201-159-0	Eye Irrit. 2; H319	
	01-2119457290-43-	STOT SE 3; H336	
	XXXX	(Central nervous	
		system)	
		EUH066	

For explanation of abbreviations see section 16.

according to Detergents Regulation EC 648/2004 : less than 5 %: Perfumes

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.



Date of last issue: 25.09.2023 Revision Date: 01.12.2023		Version 7.0	Print Date 29.02.202
4.2 Most important symptoms a	nd ef	ffects, both acute and delayed	
Symptoms	:	Excessive lachrymation Erythema Loss of balance Vertigo See Section 11 for more detailed informat and symptoms.	ion on health effects
Risks	:	irritant effects	
		Causes serious eye irritation. May cause drowsiness or dizziness. Repeated exposure may cause skin dryne	ess or cracking.
4.3 Indication of any immediate	med	ical attention and special treatment nee	ded
Treatment SECTION 5: Firefighting mea	:	Treat symptomatically.	
Treatment SECTION 5: Firefighting mea	: sure	Alcohol-resistant foam Carbon dioxide (CO2)	
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media	: sure	es Alcohol-resistant foam	
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media Unsuitable extinguishing media	: sure :	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water	
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2 Special hazards arising from	: sure :	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water	nown
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts	: sure :	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water substance or mixture	nown
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod-	sure	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water substance or mixture	

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	<ul> <li>Use personal protective equipment. Remove all sources of ignition. Deny access to unprotected persons. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.</li> </ul>



Date of last issue: 25.09.2023	Version 7.0	Print Date 29.02.2024
Revision Date: 01.12.2023		

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

#### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Take precautionary measures against static discharge. Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Use explosion-proof equipment. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Take precautionary measures against electrostatic discharges.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Store in cool place. Containers which are opened must be
areas and containers		carefully resealed and kept upright to prevent leakage. Store
		in accordance with local regulations.



Date of last issue: 25.09.2023 Revision Date: 01.12.2023		Version 7.0	Print Date 29.02.2024
Further information on stor- age stability	:	No decomposition if stored and applied as direct	ed.
7.3 Specific end use(s) Specific use(s)	:	Consult most current local Product Data Sheet p use.	rior to any

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form	Control parame-	Basis *			
		of exposure)	ters *				
1-methoxy-2-propanol	107-98-2	TWA	100 ppm	2000/39/EC			
			375 mg/m3				
		rmation: Identifies the	possibility of signi	ificant uptake			
	through the	skin, Indicative					
		STEL	150 ppm	2000/39/EC			
			568 mg/m3				
		TWA	100 ppm	GB EH40			
			375 mg/m3				
		Further information: Can be absorbed through the skin. The as-					
		signed substances are those for which there are concerns that					
	dermal abso	dermal absorption will lead to systemic toxicity.					
		STEL	150 ppm	GB EH40			
			560 mg/m3				
butanone	78-93-3	TWA	200 ppm	2000/39/EC			
			600 mg/m3				
	Further infor	Further information: Indicative					
		STEL	300 ppm	2000/39/EC			
			900 mg/m3				
		TWA	200 ppm	GB EH40			
			600 mg/m3				
		Further information: Can be absorbed through the skin. The as-					
	signed subs	signed substances are those for which there are concerns that					
	dermal abso	orption will lead to sys	temic toxicity.				
		STEL	300 ppm	GB EH40			
			899 mg/m3				

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### **Biological occupational exposure limits**

Substance name	CAS-No.	Control parame- ters	Sampling time	Basis
butanone	78-93-3	butan-2-one: 70 micromol per litre (Urine)	After shift	GB EH40 BAT



Date of last issue: 25.09.2023 Revision Date: 01.12.2023	Version 7.0	Print Date 29.02.2024
8.2 Exposure controls		

## Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.
Environmental exposure contr	ols
General advice :	Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state : liquid



Date of last issue: 25.09.2023 Revision Date: 01.12.2023		Version 7.0	Print Date 29.02.2024
Colour	:	yellow	
Odour	:	solvent-like	
Melting point/range / Freezing point	:	No data available	
Boiling point/boiling range	:	ca. 79 °C	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or	exp	blosive limits	
Upper explosion limit / Upper flammability limit	:	Upper flammability limit 13,8 %(V)	
Lower explosion limit / Lower flammability limit	:	Lower flammability limit 1,5 %(V)	
Flash point	:	-4 °C Method: closed cup	
Auto-ignition temperature	:	270 °C	
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture is non-soluble (in water)	
Viscosity			
Viscosity, kinematic	:	< 20,5 mm2/s (40 °C)	
<b>Solubility(ies)</b> Water solubility	:	soluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	ca. 105 hPa (20 °C)	
Density	:	ca. 0,80 g/cm3 (20 °C)	



Date of last issue: 25.09.2023 Revision Date: 01.12.2023		Version 7.0	Print Date 29.02.202		
Relative vapour density	:	No data available			
	•				
Particle characteristics	:	: No data available			
9.2 Other information					
No data available					
SECTION 10: Stability and r	eacti	vity			
10.1 Reactivity					
No dangerous reaction know	vn und	der conditions of normal use.			
10.2 Chemical stability					
The product is chemically st	able.				
10.3 Possibility of hazardous r	eactio	ons			
Hazardous reactions	:	Stable under recommended storage conditions.			
		Vapours may form explosive mixture with air.			
10.4 Conditions to avoid					
Conditions to avoid	:	Heat, flames and sparks.			
10.5 Incompatible materials					
Materials to avoid	:	No data available			
10.6 Hazardous decomposition	۱ proc	lucts			
	and ar	oplied as directed.			

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not classified due to lack of Components:	f data.		
<b>1-methoxy-2-propanol:</b> Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg	
Acute inhalation toxicity	:	LC50: 7,5 mg/l Exposure time: 4 h	



vision Date: 01.12.2023		
	Test atmosphere: dust/mist	
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 5.000 mg/kg	
butanone:		
Acute oral toxicity	: LD50 Oral (Rat): 3.300 mg/kg	
Acute inhalation toxicity	: LC50 (Rat): 36 mg/l Exposure time: 4 h Test atmosphere: vapour	
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 5.000 mg/kg	
Skin corrosion/irritation		
Repeated exposure may car	use skin dryness or cracking.	
Serious eye damage/eye ii		
Causes serious eye irritation		
Respiratory or skin sensit	sation	
Skin sensitisation		
Not classified due to lack of	data.	
Respiratory sensitisation Not classified due to lack of	data.	
Germ cell mutagenicity Not classified due to lack of	data	
Carcinogenicity Not classified due to lack of	data	
Reproductive toxicity	2010.	
Not classified due to lack of	data.	
STOT - single exposure		
May cause drowsiness or di	zziness.	
STOT - repeated exposure Not classified due to lack of		
Aspiration toxicity		
Not classified due to lack of	data.	
2 Information on other haza	′ds	
Endocrine disrupting prop	erties	
Product:		
Assessment	: The substance/mixture does not contain ered to have endocrine disrupting prope	



Date of last issue: 25.09.2023 Revision Date: 01.12.2023	Version 7.0	Print Date 29.02.2024
	(EU) 2017/2100 or Commission Regula levels of 0.1% or higher.	ation (EU) 2018/605 at

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Components:

#### 1-methoxy-2-propanol:

Toxicity to fish	:	LC50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): > 100 mg/l Exposure time: 48 h

#### 12.2 Persistence and degradability

This product does not contain any tensides according to the definition in the EU Detergents Regulation (EU/648/2004) (>0,2%).

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

## 12.6 Endocrine disrupting properties

#### Product:

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

### Product:

Additional ecological infor-	:	There is no data available for this product.
------------------------------	---	--



**Jika**®

Date of last issue: 25.09.2023Version 7.0Print Date 29.02.2024Revision Date: 01.12.2023Version 7.0Print Date 29.02.2024

mation

## **SECTION 13: Disposal considerations**

13.1 Waste treatment methods		
Product	nerever possible. mpty containers or lin his material and its co ay. spose of surplus and aste disposal contrac sposal of this produc all times comply with otection and waste di cal authority requirem	t, solutions and any by-products should the requirements of environmental sposal legislation and any regional tents. ed material and runoff and contact with
European Waste Catalogue	7 07 04* other organi uors	c solvents, washing liquids and mother
Contaminated packaging	5 01 10* packaging co v dangerous substanc	ontaining residues of or contaminated

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

	ADR	:	UN 1993	
	IMDG	:	UN 1993	
	ΙΑΤΑ	:	UN 1993	
14.2	2 UN proper shipping name			
	ADR	:	FLAMMABLE LIQUID (1-methoxy-2-propane	,
	IMDG	:	FLAMMABLE LIQUID (1-methoxy-2-propane	
	ΙΑΤΑ	:	Flammable liquid, n.o.s. (1-methoxy-2-propanol, butanone)	
14.3	3 Transport hazard class(es)			
			Class	Subsidiary risks
	ADR	:	3	
~				



Date of last issue: 25.09.2023 Revision Date: 01.12.2023	Version 7.0	Print Date 29.02.2024
IMDG IATA	: 3 : 3	
14.4 Packing group		
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code	: II : F1 : 33 : 3 : (D/E)	
<b>IMDG</b> Packing group Labels EmS Code	: II : 3 : F-E, <u>S-E</u>	
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	<ul> <li>364</li> <li>Y341</li> <li>II</li> <li>Flammable Liquids</li> </ul>	
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels	<ul> <li>353</li> <li>Y341</li> <li>II</li> <li>Flammable Liquids</li> </ul>	
14.5 Environmental hazards		
<b>ADR</b> Environmentally hazardous	: no	
IMDG Marine pollutant	: no	
IATA (Passenger) Environmentally hazardous	: no	
IATA (Cargo) Environmentally hazardous	: no	

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



Date of last issue: 25.09.2023	Version 7.0	Print Date 29.02.2024
Revision Date: 01.12.2023		

## **SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Ar	REACH List of restrictions (Annex 17)			
UK REACH Candidate list of subs concern (SVHC) for Authorisation	CREACH Candidate list of substances of very high ncern (SVHC) for Authorisation			
	The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Brit- ain)			
International Chemical Weapons Schedules of Toxic Chemicals an		:	Not applicable	
Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de-	:	Not applicable	
UK REACH List of substances su (Annex XIV)	bject to authorisation	:	Not applicable	
GB Export and import of hazardou Informed Consent (PIC) Regulation		:	Not applicable	
Control of Major Accident Hazards 2015 (COMAH)	s Regulations P5c	FLA	MMABLE LIQUIDS	
Volatile organic compounds :	(VOCV) Volatile organic compo Directive 2010/75/EU o	ound	or volatile organic compounds ls (VOC) content: 99,7% w/w 4 November 2010 on industrial	
			ution prevention and control) Is (VOC) content: 99,7% w/w	

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ-	: Environmental Protection Act 1990 & Subsidiary Regulations
mental regulation/legislation	Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or	Control of Substances Hazardous to Health Regulations
mixture:	(COSHH)



Date of last issue: 25.09.2023 Revision Date: 01.12.2023 Version 7.0

Print Date 29.02.2024

May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

#### Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

### **SECTION 16: Other information**

Full tex	xt of H	-Statem	ents
----------	---------	---------	------

H225	:	Highly flammable liquid and vapour.
H226	:	Flammable liquid and vapour.
H319	:	Causes serious eye irritation.
H336	:	May cause drowsiness or dizziness.
Full text of other abbreviati	ons	•
Eye Irrit.		Eye irritation
Flam. Liq.	:	Flammable liquids
•	:	
STOT SE	:	Specific target organ toxicity - single exposure
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first
		list of indicative occupational exposure limit values
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 BAT	:	UK. Biological monitoring guidance values
2000/39/EC / TWA	:	Limit Value - eight hours
2000/39/EC / STEL	:	Short term exposure limit
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)
ADR	:	European Agreement concerning the International Carriage of
	•	Dangerous Goods by Road
CAS		Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	
	:	Globally Harmonized System
IATA	•	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation



Date of last issue: 25.09.2023 Revision Date: 01.12.2023		Version 7.0	Print Date 29.02.2024	
MARPOL OEL PBT PNEC	: Ir S : O : P : P	eriod) hternational Convention for the Preventic hips, 1973 as modified by the Protocol o occupational Exposure Limit ersistent, bioaccumulative and toxic redicted no effect concentration	of 1978	
REACH SVHC vPvB	ai is ca : S	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency Substances of Very High Concern Very persistent and very bioaccumulative		
Further information				
Classification of the mixtu	re:	Classification p	procedure:	
Flam. Liq. 2	H225	Based on produc	ct data or assessment	
Eye Irrit. 2	H319	Calculation meth	nod	
STOT SE 3	H336	Calculation meth	nod	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN