

Sikafloor[®]-262 AS N /262 AS N Thixo Part B

Date of last issue: 26.10.2022	Version 10.0	Print Date 29.02.2024
Revision Date: 09.06.2023		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Sikafloor[®]-262 AS N /262 AS N Thixo Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Epoxy coating, Product is not intended for consumer use

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12 Acute toxicity, Category 4	72/2008) H302: Harmful if swallowed.
Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Reproductive toxicity, Category 2	H361: Suspected of damaging fertility or the un- born child.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.



2024

Sikafloor®-262 AS N /262 AS N Thixo Part B

Date of last issue: 26.10.2022	Version 10.0	Print Date 29.02.2
Revision Date: 09.06.2023		

2.2 Label elements

Labelling (REGULATION (EC)	No 1272/2008)	
Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H302 H314 H317 H361	Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child.
		H373 H412	May cause damage to organs through pro- longed or repeated exposure. Harmful to aquatic life with long lasting ef- fects.
Supplemental Hazard Statements	:	EUH071	Corrosive to the respiratory tract.
Precautionary statements	:	Prevention: P201 P260 P280	Obtain special instructions before use. Do not breathe mist or vapours. Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response:	
		-	P353 IF ON SKIN (or hair): Take off immedi- ately all contaminated clothing. Rinse skin with water.
		P304 + P340 + F	
		P305 + P351 + F	

Hazardous components which must be listed on the label:

Adduct IXA-P (epoxy amine adduct, polymer) 3-aminomethyl-3,5,5-trimethylcyclohexylamine m-phenylenebis(methylamine) 2-piperazin-1-ylethylamine Cashew, nutshell liq. 2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine



Date of last issue: 26.10.2022	Version 10.0	Print Date 29.02.2024
Revision Date: 09.06.2023		

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

components			
Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
benzyl alcohol	100-51-6 202-859-9 01-2119492630-38- XXXX	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319 Acute toxicity esti- mate Acute oral toxicity:	>= 40 - < 60
		1.620 mg/kg Acute inhalation tox- icity (dust/mist): 4,178 mg/l	
Adduct IXA-P (epoxy amine ad- duct, polymer)	212580-83-1 Not Assigned	Acute Tox. 4; H302 Skin Sens. 1; H317 Aquatic Chronic 3; H412	>= 10 - < 20



e of last issue: 26.10.2022 ision Date: 09.06.2023	Version 10	0.0	Print Date 29.02.20
3-aminomethyl-3,5,5- trimethylcyclohexylamine	2855-13-2 220-666-8 01-2119514687-32- XXXX	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317	>= 10 - < 20
		specific concentration limit Skin Sens. 1A; H317 >= 0,001 %	
		Acute toxicity esti- mate	
		Acute oral toxicity: 1.030 mg/kg	
m-phenylenebis(methylamine)	1477-55-0 216-032-5 01-2119480150-50- XXXX	Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Corr. 1B; H314 Skin Sens. 1B; H317 Aquatic Chronic 3; H412 EUH071	>= 5 - < 10
		Acute toxicity esti- mate	
		Acute oral toxicity: 930 mg/kg Acute inhalation tox- icity (dust/mist): 1,34 mg/l	
2-piperazin-1-ylethylamine Contains: 2-(2-aminoethylamino)ethanol <= 0,29 %	140-31-8 205-411-0 01-2119471486-30- XXXX	Repr. 2; H361 STOT RE 1; H372 Acute Tox. 4; H302 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 3; H412	>= 5 - < 10
		Acute toxicity esti- mate	
		Acute oral toxicity: 1.999 mg/kg Acute dermal toxicity: 866 mg/kg	



		Print Date 29.02.2024
90-72-2 202-013-9 01-2119560597-27- XXXX	Acute Tox. 4; H302 Skin Corr. 1C; H314 Eye Dam. 1; H318	>= 5 - < 10
8007-24-7 700-991-6 01-2119502450-57- XXXX	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Acute toxicity esti- mate Acute oral toxicity: 500 mg/kg Acute dermal toxicity: 2.000 mg/kg	>= 3 - < 5
90530-20-4 292-059-6 01-2120773937-35- XXXX	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Chronic 2; H411	>= 1 - < 2,5
25513-64-8 247-063-2 01-2119560598-25- XXXX	Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Acute toxicity esti- mate	>= 0,1 - < 0,5
	202-013-9 01-2119560597-27- XXXX 8007-24-7 700-991-6 01-2119502450-57- XXXX 90530-20-4 292-059-6 01-2120773937-35- XXXX 25513-64-8 247-063-2 01-2119560598-25-	202-013-9 Skin Corr. 1C; H314 01-2119560597-27- Acute Tox. 4; H302 8007-24-7 Acute Tox. 4; H302 700-991-6 Acute Tox. 4; H312 01-2119502450-57- XXX XXX Skin Sens. 1A; H317 Acute toxicity estimate Acute toxicity: Acute oral toxicity: 500 mg/kg 90530-20-4 Acute Tox. 4; H302 292-059-6 Acute Tox. 4; H302 01-2120773937-35- XXX 25513-64-8 Acute Tox. 4; H302 247-063-2 Acute Tox. 4; H302 01-2119560598-25- Acute Tox. 4; H302 XXX Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Dam. 1; H318 Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Dam. 1; H318 Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Acute toxicity esti- Acute toxicity esti-

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Immediate medical treatment is necessary as untreated



Date of last issue: 26.10.2022 Revision Date: 09.06.2023	Version 10.0	Print Date 29.02.2024
	wounds from corrosion of the skin heal slowly an ty.	ld with difficul-
In case of eye contact :	Small amounts splashed into eyes can cause irres sue damage and blindness. In the case of contact with eyes, rinse immediate of water and seek medical advice. Continue rinsing eyes during transport to hospita Remove contact lenses. Keep eye wide open while rinsing.	ely with plenty
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious	s person.
4.2 Most important symptoms and	effects, both acute and delayed	
Symptoms :	Gastrointestinal discomfort Allergic reactions Dermatitis See Section 11 for more detailed information on and symptoms.	health effects
Risks :	Health injuries may be delayed. corrosive effects sensitising effects	
	Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye damage. Suspected of damaging fertility or the unborn chi May cause damage to organs through prolonged exposure. Corrosive to the respiratory tract. Causes severe burns.	
-	dical attention and special treatment needed	
Treatment :	Treat symptomatically.	

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.



_

Date of last issue: 26.10.2022 Revision Date: 09.06.2023		Version 10.0	Print Date 29.02.2024
5.2 Special hazards arising fron	n the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are know	wn
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained brea	thing apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental relea	se i	measures	
6.1 Personal precautions, prote	ctiv	e equipment and emergency procedures	
6.1 Personal precautions, prote Personal precautions	ctiv :	e equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons.	
	ctiv :	Use personal protective equipment.	
Personal precautions	ctiv :	Use personal protective equipment.	
Personal precautions 6.2 Environmental precautions	:	Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary se If the product contaminates rivers and lakes respective authorities.	
Personal precautions 6.2 Environmental precautions Environmental precautions	:	Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary se If the product contaminates rivers and lakes respective authorities.	or drains inform and, silica gel,
Personal precautions 6.2 Environmental precautions Environmental precautions 6.3 Methods and material for co	:	Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary se If the product contaminates rivers and lakes respective authorities. inment and cleaning up Soak up with inert absorbent material (e.g. s acid binder, universal binder, sawdust).	or drains inform and, silica gel,

7.1 Precautions for safe handling

Advice on safe handling	: Avoid exceeding the given occupational exposure limits (see section 8).
	Do not get in eyes, on skin, or on clothing.
	For personal protection see section 8.
	Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
	Smoking, eating and drinking should be prohibited in the ap- plication area.
	Follow standard hygiene measures when handling chemical products



Date of last issue: 26.10.2022 Revision Date: 09.06.2023		Version 10.0	Print Date 29.02.2024
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.	
Hygiene measures	:	Handle in accordance with good industrial hygier practice. When using do not eat or drink. When us smoke. Wash hands before breaks and at the er	using do not
7.2 Conditions for safe storage, in	nc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ve place. Containers which are opened must be car sealed and kept upright to prevent leakage. Store ance with local regulations.	efully re-
Further information on stor- age stability	:	No decomposition if stored and applied as direct	ed.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Sheet p use.	rior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Co	omponents		CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
~		 				

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Wear eye/face protection.	
Hand protection	: Chemical-resistant, impervious gloves complying with an proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manual facturer specifications.	
	Suitable for short time use or protection against splashes Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure:	:



Date of last issue: 26.10.2022 Revision Date: 09.06.2023	Version 10.0	Print Date 29.02.2024
	Viton gloves (0.4 mm), breakthrough time >30 min.	
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to E long-sleeved working clothing, long trousers). F and protective boots are additionaly recommen and stirring work.	Rubber aprons
Respiratory protection :	No special measures required.	
Environmental exposure contro	ols	
General advice :	Do not flush into surface water or sanitary sewe If the product contaminates rivers and lakes or respective authorities.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid yellow			
Odour	:	amine-like			
Melting point/range / Freezing point	:	No data available			
Boiling point/boiling range	:	No data available			
Flammability (solid, gas)	:	No data available			
Upper/lower flammability or explosive limits					
oppentiower naminability of t	exp				
Upper explosion limit / Up- per flammability limit	•				
Upper explosion limit / Up-	•				
Upper explosion limit / Up- per flammability limit Lower explosion limit /	:	No data available			
Upper explosion limit / Up- per flammability limit Lower explosion limit / Lower flammability limit	:	No data available No data available > 101 °C			



Print Date 29.02.2024

Sikafloor®-262 AS N /262 AS N Thixo Part B

Date of last issue: 26.10.2022

Revision Date: 09.06.2023

рН	: ca. 11 (20 °C) Concentration: 50 %
Viscosity	
Viscosity, kinematic	: > 20,5 mm2/s (40 °C)
Solubility(ies)	
Water solubility	: insoluble
Partition coefficient: n- octanol/water	: No data available
Vapour pressure	: 0,07 hPa
Density	: ca. 1,03 g/cm3 (20 °C)
Relative vapour density	: No data available
Particle characteristics	: No data available
9.2 Other information	
No data available	
SECTION 10: Stability and r	eactivity
0.1 Reactivity	
No dangerous reaction know	wn under conditions of normal use.
0.2 Chemical stability	
The product is chemically s	
10.3 Possibility of hazardous r	
Hazardous reactions	: Stable under recommended storage conditions.
10.4 Conditions to avoid	
Conditions to avoid	: No data available
10.5 Incompatible materials	
Materials to avoid	: No data available

Version 10.0



Date of last issue: 26.10.2022	Version 10.0	Print Date 29.02.2024
Revision Date: 09.06.2023		

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed.		
Components:		
benzyl alcohol:		
Acute oral toxicity	:	LD50 Oral (Rat): 1.620 mg/kg
		Acute toxicity estimate: 1.620 mg/kg Method: Calculation method
Acute inhalation toxicity	:	LC50 (Rat): > 4,178 mg/l Exposure time: 4 h
		Test atmosphere: dust/mist
		Acute toxicity estimate: 4,178 mg/l
		Test atmosphere: dust/mist Method: Calculation method
3-aminomethyl-3,5,5-trime	thylc	yclohexylamine:
Acute oral toxicity	:	Acute toxicity estimate: 1.030 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
		LD50 Oral (Rat): 1.030 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5 mg/l Exposure time: 4 h
		Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2.000 mg/kg
		LD50 (Rabbit): > 2.000 - 5.000 mg/kg
m-phenylenebis(methylan	nine):	
Acute oral toxicity	:	LD50 Oral (Rat): 930 mg/kg
		Acute toxicity estimate: 930 mg/kg Method: Calculation method



e of last issue: 26.10.2022 vision Date: 09.06.2023	Version 10.0	Print Date 29.02.202
Acute inhalation toxicity	: LC50 (Rat): 1,34 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: Corrosive to the respiratory tra	act.
	Acute toxicity estimate: 1,34 mg/l Test atmosphere: dust/mist Method: Calculation method	
Acute dermal toxicity	: LD50 Dermal (Rat): > 3.100 mg/kg	
2-piperazin-1-ylethylamine		
Acute oral toxicity	: LD50 Oral (Rat): > 1.999 mg/kg	
	Acute toxicity estimate: 1.999 mg/kg Method: Calculation method	
Acute dermal toxicity	: LD50 Dermal (Rabbit): ca. 866 mg/kg	
	Acute toxicity estimate: 866 mg/kg Method: Calculation method	
2,4,6-tris(dimethylaminom	hyl)phenol:	
Acute oral toxicity	: LD50 (Rat): > 1.999 mg/kg Remarks: Harmful if swallowed. Annex VI - Harmonised REGULATION (EC) No 1272/2008	
Cashew, nutshell liq.:		
Acute oral toxicity	: LD50 Oral (Rat): 500 mg/kg	
	Acute toxicity estimate: 500 mg/kg Method: Calculation method	
Acute dermal toxicity	: LD50 Dermal (Rat): 2.000 mg/kg	
	Acute toxicity estimate: 2.000 mg/kg Method: Calculation method	
2,2,4(or 2,4,4)-trimethylhex	ne-1,6-diamine:	
Acute oral toxicity	: LD50 Oral (Rat): 910 mg/kg	
	Acute toxicity estimate: 910 mg/kg Method: Calculation method	
Skin corrosion/irritation		
Causes severe burns.		



Date of last issue: 26.10.2022	Version 10.0	Print Date 29.02.2024
Revision Date: 09.06.2023		

Components:

2,4,6-tris(dimethylaminomethyl)phenol:

Species Assessment Method		Rabbit Corrosive OECD Test Guideline 404
Assessment Remarks	:	irritating Annex VI - Harmonised REGULATION (EC) No 1272/2008

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

2,4,6-tris(dimethylaminomethyl)phenol:

Species Assessment	-	Rabbit Causes serious eye damage.
Assessment Remarks		irritating Annex VI - Harmonised REGULATION (EC) No 1272/2008

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

STOT - single exposure

Corrosive to the respiratory tract.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Not classified based on available information.



Date of last issue: 26.10.2022	Version 10.0	Print Date 29.02.2024
Revision Date: 09.06.2023		

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Componentes

<u>Components:</u>		
benzyl alcohol: Toxicity to fish	:	LC50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
3-aminomethyl-3,5,5-trimeth	nylc	yclohexylamine:
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l Exposure time: 72 h
		NOEC (Desmodesmus subspicatus (green algae)): 1,5 mg/l Exposure time: 72 h
m-phenylenebis(methylamir	ne):	
Toxicity to fish	:	LC50 (Oryzias latipes (Japanese medaka)): > 10 - 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l Exposure time: 48 h
2-piperazin-1-ylethylamine: Toxicity to fish	:	LC50 (Fish): > 100 mg/l Exposure time: 96 h
2,4,6-tris(dimethylaminomet	thy)phenol:
Toxicity to algae/aquatic		EC50 (Scenedesmus capricornutum (fresh water algae)): > 10



Date of last issue: 26.10.2022 Revision Date: 09.06.2023	Version 10.0	Print Date 29.02.202
	Exposure time: 72 h	
2,2,4(or 2,4,4)-trimethylhexand	-1,6-diamine:	
Toxicity to algae/aquatic : plants	EC50 (Scenedesmus capricornutum (fresh wat mg/l Exposure time: 72 h	er algae)): 29,5
Toxicity to fish (Chronic tox- : icity)	LC50: 174 mg/l Exposure time: 48 h Species: Leuciscus idus (Golden orfe)	
2.2 Persistence and degradability No data available		
2.3 Bioaccumulative potential No data available		
2.4 Mobility in soil		
No data available		
2.5 Results of PBT and vPvB ass	essment	
Product:		
Assessment :	This substance/mixture contains no componen to be either persistent, bioaccumulative and to very persistent and very bioaccumulative (vPvE 0.1% or higher	kic (PBT), or
2.6 Endocrine disrupting propert	es	
Product:		
Assessment :	The substance/mixture does not contain component ered to have endocrine disrupting properties at REACH Article 57(f) or Commission Delegated (EU) 2017/2100 or Commission Regulation (EU levels of 0.1% or higher.	ccording to regulation
2.7 Other adverse effects		
Product:		
Additional ecological infor- : mation	An environmental hazard cannot be excluded i unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.	

13.1 Waste treatment methods

Product : The generation of waste should be avoided or minimized	
--	--



Date of last issue: 26.10.2022 Revision Date: 09.06.2023		Version 10.0	Print Date 29.02.2024
		wherever possible. Empty containers or liners may retain some pro This material and its container must be dispose way. Dispose of surplus and non-recyclable products waste disposal contractor. Disposal of this product, solutions and any by-p at all times comply with the requirements of env protection and waste disposal legislation and ar local authority requirements. Avoid dispersal of spilled material and runoff an soil, waterways, drains and sewers.	d of in a safe s via a licensed roducts should rironmental ny regional
European Waste Catalogue	:	08 01 11* waste paint and varnish containing o vents or other dangerous substances	rganic sol-
Contaminated packaging	:	15 01 10* packaging containing residues of or c by dangerous substances	contaminated

SECTION 14: Transport information

14.1 UN number or ID number ADR : UN 1760 IMDG UN 1760 : ΙΑΤΑ : UN 1760 14.2 UN proper shipping name ADR : CORROSIVE LIQUID, N.O.S. (3-aminomethyl-3,5,5-trimethylcyclohexylamine, mphenylenebis(methylamine)) IMDG : CORROSIVE LIQUID, N.O.S. (3-aminomethyl-3,5,5-trimethylcyclohexylamine, mphenylenebis(methylamine)) ΙΑΤΑ : Corrosive liquid, n.o.s. (3-aminomethyl-3,5,5-trimethylcyclohexylamine, mphenylenebis(methylamine)) 14.3 Transport hazard class(es) Class Subsidiary risks ADR 8 5 IMDG 8 t ΙΑΤΑ : 8 14.4 Packing group Country GB 10000003794



Date of last issue: 26.10.2022	
Revision Date: 09.06.2023	

Version 10.0

Print Date 29.02.2024

ADR

Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code	-	8
IMDG Packing group Labels EmS Code Remarks	: : :	F-A, S-B
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	:	
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ)	:	

Labels 14.5 Environmental hazards

Α	D	R		

Packing group

Environmentally hazardous	:	no
IMDG Marine pollutant	:	no
IATA (Passenger) Environmentally hazardous	:	no
IATA (Cargo) Environmentally hazardous	:	no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

: 11

: Corrosive

Not applicable for product as supplied.



Date of last issue: 26.10.2022	Version 10.0	Print Date 29.02.2024
Revision Date: 09.06.2023		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (A	nnex 17)	:	Not applicable
UK REACH Candidate list of sub concern (SVHC) for Authorisation		:	Not applicable
The Persistent Organic Pollutants Regulation (EU) 2019/1021 as ar ain)		:	Not applicable
International Chemical Weapons Schedules of Toxic Chemicals ar		:	Not applicable
Regulation (EC) No 1005/2009 o plete the ozone layer	n substances that de-	:	Not applicable
UK REACH List of substances su (Annex XIV)	ubject to authorisation	:	Not applicable
GB Export and import of hazardo Informed Consent (PIC) Regulati		:	Not applicable
Control of Major Accident Hazard 2015 (COMAH)	ls Regulations	Not	tapplicable
Volatile organic compounds :	(VOCV)		or volatile organic compounds ds (VOC) content: 42,6% w/w
	emissions (integrated	poll	4 November 2010 on industrial ution prevention and control) ds (VOC) content: 42,6% w/w
If other regulatory information ap		prov	vided elsewhere in the Safety Da

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ-	: Environmental Protection Act 1990 & Subsidiary Regulations
mental regulation/legislation	Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or	Control of Substances Hazardous to Health Regulations
mixture:	(COSHH)



Date of last issue: 26.10.2022 Revision Date: 09.06.2023 Version 10.0

Print Date 29.02.2024

May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H302 H311 H312 H314 H315 H317 H318 H319 H332 H361 H372 H411 H412 Full text of other abbreviat	tions	
Acute Tox.	:	Acute toxicity
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Repr.		Reproductive toxicity
Skin Corr.		Skin corrosion
Skin Irrit.		Skin irritation
Skin Sens.		Skin sensitisation
STOT RE		Specific target organ toxicity - repeated exposure
ADR		European Agreement concerning the International Carriage of
040		Dangerous Goods by Road
CAS	÷	Chemical Abstracts Service
DNEL	÷	Derived no-effect level
EC50 GHS	•	Half maximal effective concentration
IATA	:	Globally Harmonized System International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
ED30	•	once, which causes the death of 50% (one half) of a group of
		test animals)
LC50		Median lethal concentration (concentrations of the chemical in
	•	air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
	-	40//



Date of last issue: 26.10.2022 Revision Date: 09.06.2023	Version 10.0	Print Date 29.02.2024
OEL PBT PNEC REACH SVHC	 Ships, 1973 as modified by the Protocol of Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the Eur and of the Council of 18 December 2006 istration, Evaluation, Authorisation and R cals (REACH), establishing a European O Substances of Very High Concern 	ropean Parliament concerning the Reg- estriction of Chemi-
vPvB	: Very persistent and very bioaccumulative	2

Further information

Classification of the mixture:		Classification procedure:
Acute Tox. 4	H302	Calculation method
Skin Corr. 1B	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Repr. 2	H361	Calculation method
STOT RE 2	H373	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN