# Biresin<sup>®</sup> L84 T (B)



Date of last issue: 18.08.2021	Version 4.0	Print Date 09.02.2022
Revision Date: 09.02.2022		

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Biresin<sup>®</sup> L84 T (B)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Tooling system, Product is not intended for consumer use

### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited
		Watchmead Welwyn Garden City
		Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

### **1.4 Emergency telephone number**

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 Skin corrosion, Sub-category 1B Serious eye damage, Category 1 Skin sensitisation, Category 1 H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

- H318: Causes serious eye damage.
- H317: May cause an allergic skin reaction.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)





# Biresin<sup>®</sup> L84 T (B)

Date of last issue: 18.08.2021 Revision Date: 09.02.2022 Version 4.0

Print Date 09.02.2022

Precautionary statements :	<b>Prevention:</b> P261 P280	Avoid breathing mist or vapours. Wear protective gloves/ protective clothing/ eye protection/ face protection.
	Response:	
	P301 + P330 +	P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P303 + P361 +	P353 IF ON SKIN (or hair): Take off immedi- ately all contaminated clothing. Rinse skin with water.
	P304 + P340 +	P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Im- mediately call a POISON CENTER/ doctor.
	P305 + P351 +	P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con- tinue rinsing. Immediately call a POISON CENTER/ doctor.

### Hazardous components which must be listed on the label:

3-aminomethyl-3,5,5-trimethylcyclohexylamine

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# Biresin<sup>®</sup> L84 T (B)



Date of last issue: 18.08.2021Version 4.0Revision Date: 09.02.2022Version 4.0

Print Date 09.02.2022

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

## Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		· · · ·
3-aminomethyl-3,5,5-	2855-13-2	Acute Tox. 4; H302	>=80
trimethylcyclohexylamine	220-666-8	Skin Corr. 1B; H314	
	01-2119514687-32-	Eye Dam. 1; H318	
	XXXX	Skin Sens. 1A; H317	
		specific concentration limit	
		Skin Sens. 1A; H317 >= 0,001 %	
		Acute toxicity esti- mate	
		Acute oral toxicity: 1.030 mg/kg	

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul- ty.
In case of eye contact	<ul> <li>Small amounts splashed into eyes can cause irreversible tissue damage and blindness.</li> <li>In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.</li> <li>Continue rinsing eyes during transport to hospital.</li> <li>Remove contact lenses.</li> </ul>

# Biresin<sup>®</sup> L84 T (B)



Date of last issue: 18.08.2021 Revision Date: 09.02.2022	Version 4.0	Print Date 09.02.2022
	Keep eye wide open while rinsing.	
If swallowed	<ul> <li>Do not induce vomiting without medical advice Rinse mouth with water.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscio</li> </ul>	
4.2 Most important symptoms and	effects, both acute and delayed	
Symptoms	<ul> <li>Gastrointestinal discomfort</li> <li>Allergic reactions</li> <li>Dermatitis</li> <li>See Section 11 for more detailed information o and symptoms.</li> </ul>	n health effects
Risks	<ul> <li>Health injuries may be delayed. corrosive effects sensitising effects</li> <li>Harmful if swallowed.</li> <li>May cause an allergia skin reaction</li> </ul>	
4.3 Indication of any immediate m	May cause an allergic skin reaction. Causes serious eye damage. Causes severe burns. edical attention and special treatment needed	
Treatment	Treat symptomatically.	

# **SECTION 5: Firefighting measures**

<b>5.1 Extinguishing media</b> Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from the Hazardous combustion products		substance or mixture No hazardous combustion products are known
<b>5.3 Advice for firefighters</b> Special protective equipment for firefighters Further information	:	In the event of fire, wear self-contained breathing apparatus. Standard procedure for chemical fires.

# Biresin<sup>®</sup> L84 T (B)

Date of last issue: 18.08.2021 Revision Date: 09.02.2022



Print Date 09.02.2022

SECTION 6: Accidental release measures			
6.1 Personal precautions, protec	tive equipment and emergency procedures		
Personal precautions	: Use personal protective equipment. Deny access to unprotected persons.		
6.2 Environmental precautions			
Environmental precautions	: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.		
6.3 Methods and material for containment and cleaning up			
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).		

Keep in suitable, closed containers for disposal.

Version 4.0

#### 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

7.1 Precautions for safe handling			
Advice on safe handling :	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>		
Advice on protection against : fire and explosion	Normal measures for preventive fire protection.		
Hygiene measures :	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.		
7.2 Conditions for safe storage, including any incompatibilities			
Requirements for storage : areas and containers	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord-		

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

# Biresin<sup>®</sup> L84 T (B)



Date of last issue: 18.08.2021 Revision Date: 09.02.2022		Version 4.0	Print Date 09.02.2022
		ance with local regulations.	
Further information on stor- age stability	:	No decomposition if stored and applied as direct	ed.
7.3 Specific end use(s) Specific use(s)	:	Consult most current local Product Data Sheet p use.	rior to any

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal	protective	equipment
i ci sonai	protective	equipment

:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Wear eye/face protection.	
:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.	
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	
:	long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.	
:	No special measures required.	
Environmental exposure controls		
:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.	
	: : : tro	

# Biresin<sup>®</sup> L84 T (B)

Date of last issue: 18.08.2021 Revision Date: 09.02.2022 Version 4.0

Print Date 09.02.2022

### **SECTION 9: Physical and chemical properties**


### 9.1 Information on basic physical and chemical properties

 Physical state Colour Odour	:	liquid colourless amine-like
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	exp	losive limits
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	•	No data available
Decomposition temperature	:	No data available
рН	:	ca. 11 (20 °C) Not applicable substance/mixture is non-soluble (in water)
Viscosity		
Viscosity, dynamic	•	ca. 18 mPa.s (20 °C)
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies)		
Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	0,02 hPa
Density	:	ca. 0,92 g/cm3 (25 °C)
Relative vapour density	:	No data available



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

# Biresin<sup>®</sup> L84 T (B)



## 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Harmful if swallowed.

#### **Components:**

# 3-aminomethyl-3,5,5-trimethylcyclohexylamine:

	LD50 (Rabbit): > 2.000 - 5.000 mg/kg
Acute dermal toxicity :	LD50 Dermal (Rabbit): > 2.000 mg/kg
Acute inhalation toxicity :	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute oral toxicity :	Acute toxicity estimate: 1.030 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008



# Biresin<sup>®</sup> L84 T (B)

Date of last issue: 18.08.2021 Revision Date: 09.02.2022 Version 4.0

Print Date 09.02.2022

# Skin corrosion/irritation

Causes severe burns.

# Serious eye damage/eye irritation

Causes serious eye damage.

### Respiratory or skin sensitisation

### Skin sensitisation

May cause an allergic skin reaction.

### **Respiratory sensitisation**

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### **Reproductive toxicity**

Not classified based on available information.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### Aspiration toxicity

Not classified based on available information.

### 11.2 Information on other hazards

### Endocrine disrupting properties

### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 12: Ecological information**

### 12.1 Toxicity

### Components:

3-aminomethyl-3,5,5-trimethylcyclohexylamine:

Country GB 00000007654



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

# Biresin<sup>®</sup> L84 T (B)



Date of last issue: 18.08.2021 Revision Date: 09.02.2022	Version 4.0	Print Date 09.02.2022
Toxicity to algae/aquatic plants	: ErC50 (Desmodesmus subspicatus ( mg/l Exposure time: 72 h	green algae)): > 10 - 100
	NOEC (Desmodesmus subspicatus ( Exposure time: 72 h	green algae)): 1,5 mg/l
12.2 Persistence and degradabili No data available	ÿ	
<b>12.3 Bioaccumulative potential</b> No data available		
<b>12.4 Mobility in soil</b> No data available		
12.5 Results of PBT and vPvB as	sessment	
<u>Product:</u> Assessment	: This substance/mixture contains no control to be either persistent, bioaccumulative very persistent and very bioaccumula 0.1% or higher	ve and toxic (PBT), or
12.6 Endocrine disrupting prope	ties	
Product:		
Assessment	: The substance/mixture does not conta ered to have endocrine disrupting pro REACH Article 57(f) or Commission E (EU) 2017/2100 or Commission Regu levels of 0.1% or higher.	perties according to Delegated regulation
12.7 Other adverse effects		
Product: Additional ecological infor- mation	: There is no data available for this pro-	duct.
SECTION 13: Disposal consid	erations	
13.1 Waste treatment methods Product	<ul> <li>The generation of waste should be av wherever possible.</li> <li>Empty containers or liners may retain This material and its container must b way.</li> <li>Dispose of surplus and non-recyclable waste disposal contractor.</li> </ul>	some product residues. be disposed of in a safe





Date of last issue: 18.08.2021 Revision Date: 09.02.2022	Version 4.0 Print Date 09.02.2022			
	Disposal of this product, solutions and at all times comply with the requiremen protection and waste disposal legislation local authority requirements.	nts of environmental		

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### **SECTION 14: Transport information**

14.1 UN number		
ADR	:	UN 2289
IMDG	:	UN 2289
ΙΑΤΑ	:	UN 2289
14.2 UN proper shipping name		
ADR	:	ISOPHORONEDIAMINE
IMDG	:	ISOPHORONEDIAMINE
ΙΑΤΑ	:	Isophoronediamine
14.3 Transport hazard class(es)		
ADR	:	8
IMDG	:	8
ΙΑΤΑ	:	8
14.4 Packing group		
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code IMDG Packing group Labels EmS Code		III C7 80 8 (E) III 8 F-A, S-B
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels IATA (Passenger)	:	856 Y841 III Corrosive

Country GB 00000007654

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

# Biresin<sup>®</sup> L84 T (B)

Date of last issue: 18.08.2021 Revision Date: 09.02.2022 Version 4.0

Print Date 09.02.2022

Packing instruction (passen- ger aircraft)	:	852
Packing instruction (LQ) Packing group	:	Y841 III
Labels	:	Corrosive

### 14.5 Environmental hazards

<b>ADR</b> Environmentally hazardous	:	no
IMDG Marine pollutant	:	no
IATA (Passenger) Environmentally hazardous	:	no
IATA (Cargo) Environmentally hazardous	:	no

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	None of the components are listed (=> 0.1 %).
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that de- plete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import	:	Not applicable



# Biresin<sup>®</sup> L84 T (B)

Date of last issue: 18.08.2021 Revision Date: 09.02.2022 Version 4.0

Print Date 09.02.2022

of dangerous chemicals

GB Export and import of hazardous chemicals - Prior : Not applicable Informed Consent (PIC) Regulation

REACH Information:

- All substances contained in our Products are
  - registered by our upstream suppliers, and/or
  - registered by us, and/or
  - excluded from the regulation, and/or
  - exempted from the registration.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	<ul> <li>Environmental Protection Act 1990 &amp; Subsidiary Regulations Health and Safety at Work Act 1974 &amp; Subsidiary Regulations Control of Substances Hazardous to Health Regulations (COSHH) May be subject to the Control of Major Accident Hazards</li> </ul>
	Regulations (COMAH), and amendments.

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

### **SECTION 16: Other information**

#### Full text of H-Statements

H318 :	Causes serious eye damage.
H317 :	May cause an allergic skin reaction.
H314 :	Causes severe skin burns and eye damage.
H302 :	Harmful if swallowed.

#### Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Eye Dam.	:	Serious eye damage
Skin Corr.	:	Skin corrosion

Country GB 00000007654



# Biresin<sup>®</sup> L84 T (B)

Date of last issue: 18.08.2021 Revision Date: 09.02.2022		Version 4.0		Print Date 09.02.2022
Skin Sens. ADR	:	Skin sensitisation European Agreement conc		al Carriage of
CAS DNEL EC50 GHS IATA IMDG		Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective cond Globally Harmonized Syste International Air Transport International Maritime Code	e centration em Association	S
LD50 LC50	:	Median lethal dosis (the an once, which causes the de test animals) Median lethal concentration air that kills 50% of the test period)	nount of a material, giv ath of 50% (one half) c n (concentrations of the	ven all at of a group of e chemical in
MARPOL	:	International Convention fo Ships, 1973 as modified by		llution from
OEL PBT PNEC REACH	:	Occupational Exposure Lin Persistent, bioaccumulative Predicted no effect concen Regulation (EC) No 1907/2 and of the Council of 18 De istration, Evaluation, Autho cals (REACH), establishing	nit e and toxic tration 2006 of the European F ecember 2006 concern risation and Restriction	ning the Reg- n of Chemi-
SVHC vPvB	:	Substances of Very High C Very persistent and very bi	oncern	
Further information				
Classification of the mixtu	re:	C	lassification procedu	re:
Acute Tox. 4	H3	02 Ca	alculation method	
Skin Corr. 1B	H3	14 Ca	alculation method	
Eye Dam. 1	H3	18 Ca	alculation method	

Skin Sens. 1 H317 Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN