According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Parex[®] PARLUMIERE FIN

Date of last issue: -	Version 1.0	Print Date 10.12.2021
Revision Date: 10.12.2021		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Parex[®] PARLUMIERE FIN

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City
		Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 Serious eye damage, Category 1 Skin sensitisation, Category 1 H315: Causes skin irritation. H318: Causes serious eye damage. H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)				
Hazard pictograms	:	E E	!	
Signal word	:	Danger	•	
Hazard statements	:	H315 H317 H318	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.	
Precautionary statements	:	Prevention:		

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Parex[®] PARLUMIERE FIN

Date of last issue: - Revision Date: 10.12.2021	Version 1.0		Print Date 10.12.2021
	P261	Avoid breathing dust/ fume/ gas/ pours/ spray.	/ mist/ va-
	P264	Wash skin thoroughly after hand	lling.
	P280	Wear protective gloves/ eye prot protection.	
	Response:		
	P305 + P351 + F	P338 + P310 IF IN EYES: Rinse with water for several minutes. F tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	P333 + P313	If skin irritation or rash occurs: G advice/ attention.	Set medical
	P362 + P364	Take off contaminated clothing a before reuse.	and wash it

Hazardous components which must be listed on the label:

calcium dihydroxide Cement, portland, chemicals

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components					
Chemical name	CAS-No.	Classification	Concentration		
	EC-No.		(% w/w)		
	Registration number				
calcium dihydroxide	1305-62-0	Skin Irrit. 2; H315	>= 10 - < 20		
	215-137-3	Eye Dam. 1; H318			
	01-2119475151-45-	STOT SE 3; H335			
	XXXX	(Respiratory system)			
Cement, portland, chemicals	65997-15-1	Skin Irrit. 2; H315	>= 2,5 - < 3		
	266-043-4	Eye Dam. 1; H318			
		Skin Sens. 1; H317			
		STOT SE 3; H335			
Substances with a workplace exposure limit :					
Quartz (SiO2)	14808-60-7		>= 40 - < 60		
	238-878-4				

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Parex[®] PARLUMIERE FIN

Date of last issue: - Revision Date: 10.12.2021	Version 1.0	Print Date 10.12.2021
Limestone Contains: Quartz (SiO2) <5µm >= 0,1 %	1317-65-3 215-279-6 6	>= 2,5 - < 5
For explanation of abbreviation	ons see section 16.	

SECTION 4: First aid measures

4.1 Description of first aid measures General advic N.4.-

General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled :	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact :	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms and	effects, both acute and delayed
Symptoms :	Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks :	irritant effects sensitising effects Causes skin irritation. May cause an allergic skin reaction.
	Causes serious eye damage.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Parex[®] PARLUMIERE FIN

Date of last issue: - Revision Date: 10.12.2021		Version 1.0	Print Date 10.12.2021
4.3 Indication of any immediate	medica	al attention and special treatment	t needed
Treatment	: Tr	eat symptomatically.	
SECTION 5: Firefighting mea	sures		
5.1 Extinguishing media			
Suitable extinguishing media	ide	case of fire, use water/water spray. e/sand/foam/alcohol resistant foam, ttinction.	
5.2 Special hazards arising from	n the su	ibstance or mixture	
Hazardous combustion prod ucts	- : No	o hazardous combustion products a	are known
5.3 Advice for firefighters			
Special protective equipmen for firefighters	t:In	the event of fire, wear self-contained	ed breathing apparatus.
Further information	: St	andard procedure for chemical fires	S.

SECTION 6: Accidental release measures

6.1 Personal precautions, protectiv	e equipment and emergency procedures
Personal precautions :	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
6.2 Environmental precautions	
•	Do not flush into surface water or sanitary sewer system.
6.3 Methods and material for conta	inment and cleaning up
Methods for cleaning up :	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.
6.4 Reference to other sections For personal protection see section	on 8.

SECTION 7: Handling and storage

:

7.1 Precautions for safe handling

i i ocuationo i oli calo	
Advice on safe handli	ng

Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Parex[®] PARLUMIERE FIN



Date of last issue: - _Revision Date: 10.12.2021		Version 1.0	Print Date 10.12.2021
		section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation pro ma, allergies, chronic or recurrent respiratory of not be employed in any process in which this r used. Smoking, eating and drinking should be prohib plication area. Follow standard hygiene measures when hand products	disease should nixture is being nited in the ap-
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exha at places where dust is formed.	aust ventilation
Hygiene measures	:	Handle in accordance with good industrial hyg practice. When using do not eat or drink. Whe smoke. Wash hands before breaks and at the	n using do not
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well- place. Store in accordance with local regulatio	
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as dire	ected.
7.3 Specific end use(s)			

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

• •			1	1	
Components	CAS-No.	Value type (Form	Control parame-	Basis *	
		of exposure)	ters *		
Quartz (SiO2)	14808-60-7	TWA (Respirable	0,1 mg/m3	GB EH40	
(0.0 <u>2</u>)		fraction)	(Silica)	02 20	
	Further inform	ation: Capable of ca	ausing cancer and	l/or heritable	
	genetic dama	ge.			
calcium dihydroxide	1305-62-0	TWA (Respirable	1 mg/m3	2017/164/EU	
		fraction)	Ū		
	Further inform	Further information: Indicative			
		STEL (Respirable 4 mg/m3			
		fraction)	-		
		TWA	5 mg/m3	GB EH40	
		TWA (Respirable	1 mg/m3	GB EH40	
		fraction)	Ū		
		STEL (Respirable	4 mg/m3	GB EH40	
		fraction)	Ū		
Limestone	1317-65-3	TWA (inhalable	10 mg/m3	GB EH40	
		dust)	-		
	Further inform	Further information: For the purposes of these limits, respirable			

Country GB 10000034087

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Parex[®] PARLUMIERE FIN

Date of last issue: -
Revision Date: 10.12.2021

_

Version 1.0

Print Date 10.12.2021

	the methods of pling and grav aerosols., The health include in air equal to dust or 4 mg. any dust will b above these b WELs and ex limits., Most in sizes. The be after entry into sponse that it HSE distingui termed 'inhala the fraction of during breath respiratory tra penetrates to	ed when sampling is described in MDHS1 vimetric analysis or r e COSHH definition as dust of any kind w or greater than 10 r m-3 8-hour TWA of r be subject to COSHI evels. Some dusts h posure to these must haviour, deposition a b the human respirat elicits, depend on th shes two size fraction able' and 'respirable' airborne material th ing and is therefore act. Respirable dust the gas exchange re	4/4 General me respirable, thora of a substance when present at ng.m-3 8-hour T respirable dust. H if people are e ave been assign to comply with the in particles of a and fate of any to tory system, and he nature and signs for limit-setti and for limit-setti and fo	ethods for sam- acic and inhalable hazardous to a concentration TWA of inhalable This means that exposed to dust and specific the appropriate wide range of particular particle d the body re- ize of the particle. ing purposes t approximates to ose and mouth position in the the fraction that g. Fuller defini-
	dusts contain the relevant li short-term ex	lanatory material are components that ha mits should be comp posure limit is listed, e limit should be use	ve their own as blied with., Whe a figure three t d.	signed WEL, all re no specific imes the long-
	dusts contain the relevant li short-term ex	components that ha mits should be comp posure limit is listed, e limit should be use TWA (Respirable	ve their own as blied with., Whe a figure three t	signed WEL, all re no specific
Cement, portland, chemicals	dusts contain the relevant li short-term ex	components that ha mits should be comp posure limit is listed, e limit should be use	ve their own as blied with., Whe a figure three t d.	signed WEL, all re no specific imes the long-
Cement, portland, chemicals	dusts contain the relevant li short-term ex term exposure	components that ha mits should be comp posure limit is listed, e limit should be use TWA (Respirable dust)	ve their own as blied with., Whe a figure three t d. 4 mg/m3	signed WEL, all re no specific imes the long- GB EH40

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Value type	Control parameters	Basis	
Inhalable	TWA	10 mg/m3	GB EH40	
Respirable fraction	TWA	4 mg/m3	GB EH40	

8.2 Exposure controls

Personal protective equipm	nt
Eye protection	: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Parex[®] PARLUMIERE FIN

Date of last issue: - Revision Date: 10.12.2021	Version 1.0	Print Date 10.12.2021
	Recommended: Butyl rubber/nitrile Contaminated gloves should be rer	
Skin and body protection	: Dust impervious protective suit Protective clothing (e.g. Safety sho long-sleeved working clothing, long and protective boots are additional and stirring work.	trousers). Rubber aprons
Respiratory protection	 and stirring work. In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. 	

Environmental exposure controls

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance	:	solid powder
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Density	:	ca. 1 g/cm3 (20 °C)

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Parex[®] PARLUMIERE FIN

Date of last issue: - Revision Date: 10.12.2021	Version 1.0	Print Date 10.12.2021
10.2 Chemical stability		
The product is chemically stab	е.	
10.3 Possibility of hazardous rea	tions	
Hazardous reactions	: No hazards to be specially mentioned.	
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition p	oducts	

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Parex[®] PARLUMIERE FIN

Date of last issue: -Revision Date: 10.12.2021 Version 1.0

Print Date 10.12.2021

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

:

SECTION 13: Disposal considerations

13.1 Waste treatment methods

ıct	: The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
	way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Parex[®] PARLUMIERE FIN

Date of last issue: - Revision Date: 10.12.2021	Version 1.0	Print Date 10.12.2021
	local authority requirements. Avoid dispersal of spilled material and rur soil, waterways, drains and sewers.	off and contact with
Contaminated packaging	 15 01 10* packaging containing residues by dangerous substances 	of or contaminated

SECTION 14: Transport information

14.1 UN number		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable for product as supplied.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Parex® PARLUMIERE FIN

Date of last issue: -	Version 1.0	Print Date 10.12.2021
Revision Date: 10.12.2021		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)		:	Conditions of restriction for the fol- lowing entries should be considered: Cement, portland, chemicals (Number on list 47)	
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors		:	Not applicable	
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals		:	Not applicable	
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).		:	None of the components are listed (=> 0.1 %).	
REACH - List of substances subject to authorisation (Annex XIV)		:	Not applicable	
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer		:	Not applicable	
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)		:	Not applicable	
REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	trea /or gula	tion, and/or	
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable				
Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	ax fo	or volatile organic compounds	

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ-	: Environmental Protection Act 1990 & Subsidiary Regulations
Country GB 10000034087	11/1

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Parex[®] PARLUMIERE FIN

Date of last issue: - Revision Date: 10.12.2021	Version 1.0	Print Date 10.12.2021
mental regulation/legislation specific for the substance or mixture:	Health and Safety at Work Act 1974 & S Control of Substances Hazardous to He (COSHH) May be subject to the Control of Major / Regulations (COMAH), and amendmen	ealth Regulations Accident Hazards

Other regulations:

This product contains cement. Wet cement or mortar may cause alkali burns if in direct and/or prolonged contact with the skin. Wear protective clothing at all times when working with cement based products.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviation	ns	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT SE	:	Specific target organ toxicity - single exposure
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a
		fourth list of indicative occupational exposure limit values
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
2017/164/EU / STEL	:	Short term exposure limit
2017/164/EU / TWA	:	Limit Value - eight hours
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
untry CD 10000001007		10/

Country GB 10000034087

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Parex[®] PARLUMIERE FIN

Date of last issue: - Revision Date: 10.12.2021	Vers	on 1.0	Print Date 10.12.2021
OEL PBT PNEC REACH	 Occupational Expo Persistent, bioacci Predicted no effec Regulation (EC) N 	umulative and toxic t concentration o 1907/2006 of the European	Parliament
SVHC vPvB	istration, Evaluatio cals (REACH), est : Substances of Ver	of 18 December 2006 concer n, Authorisation and Restriction ablishing a European Chemic y High Concern d very bioaccumulative	on of Chemi-
Further information			
Classification of the mixtu	e:	Classification proced	ure:
Skin Irrit. 2	H315	Calculation method	
Eye Dam. 1	H318	Calculation method	
Skin Sens. 1	H317	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN

Template: normal Title: EHS_L_TEXT(CED-U00	
Subject:	
Author: Mandy Bull	
Keywords:	
Comments:	
Creation Date: 10/12/2021 13:34:00	
Change Number: 1	
Last Saved On: 10/12/2021 13:34:00	
Last Saved By:	
Total Editing Time: 0 Minutes	
Last Printed On:	
As of Last Complete Printing	
Number of Pages: 13	
Number of Words: 7,164 (approx.)	
Number of Characters: 40,841 (approx.)	