

Date of last issue: 13.04.2023	Version 8.2	Print Date 29.02.2024
Revision Date: 01.12.2023		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	: Sarna Cleaner
UK REACH Registration Number	: 01-2119475103-46-XXXX
Substance name	: ethyl acetate
EC-No.	: 205-500-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use	: Pretreatment agent
-------------	----------------------

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Flammable liquids, Category 2	H225: Highly flammable liquid and vapour.			
Eye irritation, Category 2	H319: Causes serious eye irritation.			
Specific target organ toxicity - single ex- posure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.			

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



Date of last issue: 13.04.2023 Revision Date: 01.12.2023	V	ersion 8.2	Print Date 29.02.2024
Hazard pictograms :		!	
Signal word :	Danger		
Hazard statements :	H225 H319 H336	Highly flammable liquid and vap Causes serious eye irritation. May cause drowsiness or dizzir	
Supplemental Hazard : Statements	EUH066	Repeated exposure may cause or cracking.	e skin dryness
Precautionary statements :	Prevention:		
	P210 P233 P261 P280	Keep away from heat, hot surfa open flames and other ignition smoking. Keep container tightly closed. Avoid breathing mist or vapours Wear protective gloves/ protect eye protection/ face protection.	sources. No s.
	Response:		
	P303 + P361 + I P370 + P378	 P353 IF ON SKIN (or hair): Talately all contaminated clothing. with water. In case of fire: Use dry sand, dra alcohol-resistant foam to exting 	Rinse skin ry chemical or

Additional Labelling

The data sheet for medical personnel is available at the here provided emergency address.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Date of last issue: 13.04.2023	Version 8.2	Print Date 29.02.2024
Revision Date: 01.12.2023		

SECTION 3: Composition/information on ingredients

3.1 Substances

EC-No.

: 205-500-4

Components

Chemical name	CAS-No.	Concentration (%	M-Factor, SCL, ATE
	EC-No.	w/w)	
ethyl acetate	141-78-6 205-500-4	100	

Regulation (EC) No.	:	Product is subject to the Detergents Regulation
648/2004, as amended		

SECTION 4: First aid measures

4.1 Description of first aid measures			
General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.		
If inhaled :	Move to fresh air. Consult a physician after significant exposure.		
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.		
In case of eye contact :	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.		
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.		
4.2 Most important symptoms and effects, both acute and delayed			
Symptoms :	Excessive lachrymation Erythema Loss of balance		
Country GB_00000100738			



Date of last issue: 13.04.2023 Revision Date: 01.12.2023		Version 8.2	Print Date 29.02.202
	S	′ertigo iee Section 11 for more detailed informat nd symptoms.	ion on health effects
Risks	: ir	ritant effects	
	N	causes serious eye irritation. May cause drowsiness or dizziness. Repeated exposure may cause skin dryne	ess or cracking.
•		al attention and special treatment nee	ded
Treatment	: 1	reat symptomatically.	
5.1 Extinguishing media Suitable extinguishing media	С	lcohol-resistant foam Carbon dioxide (CO2)	
	C D : V		
Suitable extinguishing media Unsuitable extinguishing media	С D : V H	Carbon dioxide (CO2) Ory chemical Vater ligh volume water jet	
Suitable extinguishing media Unsuitable extinguishing media	C D : W H n the s : D	Carbon dioxide (CO2) Ory chemical Vater ligh volume water jet	scatter and spread
Suitable extinguishing media Unsuitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire- fighting	C D H H thes S fi	carbon dioxide (CO2) ory chemical Vater ligh volume water jet ubstance or mixture oo not use a solid water stream as it may	
Suitable extinguishing media Unsuitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire- fighting Hazardous combustion prod- ucts	C D H H thes S fi	carbon dioxide (CO2) Ory chemical Vater ligh volume water jet ubstance or mixture Do not use a solid water stream as it may re.	
Unsuitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire- fighting Hazardous combustion prod-	C D H H thes fi : N	carbon dioxide (CO2) Ory chemical Vater ligh volume water jet ubstance or mixture Do not use a solid water stream as it may re.	nown

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Personal precautions Use personal protective equipment. Dependent of the statement of t

•	
	Remove all sources of ignition.
	Deny access to unprotected persons.
	Beware of vapours accumulating to form explosive concentra-
	tions. Vapours can accumulate in low areas.



Date of last issue: 13.04.2023 Revision Date: 01.12.2023	Version 8.2	Print Date 29.02.2024
6.2 Environmental precautions		
Environmental precautions	: Prevent product from entering drains. If the product contaminates rivers and lake respective authorities.	es or drains inform
6.3 Methods and material for con	tainment and cleaning up	
Methods for cleaning up	: Contain spillage, and then collect with non sorbent material, (e.g. sand, earth, diatom miculite) and place in container for disposa / national regulations (see section 13).	aceous earth, ver-

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling



Date of last issue: 13.04.2023	Version 8.2	Print Date 29.02.2024
Revision Date: 01.12.2023		

7.3 Specific end use(s)

Specific use(s)

: Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
ethyl acetate	141-78-6	STEL	400 ppm 1.468 mg/m3	2017/164/EU
	Further infor	mation: Indicative		
		TWA	200 ppm 734 mg/m3	2017/164/EU
		TWA	200 ppm 734 mg/m3	GB EH40
		STEL	400 ppm 1.468 mg/m3	GB EH40

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.



Date of last issue: 13.04.2023 Revision Date: 01.12.2023	Version 8.2	Print Date 29.02.2024
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.	
Environmental exposure contr	rols	
General advice	 Prevent product from entering drains. If the product contaminates rivers and lakes or respective authorities. 	or drains inform

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid colourless
Odour	:	fruity
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	ca. 77 °C
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	exp	losive limits
Upper explosion limit / Up- per flammability limit	:	11,5 %(V)
Lower explosion limit / Lower flammability limit	:	2,1 %(V)
Flash point	:	-4 °C Method: closed cup



Date of last issue: 13.04.2023 Revision Date: 01.12.2023	Version 8.2	Print Date 29.02.2024
Auto-ignition temperature	: 427 °C	
Decomposition temperature	: No data available	
рН	: Not applicable	
Viscosity Viscosity, kinematic	: > 7 mm2/s (40 °C)	
Solubility(ies) Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: ca. 98,3 hPa (20 °C)	
Density	: ca. 0,9 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

Vapours may form explosive mixture with air.



Date of last issue: 13.04.2023 Revision Date: 01.12.2023		Version 8.2	Print Date 29.02.202
10.4 Conditions to avoid			
Conditions to avoid	:	Heat, flames and sparks.	
0.5 Incompatible materials			
Materials to avoid	:	No data available	
0.6 Hazardous decompositio	n prod	ucts	
No decomposition if stored	-		
SECTION 11: Toxicological	inforr	nation	
1.1 Information on hazard cla	isses a	s defined in Regulation (EC) No 1272/200	18
Acute toxicity			
Not classified based on ava	ilable i	nformation.	
Components:			
ethyl acetate:			
Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg	
Acute inhalation toxicity		LC50 (Rat): ca. 1.600 mg/l Exposure time: 4 h Test atmosphere: vapour	
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg	
Skin corrosion/irritation			
Repeated exposure may ca	use sk	in dryness or cracking.	
Serious eye damage/eye Causes serious eye irritatio		n	
Respiratory or skin sensi	tisatior	ı	
Skin sensitisation Not classified based on ava	ilable i	nformation.	
Respiratory sensitisation Not classified based on ava	ilable i	nformation.	
Germ cell mutagenicity Not classified based on ava	ilable i	nformation.	
Carcinogenicity Not classified based on ava	ilable i	nformation.	
Reproductive toxicity			
		the second second	

Not classified based on available information.



Date of last issue: 13.04.2023
Revision Date: 01.12.2023

Version 8.2

Print Date 29.02.2024

STOT - single exposure

May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

This product does not contain any tensides according to the definition in the EU Detergents Regulation (EU/648/2004) (>0,2%).

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation



Date of last issue: 13.04.2023 Revision Date: 01.12.2023		Version 8.2	Print Date 29.02.2024
		(EU) 2017/2100 or Commission Regulation (E levels of 0.1% or higher.	U) 2018/605 at
12.7 Other adverse effects			
Product:			
Additional ecological infor- mation	:	There is no data available for this product.	
SECTION 13: Disposal consid	der	ations	
13.1 Waste treatment methods			
Product	:	The generation of waste should be avoided or wherever possible.	minimized
		Empty containers or liners may retain some pr This material and its container must be dispos way.	
		Dispose of surplus and non-recyclable produc waste disposal contractor.	ts via a licensed
		Disposal of this product, solutions and any by- at all times comply with the requirements of er protection and waste disposal legislation and a local authority requirements.	vironmental
		Avoid dispersal of spilled material and runoff a soil, waterways, drains and sewers.	and contact with
European Waste Catalogue	:	14 06 03* other solvents and solvent mixtures	3
Contaminated packaging	:	15 01 10* packaging containing residues of or by dangerous substances	contaminated

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 1173
IMDG	:	UN 1173
ΙΑΤΑ	:	UN 1173
14.2 UN proper shipping name		
ADR	:	ETHYL ACETATE
IMDG	:	ETHYL ACETATE
ΙΑΤΑ	:	Ethyl acetate
14.3 Transport hazard class(es)		



evision Date: 01.12.2023		Versior	8.2	Print Date 29.02.202
		Class	Subsidiary risks	
ADR	:	3		
IMDG	:	3		
ΙΑΤΑ	:	3		
4.4 Packing group				
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code		II F1 33 3 (D/E)		
IMDG Packing group Labels EmS Code	::	ll 3 F-E, S-D		
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	: : : :	364 Y341 II Flammable Liquids		
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels	:	353 Y341 II Flammable Liquids		
14.5 Environmental hazards				
ADR Environmentally hazardous	:	no		
IMDG Marine pollutant	:	no		
IATA (Passenger) Environmentally hazardous	:	no		
IATA (Cargo) Environmentally hazardous	:	no		

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



Date of last issue: 13.04.2023	Version 8.2	Print Date 29.02.2024
Revision Date: 01.12.2023		

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	: Not applicable				
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	: Not applicable				
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	: Not applicable				
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	: Not applicable				
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable				
UK REACH List of substances subject to authorisation (Annex XIV)	: Not applicable				
GB Export and import of hazardous chemicals - Prior : Not applicable Informed Consent (PIC) Regulation					
Control of Major Accident Hazards Regulations P5c 2015 (COMAH)	FLAMMABLE LIQUIDS				
	Law on the incentive tax for volatile organic compounds				
	Volatile organic compounds (VOC) content: 100% w/w				
emissions (integrated	of 24 November 2010 on industrial pollution prevention and control) ounds (VOC) content: 100% w/w				

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.



Date of last issue: 13.04.2023 Revision Date: 01.12.2023	Version 8.2	Print Date 29.02.2024
Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	: Environmental Protection Act 1990 & S Health and Safety at Work Act 1974 & Control of Substances Hazardous to H (COSHH) May be subject to the Control of Major Regulations (COMAH), and amendment	Subsidiary Regulations ealth Regulations Accident Hazards

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance by the supplier.

SECTION 16: Other information

Full text of other abbreviations

2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
GB EH40		UK. EH40 WEL - Workplace Exposure Limits
2017/164/EU / STEL	:	Short term exposure limit
2017/164/EU / TWA	:	Limit Value - eight hours
GB EH40 / TWA	:	
	÷	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	÷	Short-term exposure limit (15-minute reference period)
ADR	•	European Agreement concerning the International Carriage of
0.4.0		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
		cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative
		, , , , , , , , , ,

Further information



Date of last issue: 13.04.2023 Revision Date: 01.12.2023 Version 8.2

Print Date 29.02.2024

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN