Refurbishment
Declaration of Performance
Edition 14.03.2013
Identification no. 02 08 03 04 008 0 000002 1180
Version no. 01



EN 13813: 2003

11

# **DECLARATION OF PERFORMANCE**

# Sikafloor®-1+ CorCrete

02 08 03 04 008 0 000002 1180

Product Type:     Unique identification code of the product-type:	Sikafloor <sup>®</sup> -	
2. Type batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):	-1+ CorCrete (Batch No. see packaging)	
3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:	Screed material and floor screeds - corresponding to the basic performance requirements of EN 13813:2003.  Conforming to the Table ZA.1.1 & ZA.3.3.	
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):	Sikafloor <sup>®</sup> - 1+ CorCrete Sika CZ, s.r.o., Bystrcká 1132/36, 624 00 CZ-Brno	
5. Contact Address: Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12(2):	Not relevant (see 4)	
6. AVCP: System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in CPR, Annex V:	System 3	
7. Notified body (hEN): In case of the declaration of performance (DoP)concerning a construction product covered by a harmonised standard:	Notified body performed the initial test regarding EN 13501-5 and the producer set up the factory production control of the manufacturing plant and of factory production control and the continuous surveillance, assessment and evaluation of the factory production control.	



Refurbishment
Declaration of Performance
Edition 14.03.2013
Identification no. 02 08 03 04 008 0 000002 1180
Version no. 01

### 8. Notified body (ETA):

In case of the declaration of performance concerning a construction product for which a European Technical Assessment (ETA) has been issued:

Not relevant (refer to item 7)

# 9. Declared performance

Essential characteristics	Performance	Test Standard	Harmonised technical specification
Compressive strength	C80	EN 13892-2	EN 13813: 2003
Flexural strenght	F10	EN 13892-2	
Wear resistance – BCA determination	AR 0.5	EN 13892-4	
Reaction to Fire	A1 <sub>fl</sub>	EN 13501	

#### 10. Declaration

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance (DoP) is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Ing. Jaroslav Leischner QMS and EHS Manager

4 Blets Janus

Leischner

Ing.Zdeněk Bílek, MBA General Manager Sika CZ

Brno, 30.04.2013

### **Ecology, Health and Safety Information (REACH)**

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.



#### **REACH**

European Community Regulation on chemicals and their safe use (REACH: EC 1907/2006)

This product is an article as defined in article 3 of regulation (EC) No 1907/2006 (REACH). It contains no substances which are intended to be released from the article under normal or reasonably foreseeable conditions of use. A safety data sheet following article 31 of same regulation is not needed to bring the product to the market, to transport or to use it. For safe use follow the instructions given in this product data sheet. Based on our current knowledge, this product does not contain SVHC (substances of very high concern) as listed in Annex XIV of the REACH regulation, or on the candidate list published by the European Chemicals Agency in concentrations above 0.1% (w/w).

## Legal note:

This information is given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.



Sika CZ, s.r.o. Bystrcká 1132/36, CZ 624 00 Brno

tel: +420 546 422 464 fax: +420 546 422 400 e-mail: sika@cz.sika.com http://www.sika.cz









Innovation & since Consistency 1910