

Date of last issue: -	Version 1.0	Print Date 29.02.2024
Revision Date: 03.01.2024		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Parex[®] MONOREX GF

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone Telefax E-mail address of person	:	+44 (0)1707 394444 +44 (0)1707 329129 EHS@uk.sika.com
responsible for the SDS		

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Skin irritation, Category 2	H315: Causes skin irritation.			
Serious eye damage, Category 1	H318: Causes serious eye damage.			
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.			

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		!
Signal word	:	Danger	
Hazard statements	:	H315 H317	Causes skin irritation. May cause an allergic skin reaction.



Date of last issue: - Revision Date: 03.01.2024	Version 1.0		Print Date 29.02.2024
	H318	Causes serious eye damage.	
Precautionary statements :	P101	If medical advice is needed, hav container or label at hand.	e product
	P102	Keep out of reach of children.	
	Prevention:		
	P261 P280	Avoid breathing dust. Wear protective gloves/ eye prot protection.	tection/ face
	Response:		
	P305 + P351 + F	P338 + P310 IF IN EYES: Rinse with water for several minutes. F tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	accordance

Hazardous components which must be listed on the label:

Cement, portland, chemicals

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Date of last issue: -Revision Date: 03.01.2024 Version 1.0

Print Date 29.02.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Observer			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement, portland, chemicals	65997-15-1	Skin Irrit. 2; H315	>= 5 - < 10
	266-043-4	Eye Dam. 1; H318	
		Skin Sens. 1; H317	
		STOT SE 3; H335	
Lime (chemical), hydraulic	85117-09-5	Skin Irrit. 2; H315	>= 3 - < 5
	285-561-1	Eye Dam. 1; H318	
	01-2119475523-36-	STOT SE 3; H335	
	XXXX	(Respiratory system)	
calcium dihydroxide	1305-62-0	Skin Irrit. 2; H315	>= 3 - < 5
	215-137-3	Eye Dam. 1; H318	
	01-2119475151-45-	STOT SE 3; H335	
	XXXX	(Respiratory system)	
Substances with a workplace exp	osure limit :		
Limestone	1317-65-3		>= 25 - < 40
Contains:	215-279-6		
Quartz (SiO2) <5µm >= 0,1 %			
Fan and an ation of all brandstings a		•	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.



Date of last issue: - Revision Date: 03.01.2024		Version 1.0	Print Date 29.02.2024
If swallowed	Rir Do	o not induce vomiting without medical nse mouth with water. o not give milk or alcoholic beverages ever give anything by mouth to an unc	5.
4.2 Most important sympton	oms and effe	cts, both acute and delayed	
Symptoms	Ex Er De Se	ergic reactions cessive lachrymation ythema ermatitis ee Section 11 for more detailed inform d symptoms.	nation on health effects
Risks		tant effects nsitising effects	
	Ma	auses skin irritation. ay cause an allergic skin reaction. auses serious eye damage.	
4.3 Indication of any imme	diate medica	I attention and special treatment n	needed
Treatment		eat symptomatically.	
SECTION 5: Firefighting	measures		
5.1 Extinguishing media			
		case of fire, use water/water spray/w e/sand/foam/alcohol resistant foam/ch	

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

• • •			
Personal precautions		Use personal protective equipment. Avoid breathing dust.	
		8	



Date of last issue: - Revision Date: 03.01.2024		Version 1.0	Print Date 29.02.2024
		Deny access to unprotected persons.	
6.2 Environmental precautions Environmental precautions	:	Do not flush into surface water or sanitary sewe	er system.
6.3 Methods and material for con-	ta	inment and cleaning up	
Methods for cleaning up	:	Pick up and arrange disposal without creating d Keep in suitable, closed containers for disposal	
6.4 Reference to other sections For personal protection see se	ecti	on 8.	

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, in	ncl	uding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Consult most current local Product Data Sheet prior to any
Country GB 10000033637		5,

Jika®

Parex[®] MONOREX GF

Date of last issue: -	Version 1.0	Print Date 29.02.2024
Revision Date: 03.01.2024		

use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *			
Limestone	1317-65-3	TWA (inhalable dust)	10 mg/m3	GB EH40			
	Further inforr	nation: For the purpo	ses of these limit	s, respirable			
	dust and inha	alable dust are those	fractions of airbor	ne dust which			
	will be collect	ed when sampling is	undertaken in ac	cordance with			
	the methods	described in MDHS1	4/4 General meth	ods for sam-			
		vimetric analysis or i					
		e COSHH definition					
		es dust of any kind w					
		o or greater than 10 r					
		m-3 8-hour TWA of					
		be subject to COSH					
		levels. Some dusts h					
		posure to these mus					
		ndustrial dusts conta					
	sizes. The behaviour, deposition and fate of any particular particle						
		after entry into the human respiratory system, and the body re-					
		sponse that it elicits, depend on the nature and size of the particle					
		HSE distinguishes two size fractions for limit-setting purposes					
		termed 'inhalable' and 'respirable'., Inhalable dust approximates to					
		the fraction of airborne material that enters the nose and mouth					
		during breathing and is therefore available for deposition in the					
		respiratory tract. Respirable dust approximates to the fraction that					
		penetrates to the gas exchange region of the lung. Fuller defini-					
		tions and explanatory material are given in MDHS14/4., Where					
		dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific					
		short-term exposure limit is listed, a figure three times the long-					
		term exposure limit should be used.					
		TWA (Respirable	4 mg/m3	GB EH40			
		dust)	i ing/ino	OD LITIO			
Cement, portland, chemicals	65997-15-1	TWÁ (inhalable	10 mg/m3	GB EH40			
		dust)	-				
		TWA (Respirable	4 mg/m3	GB EH40			
	4005.00.0	dust)		0047/404/511			
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU			
	Eurther inform	nation: Indicative					
		STEL (Respirable	4 mg/m3	2017/164/EU			
		fraction)		2017/104/20			
		TWA	5 mg/m3	GB EH40			
		TWA (Respirable	1 mg/m3	GB EH40			



Date of last issue: -Revision Date: 03.01.2024 Version 1.0

Print Date 29.02.2024

fraction)		
STEL (Respirable fraction)	4 mg/m3	GB EH40

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Value type	Control parameters	Basis
Inhalable	TWA	10 mg/m3	GB EH40
Respirable fraction	TWA	4 mg/m3	GB EH40

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

	•				
Personal protective equipment					
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water			
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.			
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.			
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.			
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.			

Environmental exposure controls



Date of last issue: - Revision Date: 03.01.2024		Version 1.0	Print Date 29.02.2024	
General advice	:	Do not flush into surface water or sanitary sewer	r system.	
SECTION 9: Physical and cher	mic	cal properties		
9.1 Information on basic physical	l ar	nd chemical properties		
Physical state Appearance Colour	:	solid powder grey		
Odour	:	No data available		
Melting point/range / Freezing point	:	No data available		
Boiling point/boiling range	:	No data available		
Flammability (solid, gas)	:	No data available		
Upper/lower flammability or	exr	plosive limits		
Upper explosion limit / Upper flammability limit	:	No data available		
Lower explosion limit / Lower flammability limit	:	No data available		
Flash point	:	No data available		
Auto-ignition temperature	:	No data available		

pH : No data available

: No data available

Viscosity

Decomposition temperature

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : No data available



Date of last issue: - Revision Date: 03.01.2024	Version 1.0	Print Date 29.02.2024
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: No data available	
Density	: ca. 1 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information No data available		
SECTION 10: Stability and re	activity	

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.



Date of last issue: - Revision Date: 03.01.2024	Version 1.0	Print Date 29.02.2024	
Skin corrosion/irritation Causes skin irritation.			
Serious eye damage/eye irri Causes serious eye damage.	tation		
Respiratory or skin sensitis	ation		
Skin sensitisation May cause an allergic skin rea Respiratory sensitisation	action.		
Not classified based on availa	ble information.		
Germ cell mutagenicity Not classified based on availa	Germ cell mutagenicity Not classified based on available information.		
Carcinogenicity Not classified based on availa	ble information.		
Reproductive toxicity Not classified based on available information.			
STOT - single exposure Not classified based on available information.			
STOT - repeated exposure Not classified based on availa	STOT - repeated exposure Not classified based on available information.		
Aspiration toxicity Not classified based on availa	ble information.		
11.2 Information on other hazard	ls		
Endocrine disrupting prope	rties		
Product: Assessment	 The substance/mixture does not contai ered to have endocrine disrupting prop REACH Article 57(f) or Commission De (EU) 2017/2100 or Commission Regula levels of 0.1% or higher. 	erties according to elegated regulation	

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available



Date of last issue: - Revision Date: 03.01.2024	Version 1.0	Print Date 29.02.2024
12.3 Bioaccumulative potential No data available		
12.4 Mobility in soil No data available		
12.5 Results of PBT and vPvB ass	sessment	
Product:		
Assessment	: This substance/mixture contains no compo to be either persistent, bioaccumulative and very persistent and very bioaccumulative (v 0.1% or higher	d toxic (PBT), or
12.6 Endocrine disrupting proper	ties	
Product:		
Assessment	 The substance/mixture does not contain co ered to have endocrine disrupting propertie REACH Article 57(f) or Commission Delega (EU) 2017/2100 or Commission Regulation levels of 0.1% or higher. 	es according to ated regulation
12.7 Other adverse effects		
Product: Additional ecological infor- mation	: There is no data available for this product.	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



Date of last issue: -Revision Date: 03.01.2024 Version 1.0

Print Date 29.02.2024

SECTION 14: Transport information

14.1 UN number or ID number

	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.2	2 UN proper shipping name		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.3	Transport hazard class(es)		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.4	Packing group		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	IATA (Cargo)	:	Not regulated as a dangerous good
	IATA (Passenger)	:	Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable



Date of last issue: - Revision Date: 03.01.2024	Version 1.0	Print Date 29.02.2024			
GB Export and import of hazard Informed Consent (PIC) Regulat					
Volatile organic compounds :	c compounds				
	Directive 2010/75/EU of 24 November 201 emissions (integrated pollution prevention Not applicable				
If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.					
Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	 Environmental Protection Act 1990 & Subs Health and Safety at Work Act 1974 & Sub Control of Substances Hazardous to Healt (COSHH) May be subject to the Control of Major Acc Regulations (COMAH), and amendments. 	osidiary Regulations h Regulations			

Other regulations:

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements					
H315 H317 H318 H335	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.				
Full text of other abbreviations					
Eye Dam. Skin Irrit. Skin Sens. STOT SE 2017/164/EU	Serious eye damage Skin irritation Skin sensitisation Specific target organ toxicity - single exposure Europe. Commission Directive 2017/164/EU establish fourth list of indicative occupational exposure limit val	0			
GB EH40 2017/164/EU / STEL 2017/164/EU / TWA GB EH40 / TWA GB EH40 / STEL	UK. EH40 WEL - Workplace Exposure Limits Short term exposure limit Limit Value - eight hours Long-term exposure limit (8-hour TWA reference period Short-term exposure limit (15-minute reference period	od)			



Date of last issue: - Revision Date: 03.01.2024		Version 1.0	Print Date 29.02.2024	
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road		
CAS	:	Chemical Abstracts Service		
DNEL	÷	Derived no-effect level		
EC50	:	Half maximal effective concentration		
GHS	:	Globally Harmonized System		
IATA	:	International Air Transport Association		
IMDG	:	International Maritime Code for Dangerous	Goods	
LD50	:	Median lethal dosis (the amount of a mater once, which causes the death of 50% (one test animals)		
LC50	:	Median lethal concentration (concentration air that kills 50% of the test animals during period)		
MARPOL	:	International Convention for the Preventior Ships, 1973 as modified by the Protocol of		
OEL	:	Occupational Exposure Limit		
PBT	:	Persistent, bioaccumulative and toxic		
PNEC	:	Predicted no effect concentration		
REACH	:	Regulation (EC) No 1907/2006 of the Euro and of the Council of 18 December 2006 c istration, Evaluation, Authorisation and Res cals (REACH), establishing a European Ch	oncerning the Reg- striction of Chemi-	
SVHC	:	Substances of Very High Concern		
vPvB	:	Very persistent and very bioaccumulative		
Further information				
Classification of the mixtu	re:	Classification pr	ocedure:	
Skin Irrit. 2	H3	15 Calculation metho	bd	

Skin Sens. 1 H317 Calculation method

H318

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Calculation method

Changes as compared to previous version !

GB / EN

Eye Dam. 1