

BUILDING TRUST

SikaPlast[®] 15 RM (GB)

DECLARATION OF CONFORMITY No. 78555414

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT- TYPE:	78555414
2	INTENDED USE/S	BS EN 934-2:2009+A1:2012 Water reducing concrete admixture according to EN934-2 (tables 3.1 & 3.2)
3	MANUFACTURER:	Sika Limited Watchmead Welwyn Garden City Hertfordshire AL7 1BQ United Kingdom
4	AUTHORISED REPRESENTATIVE:	
5	SYSTEM/S OF AVCP:	System 2+
6a	HARMONISED STANDARD:	BS EN 934-2:2009+A1:2012
	Approved body/ies:	0120

Declaration of Conformity SikaPlast® 15 RM (GB) 78555414 2023.07 , ver. 3 1088

7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Water soluble chloride	< 0.1%	System 2+	
Alkali content	Max 0.25%	System 2+	
Increase in consistence	Increase in slump ≥ 120mm from initial (30+/- 10)mm (fulfilled)	System 2+	
Retention of consistence	30 mins after the addition the consistence of the test mix shall not fall below the value of the initial consistence of the control mix (fulfilled)	System 2+	BS EN 934- - 2:2009+A1:20 12
Compressive strength	At 28 days : test mix ≥ 90% of control mix (fulfilled)	System 2+	
Air content in fresh concrete	Test mix ≤ 2 % by volume above control mix unless otherwise stated by the manufacturer (fulfilled)	System 2+	
Dangerous substances	NPD	System 2+	-
Corrosion behaviour	No corrosion promoting effects on steel embedded in concrete	System 2+	

8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR -SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Anthony Smith Function: Product Manager At Sika Limited on 26 March 2021 Name : Martin Liska Function: R&D Manager At Sika Limited on 26 March 2021

End of information as required by UKCA

Declaration of Conformity SikaPlast® 15 RM (GB) 78555414 2023.07 , ver. 3 1088



BUILDING TRUST

	21
Sika Limite	d, Hertfordshire, United Kingdom
	DoC No. 78555414
BS	EN 934-2:2009+A1:2012
	Approved Body 0120
Water reducing co	oncrete admixture according to EN934-2 (tables 3.1 & 3.2)
Water soluble chloride	< 0.1%
Alkali content	Max 0.25%
Increase in consistence	Increase in slump ≥ 120mm from initial (30+/- 10)mm (fulfilled)
Retention of consistence	30 mins after the addition the consistence of the test mix shall not fall below the value of the initial consistence of the control mix (fulfilled)
Compressive strength	At 28 days : test mix \ge 90% of control mix (fulfilled)
Air content in fresh concrete	Test mix \leq 2 % by volume above control mix unless otherwise stated by the manufacturer (fulfilled)
Corrosion behaviour	No corrosion promoting effects on steel embedded in concrete

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Declaration of Conformity

SikaPlast® 15 RM (GB) 78555414 2023.07 , ver. 3 1088

BUILDING TRUST

Sika Limited Watchmead Welwyn Garden City United Kingdom www.sika.co.uk

Declaration of Conformity

SikaPlast® 15 RM (GB) 78555414 2023.07 , ver. 3 1088



BUILDING TRUST