

Date of last issue: 26.09.2023	Version 11.0	Print Date 29.02.2024
Revision Date: 22.01.2024		

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name

EVERBUILD TECNIC SILICONE 825

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

### **1.4 Emergency telephone number**

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2

H319: Causes serious eye irritation.

Skin sensitisation, Category 1

H317: May cause an allergic skin reaction.

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H317 H319

May cause an allergic skin reaction. Causes serious eye irritation.



Date of last issue: 26.09.2023 Revision Date: 22.01.2024	Version 11.0		Print Date 29.02.2024
Precautionary statements :	P101	If medical advice is needed, hav container or label at hand.	e product
	P102	Keep out of reach of children.	
	Prevention:		
	P261 P264 P280	Avoid breathing mist or vapours. Wash skin thoroughly after hand Wear protective gloves/ eye prot protection.	lling.
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	accordance

## Hazardous components which must be listed on the label:

trimethoxyvinylsilane

### Additional Labelling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Date of last issue: 26.09.2023 Revision Date: 22.01.2024 Version 11.0

Print Date 29.02.2024

# **SECTION 3: Composition/information on ingredients**

# 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
bis(ethyl acetoacetato- O1',O3)bis(2-methylpropan-1- olato)titanium Contains: 2-methylpropan-1-ol <= 2 %	83877-91-2 281-161-6 01-2119968551-31- XXXX	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) STOT SE 3; H336 (Central nervous system)	>= 1 - < 2,5
trimethoxyvinylsilane Contains: tetramethyl orthosilicate <= 0,2 %	2768-02-7 220-449-8 01-2119513215-52- XXXX	Flam. Liq. 3; H226 Acute Tox. 4; H332 Skin Sens. 1B; H317 Acute toxicity esti- mate Acute inhalation tox- icity (vapour): 16,8 mg/l	>= 1 - < 2,5
methanol	67-56-1 200-659-6 01-2119433307-44- XXXX	Flam. Liq. 2; H225 Acute Tox. 3; H301 Acute Tox. 3; H331 Acute Tox. 3; H311 STOT SE 1; H370 	>= 0,1 - < 0,5
Substances with a workplace expos	sure limit :		
Titanium dioxide (> 10 μm)	13463-67-7 236-675-5 01-2119489379-17- XXXX		>= 2,5 - < 5

For explanation of abbreviations see section 16.



Date of last issue: 26.09.2023 Revision Date: 22.01.2024 Version 11.0

Print Date 29.02.2024

# **SECTION 4: First aid measures**

4.1 Description of first aid measure	es
General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled :	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact :	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms and	effects, both acute and delayed
Symptoms :	Allergic reactions Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms.
Risks :	irritant effects sensitising effects
	May cause an allergic skin reaction. Causes serious eye irritation.
4.3 Indication of any immediate me	edical attention and special treatment needed
Treatment	Treat symptomatically.
SECTION 5: Firefighting measu	res
5.1 Extinguishing media	
Suitable extinguishing media :	In case of fire, use water/water spray/water jet/carbon diox-



Date of last issue: 26.09.2023 Revision Date: 22.01.2024		Version 11.0	Print Date 29.02.2024
5.2 Special hazards arising from	h the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are known	own
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained brea	athing apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental release	se	measures	
6.1 Personal precautions, protect	ctiv	e equipment and emergency procedures	
6.1 Personal precautions, protect Personal precautions	ctiv :	e equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons.	
•	ctiv :	Use personal protective equipment.	
Personal precautions	ctiv :	Use personal protective equipment.	
Personal precautions 6.2 Environmental precautions	:	Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary s If the product contaminates rivers and lakes respective authorities.	
Personal precautions 6.2 Environmental precautions Environmental precautions	:	Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary s If the product contaminates rivers and lakes respective authorities.	s or drains inform sand, silica gel,
Personal precautions 6.2 Environmental precautions Environmental precautions 6.3 Methods and material for con	:	Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary s If the product contaminates rivers and lakes respective authorities. Inment and cleaning up Soak up with inert absorbent material (e.g. acid binder, universal binder, sawdust).	s or drains inform sand, silica gel,

# SECTION 7: Handling and storage

# 7.1 Precautions for safe handling

Advice on safe handling	:	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Follow standard hygiene measures when handling chemical</li> </ul>
		Follow standard hygiene measures when handling chemical products



Date of last issue: 26.09.2023 Revision Date: 22.01.2024		Version 11.0	Print Date 29.02.2024
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.	
Hygiene measures	:	Handle in accordance with good industrial hygien practice. When using do not eat or drink. When using smoke. Wash hands before breaks and at the er	using do not
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ve place. Store in accordance with local regulations	
Further information on stor- age stability	:	No decomposition if stored and applied as direct	ed.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Sheet p use.	rior to any

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
Titanium dioxide (> 10 μm)	13463-67-7	TWA (inhalable dust)	10 mg/m3	GB EH40	
		TWA (Respirable dust)	4 mg/m3	GB EH40	
methanol	67-56-1	TWA	200 ppm 260 mg/m3	2006/15/EC	
		Further information: Indicative, Identifies the possibility of signifi- cant uptake through the skin			
		TWA	200 ppm 266 mg/m3	GB EH40	
	signed substa	Further information: Can be absorbed through the skin. The as- signed substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
±		STEL	250 ppm 333 mg/m3	GB EH40	

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
methanol	67-56-1	TWA	200 ppm	2006/15/EC



Date of last issue: 26.09.2023 Revision Date: 22.01.2024 Version 11.0

Print Date 29.02.2024

		260 mg/m3	
Further information: Indicative, Identifies the possibility of significant uptake through the skin			
	TŴA	200 ppm 266 mg/m3	GB EH40
Further information: Can be absorbed through the skin. The as signed substances are those for which there are concerns tha dermal absorption will lead to systemic toxicity.			
	STEL	250 ppm 333 mg/m3	GB EH40

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value	
methanol	Workers	Skin contact		40 mg/m3	
	Exposure time: 8 h				
	Consumers Skin contact 260 mg/m3				
	Exposure time: 8 h				

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

### Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm
uptry CB 10000006638		7/



ate of last issue: 26.09.2023 evision Date: 22.01.2024	Version 11.0	Print Date 29.02.2024
	Ensure adequate ventilation. This can leave a straction or by general ventilation ods for determining inhalation exposure ticular to the mixing / stirring area. In cat to keep the concentrations under the o limits then respiration protection measure	ation. (EN 689 - Meth- e). This applies in par- ase this is not sufficent ccupational exposure
Environmental exposure c	ontrols	

General advice : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	liquid paste various
Odour	:	alcohol-like
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	exn	losive limits
Upper explosion limit / Up- per flammability limit	-	No data available
Upper explosion limit / Up-	:	No data available No data available
Upper explosion limit / Upper flammability limit	:	No data available
Upper explosion limit / Up- per flammability limit Lower explosion limit / Lower flammability limit	:	No data available > 61 °C



Date of last issue: 26.09.2023 Revision Date: 22.01.2024		Version 11.0	Print Date 29.02.2024
рН	:	Not applicable substance/mixture is non-soluble (in water)	
Viscosity			
-	:	200.000 - 330.000 mPa.s (15 - 20 °C)	
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)	
Solubility(ies)			
	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	0,01 hPa	
Density	:	1,35 g/cm3	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

# 9.2 Other information

No data available

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

# 10.2 Chemical stability

The product is chemically stable.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

### 10.4 Conditions to avoid

## 10.5 Incompatible materials



Materials to avoid       in No data available         10.6 Hazardous decomposition products         Hazardous decomposition       in methanol         products         SECTION 11: Toxicological information         SECTION 11: Toxicological information         Acute toxicity         Not classified due to lack of data.         Components:         Trimethoxyvinylsilane:         Acute toxicity         Acute inhalation toxicity         LD50 Oral (Rat): ca. 7.120 mg/kg         Acute inhalation toxicity       :         LC50: ca. 16,8 mg/l       Exposure time: 4 h         Test atmosphere: vapour       Method: Calculation method         Acute dermal toxicity       :       LD50: 3.540 mg/kg         Stin corrosion/irritation         Not classified due to lack of data.       Serious eye damage/eye irritation         Causes serious eye irritation.       Respiratory or skin sensitisation         Skin sensitisation       May cause an allergic skin reaction.	te of last issue: 26.09.2023 vision Date: 22.01.2024	Version 11.0	Print Date 29.02.202
Hazardous decomposition : methanol products  SECTION 11: Toxicological information  T1.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008  Acute toxicity Not classified due to lack of data. Components:  trimethoxyvinyIsilane: Acute oral toxicity : LD50 Oral (Rat): ca. 7.120 mg/kg  Acute inhalation toxicity : LC50: ca. 16,8 mg/l Exposure time: 4 h Test atmosphere: vapour Acute toxicity estimate: 16,8 mg/l Test atmosphere: vapour Method: Calculation method  Acute dermal toxicity : LD50: 3.540 mg/kg  Skin corrosion/irritation Not classified due to lack of data. Serious eye damage/eye irritation Causes serious eye irritation. Respiratory or skin sensitisation Skin sensitisation	Materials to avoid	: No data available	
products  SECTION 11: Toxicological information  11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008  Acute toxicity Not classified due to lack of data.  Components: trimethoxyvinyIsilane: Acute oral toxicity  LD50 Oral (Rat): ca. 7.120 mg/kg  Acute inhalation toxicity  LD50 Oral (Rat): ca. 7.120 mg/kg  Acute inhalation toxicity  LC50: ca. 16,8 mg/l Exposure time: 4 h Test atmosphere: vapour Acute toxicity estimate: 16,8 mg/l Test atmosphere: vapour Method: Calculation method  Acute dermal toxicity  LD50: 3.540 mg/kg  Skin corrosion/irritation Not classified due to lack of data.  Respiratory or skin sensitisation  Skin sensitisation	).6 Hazardous decomposition	roducts	
Information on hazard classes as defined in Regulation (EC) No 1272/2008         Acute toxicity         Not classified due to lack of data.         Components:         trimethoxyvinylsilane:         Acute oral toxicity       :         LD50 Oral (Rat): ca. 7.120 mg/kg         Acute inhalation toxicity       :         LC50: ca. 16,8 mg/l         Exposure time: 4 h         Test atmosphere: vapour         Acute dermal toxicity       :         LD50: 3.540 mg/kg         Skin corrosion/irritation         Not classified due to lack of data.         Serious eye damage/eye irritation         Causes serious eye irritation.         Respiratory or skin sensitisation         Skin sensitisation	•	: methanol	
Acute toxicity         Not classified due to lack of data.         Components:         trimethoxyvinylsilane:         Acute oral toxicity       :         LC50 Cral (Rat): ca. 7.120 mg/kg         Acute inhalation toxicity       :         LC50: ca. 16,8 mg/l         Exposure time: 4 h         Test atmosphere: vapour         Acute dermal toxicity       :         LD50: 3.540 mg/kg         Skin corrosion/irritation         Not classified due to lack of data.         Serious eye damage/eye irritation         Causes serious eye irritation.         Respiratory or skin sensitisation         Skin sensitisation	ECTION 11: Toxicological i	ormation	
Not classified due to lack of data.         Components:         trimethoxyvinylsilane:         Acute oral toxicity       :         LD50 Oral (Rat): ca. 7.120 mg/kg         Acute inhalation toxicity       :         LC50: ca. 16,8 mg/l         Exposure time: 4 h         Test atmosphere: vapour         Method: Calculation method         Acute dermal toxicity       :         Skin corrosion/irritation         Not classified due to lack of data.         Serious eye damage/eye irritation.         Causes serious eye irritation.         Respiratory or skin sensitisation         Skin sensitisation	.1 Information on hazard clas	es as defined in Regulation (EC) No 127	/2/2008
trimethoxyvinylsilane:         Acute oral toxicity       :       LD50 Oral (Rat): ca. 7.120 mg/kg         Acute inhalation toxicity       :       LC50: ca. 16,8 mg/l Exposure time: 4 h Test atmosphere: vapour         Acute toxicity estimate: 16,8 mg/l Test atmosphere: vapour Method: Calculation method       Acute dermal toxicity       :         Acute dermal toxicity       :       LD50: 3.540 mg/kg         Skin corrosion/irritation Not classified due to lack of data.       Serious eye damage/eye irritation Causes serious eye irritation.         Causes serious eye irritation.       Kin sensitisation         Skin sensitisation       Skin sensitisation	•	ta.	
Acute oral toxicity       :       LD50 Oral (Rat): ca. 7.120 mg/kg         Acute inhalation toxicity       :       LC50: ca. 16,8 mg/l Exposure time: 4 h Test atmosphere: vapour         Acute toxicity estimate: 16,8 mg/l Test atmosphere: vapour Method: Calculation method       Acute toxicity estimate: 16,8 mg/l Test atmosphere: vapour Method: Calculation method         Acute dermal toxicity       :       LD50: 3.540 mg/kg         Skin corrosion/irritation Not classified due to lack of data.       Serious eye damage/eye irritation Causes serious eye irritation.         Respiratory or skin sensitisation       Skin sensitisation	Components:		
Acute inhalation toxicity       : LC50: ca. 16,8 mg/l         Exposure time: 4 h       Test atmosphere: vapour         Acute toxicity estimate: 16,8 mg/l       Test atmosphere: vapour         Acute dermal toxicity       : LD50: 3.540 mg/kg         Skin corrosion/irritation       Not classified due to lack of data.         Serious eye damage/eye irritation       Causes serious eye irritation.         Respiratory or skin sensitisation       Skin sensitisation	trimethoxyvinylsilane:		
Exposure time: 4 h         Test atmosphere: vapour         Acute toxicity estimate: 16,8 mg/l         Test atmosphere: vapour         Method: Calculation method         Acute dermal toxicity       :         LD50: 3.540 mg/kg         Skin corrosion/irritation         Not classified due to lack of data.         Serious eye damage/eye irritation         Causes serious eye irritation.         Respiratory or skin sensitisation         Skin sensitisation	Acute oral toxicity	: LD50 Oral (Rat): ca. 7.120 mg/kg	
Test atmosphere: vapour   Method: Calculation method   Acute dermal toxicity : LD50: 3.540 mg/kg   Skin corrosion/irritation   Not classified due to lack of data.   Serious eye damage/eye irritation   Causes serious eye irritation.   Respiratory or skin sensitisation   Skin sensitisation	Acute inhalation toxicity	Exposure time: 4 h	
Skin corrosion/irritation         Not classified due to lack of data.         Serious eye damage/eye irritation         Causes serious eye irritation.         Respiratory or skin sensitisation         Skin sensitisation		Test atmosphere: vapour	
Not classified due to lack of data. Serious eye damage/eye irritation Causes serious eye irritation. Respiratory or skin sensitisation Skin sensitisation	Acute dermal toxicity	: LD50: 3.540 mg/kg	
Serious eye damage/eye irritation Causes serious eye irritation. Respiratory or skin sensitisation Skin sensitisation			
Causes serious eye irritation. Respiratory or skin sensitisation Skin sensitisation			
Skin sensitisation			
	Respiratory or skin sensiti	tion	
		ction.	
Respiratory sensitisation			
Not classified due to lack of data.		ta.	
Germ cell mutagenicity Not classified due to lack of data.		ta.	
Carcinogenicity Not classified due to lack of data.		ta.	



Date of last issue: 26.09.2023 Revision Date: 22.01.2024	Version 11.0	Print Date 29.02.2024
Reproductive toxicity		
Not classified due to lack of data.		
STOT - single exposure Not classified due to lack of data.		
<b>STOT - repeated exposure</b> Not classified due to lack of data.		
Aspiration toxicity		
Not classified due to lack of data.		
11.2 Information on other hazards		
Endocrine disrupting propertie	5	
Product:		
Assessment :	The substance/mixture does not contain ered to have endocrine disrupting proper REACH Article 57(f) or Commission Dele	ties according to

levels of 0.1% or higher.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

### **12.6 Endocrine disrupting properties**

2

#### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to



Date of last issue: 26.09.2023 Revision Date: 22.01.2024	Version 11.0	Print Date 29.02.2024
	REACH Article 57(f) or Commission De (EU) 2017/2100 or Commission Regula levels of 0.1% or higher.	5 5
12.7 Other adverse effects		
12.7 Other adverse effects		
Product:		

# CITON 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Product	wherever possib Empty container This material an vay. Dispose of surpl vaste disposal of Disposal of this at all times comportection and w ocal authority re Avoid dispersal	s or liners may retain some product residues. d its container must be disposed of in a safe us and non-recyclable products via a licensed contractor. product, solutions and any by-products should ply with the requirements of environmental vaste disposal legislation and any regional
European Waste Catalogue	16 03 03* inorg	anic wastes containing dangerous substances
Contaminated packaging	15 01 10* packa by dangerous su	iging containing residues of or contaminated ubstances

# **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good



Date of last issue: 26.09.2023 Revision Date: 22.01.2024	Version 11.0		Print Date 29.02.2024
14.3 Transport hazard class(es)			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards			
Not regulated as a dangerous	s go	od	
14.6 Special precautions for use Not applicable	r		
14.7 Maritime transport in bulk a	ICC	ording to IMO instruments	

Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Not applicable
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
International Chemical Weapons Convention (CWC)		Not appliable
Schedules of Toxic Chemicals and Precursors	•	Not applicable
	:	Not applicable



Date of last issue: 26.09.2023 Revision Date: 22.01.2024	Version 11.0	Print Date 29.02.2024
GB Export and import of hazardo Informed Consent (PIC) Regulati		
Control of Major Accident Hazard 2015 (COMAH) Volatile organic compounds :		0,2% w/w on industrial nd control)

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

## Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## **SECTION 16: Other information**

#### **Full text of H-Statements**

H225	:	Highly flammable liquid and vapour.
H226	:	Flammable liquid and vapour.
H301	:	Toxic if swallowed.
H311	:	Toxic in contact with skin.
H315	:	Causes skin irritation.



Date of last issue: 26.09.2023 Revision Date: 22.01.2024		Version 11.0	Print Date 29.02.2024
H317	:	May cause an allergic skin reaction.	
H318	:	Causes serious eye damage.	
H331	:	Toxic if inhaled.	
H332	:	Harmful if inhaled.	
H335	:	May cause respiratory irritation.	
H336	:	May cause drowsiness or dizziness.	
H370	:	Causes damage to organs.	
Full text of other abbreviat	ions		
Acute Tox.	:	Acute toxicity	
Eye Dam.	:	Serious eye damage	
Flam. Liq.	:	Flammable liquids	
Skin Irrit.	:	Skin irritation	
Skin Sens.	:	Skin sensitisation	
STOT SE	:	Specific target organ toxicity - single expo	sure
2006/15/EC	:	Europe. Indicative occupational exposure	limit values
GB EH40	:	UK. EH40 WEL - Workplace Exposure Lir	nits
2006/15/EC / TWA	:	Limit Value - eight hours	
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA ref	erence period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute refer	
ADR	:	European Agreement concerning the Inter	
		Dangerous Goods by Road	C
CAS	:	Chemical Abstracts Service	
DNEL	:	Derived no-effect level	
EC50	:	Half maximal effective concentration	
GHS	÷	Globally Harmonized System	
IATA	:	International Air Transport Association	
IMDG	÷	International Maritime Code for Dangerou	s Goods
LD50	÷	Median lethal dosis (the amount of a mate	
		once, which causes the death of 50% (on	
		test animals)	e hany er a group er
LC50		Median lethal concentration (concentration	ns of the chemical in
2000	•	air that kills 50% of the test animals during	
		period)	g the obcorvation
MARPOL	:	International Convention for the Preventio	n of Pollution from
	•	Ships, 1973 as modified by the Protocol o	
OEL		Occupational Exposure Limit	
PBT	:	Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the Euro	opean Parliament
NEX ON	•	and of the Council of 18 December 2006	
		istration, Evaluation, Authorisation and Re	
		cals (REACH), establishing a European C	
SVHC		Substances of Very High Concern	fiernious / igeney
vPvB	÷	Very persistent and very bioaccumulative	
Further information			
Classification of the mixtur	· • ·	Classification p	rocedure.
		•	
Eye Irrit. 2	H3	19 Calculation meth	od
Country CR 10000006628			45 / 40



Date of last issue: 26.09.2023 Revision Date: 22.01.2024			Print Date 29.02.2024
Skin Sens. 1	H317	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN