

Date of last issue: -	Version 1.0	Print Date 03.01.2024
Revision Date: 03.01.2024		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Parex[®] MONOREX GF

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited
		Watchmead Welwyn Garden City
		Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms				
Signal word	: Danger	•		
Hazard statements	: H315 H317 H318	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.		
Precautionary statements	: P101	If medical advice is needed, have product container or label at hand.		



Date of last issue: - Revision Date: 03.01.2024	Version 1.0		Print Date 03.01.2024
	P102	Keep out of reach of children.	
	Prevention:		
	P261 P280	Avoid breathing dust. Wear protective gloves/ eye pro protection.	otection/ face
	Response:		
	P305 + P351 +	P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Disposal:		
	P501	Dispose of contents/container i with local regulation.	n accordance

Hazardous components which must be listed on the label:

Cement, portland, chemicals

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement, portland, chemicals	65997-15-1	Skin Irrit. 2; H315	>= 5 - < 10
	266-043-4	Eye Dam. 1; H318	
		Skin Sens. 1; H317	
		STOT SE 3; H335	



Date of last issue: - Revision Date: 03.01.2024	Version 1	.0	Print Date 03.01.2024
Lime (chemical), hydraulic	85117-09-5 285-561-1 01-2119475523-36- XXXX	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 3 - < 5
calcium dihydroxide	1305-62-0 215-137-3 01-2119475151-45- XXXX	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 3 - < 5
Substances with a workplace exp	posure limit :		
Limestone Contains: Quartz (SiO2) <5µm >= 0,1 %	1317-65-3 215-279-6		>= 25 - < 40
Substances with a workplace exp Limestone Contains:	215-137-3 01-2119475151-45- XXXX posure limit : 1317-65-3 215-279-6	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

	General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
	If inhaled :	Move to fresh air. Consult a physician after significant exposure.
	In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
	In case of eye contact :	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
	If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2	Most important symptoms and e	ffects, both acute and delayed
	Symptoms :	Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.



ate of last issue: - evision Date: 03.01.2024		Version 1.0	Print Date 03.01.202
Risks	:	irritant effects sensitising effects	
		Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.	
1.3 Indication of any immediate Treatment	me :	dical attention and special treatment nee Treat symptomatically.	ded
SECTION 5: Firefighting mea	sui	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/wate ide/sand/foam/alcohol resistant foam/chen extinction.	
5.2 Special hazards arising from	th	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are kn	nown
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained bre	eathing apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental releas	se	measures	
	ctiv	e equipment and emergency procedures	
Personal precautions	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanitary	sewer system.
5.3 Methods and material for co	nta	inment and cleaning up	
		Pick up and arrange disposal without crea	Constant and



Date of last issue: -	Version 1.0	Print Date 03.01.2024
Revision Date: 03.01.2024		

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
Limestone	1317-65-3	TWA (inhalable dust)	10 mg/m3	GB EH40
	Further information: For the purposes of these limits, respirable			

Date of last issue: -Revision Date: 03.01.2024

	will be collecte the methods de pling and gravi aerosols., The health includes in air equal to o dust or 4 mg.m any dust will be above these le WELs and exp limits., Most in sizes. The beh after entry into sponse that it e HSE distinguis termed 'inhalal the fraction of a during breathir respiratory trac penetrates to t tions and expla dusts contain of the relevant lin short-term exp	able dust are those d when sampling is escribed in MDHS1 imetric analysis or r COSHH definition a dust of any kind w or greater than 10 m -3 8-hour TWA of r e subject to COSHH vels. Some dusts h osure to these must dustrial dusts conta aviour, deposition a the human respirate elicits, depend on th hes two size fraction obe' and 'respirable' airborne material the g and is therefore a ct. Respirable dust a he gas exchange re anatory material are components that ha hits should be comp osure limit is listed, limit should be use	undertaken in ac 4/4 General meth espirable, thoracio of a substance ha hen present at a c ng.m-3 8-hour TW respirable dust. Th d if people are exp ave been assigne at comply with the in particles of a w and fate of any pa fory system, and t he nature and size ons for limit-setting at enters the nose available for depo- approximates to the egion of the lung. I e given in MDHS14 ve their own assigned a figure three tim	cordance with ods for sam- c and inhalable zardous to concentration /A of inhalable his means that oosed to dust appropriate ide range of rticular particle he body re- of the particle. purposes pproximates to and mouth sition in the he fraction that Fuller defini- 4/4., Where gned WEL, all no specific
	term exposure			
		TWA (Respirable dust)	4 mg/m3	GB EH40
Cement, portland, chemicals	65997-15-1	TWÁ (inhalable dust)	10 mg/m3	GB EH40
		TWÁ (Respirable dust)	4 mg/m3	GB EH40
calcium dihydroxide	1305-62-0	TWÁ (Respirable fraction)	1 mg/m3	2017/164/EU
	Further information	ation: Indicative		
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU
		TWA	5 mg/m3	GB EH40
		TWA (Respirable	1 mg/m3	GB EH40
		fraction) STEL (Respirable fraction)	4 mg/m3	GB EH40
	· · · · · · · · ·			

Version 1.0

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Value type	Control parameters	Basis
Inhalable	TWA	10 mg/m3	GB EH40
Respirable fraction	TWA	4 mg/m3	GB EH40



Print Date 03.01.2024



Date of last issue: -	
Revision Date: 03.01.2024	
	-

Version 1.0

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipme	ent	
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.
Environmental exposure cor	ntre	
General advice		Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	solid
Appearance	:	powder
Colour	:	grey
Odour	:	No data available
Melting point/range / Freezing point	:	No data available

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Parex[®] MONOREX GF

Date of last issue: - Revision Date: 03.01.2024		Version 1.0	Print Date 03.01.2024
Boiling point/boiling range	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or	exp	losive limits	
Upper explosion limit / Up- per flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	No data available	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	No data available	
Viscosity			
Viscosity, kinematic	:	No data available	
Solubility(ies)			
Water solubility	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	No data available	
Density	:	ca. 1 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	
9.2 Other information			

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions



ate of last issue: - evision Date: 03.01.2024	Version 1.0	Print Date 03.01.2024
Hazardous reactions	: No hazards to be specially mentioned.	
0.4 Conditions to avoid		
Conditions to avoid	: No data available	
0.5 Incompatible materials		
Materials to avoid	: No data available	
0.6 Hazardous decompositio No decomposition if stored	-	
SECTION 11: Toxicological	information	
1.1 Information on hazard cl	sses as defined in Regulation (EC) No 1272/2008	1
Acute toxicity		
Not classified based on ava	ilable information.	
Skin corrosion/irritation		
Causes skin irritation.		
Serious eye damage/eye	rritation	
Causes serious eye damag		
Respiratory or skin sensi	isation	
Skin sensitisation		
May cause an allergic skin	eaction.	
Respiratory sensitisation Not classified based on ava	ilable information	
Germ cell mutagenicity Not classified based on ava	ilable information.	
Carcinogenicity		
Not classified based on ava	ilable information.	
Reproductive toxicity		
Not classified based on ava	ilable information.	
STOT - single exposure		
Not classified based on ava		
STOT - repeated exposur		
	liaple information.	
Not classified based on ava Aspiration toxicity		



Date of last issue: -	Version 1.0	Print Date 03.01.2024
Revision Date: 03.01.2024		

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components consid-
		ered to have endocrine disrupting properties according to
		REACH Article 57(f) or Commission Delegated regulation
		(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
		levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		



Date of last issue: -	Version 1.0	Print Date 03.01.2024
Revision Date: 03.01.2024		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
	way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good



Date of last issue: -	Version 1.0	Print Date 03.01.2024
Revision Date: 03.01.2024		

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

International Chemical Weapons Schedules of Toxic Chemicals ar	:	Not applicable		
Regulation (EC) No 1005/2009 o plete the ozone layer	:	Not applicable		
GB Export and import of hazardous chemicals - Prior : Not applicable Informed Consent (PIC) Regulation				
Volatile organic compounds : Law on the incentive tax for volatile (VOCV) no VOC duties			or volatile organic compounds	
			4 November 2010 on industrial ution prevention and control)	

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ-	:	Environmental Protection Act 1990 & Subsidiary Regulations
mental regulation/legislation		Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or		Control of Substances Hazardous to Health Regulations
mixture:		(COSHH)
		May be subject to the Control of Major Accident Hazards
		Regulations (COMAH), and amendments.

Other regulations:

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.



Date of last issue: -Revision Date: 03.01.2024 Version 1.0

Print Date 03.01.2024

SECTION 16: Other information

Full text of H-Statements		
H315	•	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviat	ions	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT SE	:	Specific target organ toxicity - single exposure
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a
		fourth list of indicative occupational exposure limit values
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
2017/164/EU / STEL	:	Short term exposure limit
2017/164/EU / TWA	:	Limit Value - eight hours
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	•	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	÷	Persistent, bioaccumulative and toxic
PNEC	÷	Predicted no effect concentration
REACH	-	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi-
		cals (REACH), establishing a European Chemicals Agency
SVHC		Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative
	·	very persistent and very bloaccumulative

Further information

Classification of the mixture:

Classification procedure:



Date of last issue: - Revision Date: 03.01.2024		Version 1.0	Print Date 03.01.2024
Skin Irrit. 2	H315	Calculation method	
Eye Dam. 1	H318	Calculation method	
Skin Sens. 1	H317	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN