

Date of last issue: -	Version 1.0	Print Date 11.05.2023
Revision Date: 19.01.2023		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Parex High Build Protective Coating Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax		+44 (0)1707 329129
E-mail address of person responsible for the SDS		EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Skin irritation, Category 2	H315: Causes skin irritation.				
Eye irritation, Category 2	H319: Causes serious eye irritation.				
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.				
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.				

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H315	Causes skin irritation.



Date of last issue: - Revision Date: 19.01.2023	V	ersion 1.0	Print Date 11.05.2023
	H317 H319 H411	May cause an allergic skin react Causes serious eye irritation. Toxic to aquatic life with long las	
Precautionary statements :	Prevention: P261 P264 P273 P280	Avoid breathing dust/ fume/ gas pours/ spray. Wash skin thoroughly after hand Avoid release to the environmer Wear protective gloves/ eye pro protection.	dling. nt.
	Response: P333 + P313 P391	If skin irritation or rash occurs: G advice/ attention. Collect spillage.	et medical

Hazardous components which must be listed on the label:

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight \leq 700)

reaction product: bisphenol F-(epichlorhydrin) epoxy resin (number average molecular weight <= 700)

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



Date of last issue: -Revision Date: 19.01.2023 Version 1.0

Print Date 11.05.2023

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
reaction product: bisphenol-A- (epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)	25068-38-6 500-033-5 01-2119456619-26- XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411 specific concentration limit Eye Irrit. 2; H319 >= 5 % Skin Irrit. 2; H315 >= 5 %	>= 40 - < 60
reaction product: bisphenol F- (epichlorhydrin) epoxy resin (number average molecular weight <= 700)	9003-36-5 500-006-8 01-2119454392-40- XXXX	Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 2; H411	>= 1 - < 2,5
oxirane, mono[(C12-14- alkyloxy)methyl] derivs.	68609-97-2 271-846-8 01-2119485289-22- XXXX	Skin Irrit. 2; H315 Skin Sens. 1; H317	>= 1 - < 2,5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	: Immediately flush eye(s) with plenty of water. Remove contact lenses.



Date of last issue: - Revision Date: 19.01.2023		Version 1.0	Print Date 11.05.2023
		Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Do not induce vomiting without medical advice Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscio	
4.2 Most important symptoms an	d	effects, both acute and delayed	
Symptoms	:	Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information of and symptoms.	on health effects
Risks	:	irritant effects sensitising effects	
		Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.	
4.3 Indication of any immediate n Treatment	ne	dical attention and special treatment needed Treat symptomatically.	
Houmon	•		
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet ide/sand/foam/alcohol resistant foam/chemica extinction.	
5.2 Special hazards arising from	the	e substance or mixture	
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter of courses.	drains or water
Hazardous combustion prod- ucts	:	No hazardous combustion products are knowr	1
5.3 Advice for firefighters			
Special protective equipment	:	In the event of fire, wear self-contained breath	ing apparatus.



Date of last issue: -	Version 1.0	Print Date 11.05.2023
Revision Date: 19.01.2023		

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures					
Personal precautions :	Use personal protective equipment. Deny access to unprotected persons.				
6.2 Environmental precautions					
Environmental precautions :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.				
6.3 Methods and material for containment and cleaning up					
Methods for cleaning up :	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.				

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not



Date of last issue: -	Version 1.0	Print Date 11.05.2023
Revision Date: 19.01.2023		
	smoke. Wash hands before breaks and	d at the end of workday.
7.2 Conditions for safe storage, i	including any incompatibilities	
Requirements for storage areas and containers	: Keep container tightly closed in a dry a place. Store in accordance with local re	
Further information on stor- age stability	: No decomposition if stored and applied	l as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment				
Eye protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water			
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.			
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.			
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.			
Respiratory protection	No special measures required.			
Environmental exposure controls				
General advice	 Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities. 			



Povision Date: 10.01.2023	Date of last issue: -
Revision Date. 19.01.2025	Revision Date: 19.01.2023

Version 1.0

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

 Physical state Appearance Colour	:	liquid paste light grey
Odour	:	characteristic
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	vn	losivo limite
Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	No data available
Viscosity		
Viscosity, dynamic	:	ca. 400.000 mPa.s (20 °C)
Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility	:	No data available



Date of last issue: - Revision Date: 19.01.2023	Version 1.0	Print Date 11.05.2023
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 0,01 hPa	
Density	: 1,92 - 2,02 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
No data available SECTION 10: Stability and r		
10.1 Reactivity		
-	n under conditions of normal use.	
10.2 Chemical stability The product is chemically st	able.	
10.3 Possibility of hazardous r		
Hazardous reactions	: Stable under recommended storage of	conditions.
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition No decomposition if stored a	-	

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.



e of last issue: - ision Date: 19.01.2023	Version 1.0	Print Date 11.05.202
Components:		
reaction product: bisphe weight ≤ 700):	nol-A-(epichlorhydrin); epoxy resin (numbe	r average molecular
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg	
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 20.000 mg/kg	I
oxirane, mono[(C12-14-a	Ikyloxy)methyl] derivs.:	
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg	
Skin corrosion/irritation Causes skin irritation.		
Serious eye damage/eye Causes serious eye irritati		
Respiratory or skin sens	itisation	
Skin sensitisation May cause an allergic skir	reaction.	
Respiratory sensitisation		
Germ cell mutagenicity Not classified based on av	ailable information.	
Carcinogenicity Not classified based on av	ailable information.	
Reproductive toxicity Not classified based on av	ailable information.	
STOT - single exposure Not classified based on av	ailable information.	
STOT - repeated exposu		
Aspiration toxicity Not classified based on av	ailable information.	
2 Information on other ha		



Date of last issue: -	Version 1.0
Revision Date: 19.01.2023	

Print Date 11.05.2023

SECTION 12: Ecological information

12.1 Toxicity

Components:

reaction product weight ≤ 700):	t: bisphenol-A-	(epichlorhydrin); epoxy resin (number average molecular		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Exposure time: 96 h		
Toxicity to daphni aquatic invertebra		EC50 (Daphnia magna (Water flea)): 1,8 mg/l Exposure time: 48 h		
12.2 Persistence and	degradability			
No data available				
12.3 Bioaccumulative	e potential			
No data available				
12.4 Mobility in soil				
No data available				
12.5 Results of PBT a	and vPvB asse	ssment		
Product:				
Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher		
12.6 Endocrine disru	pting propertie	es		
No data available				
12.7 Other adverse e	ffects			
Product:				

Additional ecological infor- mation	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
		Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

 The generation of waste should be avoided or minimized wherever possible.
 Empty containers or liners may retain some product residues.
 This material and its container must be disposed of in a safe



Date of last issue: -	Version 1.0	Print Date 11.05.2023
Revision Date: 19.01.2023		

way.

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	JN 3082	
IMDG	JN 3082	
ΙΑΤΑ	JN 3082	
14.2 UN proper shipping name		
ADR	ENVIRONMENTAL I.O.S. epoxy resin)	LY HAZARDOUS SUBSTANCE, LIQUID,
IMDG	ENVIRONMENTAL J.O.S. epoxy resin)	LY HAZARDOUS SUBSTANCE, LIQUID,
ΙΑΤΑ	Environmentally ha	zardous substance, liquid, n.o.s.
14.3 Transport hazard class(es)		
ADR)	
IMDG)	
ΙΑΤΑ)	
14.4 Packing group		
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code IMDG Packing group Labels EmS Code IATA (Cargo)	II //6 /0 -) -) II F-A, S-F	



Date of last issue: - Revision Date: 19.01.2023	Version 1.0	Print Date 11.05.2023
Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	: 964 : Y964 : III : Miscellaneous	
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels	964 Y964 III Miscellaneous	
14.5 Environmental hazards		
ADR Environmentally hazardous	: no	
IMDG Marine pollutant	: no	
IATA (Passenger) Environmentally hazardous	no	
IATA (Cargo) Environmentally hazardous	: no	
14.6 Special precautions for user		

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

International Chemical Weapons Schedules of Toxic Chemicals a	· · · ·	: Not a	pplicable
Regulation (EC) No 1005/2009 of plete the ozone layer	on substances that de-	: Not a	pplicable
Volatile organic compounds :	Law on the incentive t (VOCV) no VOC duties	ax for vola	tile organic compounds
	Directive 2010/75/EU	of 24 Nove	ember 2010 on industrial



Date of last issue: - Revision Date: 19.01.2023	Version 1.0	Print Date 11.05.2023		
	emissions (integrated pollution prevention and control) Not applicable			
If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.				
Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	ental regulation/legislationHealth and Safety at Work Act 1974 & Subsidiary Regulationsecific for the substance orControl of Substances Hazardous to Health Regulations			

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements				
H315	:	Causes skin irritation.		
H317	:	May cause an allergic skin reaction.		
H319	:	Causes serious eye irritation.		
H411	:	Toxic to aquatic life with long lasting effects.		
Full text of other abbreviations				
Aquatic Chronic	:	Long-term (chronic) aquatic hazard		
Eye Irrit.	:	Eye irritation		
Skin Irrit.	:	Skin irritation		
Skin Sens.	:	Skin sensitisation		
ADR	:	European Agreement concerning the International Carriage of		
		Dangerous Goods by Road		
CAS	:	Chemical Abstracts Service		
DNEL	:	Derived no-effect level		
EC50	:	Half maximal effective concentration		
GHS	:	Globally Harmonized System		
ΙΑΤΑ	:	International Air Transport Association		
IMDG	:	International Maritime Code for Dangerous Goods		
LD50	:	Median lethal dosis (the amount of a material, given all at		
		once, which causes the death of 50% (one half) of a group of		
		test animals)		
LC50	:	Median lethal concentration (concentrations of the chemical in		
		air that kills 50% of the test animals during the observation		
		period)		
MARPOL	÷	International Convention for the Prevention of Pollution from		
		Ships, 1973 as modified by the Protocol of 1978		
OEL	÷	Occupational Exposure Limit		
PBT	÷	Persistent, bioaccumulative and toxic		
PNEC	•	Predicted no effect concentration		



Date of last issue: - Revision Date: 19.01.2023		Version 1.0	Print Date 11.05.2023
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency	
SVHC	:	Substances of Very High Concern	
vPvB	:	Very persistent and very bioaccumulative	
Further information			
Classification of the mixtu	re:	Class	sification procedure:
Skin Irrit. 2	Ha	315 Calcu	lation method

11313	Calculation method
H319	Calculation method
H317	Calculation method
H411	Calculation method
	H319 H317

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN