

Sika® Dustproofer & Concrete Hardener

DECLARATION OF PERFORMANCE

No. 30751071

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:	30751071	
2	INTENDED USE/S	Concrete surface protection product - impregnation - physical resistance 5.2 (I) of EN1504-2:2004	
3	MANUFACTURER:	Sika Services AG Tüffenwies 16 8064 Zürich	
4	AUTHORISED REPRESENTATIVE:	N/A	
5	SYSTEM/S OF AVCP:	2+	
6a	DESIGNATED STANDARD:	BS EN1504-2:2004	
	Conformity Assessment Body body/ies:	0120	

Sika® Dustproofer & Concrete Hardener 30751071 2025/07 , ver. 01 1213

7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	AVCP	Designated Technical Specification
Abrasion resistance	Pass		
Capillary absorption and permeability to water	<0.1 kg/m ² h ^{0.5}		
Impact resistance	Class III >20 Nm		
Adhesion strength by pull off test	>1.5 N/mm²		
Depth of penetration	≥5 mm		BS EN1504- 2:2004
Dangerous substances	Complies with 5.4		

8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation, under the sole responsibility of the manufacturer identified above.


Signed for and on behalf of the manufacturer by:

Name: Paul Thomas Function: Technical Product

Coordinator

At Leeds on 30 July 2025

Name: Sarah Buchanan Function: Product Manager At Leeds on 30 July 2025



End of information as required by Regulation





Sika Services	ΑG	7urich	Switzerland
JING JCI VICES	лυ,	Zuricii,	JWILZELIALIA

DoP No. 30751071

BS EN1504-2:2004

Conformity Assessment Body Body 0120

Concrete surface protection product - impregnation - physical resistance 5.2 (I) of EN1504-2:2004

Abrasion resistance	Pass		
Capillary absorption and permeability to water	<0.1 kg/m2h0.5		
Impact resistance	Class III >20 Nm		
Adhesion strength by pull off test	>1.5 N/mm2		
Depth of penetration	≥5 mm		
Dangerous substances	Complies with 5.4		

sika.co.uk

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

User must read the most recent corresponding Safety Data Sheets (SDS) before using any products. The SDS provides information and advice on the safe handling, storage and disposal of chemical products and contains physical, ecological, toxicological and other safety-related data.

LEGAL NOTE

Any information provided in this Declaration of Performance ("DoP"), including any descriptions and recommendations relating to the application and end-use of any Sika products ("Products"), are given in good faith based on Sika's current knowledge and experience of the Products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. Please note that the materials, substrates and actual site conditions may vary considerably, and therefore Sika makes no warranty for merchantability or fitness for a particular purpose, and accepts no liability for the application and use of the Products, for any recommendations, or for any advice offered. Prior to using, the Product must be tested for its suitability for the intended application and purpose, and the most recent version of the Product Data Sheet must be consulted. Sika reserves the right to change the properties of its Products any time without prior notice. Any orders for Products or services provided by Sika are subject to Sika's current terms and conditions of sale.

Declaration of Performance

Sika® Dustproofer & Concrete Hardener 30751071 2025/07 , ver. 01 1213



Sika® Dustproofer & Concrete Hardener 30751071 2025/07 , ver. 01 1213