

# Sika MonoTop®-4052

### **Declaration of Performance**

## No 53266763

1	Unique identification code of the product-type:	53266763	
2	Intended use/es:	For uses in buildings and civil engineering works — Corrosion protection products for repair and protection of concrete	
3	Manufacturer:	Sika Services AG	
		Tüffenwies 16	
		8064 Zürich	
		Switzerland	
5	System/s of AVCP:	System 2+ (For uses in buildings and civil engineering works)	
6a	Harmonised standard:	EN 1504-7:2006	
	Notified body/ies:	1139, 0370	

7 Declared performanc	e/s:			
Essential Characteristics	Performance	AVCP	Harmonised Technical Specification	
Pull out strength of coated steel in concrete	NPD	System 2+		
Diffusion Resistance	NPD	System 2+	_ 	
Corrosion protection and workability	Pass	System 2+	1504-7:2006	
Durability	NPD	System 2+		
Glass transition temperature	NPD	System 2+	— Z	
Release of dangerous substances	NPD	System 2+	_	

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name: Tomek Gutowski

Function: Corporate Standardisation and Approvals

At Warsaw on 2024-01-09


Name: Wiktor Karpała

Function: Standardisation and Approvals

.....

At Warsaw on 2024-01-09

End of information as required by Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 laying down harmonised conditions for the marketing of construction products and repealing Council Directive 89/106/EEC Text with EEA relevance



http://dop.sika.com

### **ECOLOGY, HEALTH AND SAFETY (REACH)**

User must read the most recent corresponding Safety Data Sheets (SDS) before using any products. The SDS provides information and advice on the safe handling, storage and disposal of chemical products and contains physical, ecological, toxicological and other safety-related data.

#### **LEGAL NOTES**

Any information provided in this Declaration of Performance ("DoP"), including any descriptions and recommendations relating to the application and end-use of any Sika products ("Products"), are given in good faith based on Sika's current knowledge and experience of the Products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. Please note that the materials, substrates and actual site conditions may vary considerably, and therefore Sika makes no warranty for merchantability or fitness for a particular purpose, and accepts no liability for the application and use of the Products, for any recommendations, or for any advice offered. Prior to using, the Product must be tested for its suitability for the intended application and purpose, and the most recent version of the Product Data Sheet must be consulted. Sika reserves the right to change the properties of its Products any time without prior notice. Any orders for Products or services provided by Sika are subject to Sika's current terms and conditions of sale.