

Date of last issue: 14.12.2022	Version 1.1	Print Date 16.03.2023
Revision Date: 16.03.2023		

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : Sikaflex<sup>®</sup>-953 AF (A)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited
		Watchmead Welwyn Garden City
		Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person	:	EHS@uk.sika.com
responsible for the SDS		0

### **1.4 Emergency telephone number**

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

### **Additional Labelling**

EUH210 Safety data sheet available on request.

- EUH208 Contains 2-octyl-2H-isothiazole-3-one (OIT), N-[3-(dimethoxymethylsilyl)propyl]ethylenediamine, trimethoxyvinylsilane. May produce an allergic reaction.
- EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.



Date of last issue: 14.12.2022
Revision Date: 16.03.2023

Version 1.1

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 2-octyl-2H-isothiazole-3-one (OIT), 26530-20-1. Please use treated articles responsibly.

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

### Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Registration number		· · · ·
N-[3- (dimethoxymethylsi- lyl)propyl]ethylenediamine Contains: methanol <= 0,5 %	3069-29-2 221-336-6 01-2119963926-21- XXXX	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Acute toxicity esti- mate	< 1
		Acute oral toxicity: 301 mg/kg	
trimethoxyvinylsilane Contains: tetramethyl orthosilicate <= 0,2 %	2768-02-7 220-449-8 01-2119513215-52- XXXX	Flam. Liq. 3; H226 Acute Tox. 4; H332 Skin Sens. 1B; H317	< 1
		Acute toxicity esti- mate Acute inhalation tox- icity (vapour): 16,8 mg/l	

## SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

# Sikaflex<sup>®</sup>-953 AF (A)

Date of last issue: 14.12.2022 Revision Date: 16.03.2023

ISIOIT Date: 10.03.2023			
bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	52829-07-9 258-207-9 01-2119537297-32- XXXX	Eye Dam. 1; H318 Repr. 2; H361f Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M-Factor (Acute	>= 0,025 - < 0,25
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1 247-761-7 01-2120768921-45- XXXX	aquatic toxicity): 1         Acute Tox. 3; H301         Acute Tox. 2; H330         Acute Tox. 3; H311         Skin Corr. 1; H314         Eye Dam. 1; H318         Skin Sens. 1A; H317         Aquatic Acute 1;         H400         Aquatic Chronic 1;         H410         EUH071         M-Factor (Acute aquatic toxicity):         100100         M-Factor (Chronic aquatic toxicity):         100100         specific concentration limit         Skin Sens. 1A; H317         >= 0,0015 %         Acute toxicity estimate         Acute oral toxicity:         125 mg/kg         Acute inhalation toxicity:         125 mg/kg         Acute dermal toxicity:         311 mg/kg         311 mg/kg	>= 0,0002 - < 0,0015



XXXX



# Sikaflex<sup>®</sup>-953 AF (A)

Date of last issue: 14.12.2022 Revision Date: 16.03.2023	Version 1.1	Print Date 16.03.2023
Substances with a workplace exp	osure limit :	
	I I	
Titanium dioxide (> 10 μm)	13463-67-7	>= 2,5 - < 5
	236-675-5	
	01-2119489379-17-	

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

4.1 Description of first aid measures					
General advice	:	No hazards which require special first aid measures.			
If inhaled	:	Move to fresh air.			
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.			
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.			
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.			
4.2 Most important symptoms an	nd e	effects, both acute and delayed			
Symptoms	:	See Section 11 for more detailed information on health effects and symptoms.			
Risks	:	No known significant effects or hazards.			
4.3 Indication of any immediate medical attention and special treatment needed					
Treatment	:	Treat symptomatically.			

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : No hazardous combustion products are known



Date of last issue: 14.12.2022 Revision Date: 16.03.2023		Version 1.1	Print Date 16.03.202
ucts			
5.3 Advice for firefighters Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing	apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental releas	se i	measures	
6.1 Personal precautions, protec	ctiv	e equipment and emergency procedures	
Personal precautions	:	For personal protection see section 8.	
6.2 Environmental precautions			
Environmental precautions	:	No special environmental precautions required.	
6.3 Methods and material for co	ntai	inment and cleaning up	
			<b>~</b> )
Methods for cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece Keep in suitable, closed containers for disposal.	e).
6.4 Reference to other sections For personal protection see se		Keep in suitable, closed containers for disposal. on 8.	e).
6.4 Reference to other sections	oraș	Keep in suitable, closed containers for disposal. on 8.	e).
6.4 Reference to other sections For personal protection see se SECTION 7: Handling and sto	oraș	Keep in suitable, closed containers for disposal. on 8.	·
<ul> <li>6.4 Reference to other sections For personal protection see set SECTION 7: Handling and stores 7.1 Precautions for safe handling</li></ul>	oraș	Keep in suitable, closed containers for disposal. on 8. <b>ge</b> For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling	·
<ul> <li>6.4 Reference to other sections For personal protection see se</li> <li>SECTION 7: Handling and sto</li> <li>7.1 Precautions for safe handling Advice on safe handling</li> </ul>	oraç g	Keep in suitable, closed containers for disposal. on 8. ge For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling products	g chemical
<ul> <li>6.4 Reference to other sections For personal protection see section</li> <li>SECTION 7: Handling and stoce</li> <li>7.1 Precautions for safe handling Advice on safe handling</li> <li>Advice on protection against fire and explosion</li> </ul>	g :	Keep in suitable, closed containers for disposal. on 8. ge For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling products Normal measures for preventive fire protection. When using do not eat or drink. When using do not	g chemical
<ul> <li>6.4 Reference to other sections For personal protection see se</li> <li>SECTION 7: Handling and sto</li> <li>7.1 Precautions for safe handling Advice on safe handling</li> <li>Advice on protection against fire and explosion</li> <li>Hygiene measures</li> </ul>	g :	Keep in suitable, closed containers for disposal. on 8. ge For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling products Normal measures for preventive fire protection. When using do not eat or drink. When using do not	g chemical ot smoke. ntilated
<ul> <li>6.4 Reference to other sections For personal protection see sections</li> <li>SECTION 7: Handling and stoce</li> <li>7.1 Precautions for safe handling Advice on safe handling</li> <li>Advice on protection against fire and explosion Hygiene measures</li> <li>7.2 Conditions for safe storage, Requirements for storage</li> </ul>	g :	Keep in suitable, closed containers for disposal. on 8. ge For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling products Normal measures for preventive fire protection. When using do not eat or drink. When using do not iluding any incompatibilities Keep container tightly closed in a dry and well-ve	g chemical ot smoke. ntilated



Date of last issue: 14.12.2022 Revision Date: 16.03.2023	Version 1.1	Print Date 16.03.2023

## 7.3 Specific end use(s)

Specific use(s)

: Consult most current local Product Data Sheet prior to any use.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Titanium dioxide (> 10 μm)	13463-67-7	TWA (inhalable dust)	10 mg/m3	GB EH40
		TWA (Respirable dust)	4 mg/m3	GB EH40

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
methanol	67-56-1	TWA	200 ppm 260 mg/m3	2006/15/EC
		ation: Indicative, Ide rough the skin	entifies the possibi	lity of signifi-
		TWA	200 ppm 266 mg/m3	GB EH40
	signed substa	Further information: Can be absorbed through the skin. The as signed substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.		
		STEL	250 ppm 333 mg/m3	GB EH40

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

### 8.2 Exposure controls

### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

### Personal protective equipment

Eye/face protection Hand protection	Safety glasses Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
	Putul rubbar/nitrila rubbar alayoa (> 0.1 mm)

Butyl rubber/nitrile rubber gloves (> 0,1 mm) Recommended: Butyl rubber/nitrile rubber gloves.



Date of last issue: 14.12.2022 Revision Date: 16.03.2023	Version 1.1	Print Date 16.03.2023
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to El long-sleeved working clothing, long trousers). R and protective boots are additionaly recommen- and stirring work.	Rubber aprons
Respiratory protection :	<ul> <li>and stirring work.</li> <li>In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: &lt; 1000 ppm; A2: &lt; 5000 ppm; A3: &lt; 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.</li> </ul>	
Environmental exposure contr	ols	
General advice :	No special environmental precautions required.	

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state Appearance Colour Odour	:	liquid paste various very faint		
Melting point/range / Freezing point	:	No data available		
Boiling point/boiling range	:	No data available		
Flammability (solid, gas)	:	No data available		
Upper/lower flammability or explosive limits				
Upper explosion limit / Upper flammability limit	:	No data available		
Lower explosion limit / Lower flammability limit	:	No data available		
Flash point	:	> 101 °C Method: closed cup		
Auto-ignition temperature	:	No data available		
Decomposition temperature	:	No data available		

## SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# Sikaflex<sup>®</sup>-953 AF (A)

Date of last issue: 14.12.2022 Revision Date: 16.03.2023	Version 1.1		Print Date 16.03.2023
рH	:	Not applicable	
<b>Viscosity</b> Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)	
<b>Solubility(ies)</b> Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	0,01 hPa	
Density	:	ca. 1,40 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	
9.2 Other information			

### 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

The product is chemically stable.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

### **10.4 Conditions to avoid**

Conditions to avoid : No data available

## 10.5 Incompatible materials

Materials to avoid : No data available

### **10.6 Hazardous decomposition products**

: methanol



Date of last issue: 14.12.2022
Revision Date: 16.03.2023

Version 1.1

Print Date 16.03.2023

## **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Not classified based on available information.

#### **Components:**

N-[3-(dimethoxymethylsily Acute oral toxicity	l)pro :	
		Acute toxicity estimate: 301 mg/kg Method: Calculation method
trimethoxyvinylsilane:		
Acute oral toxicity	:	LD50 Oral (Rat): ca. 7.120 mg/kg
Acute inhalation toxicity	:	LC50: ca. 16,8 mg/l Exposure time: 4 h Test atmosphere: vapour
		Acute toxicity estimate: 16,8 mg/l Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	:	LD50: 3.540 mg/kg
2-octyl-2H-isothiazole-3-on	ne (C	NT):
Acute oral toxicity	:	Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
		Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute inhalation toxicity	:	Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
		Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute dermal toxicity	:	Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate according to Regulation (EC)

Date of last issue: 14.12.2022 Revision Date: 16.03.2023 Version 1.1

Print Date 16.03.2023

No. 1272/2008

Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

### Skin corrosion/irritation

Not classified based on available information.

## Serious eye damage/eye irritation

Not classified based on available information.

### Respiratory or skin sensitisation

### Skin sensitisation

Not classified based on available information.

### **Respiratory sensitisation**

Not classified based on available information.

### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

### **Reproductive toxicity**

Not classified based on available information.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### Aspiration toxicity

Not classified based on available information.

### 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.





Date of last issue: 14.12.2022 Revision Date: 16.03.2023 Version 1.1

Print Date 16.03.2023

## **SECTION 12: Ecological information**

### 12.1 Toxicity

### **Components:**

### bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate:

M-Factor (Acute aquatic tox- : 1 icity)

### 2-octyl-2H-isothiazole-3-one (OIT):

M-Factor (Acute aquatic tox- icity)	:	100
		100

M-Factor (Chronic aquatic	:	100
toxicity)		100
		100

### 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Endocrine disrupting properties

### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

### Product:

<u>r roudott</u>	
Additional ecological infor-	: There is no data available for this product.
Country GB 10000036746	



Date of last issue: 14.12.2022 Revision Date: 16.03.2023 Version 1.1

mation

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Product

The generation of waste should be avoided or minimized wherever possible.
Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

### 14.1 UN number or ID number

	ADR		Not regulated as a dangerous good
		·	
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.2	2 UN proper shipping name		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.3	B Transport hazard class(es)		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.4	Packing group		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	IATA (Cargo)	:	Not regulated as a dangerous good
	IATA (Passenger)	:	Not regulated as a dangerous good



Date of last issue: 14.12.2022 Revision Date: 16.03.2023 Version 1.1

Print Date 16.03.2023

14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user Not applicable

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

## **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)			Conditions of restriction for the fol- lowing entries should be considered: 1,2-Benzenedicarboxylic acid, di-C9- 11-branched alkyl esters, C10-rich (Number on list 52)
UK REACH Candidate list of subs concern (SVHC) for Authorisation	:	Not applicable	
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Brit- ain)			Not applicable
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors			Not applicable
Regulation (EC) No 1005/2009 on substances that de- plete the ozone layer			Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)			Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation			Not applicable
Control of Major Accident Hazards Regulations		Not	tapplicable
2015 (COMAH) Volatile organic compounds :	(VOCV)	Volatile organic compounds (VOC) content: 0% w/w	
emissions (integrated			4 November 2010 on industrial ution prevention and control) ds (VOC) content: 0% w/w



Date of last issue: 14.12.2022 Revision Date: 16.03.2023	Version 1.1	Print Date 16.03.2023

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

mer spe	Ith, safety and environ- tal regulation/legislation cific for the substance or ure:	:	Environmental Protection Act 1990 & Subsidiary Regulations Health and Safety at Work Act 1974 & Subsidiary Regulations Control of Substances Hazardous to Health Regulations (COSHH) May be subject to the Control of Major Accident Hazards
			Regulations (COMAH), and amendments.

### Other regulations:

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

### **SECTION 16: Other information**

Full text of H-Statements
---------------------------

H301:Toxic if swallowed.H302:Harmful if swallowed.H311:Toxic in contact with skin.H314:Causes severe skin burns and eye damage.H315:Causes skin irritation.H318:Causes serious eye damage.H330:Fatal if inhaled.H332:Harmful if inhaled.H361f:Suspected of damaging fertility.H400:Very toxic to aquatic life.H411:Toxic to aquatic life with long lasting effects.H411:Toxic to aquatic life with long lasting effects.H411:Toxic to aquatic life with long lasting effects.Full text of other abbreviationsShort-term (acute) aquatic hazardAquatic Acute:Short-term (acute) aquatic hazardEye Dam.:Serious eye damageFlam. Liq.:Flammable liquidsRepr.:Reproductive toxicitySkin Corr.:Skin irritationSkin Irrit.:Skin sensitisation2006/15/EC:Europe. Indicative occupational exposure limit valuesGB EH40:UK. EH40 WEL - Workplace Exposure Limits	H226	:	Flammable liquid and vapour.		
H311:Toxic in contact with skin.H314:Causes severe skin burns and eye damage.H315:Causes skin irritation.H317:May cause an allergic skin reaction.H318:Causes serious eye damage.H330:Fatal if inhaled.H332:Harmful if inhaled.H361f:Suspected of damaging fertility.H400:Very toxic to aquatic life.H411:Toxic to aquatic life with long lasting effects.H411:Toxic to aquatic life with long lasting effects.Full text of other abbreviations:Acute Tox.:Aquatic Acute:Short-term (acute) aquatic hazardAquatic Chronic:Long-term (chronic) aquatic hazardAquatic Chronic:Flam. Liq.:Flam. Liq.:Kin Corr.:Skin Corr.:Skin Irrit.:Skin Irrit.:Skin Sens.:Skin Sens.:Skin Sens.:Skin Sens.:Stan Sens.:Stan Sens.:Skin Sens.:Seriope. Indicative occupational exposure limit valuesGB EH40:UK. EH40 WEL - Workplace Exposure Limits	H301	:			
H314:Causes severe skin burns and eye damage.H315:Causes skin irritation.H317:May cause an allergic skin reaction.H318:Causes serious eye damage.H330:Fatal if inhaled.H332:Harmful if inhaled.H361f:Suspected of damaging fertility.H400:Very toxic to aquatic life.H411:Toxic to aquatic life with long lasting effects.H411:Toxic to aquatic life with long lasting effects.H411:Toxic to aquatic life with long lasting effects.H411:Short-term (acute) aquatic hazardAquatic Acute:Short-term (acute) aquatic hazardAquatic Chronic:Long-term (chronic) aquatic hazardEye Dam.:Serious eye damageFlam. Liq.:Flammable liquidsRepr.:Reproductive toxicitySkin Corr.:Skin corrosionSkin Sens.:Skin sensitisation2006/15/EC:Europe. Indicative occupational exposure limit valuesGB EH40:UK. EH40 WEL - Workplace Exposure Limits	H302	:	Harmful if swallowed.		
H315:Causes skin irritation.H317:May cause an allergic skin reaction.H318:Causes serious eye damage.H330:Fatal if inhaled.H332:Harmful if inhaled.H361f:Suspected of damaging fertility.H400:Very toxic to aquatic life.H410:Very toxic to aquatic life with long lasting effects.H411:Toxic to aquatic life with long lasting effects.H411:Toxic to aquatic life with long lasting effects.Full text of other abbreviationsAcute Tox.:Acute toxicityAquatic Acute:Short-term (acute) aquatic hazardAquatic Chronic:Long-term (chronic) aquatic hazardEye Dam.:Serious eye damageFlam. Liq.:Flammable liquidsRepr.:Reproductive toxicitySkin Corr.:Skin corrosionSkin Irrit.:Skin sensitisation2006/15/EC:Europe. Indicative occupational exposure limit valuesGB EH40:UK. EH40 WEL - Workplace Exposure Limits	H311	:	Toxic in contact with skin.		
H317:May cause an allergic skin reaction.H318:Causes serious eye damage.H330:Fatal if inhaled.H332:Harmful if inhaled.H361f:Suspected of damaging fertility.H400:Very toxic to aquatic life.H410:Very toxic to aquatic life with long lasting effects.H411:Toxic to aquatic life with long lasting effects.H411:Toxic to aquatic life with long lasting effects.H411:Short-term (acute) aquatic hazardAcute Tox.:Acute toxicityAquatic Acute:Short-term (acute) aquatic hazardAquatic Chronic:Long-term (chronic) aquatic hazardEye Dam.:Serious eye damageFlam. Liq.:Flammable liquidsRepr.:Skin corrosionSkin Irrit.:Skin corrosionSkin Sens.:Skin sensitisation2006/15/EC:Europe. Indicative occupational exposure limit valuesGB EH40:UK. EH40 WEL - Workplace Exposure Limits	H314	:	Causes severe skin burns and eye damage.		
H318:Causes serious eye damage.H330:Fatal if inhaled.H332:Harmful if inhaled.H361f:Suspected of damaging fertility.H400:Very toxic to aquatic life.H410:Very toxic to aquatic life with long lasting effects.H411:Toxic to aquatic life with long lasting effects.H411:Toxic to aquatic life with long lasting effects.H411:Short-term (acute) aquatic hazardAcute Tox.:Acute toxicityAquatic Acute:Short-term (acute) aquatic hazardAquatic Chronic:Long-term (chronic) aquatic hazardEye Dam.:Serious eye damageFlam. Liq.:Flammable liquidsRepr.:Reproductive toxicitySkin Corr.:Skin corrosionSkin Irrit.:Skin sensitisation2006/15/EC:Europe. Indicative occupational exposure limit valuesGB EH40:UK. EH40 WEL - Workplace Exposure Limits	H315	:	Causes skin irritation.		
H330:Fatal if inhaled.H332:Harmful if inhaled.H361f:Suspected of damaging fertility.H400:Very toxic to aquatic life.H410:Very toxic to aquatic life with long lasting effects.H411:Toxic to aquatic life with long lasting effects.H411:Short-term (acute) aquatic hazardAquatic Acute:Short-term (acute) aquatic hazardAquatic Chronic:Long-term (chronic) aquatic hazardEye Dam.:Serious eye damageFlam. Liq.:Flammable liquidsRepr.:Reproductive toxicitySkin Corr.:Skin corrosionSkin Irrit.:Skin sensitisation2006/15/EC:Europe. Indicative	H317	:	May cause an allergic skin reaction.		
H332:Harmful if inhaled.H361f:Suspected of damaging fertility.H400:Very toxic to aquatic life.H410:Very toxic to aquatic life with long lasting effects.H411:Toxic to aquatic life with long lasting effects.Acute Tox.:Acute toxicityAquatic Acute:Short-term (acute) aquatic hazardAquatic Chronic:Long-term (chronic) aquatic hazardEye Dam.::Sterious eye damageFlam. Liq.::Flammable liquidsRepr.:::Skin Corr.::Skin sens	H318	:	Causes serious eye damage.		
H361f:Suspected of damaging fertility.H400:Very toxic to aquatic life.H410:Very toxic to aquatic life with long lasting effects.H411:Toxic to aquatic life with long lasting effects.Acute Tox.:Acute toxicityAquatic Acute:Short-term (acute) aquatic hazardAquatic Acute:Serious eye damageFlam. Liq.:Flammable liquidsRepr.:Reproductive toxicitySkin Corr.:Skin corrosionSkin Irrit.:Skin irritationSkin Sens.:Skin sensitisation2006/15/EC:Europe. Indicative occupational exposure limit valuesGB EH40 </td <td>H330</td> <td>:</td> <td>Fatal if inhaled.</td>	H330	:	Fatal if inhaled.		
H400:Very toxic to aquatic life.H410:Very toxic to aquatic life with long lasting effects.H411:Toxic to aquatic life with long lasting effects.Full text of other abbreviationsAcute Tox.:Acute toxicityAquatic Acute:Short-term (acute) aquatic hazardAquatic Chronic:Long-term (chronic) aquatic hazardEye Dam.:Serious eye damageFlam. Liq.:Flammable liquidsRepr.:Reproductive toxicitySkin Corr.:Skin corrosionSkin Irrit.:Skin sensitisation2006/15/EC:Europe. Indicative occupational exposure limit valuesGB EH40:UK. EH40 WEL - Workplace Exposure Limits	H332	:	Harmful if inhaled.		
H410:Very toxic to aquatic life with long lasting effects.H411:Toxic to aquatic life with long lasting effects.Full text of other abbreviationsAcute Tox.:Acute toxicityAquatic Acute:Short-term (acute) aquatic hazardAquatic Chronic:Long-term (chronic) aquatic hazardEye Dam.:Serious eye damageFlam. Liq.:Flammable liquidsRepr.:Reproductive toxicitySkin Corr.:Skin corrosionSkin Irrit.:Skin sensitisation2006/15/EC:Europe. Indicative occupational exposure limit valuesGB EH40:UK. EH40 WEL - Workplace Exposure Limits	H361f	:	Suspected of damaging fertility.		
H411:Toxic to aquatic life with long lasting effects.Full text of other abbreviationsAcute Tox.:Acute toxicityAquatic Acute:Short-term (acute) aquatic hazardAquatic Chronic:Long-term (chronic) aquatic hazardEye Dam.:Serious eye damageFlam. Liq.:Flammable liquidsRepr.:Reproductive toxicitySkin Corr.:Skin corrosionSkin Irrit.:Skin sensitisation2006/15/EC:Europe. Indicative occupational exposure limit valuesGB EH40:UK. EH40 WEL - Workplace Exposure Limits	H400	:	Very toxic to aquatic life.		
Full text of other abbreviationsAcute Tox.: Acute toxicityAquatic Acute: Short-term (acute) aquatic hazardAquatic Chronic: Long-term (chronic) aquatic hazardEye Dam.: Serious eye damageFlam. Liq.: Flammable liquidsRepr.: Reproductive toxicitySkin Corr.: Skin corrosionSkin Irrit.: Skin sensitisation2006/15/EC: Europe. Indicative occupational exposure limit valuesGB EH40: UK. EH40 WEL - Workplace Exposure Limits	H410	:	Very toxic to aquatic life with long lasting effects.		
Acute Tox.:Acute toxicityAquatic Acute:Short-term (acute) aquatic hazardAquatic Chronic:Long-term (chronic) aquatic hazardEye Dam.:Serious eye damageFlam. Liq.:Flammable liquidsRepr.:Reproductive toxicitySkin Corr.:Skin corrosionSkin Irrit.:Skin sensitisation2006/15/EC:Europe. Indicative occupational exposure limit valuesGB EH40:UK. EH40 WEL - Workplace Exposure Limits	H411	:	Toxic to aquatic life with long lasting effects.		
Aquatic Acute:Short-term (acute) aquatic hazardAquatic Chronic:Long-term (chronic) aquatic hazardEye Dam.:Serious eye damageFlam. Liq.:Flammable liquidsRepr.:Reproductive toxicitySkin Corr.:Skin corrosionSkin Irrit.:Skin sensitisation2006/15/EC:Europe. Indicative occupational exposure limit valuesGB EH40:UK. EH40 WEL - Workplace Exposure Limits	Full text of other abbreviations				
Aquatic Chronic:Long-term (chronic) aquatic hazardEye Dam.:Serious eye damageFlam. Liq.:Flammable liquidsRepr.:Reproductive toxicitySkin Corr.:Skin corrosionSkin Irrit.:Skin irritationSkin Sens.:Skin sensitisation2006/15/EC:Europe. Indicative occupational exposure limit valuesGB EH40:UK. EH40 WEL - Workplace Exposure Limits	Acute Tox.	:	Acute toxicity		
Eye Dam.:Serious eye damageFlam. Liq.:Flammable liquidsRepr.:Reproductive toxicitySkin Corr.:Skin corrosionSkin Irrit.:Skin irritationSkin Sens.:Skin sensitisation2006/15/EC:Europe. Indicative occupational exposure limit valuesGB EH40:UK. EH40 WEL - Workplace Exposure Limits	Aquatic Acute	:	Short-term (acute) aquatic hazard		
Flam. Liq.:Flammable liquidsRepr.:Reproductive toxicitySkin Corr.:Skin corrosionSkin Irrit.:Skin irritationSkin Sens.:Skin sensitisation2006/15/EC:Europe. Indicative occupational exposure limit valuesGB EH40:UK. EH40 WEL - Workplace Exposure Limits	Aquatic Chronic	:	Long-term (chronic) aquatic hazard		
Repr.:Reproductive toxicitySkin Corr.:Skin corrosionSkin Irrit.:Skin irritationSkin Sens.:Skin sensitisation2006/15/EC:Europe. Indicative occupational exposure limit valuesGB EH40:UK. EH40 WEL - Workplace Exposure Limits	Eye Dam.	:	Serious eye damage		
Skin Corr.:Skin corrosionSkin Irrit.:Skin irritationSkin Sens.:Skin sensitisation2006/15/EC:Europe. Indicative occupational exposure limit valuesGB EH40:UK. EH40 WEL - Workplace Exposure Limits	Flam. Liq.	:	Flammable liquids		
Skin Irrit.:Skin irritationSkin Sens.:Skin sensitisation2006/15/EC:Europe. Indicative occupational exposure limit valuesGB EH40:UK. EH40 WEL - Workplace Exposure Limits	Repr.	:	Reproductive toxicity		
Skin Sens.:Skin sensitisation2006/15/EC:Europe. Indicative occupational exposure limit valuesGB EH40:UK. EH40 WEL - Workplace Exposure Limits	Skin Corr.	:	Skin corrosion		
2006/15/EC:Europe. Indicative occupational exposure limit valuesGB EH40:UK. EH40 WEL - Workplace Exposure Limits	Skin Irrit.	:	Skin irritation		
GB EH40 : UK. EH40 WEL - Workplace Exposure Limits	Skin Sens.	:	Skin sensitisation		
	2006/15/EC	:	Europe. Indicative occupational exposure limit values		
	GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits		
	2006/15/EC / TWA	:	Limit Value - eight hours		
GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)	GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)		
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)	GB EH40 / STEL	:			



Date of last issue: 14.12.2022 Revision Date: 16.03.2023		Version 1.1	Print Date 16.03.2023	
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road Chemical Abstracts Service		
CAS	:			
DNEL	:	Derived no-effect level		
EC50	:	Half maximal effective concentration		
GHS	:	Globally Harmonized System		
IATA	:	International Air Transport Association		
IMDG	:	International Maritime Code for Dangerous Goods		
LD50	:	Median lethal dosis (the amount of a materia once, which causes the death of 50% (one h test animals)		
LC50	:	Median lethal concentration (concentrations air that kills 50% of the test animals during the period)		
MARPOL	:	International Convention for the Prevention of Ships, 1973 as modified by the Protocol of 1		
OEL	:	Occupational Exposure Limit		
PBT	:	Persistent, bioaccumulative and toxic		
PNEC	:	Predicted no effect concentration		
REACH	:	Regulation (EC) No 1907/2006 of the Europe and of the Council of 18 December 2006 con istration, Evaluation, Authorisation and Rest cals (REACH), establishing a European Che	ncerning the Reg- riction of Chemi-	
SVHC	:	Substances of Very High Concern		
vPvB	:	Very persistent and very bioaccumulative		

### **Further information**

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN