

Date of last issue: 10.11.2022	Version 2.3	Print Date 29.02.2024
Revision Date: 25.01.2024		

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name : EVERBUILD EpoxySET NF Part A

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Repairing mortar

## 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone Telefax E-mail address of person	:	+44 (0)1707 394444 +44 (0)1707 329129 EHS@uk.sika.com
responsible for the SDS		

### 1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12 Skin irritation, Category 2	<b>72/2008)</b> H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Warning

1



Date of last issue: 10.11.2022 Revision Date: 25.01.2024		/ersion 2.3	Print Date 29.02.2024
Hazard statements :	H315 H317 H319 H412	Causes skin irritation. May cause an allergic skin reac Causes serious eye irritation. Harmful to aquatic life with long fects.	
Precautionary statements :	P101 P102	If medical advice is needed, hav container or label at hand. Keep out of reach of children.	ve product
	Prevention:		
	P261	Avoid breathing dust/ fume/ gas pours/ spray.	s/ mist/ va-
	P264	Wash skin thoroughly after han	dling.
	P280	Wear protective gloves.	-
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	n accordance

## Hazardous components which must be listed on the label:

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700) epoxy phenol novolac resin 1,6-bis(2,3-epoxypropoxy)hexane

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



Date of last issue: 10.11.2022 Revision Date: 25.01.2024 Version 2.3

Print Date 29.02.2024

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
reaction product: bisphenol-A- (epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)	25068-38-6 500-033-5 01-2119456619-26- XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411	>= 10 - < 20
		specific concentration limit Eye Irrit. 2; H319 >= 5 % Skin Irrit. 2; H315 >= 5 %	
epoxy phenol novolac resin	28064-14-4 Not Assigned	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411	>= 5 - < 10
1,6-bis(2,3-epoxypropoxy)hexane	16096-31-4 618-939-5 240-260-4 01-2119463471-41- XXXX (covered by CAS 933999-84-9)	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 3; H412	>= 2,5 - < 5

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.



Date of last issue: 10.11.2022 Revision Date: 25.01.2024		Version 2.3	Print Date 29.02.2024
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Do not induce vomiting without medical advic Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconsci	
4.2 Most important symptoms a	nd e	effects, both acute and delayed	
Symptoms	:	Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information and symptoms.	on health effects
Risks	:	irritant effects sensitising effects	
		Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.	
4.3 Indication of any immediate	me	dical attention and special treatment needed	ł
-		-	
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting mea	: Isur		
SECTION 5: Firefighting mea	:	es In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	
SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from	: n the	es In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	al powder for
<ul> <li>SECTION 5: Firefighting mea</li> <li>5.1 Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2 Special hazards arising from Hazardous combustion prod-</li> </ul>	: n the	es In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	al powder for
<ul> <li>SECTION 5: Firefighting mea</li> <li>5.1 Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2 Special hazards arising from Hazardous combustion prod- ucts</li> </ul>	: n the :	es In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	al powder for 'n



Date of last issue: 10.11.2022	
Revision Date: 25.01.2024	

Version 2.3

Print Date 29.02.2024

## **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment.
		Deny access to unprotected persons.

## **6.2 Environmental precautions**

Environmental precautions : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

## 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel,
	acid binder, universal binder, sawdust).
	Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.



Date of last issue: 10.11.2022	Version 2.3	Print Date 29.02.2024
Revision Date: 25.01.2024		

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.

## 7.3 Specific end use(s)

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Components CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
--------------------	----------------------------------	---------------------------	---------

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

Personal protective equipr	nent	
Eve/face protection	•	Safety

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water		
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.		
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.		
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.		
Respiratory protection	:	No special measures required.		
Environmental exposure controls				
General advice	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.		



Date of last issue: 10.11.2022 Revision Date: 25.01.2024 Version 2.3

Print Date 29.02.2024

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	liquid paste off-white
Odour	:	slight
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or	ovr	losivo limite
Upper explosion limit / Upper flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable
<b>Viscosity</b> Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
<b>Solubility(ies)</b> Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available



Date of last issue: 10.11.2022 Revision Date: 25.01.2024	Version 2.3	Print Date 29.02.2024
Vapour pressure	· 0.01 bPa	

vapour pressure	: 0,01 hPa
Density	: ca. 1,65 g/cm3 (20 °C)
Relative vapour density	: No data available

Particle characteristics : No data available

## 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

## 10.4 Conditions to avoid

Conditions to avoid : No data available

## 10.5 Incompatible materials

Materials to avoid : No data available

## **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.



of last issue: 10.11.2022 sion Date: 25.01.2024	Version 2.3	Print Date 29.02.2
Components:		
reaction product: bispher weight ≤ 700):	nol-A-(epichlorhydrin); epoxy resin (numbe	r average molecular
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg	
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 20.000 mg/kg	)
epoxy phenol novolac rea	sin:	
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg	
1,6-bis(2,3-epoxypropoxy	)hexane:	
Acute oral toxicity	: LD50 Oral (Rat): 2.900 mg/kg	
Acute dermal toxicity	: LD50 Dermal (Rat): > 2.000 mg/kg	
Skin corrosion/irritation Causes skin irritation.		
Serious eye damage/eye Causes serious eye irritatio		
Respiratory or skin sensi	tisation	
Skin sensitisation May cause an allergic skin	reaction.	
Respiratory sensitisation Not classified based on ava		
Germ cell mutagenicity Not classified based on ava	ailable information.	
Carcinogenicity Not classified based on ava	ailable information.	
Reproductive toxicity Not classified based on ava	ailable information.	
<b>STOT - single exposure</b> Not classified based on available	ailable information.	
STOT - repeated exposur Not classified based on ava		
Aspiration toxicity		
Not classified based on ava	ailable information	



Date of last issue: 10.11.2022 Revision Date: 25.01.2024 Version 2.3

Print Date 29.02.2024

## **SECTION 12: Ecological information**

## 12.1 Toxicity

## **Components:**

	reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700):				
٦	Foxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Exposure time: 96 h		
	Foxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,8 mg/l Exposure time: 48 h		
12.2	12.2 Persistence and degradability				
1	No data available				
	<b>Bioaccumulative potential</b> No data available				
	<b>Mobility in soil</b> No data available				
12.5 Results of PBT and vPvB assessment					
Ē	Product:				
A	Assessment	:	This substance/mixture contains no components considered		

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### **12.6 Endocrine disrupting properties**

No data available

## 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Harmful to aquatic life with long lasting effects.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

 The generation of waste should be avoided or minimized wherever possible.
 Empty containers or liners may retain some product residues.
 This material and its container must be disposed of in a safe



Date of last issue: 10.11.2022 Revision Date: 25.01.2024	Version 2.3	Print Date 29.02.2024
	way. Dispose of surplus and non-recyclable p waste disposal contractor.	products via a licensed

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

## 14.1 UN number or ID number

	ADR	:	Not regulated as a dangerous good			
	IMDG	:	Not regulated as a dangerous good			
	ΙΑΤΑ	:	Not regulated as a dangerous good			
14.2 UN proper shipping name						
	ADR	:	Not regulated as a dangerous good			
	IMDG	:	Not regulated as a dangerous good			
	ΙΑΤΑ	:	Not regulated as a dangerous good			
14.3 Transport hazard class(es)						
	ADR	:	Not regulated as a dangerous good			
	IMDG	:	Not regulated as a dangerous good			
	ΙΑΤΑ	:	Not regulated as a dangerous good			
14.4 Packing group						
	ADR	:	Not regulated as a dangerous good			
	IMDG	:	Not regulated as a dangerous good			
	IATA (Cargo)	:	Not regulated as a dangerous good			
	IATA (Passenger)	:	Not regulated as a dangerous good			
14.5 Environmental hazards						
	Not regulated as a dangerous good					

### 14.6 Special precautions for user

Not applicable

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



Date of last issue: 10.11.2022	Version 2.3	Print Date 29.02.2024
Revision Date: 25.01.2024		

## **SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** Relevant EU provisions transposed through retained EU law

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation			Not applicable	
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Brit- ain)			Not applicable	
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors			Not applicable	
Regulation (EC) No 1005/2009 on substances that de- : Not applicable plete the ozone layer			Not applicable	
UK REACH List of substances subject to authorisation : Not applicable (Annex XIV)				
Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	ax f	or volatile organic compounds	
			4 November 2010 on industrial ution prevention and control)	
If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.				
Health, safety and environ- : mental regulation/legislation specific for the substance or mixture:	Health and Safety at W	Vorl	Act 1990 & Subsidiary Regulations k Act 1974 & Subsidiary Regulations zardous to Health Regulations	

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

May be subject to the Control of Major Accident Hazards

Regulations (COMAH), and amendments.



Date of last issue: 10.11.2022 Revision Date: 25.01.2024 Version 2.3

Print Date 29.02.2024

## **SECTION 16: Other information**

Full text of H-Statements					
H315	:	Causes skin irritation.			
H317	:	May cause an allergic skin reaction.			
H319	:	Causes serious eye irritation.			
H411	:	Toxic to aquatic life with long lasting effects.			
H412	:	Harmful to aquatic life with long lasting effects.			
Full text of other abbreviati	ons				
Aquatic Chronic	:	Long-term (chronic) aquatic hazard			
Eye Irrit.	:	Eye irritation			
Skin Irrit.	:	Skin irritation			
Skin Sens.	:	Skin sensitisation			
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road			
CAS	:	Chemical Abstracts Service			
DNEL	:	Derived no-effect level			
EC50	:	Half maximal effective concentration			
GHS	:	Globally Harmonized System			
ΙΑΤΑ	:	International Air Transport Association			
IMDG	:	International Maritime Code for Dangerous Goods			
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)			
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)			
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978			
OEL	:	Occupational Exposure Limit			
PBT	:	Persistent, bioaccumulative and toxic			
PNEC	:	Predicted no effect concentration			
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency			
SVHC		Substances of Very High Concern			
vPvB	:	Very persistent and very bioaccumulative			
	·				

## **Further information**

Classification of the	Classification procedure:	
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method



Date of last issue: 10.11.2022 Revision Date: 25.01.2024 Version 2.3

Print Date 29.02.2024

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN