

BUILDING TRUST

Sika HD20 Drainage Membrane DECLARATION OF PERFORMANCE No. 10728297

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT- TYPE:	10728297	
2	INTENDED USE/S	BS EN 13967 : 2012 + A1 : 2017 Waterproofing sheet for damp proof sheets, type V	
3	MANUFACTURER:	Sika Limited Watchmead Welwyn Garden City Hertfordshire AL7 1BQ United Kingdom	
4	AUTHORISED REPRESENTATIVE:		
5	SYSTEM/S OF AVCP:	System 2+	
6a	HARMONISED STANDARD:	BS EN 13967 : 2012 + A1 : 2017	
	Notified body/ies:	0809	

Declaration of Performance Sika HD20 Drainage Membrane 10728297 2021.04 , ver. 4 1089

7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Water tightness, 60 kPa; 24h	Pass	System 2+	
Resistance to tearing	MD - npd, CMD - npd	System 2+	
Elongation (5%)	MD - npd, CMD - npd	System 2+	
Compressive creep (resistance to static load)	npd	System 2+	BS EN 13967 : 2012 + A1 : 2017
Impact resistance	npd	System 2+	
Durability against ageing	npd	System 2+	
Durability against chemicals	npd	System 2+	
Fire resistance	E	System 2+	
Joint tensile shear resistance	npd	System 2+	

8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR -SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Steve Armfield Function: Product Manager At Sika Limited on 23 June 2021

Hang

At Sika Limited on 23 June 2021

Name : Martin Liska Function: R&D Manager

End of information as required by Regulation (EU) No 305/2011

Declaration of Performance Sika HD20 Drainage Membrane 10728297 2021.04 , ver. 4 1089



BUILDING TRUST

	CE			
	18			
Sika Limited, Hertfordshire, United Kingdom				
DoP No. 10728297				
BS EN 13967 : 2012 + A1 : 2017				
Notified Body 0809				
Waterproofing sheet for damp proof sheets, type V				
Water tightness, 60 kPa; 24h	Pass			
Fire resistance	E			
http://dop.sika.com				

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Declaration of Performance Sika HD20 Drainage Membrane 10728297 2021.04 , ver. 4 1089

BUILDING TRUST

Sika Limited

Watchmead Welwyn Garden City Hertfordshire AL7 1BQ United Kingdom www.sika.co.uk

Declaration of Performance Sika HD20 Drainage Membrane 10728297 2021.04 , ver. 4 1089

BUILDING TRUST