



Drawing Reference:

**KEY:**

1. SIKAPROOF A+08 MEMBRANE on suitable substrate
2. SIKAPROOF EXTAPE-100
3. SIKAPROOF ADHESIVE-02
4. 12mm SIKASWELL S2 BEAD (as per PDS) min.75mm Reinforced Concrete cover
5. SIKASWELL- A 2010 adhered with SIKASWELL S2 (min.75mm Reinforced Concrete cover). Joint prepared and reinforced as per Sikaswell Method Statement
6. SIKA WATERTIGHT CONCRETE
7. SIKAPROOF PRIMER-02
8. SIKA DRAIN-850 GEO

Revision	Description	By:	Aprvd By:	Date

ALL DETAIL DRAWINGS ARE FOR UK USE ONLY, DO NOT SCALE FROM DRAWING

THIS DRAWING IS THE CONFIDENTIAL PROPERTY OF SIKA LIMITED AND MUST NOT BE REPRODUCED EITHER WHOLLY OR PARTLY. ALL RIGHTS IN RESPECT OF PATENTS, DESIGN AND COPYRIGHTS ARE RESERVED. SIKA LTD.  
WWW.SIKA.CO.UK

	<b>SIKA LIMITED</b> Watchmead Welwyn Garden City Hertfordshire, AL7 1BQ		Tel: +44 (0) 1707 394 444 Web: <a href="http://gbr.sika.com">http://gbr.sika.com</a> Email: <a href="mailto:waterproofing.technical@uk.sika.com">waterproofing.technical@uk.sika.com</a>	
	Drawn by	Checked by	Approved by	Date 22/07/24

Description  
**SIKAPROOF A+  
 POST APPLIED PIPE PENETRATION DETAIL**

Drawing No. SP+W26	Issue A	Sheet 1 / 1
-----------------------	------------	----------------