THE COMPLETE PRODUCT GUIDE

September 2026

BUILDING TRUST

CONTENTS

Sealants and Gap Filling

Sealants	6
Technical Sealants	14
Expanding Foam	22

Adhesives

Hybrid Sealants and Adhesives	28
Grab and Construction	32
Wood and Flooring	39
Contact and Superglues	44

Landscaping

Jointing Compounds	50
Surface Cleaners and Treatments	53
Sealing and Protecting	56

Wood Care

Treatments and Preservatives	62

Roofing

Roof Repair	66
Flashing	69
Bitumen	70
Cromar Roofing	72

Speciality Applications

Passive Fire Protection	104
Fire Foams	106
Other Specialist Applications	107

Decorating and Tapes

Surface Protectors	112
Decorating and Wood Fillers	114
Tapes	118

Cleaners and Accessories

Wipes	122
Glazing Cleaners and Lubricants	124
Guns and Tools	126

Plumbing and Heating

Sealers and Compounds	132

Building Supplies

Waterproofing	138
Admixtures	142
Self Levelling Compounds	146
Concrete and Brick Repair	150
Primer, PVA, and SBR Bonding	154
Wall Finishing	156
Building Sundries	158

Tiling Adhesives and Grout

Wet Room System	164
Tile Adhesives	166
Grouts	169

Building Finishing

Renders	174
Base Coat and Top Coats	176
Pointing Mortars	178
Complementary Products	179

SIKA: TRUSTED SOLUTIONS FOR EVERY PROJECT

Sika is a global leader in construction chemicals, delivering high-performance products trusted by trade professionals, DIYers, and builders' merchants across the UK. With over 90 years of experience, our range solves real-world challenges – from waterproofing and roofing to concrete repair, flooring, sealants, adhesives, fillers, and foams.

Designed for both professionals and homeowners, Sika products make every job easier and more reliable–whether tiling, landscaping, sealing, or decorating. Each solution is backed by Sika's renowned quality, technical expertise, and performance you can trust.

Explore this catalogue to see how Sika helps you build smarter, faster, and more confidently.

With UK operations across five key locations and state-of-the-art manufacturing and distribution, we ensure exceptional availability and fast, dependable service.

Our continued investment includes the addition of Cromar to the Sika family, further strengthening our offering to the trade. Our state-of-the-art manufacturing facility and high-capacity distribution centre in Leeds are at the heart of our UK operations, ensuring exceptional product availability, supply chain resilience, and fast, dependable service to customers nationwide.

We are proud to support the construction and industrial sectors with a commitment to rigorous quality standards, technical expertise, and product innovation. Whatever the size or scope of your project, you can count on Sika for reliable solutions that perform - every time.

Explore this catalogue and discover how Sika can help you build smarter, faster, and more confidently.

KNOWLEDGE CENTRE

Answers at Your Fingertips.

SCAN FOR BLOGS, TIPS AND EXPERT GUIDES.

SHOP SMART. WORK FAST

Visit Sika's eShop online

SCAN TO SHOP THE FULL PRODUCT RANGE.

MARKETING TOOLKIT

SCAN TO ACCESS BROCHURES AND PRODUCT IMAGES.

SEALANTS AND GAP FILLING

Seal it with confidence

Sika offers a complete range of sealants and gap fillers for trade, commercial, and DIY projects.

- **Sealants:** Flexible, durable solutions for joints, glazing, sanitary areas, and general construction.
- **Technical Sealants:** Advanced options for demanding commercial applications.
- **Filling and Fixing:** High-performance foams for insulation, gap filling, and securing frames or panels.

Easy to use and proven to last, Sika products deliver strong, flexible joints and reliable protection indoors or out.

Sealants	**6**
Technical Sealants	**14**
Expanding Foam	**22**



Forever White
Silicone Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
858495	295 ml	WHITE	12	5029347603540
858501	295 ml	CLEAR	12	5029347603953
858494	295 ml	IVORY	12	5029347606404
858500	295 ml	GREY	12	5029347615376

A superior silicone sealant that's waterproof, flexible, and antibacterial - designed to be used around the home.

Forever White is a superior silicone sealant that is permanently waterproof, flexible, and ideal for sealing shower bases, cubicles, wetrooms, baths, sinks, and basins. It is also ideal for kitchens and utility rooms and sealing around window and door frames. Contains Mould Shield®, which actively protects the sealant against the growth of bacteria, mildew and black mould.

FOREVER WHITE® CONTAINS A HIGH QUALITY ANTIMICROBIAL ADDITIVE, RIGOROUSLY TESTED IN ACCREDITED MICROBIOLOGICAL LABORATORIES TO SHOW NO MOULD GROWTH AFTER 10 YEARS*.

* Simulated ageing.

PERMANENTLY FLEXIBLE

TOOLS DOWN SMOOTHLY

PREMIUM QUALITY

STARTS WHITE – STAYS WHITE

containing Mould Shield®

INTERIOR AND EXTERIOR USE · QUICK CURING/ DRYING · ANTI-FUNGAL MOULD · WATERPROOF · +/-25% FLEXIBILITY FACTOR

Caulk Once
Acrylic Caulk

SGAN	SIZE	COLOUR	QTY	BARCODE
489514	295 ml	WHITE	12	5029347612955
489516	380 ml	WHITE	12	5029347612962

A premium quality acrylic caulk - fast drying, permanently flexible, and tailor-made for a range of jobs.

Caulk Once - the best caulk you will ever use. A premium quality acrylic caulk formulated to outperform all other conventional decorating caulks and fillers. Caulk Once is manufactured using an advanced high-quality polymer to offer superior adhesion, low shrink, and smooth tooling down.

APPLY ONCE – JOB DONE

NO SLUMP

EASY SMOOTH

SUPERIOR FLEXIBILITY

INTERIOR AND EXTERIOR USE · OVER-PAINTABLE · SOLVENT FREE · +/-12.5% FLEXIBILITY FACTOR

SikaSeal® One Hour Caulk

SGAN	SIZE	COLOUR	QTY	BARCODE
879014	300 ml	WHITE	12	5029347000042
879087	380 ml	WHITE	12	5029347000059

A filler and sealant that dries in just one hour to speed up decorating projects. It remains permanently flexible to prevent cracking and can be overpainted with most paint types or covered with wallpaper without the need for sanding.

Timber / Plaster / Brick / Concrete

SikaSeal® Mould Resistant Caulk +

SGAN	SIZE	COLOUR	QTY	BARCODE
880141	300 ml	WHITE	12	5029347000066

A high-quality, permanently flexible caulk and sealant suitable for a wide range of applications. Its mould-resistant formulation delivers a clean, durable finish without the need for sanding. Ideal for sealing joints and gaps, it adheres to most common construction materials including timber, plaster, brick, stone, PVCu, and concrete. Once cured, it can be overpainted with most paint types or wallpapered for a seamless result.

Timber / Plaster / Brick / PVCu / Concrete / Stone

SikaSeal® Construction Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
880151	295 ml	BLACK	12	5029347601492
880093	295 ml	BROWN	12	5029347601485
880039	295 ml	TRANS	12	5029347601478
880067	295 ml	WHITE	12	7612895106335

A low-modulus acetoxy curing sealant that adheres to smooth, non-porous surfaces. The fungal resistant formulation ensures resistance to black mould growth in areas exposed to high humidity, making it ideal for kitchens, bathrooms and other sanitary environments. Provides durable adhesion to glass, ceramics, timber, aluminium and laminates.

Glass / Timber / Aluminium / Ceramics / Laminates

SikaSeal® Construction Silicone +

SGAN	SIZE	COLOUR	QTY	BARCODE
880237	295 ml	BLACK	12	5029347601256
880236	295 ml	BROWN	12	5029347601263
880075	295 ml	GREY	12	5029347601287
880238	295 ml	TRANS	12	5029347601300
880243	295 ml	WHITE	12	5029347000028

A low-modulus, fast-curing acetoxy sealant providing flexibility and durability. Its fungal-resistant formula prevents black mould in humid areas. Forms a weatherproof, waterproof seal and bonds strongly to PVCu, brick, glass, aluminium, plastics, timber, and more.

PVCu / Brick / Aluminium / Plastics / Glass

SikaSeal® Construction Silicone Ultra

SGAN	SIZE	COLOUR	QTY	BARCODE
880239	300 ml	ANTHRACITE	12	7612655194619
880254	300 ml	BLACK	12	5029347601324
880126	300 ml	BROWN	12	5029347601331
880260	300 ml	BUFF	12	5029347601317
880244	300 ml	GREY	12	5029347601348
880194	300 ml	TRANS	12	5029347601355
880245	300 ml	WHITE	12	5029347000035

A low-modulus, neutral-cure sealant offering long-lasting, excellent adhesion to most porous and non-porous surfaces and forms a weather-tight seal. Particularly suited to construction expansion joints and perimeter sealing around all types of door and window frames.
Conforms to ISO 11600 Class: F 25 LM and G 25 LM.

Timber / Brick / Stone / PVCu / Concrete / Metal

Contract 225
Industrial and Glazing Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
486133	295 ml	BLACK	25	5029347601225
486134	295 ml	STEEL	25	5029347602482
486135	295 ml	TRANS	25	5029347601249
486136	295 ml	WHITE	25	5029347000011

A mid modulus acetoxy cure silicone sealant that adheres to most smooth and non-porous substrates. Typically used for single glazing, draught-proofing and general industrial use. Quick curing, with low dirt pick up, it remains permanently flexible and provides a waterproof seal. Temperature resistant. Contains a powerful anti-fungal compound to prevent mould growth to the sealant.



Glass / Timber / Aluminium / Ceramics / Laminates

SikaSeal® Sanitary Silicone +
Bath and Sanitary Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
907137	295ML	GREY	12	5029347603373
907310	295ML	IVORY	12	5029347601362
907235	295ML	TRANS	12	5029347601379
907300	295ML	WHITE	12	5029347000127

An acetoxy cure silicone sealant that cures quickly to provide a permanently flexible, high strength waterproof seal. Specifically designed for sanitary applications and for areas of high humidity. It contains a powerful fungicide to prevent mould growth to the sealant.



Ceramics / Acrylic / Laminates / Aluminium / Glass

Premium+ 565
Clean Room Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
486155	295 ml	WHITE	25	5029347612399

An advanced neutral curing hygienic sealant that contains Mould Shield®, a powerful anti-bacterial compound, and is food contact approved. Prevent growth of most common moulds to the sealant. Offers outstanding adhesion to most substrates including plastics, ceramics and metal. Virtually odourless in application with a slow skinning time. Ideal for long joint runs in larger applications. Remains permanently flexible with a movement capability of +/- 25%. **Approved for food contact to 21CFR177.2600 by IANESCO (France) and meets ISO 11600 F 25 LM.**

Metal / Ceramics / Glass / Most Plastics

Contract 700T
LMN Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
486156	300 ml	BROWN	25	5029347615123
486160	300 ml	TRANS	25	5029347600631
486161	300 ml	WHITE	25	5029347615116
486162	300 ml	BLACK	25	5029347615161
486166	600 ml	TRANS	12	NO BARCODE

A fast, neutral cure, low modulus sealant specially formulated for the PVCu and roofline industry. For perimeter pointing window and door frames, sealing plastic roofline areas, general weather sealing, and also sanitary applications.

White and translucent colours also available in a foil pack.

Timber / Brick / Stone / PVCu / Concrete / Metal

Contract AC50
Acoustic Sealant and Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
489513	380 ml	WHITE	12	5029347600358

A high strength, permanently flexible sealant and adhesive specifically formulated for sealing and bonding plasterboard and other kraft lined insulation boards. Typically used for walls, ceilings, and dry lining applications. Water-based, solvent-free formula, easy to use and clean up, and adheres to most building substrates.



Timber / Plaster / Brick / Stone / Concrete

Silicone Eater

SGAN	SIZE	COLOUR	QTY	BARCODE
482505	100 ml	–	12	5029347115005

A revolutionary chemical that breaks up and removes all types of silicone sealant. It is harmless to most surrounding surfaces and can be used to remove sealant from baths, kitchen worktops, basins, showers, doors, and window frames.

Galva Mate
Duct Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
489540	295 ml	GREY	25	5029347000707

A high performance adhesive and sealant specifically designed for sealing high velocity duct work in heating and ventilation systems. Very strong adhesion to galvanised and stainless steel surfaces, excellent slump resistance, permanently flexible, and resistant to mildew and mould growth.



Galvanised Steel / Stainless Steel

SikaSeal® Lead
Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
906997	295ML	GREY	12	5029347007355

A low modulus, neutral cure sealant specifically designed to give exceptional adhesion to soft metals such as lead, brass etc. The product is specially formulated as an alternative to mortaring Lead Flashing and Sheet into Brick, Stone and Concrete.

Lead / Brick / Concrete / Stone / Timber

Weather Mate
Gap Filler and Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
489689	295 ml	CLEAR	25	5029347601454
489692	295 ml	WHITE	25	5029347000073
489693	295 ml	BLACK	25	5029347601447

Based on an advanced isoacrylic formula that provides the ultimate in technology for adhesion to many surfaces. It can be applied in wet weather, to wet surfaces, even under water. Resistant to all weather extremes, remains permanently flexible and can be overpainted with most paints and wood stains when cured, although overpainting is not essential.



Metal / Timber / Galvanised Steel / Bitumen

Check out our full range of grab adhesives

Pages 32-38

SikaSeal® General Purpose Silicone
Multi-purpose Silicone Sealant

Easi-Squeeze

SGAN	SIZE	COLOUR	QTY	BARCODE
907256	80 ml	CLEAR	12	5029347606060
907257	80 ml	WHITE	12	5029347606022

Cartridge

SGAN	SIZE	COLOUR	QTY	BARCODE
907057	260 ml	CLEAR	12	7612655296504
907160	260 ml	WHITE	12	7612655296313
907056	260 ml	GREY	12	7612655296122
907055	260 ml	BLACK	12	7612655294999
907161	260 ml	BROWN	12	7612655294388

A multi-purpose acetoxy cure silicone sealant that cures quickly to provide a permanently flexible, high strength waterproof seal. It contains a fungicide to protect the sealant against the growth of bacteria, mildew and black mould that are commonly found in areas of high humidity.



Glass / Ceramics / Timber / Aluminium / Laminates

See our full range guns and tools

See pages 126-129 within the Cleaners and Accessories section

SikaSeal® Roofline Repair and Protect
Sealant & Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
910083	295 ml	BLACK	12	5029347000172

A premium quality butyl-based sealant and adhesive that provides instant and permanent weather-proofing to a wide variety of roofing applications. Adheres to most common roofing materials such as bitumen, asphalt, felt, metals and wood.



Felt / Slates / Tiles / Wood / Bitumen / Gutters

Bath & Kitchen
Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
486278	290 ml	WHITE	12	5029347000554

A high quality, acrylic based sealant that provides an effective, yet economical seal that is easy to use. With added anti-fungal compound. Perfect for use in bathrooms and kitchens. Available in both cartridge and squeezy tube form.



Acrylic / Ceramics / Laminates / Timber / Plaster

Showerproof
Bathroom Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
467063	280 ml	WHITE	12	5029347609610
467062	280 ml	CLEAR	12	5029347609627

A mid modulus sanitary and shower silicone sealant that adheres to most smooth and non-porous materials. Contains a powerful anti-fungal compound to be mould resistant in areas of high humidity. Forms a permanently flexible rubber seal.



Glass / Ceramics / Timber / Aluminium / Laminates

External Frame
Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
483170	290 ml	BROWN	12	5029347000585
483175	290 ml	WHITE	12	5029347000530

A high quality acrylic based sealant that provides a long lasting, permanently flexible seal that can be overpainted when cured.



Timber / Plaster / Brick / Stone / Concrete

SikaSeal® LMN Frame Silicone Ultra
Premium LMN Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
907028	300 ml	TRANS	12	7612655298409
907264	300 ml	WHITE	12	7612655298133
907029	300 ml	ANTHRACITE	12	7612655296597

A premium grade low modulus, neutral curing silicone sealant suitable for many construction and industrial applications but particularly suited for all glazing and façade applications.



uPVC / Wood / Aluminium / Glazing / Soft Metals / Coated Metals / Stainless Steel

Sikasil®-825
Silicone Sealant

SUBSTRATES BRICKS, MORTAR, GLASS, ALIMINIUM AND PVC - ALL PRIMERLESS

TECHNICAL EXCELLENCE PROFESSIONAL PERFORMANCE

CONFORMS TO ISO 11600 CLASS F25 LM AND G25 LM

SGAN	SIZE	COLOUR	QTY	BARCODE
835392	380 ml	WHITE	25	5029347603977
835393	380 ml	BLACK	25	5029347615727
835394	380 ml	BEIGE	25	5029347615734
835395	380 ml	BROWN	25	5029347615710
835396	380 ml	BRICK RED	25	5029347615703
835397	380 ml	BUFF	25	5029347615697
835398	380 ml	DARK GREY	25	5029347615680
835399	380 ml	LIMESTONE WHITE	25	5029347615666
835410	380 ml	MAGNOLIA	25	5029347615659
835411	380 ml	MID GREY	25	5029347615642
835413	380 ml	PORTLAND STONE	25	5029347615628
835414	380 ml	ANTHRACITE	25	5029347615741
835415	380 ml	DARK ANTHRACITE	25	5029347615673
835416	600 ml	MID GREY	12	5029347614157
835417	600 ml	ANTHRACITE	12	5029347614195
835418	600 ml	WHITE	12	5029347612870
864577	400 ml	WHITE	20	7612655159144
864578	400 ml	ANTHRACITE	20	7612655159137
864601	400 ml	BRICK RED	20	7612655158383

Sikasil®-825 is a low modulus, neutral curing silicone sealant based on a filled alkoxy curing system.

Conforms to ISO 11600 class F25 LM and G25 LM. Used for expansion joints to stone, brick, concrete and composite panels, perimeter pointing around all types of window and door frames. Substrates: glass, aluminium and PVC – all primerless.

Shore A Hardness	22-32
Movement Accommodation	+/-35% (ASTM C719)
Skinning Time	20-40 mins
Elastic Recovery	>70%

Sikasil® S50
Sanitary Silicone Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
835338	310 ml	JASMINE	25	7612655108821
835339	310 ml	MANHATTAN GREY	25	7612655108388
835390	310 ml	TRANSLUCENT	25	7612655108531
835391	310 ml	SANITARY WHITE	25	5029347604844

Movement Accommodation	+/-20%
Skinning Time	15 mins @20°C
Cure Time	3-4MM per 24hrs
Service Temp	-40 to +150°C

A mid modulus, acetoxy curing silicone sealant that contains a powerful anti-fungal compound to prevent mould and fungal growth to the sealant in areas of high humidity. Gives improved adhesion and flexibility when compared to standard sanitary grades. **Tested to ISO 11600 F/ G20LM and EN15651.**

Sikasil® HM
Acetoxy Sanitary Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
835334	310 ml	ANTHRACITE	25	7612895960715
835337	310 ml	JASMINE	25	7612895960777
835333	310 ml	LIMESTONE WHITE	25	7612895960197
835335	310 ml	MANHATTEN GREY	25	7612895960739
835336	310 ml	TRANSLUCENT	25	7612895960753
835332	310 ml	WHITE	25	5029347615956

Movement Capability	+/-20 % (ISO9047)
Elongation at break	>350% (ISO8339)
Elastic Recovery	>95 % (ISO7390)
Curing Time	2-4 mm/24 hours (23 °C and 50 % RH)

A premium, acetoxy curing silicone sealant engineered to provide enhanced body and superior toolability in sanitary applications.

It contains powerful anti-fungal compound to prevent mould and fungal growth to the sealant in areas of high humidity.

Sika® Hybriflex® 25 LM
Low Modulus Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
835014	380 ml	WHITE	25	5029347612054

Shore A Hardness	20-30
Skin Formation at 23°C and 50% RH	20-45 mins

A one part low modulus building sealant based on hybrid polymer technology. For perimeter pointing of uPVC, window/ door frames, for expansion joints, weather sealing applications, parapet and roofline sealing, weatherproofing sealing, construction and dilation joints. Overpaintable. **Tested to ISO11600 class: F25 LM.**

Sika® Hybriflex® 40
Hybrid Polymer Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
835252	295 ml	GREY	12	5029347613334

Shore A Hardness	50 +/-5
Skinning Time	10-40 mins
Cure Time	2mm/24 hr
Elastic Recovery	>60%

A high modulus, one-component hybrid based adhesive which adheres strongly to most substrates. Provides excellent resistance to most common chemicals and solvents and can be overpainted when cured.

Sika® Hybriflex® 55
Hybrid Polymer Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
835253	600 ml	WHITE	12	7612895192239

Shore A Hardness	55-60
Skinning Time	30-45 mins
Elastic Recovery (ISO 8339)	>70%
Tensile Strength	1.5N/mm²

A high strength, permanently elastic, neutral cure hybrid polymer based adhesive. Isocyanate, silicone and halogen free, overpaintable with most paints, excellent adhesion to most construction substrate.

Sika® Hybriflex® SMP
Flooring Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
834156	600 ml	GREY	12	7612655099686

Shore A Hardness	30-40
Movement Accommodation	+/-25%
Service Temperatures	-40°C to +90°C

Formulated to provide a high shore A sealant combined with a low viscosity to enable high speed application into floor joints. Suitable for sealing saw cut and pre-formed expansion joints on both internal and external floor joints, provides exceptional abrasion resistance.

Sika® Hybriflex® AntiPick 109
Pick Resistant Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
834154	295 ml	GREY	25	5029347615970
834155	295 ml	WHITE	25	5029347610210

Shore A Hardness	~50
Tensile Strength (ISO 8339)	> 1.3N/mm² at 60% elongation
Curing Time at 23°C and 50% RH	2mm / 24hr

A one-part, chemically curing sealant based on advanced Hybriflex® technology – combining the best properties of silicone and polyurethane. Specifically formulated to provide a degree of resistance to finger picking, it provides a tougher, more tamper-resistant seal compared to traditional sealants, while still accommodating small joint movement.

Sikaflex® PRO-3 Purform
Polyurethane Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
693977	600 ml	BLACK	20	7612895756448
694153	600 ml	GREY	20	7612895755496
694308	600 ml	WHITE	20	7612895758466

Containing new Purform technology for a futureproof polyurethane formula, Sikaflex PRO 3 Purform is a one-part, moisture curing, elastic joint sealant with superior mechanical properties combined with excellent weather and chemical resistance. Ideal for use in floor joint sealing. Ultra-low monomer and VOC content and certified for use in food contact areas.

Sikaflex® PRO-3 Self Levelling
Polyurethane Floor Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
410863	600 ml	CONCRETE GREY	20	7612894826821

A one-component, moisture curing, self-levelling, elastic joint sealant which is based on polyurethane. Sikaflex® PRO-3 Self-Levelling is designed for horizontal applications in movement and connection joints in floors, pedestrian and traffic areas, as well as warehouses and production areas. This product is certified for use in food contact areas.

See our full range specialist guns

See pages 126-129 within the Cleaners and Accessories section

SikaHyflex®-250 Facade
Low Modulus PU

SGAN	SIZE	COLOUR	QTY	BARCODE
443675	300 ml	BLACK	12	7612894991635
443703	300 ml	GREY	12	7612894991895
443676	300 ml	WHITE	12	7612894991659
435632	600 ml	BLACK	20	7612894946871
435543	600 ml	GREY	20	7612894945478
435614	600 ml	WHITE	20	7612894949094

Shore A Hardness	20
Movement Accommodation	+100/-50% (ASTM C719)
Skinning Time	70 mins

A one part polyurethane joint sealant used for durably sealing movement and connection joints in concrete, masonry and EIFS facades.

Monomeric diisocyanate content <0.1 %, no safety training required. Conforms ISO11600 F25 LM and is CE marked to EN15651-1: 2012 Type F EXT-INT CC.

SikaSeal®-414 Backer Rod UK

SGAN	SIZE	COLOUR	QTY	BARCODE
489399	10 mm x 1150 m	GREY	1	7612655098917
489411	15 mm x 550 m	GREY	1	5029347907297
489412	20 mm x 350 m	GREY	1	5029347907303
489413	25 mm x 200 m	GREY	1	5029347907310
489414	30 mm x 160 m	GREY	1	5029347907327

The SikaSeal®-414 Backer Rod UK is a non absorbent compressible grey closed cell polyethylene foam backing material. It is inserted into a joint to control sealant depth and create a backstop to allow proper sealant applications.

Sikaflex®-11 FC Purform®
PU Sealant and Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
700275	300 ml	BLACK	12	7612895776682
700274	300 ml	CONCRETE GREY	12	7612895776668
617758	300 ml	WHITE	12	7612895572505
693823	600 ml	CONCRETE GREY	20	7612895756103
644641	600 ml	WHITE	20	7612895650340

Shore A Hardness	33
Skinning Time	~50 mins
Cure Time	4mm / 24 hr
Elastic Recovery	85%

A one part moisture curing elastic adhesive and sealant used for interior and exterior multipurpose bonding and joint sealing. It has good and durable adhesion to most construction materials.

Monomeric diisocyanate content <0.1 %, no safety training required. Conforms with LEED v4 EQc 2: Low-Emitting Materials. CE marked to EN 15651-1 type F EXT-INT CC, EN 15651-3 type XS 3, EN 15651-4 type PW EXT-INT CC.

Sikasil® Pool
Silicone Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
130877	300 ml	GREY	12	7612894590906
150295	300 ml	WHITE	12	7612894609400

A one-component, neutral curing silicone sealant for joints located in and around swimming pools and areas under permanent water immersion.

Sikasil® DW

SGAN	SIZE	COLOUR	QTY	BARCODE
715630	600 ml	BLACK	20	7612895817651
715585	600 ml	SIGNAL GREY	20	7612895817637

Sikasil® DW is suitable for joints in contact with potable (drinking) water, e.g. in the water industry in drinking water reservoirs, tanks, treatment and filtration plants.



WRAS APPROVED PRODUCT
Approval Number: 2203515

Sikaflex® Construction Purform
Purform Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
747634	600 ml	CONCRETE GREY	20	7612895899404

A one-component, moisture curing, flexible joint sealant. Sikaflex® Construction+ is designed for movement and connection joints in concrete and masonry facades.

Sikaflex®-415 Universal

SGAN	SIZE	COLOUR	QTY	BARCODE
718414	600 ml	CONCRETE GREY	20	7612895821337

Sikaflex®-415 Universal is a one-part, moisture curing, elastic polyurethane sealant for sealing floor and wall joints.

Movement Accommodation	+/-35 %

Sikaflex®-403 Tank & Silo
Elastic polyurethane sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
707904	600 ml	BLACK	20	7612895791395

Sikaflex®-403 Tank & Silo is a 1-part, moisture-curing, elastic polyurethane sealant which is resistant to organic acids as found in liquid manure and silage liquids. The product is used for sealing segmented and bolted tanks, concrete containers, floor joints and sewage systems.

+/-20% FLEXIBILITY FACTOR
RESISTANT TO CHEMICALS

Sikaflex®-406 KC

SGAN	SIZE	COLOUR	QTY	BARCODE
619221	150 ml	BLACK	5	7612895519739

Sikaflex®-406 KC is a 1-part self-levelling booster accelerated elastic floor joint sealant with high mechanical and chemical resistance. Rapid and homogeneous curing throughout the entire sealant is achieved by the addition of the Sikaflex®-406 KC Booster. Sikaflex®-406 KC is especially designed for elastic joint sealing between rails, adjacent surfaces and with Icosit KC products.

+/-25% FLEXIBILITY FACTOR
RESISTANT TO CHEMICALS

Sikaflex® Tank N
Polyurethane Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
869458	600 ml	CONCRETE GREY	20	7612655166791

A one-component, moisture curing, elastic joint sealant based on polyurethane. Sikaflex® Tank N is designed for use in areas for the storage, handling and filling of water polluting liquids.

+/-25% FLEXIBILITY FACTOR
RESISTANT TO CHEMICALS

Sika® Primer 3N

SGAN	SIZE	COLOUR	QTY	BARCODE
122239	1 L	TRANS	1	7612894543216

A one-component, solvent based primer and adhesion promoter; designed for use on porous substrates and metals. Evaporates quickly.

Sika® Primer-115
Polyurethane primer.

SGAN	SIZE	COLOUR	QTY	BARCODE
708138	1 L	CLEAR	4	7612895791753

Sika® Primer-115 is a one part, reactive PU based primer for use as a pre-treatment on porous substrates, prior to Sikaflex applications.

Contain and Control with the Sika Passive Fire Protection range Page 104-105.



PROFESSIONAL FIRE PROTECTION

Sika Boom®
Expanding Foam

SGAN	SIZE	COLOUR	QTY	BARCODE
907298	500 ml	–	12	5029347000080
907297	750 ml	–	12	5029347000097

ADDITIONAL NOZZLES

SGAN	SIZE	COLOUR	QTY	BARCODE
909951	–	–	1	7612895201603

A fast-setting, one-part polyurethane expanding foam designed for quick, efficient fixing, filling and sealing. It expands up to 150 % after application of the applied bead dimensions to fill gaps, cracks, and irregular spaces with ease. Once cured, it can be cut, sawn, or plastered in just one hour.

It effectively fills wide or irregular gaps where traditional fillers fail, and it provides reliable insulating and sound-deadening performance. It is supplied with attachable nozzles for easy hand application

.

QUICK CURING/ DRYING · GAP FILLING

PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Exact Gap
Expanding Foam

SGAN	SIZE	COLOUR	QTY	BARCODE
484702	750 ml	–	12	5029347609337

Formulated to provide a more precise foam product that only expands by between 5-10% from the bead extruded on application. The controlled application significantly reduces the amount of cured excess foam that has to be cut back, reducing the danger of wet foam falling onto the floor and surrounding substrates, and the damage and staining this can cause.

QUICK CURING/ DRYING · GAP FILLING

PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Sika Boom®
Gun Grade Expanding Foam

SGAN	SIZE	COLOUR	QTY	BARCODE
907272	750 ml	–	12	5029347000103

A fast setting, one-part polyurethane expanding foam designed for quick, efficient fixing, filling and sealing. One can yields up to 50 times the original can contents to fill gaps, cracks, and irregular spaces with ease. Once cured, it can be cut, sawn, or plastered in just one hour. It effectively fills wide or irregular gaps where traditional fillers fail, and it provides reliable insulating and sound deadening performance.

Designed to be used with a Foam Applicator Gun.

QUICK CURING/ DRYING · GAP FILLING

PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Sika Boom®
Insulating Expanding Foam

- **ACOUSTIC RATED UP TO 64 DB TO EN ISO 717-1**
- **CERTIFIED AIR PERMEABILITY: A<0,1 M³ TO EN 12114:2000**
- **TEMPERATURE RESISTANT -40 TO +80°C (SHORT TERM EXPOSURE TO +100°C)**
- **REACTION TO FIRE B2 (DIN 4102)**

- **AIRTIGHT**
- **ENERGY SAVING**
- **ADHERES TO ALL COMMON BUILDING MATERIALS**

SGAN	SIZE	COLOUR	QTY	BARCODE
907330	750 ml	OFF WHITE	12	5029347613587

A specially formulated, highly flexible PU foam that absorbs com ponent movement thereby giving an airtight seal to reduce heat loss and improve energy efficiency in buildings. The powerful bond strength and flexibility of this product gives excellent long term thermal and acoustic insulation by inhibiting cracks from occurring during the expansion and con traction of building materials, such as window frame to wall bonds, giving a hermetically sealed barrier.

QUICK CURING/ DRYING · GAP FILLING

PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Constructa-Pro
Adhesive Foam

SGAN	SIZE	COLOUR	QTY	BARCODE
538593	750 ml	–	12	5029347615024

A high strength adhesive foam designed for use in a multitude of building applications. Adheres well to most common building materials. Once cured, it's rot-proof, and moisture and temperature resistant from -40°C to +80°C. Suitable for a wide range of applications, for example as an adhesive for fixing plasterboard, insulation board, fixing skirting boards or a mortar substitute for building rough garden walls, planters, and much more.

INTERIOR AND EXTERIOR USE · QUICK CURING/ DRYING · GAP FILLING

Brick / Stone / Concrete / Metal / Timber

Sika Boom®
Foam Cleaner

SGAN	SIZE	COLOUR	QTY	BARCODE
907301	500 ml	–	12	5029347126001

An cleaner designed to remove uncured/ wet foam from tools, substrates and applicator guns. The included spray nozzle allows for external cleaning of gun nozzles, handheld can nozzles and overspill on substrates and tools, and the threaded collar allows thorough purging of applicator guns. The unique threaded collar fits most foam gun applicators, including the Sika Boom® range, allowing expensive applicator guns to be used repeatedly.

SOLVENT
SOLVENT BASED

JARGON BUSTER

This jargon buster defines key sealant industry terms to help you select the right product with confidence. All our sealants meet rigorous UK and European safety, performance, and quality standards. The UKCA and CE Marks confirm compliance, ensuring reliability and consistency across every certified product

CE / UKCA – There are four main types of approval under the sealant CE / UKCA Mark:

1 **F** – Façade use which is split into two sub categories with FINT meaning internal use only and F EXT INT meaning the product can be used both internally and externally. F EXT INT is then split into various classifications:

P – Plastic which means the product has limited elastic recovery and behaves more like a plastic bag.

E – Elastic which means the product behaves more like an elastic band.

HM – High Modulus.

LM – Low Modulus.

2 **G** – Glazing use.

3 **S** – Sanitary use which is only approved for internal use and is split into two sub categories S and XS with the latter being the more stringently tested of the two. A number will always follow the S or XS with 1 showing the least biological growth and 3 showing the most, basically meaning S3 is the lowest classification and XS1 is the highest.

4 **PW** – Pedestrian Walkway use.

Acetoxy Cure – A product that cures by a reaction with moisture in the air, giving off an odour of Acetic Acid or vinegar. Acetoxy cure sealants shouldn't be used when they are primarily in contact with alkaline substrates such as concrete.

Alkoxy Cure – Products that cure through a system of crosslinkers, which, when activated by exposure to moisture in the air, release by-products, mainly alcohols. Alkoxy cure sealants are non-corrosive and have minimal impact on the substrates to which they are applied.

Acrylic – Water based sealants which cure through the loss of water into the substrate. These products are commonly used for interior finishing and can be overpainted once cured.

Fire Rating – The measure of a sealants ability to maintain its insulation and integrity in a joint when exposed to fire.

Hybrid Polymers / MS – This is the next generation technology combining a sealant and adhesive into one product which can be used on most porous and non-porous materials giving them an almost unlimited number of application possibilities. One major advantage these products have over other sealants is that they can be applied in the wet and even under water.

Modulus – Sealants can be either high, mid or low modulus and refers to the elastic nature of the material.

Flexibility – The degree of movement a sealant can cope with when applied with a greater number meaning the sealant is more flexible.

Shore A Hardness – A number which denotes the surface hardness of a sealant once cured. The higher the number, the harder the surface.

Silicone – The most common form of sealant on the market, silicones come is a variety of grades for multiple application uses.

Polyurethanes – Combining the properties of a sealant, adhesive and filler into one product.

Oil Based Mastic – A traditional product mainly used in wooden window installations and pre-cast concrete panel sealing applications.

Treated Articles – Some products now state 'Please use treated articles responsibly' within the health and safety panel which refers to any item which contains a preservative to protect the product through its life cycle.

See our range of Specialist Sealants and Adhesives

Pages 107

ADHESIVES

Bonds that last

Sika adhesives combine quality, reliability, and performance for every project.

- **Multi-purpose:** Hybrid sealants and adhesives for bonding and sealing in one.
- **Grab and Construction:** Grab adhesives for strong, dependable results.
- **Wood and Craft:** High-strength wood adhesives for precise joinery, industrial strength contact superglues, and all you need for creative projects.
- **Specialist:** Expert solutions for demanding applications.

Easy to apply and built to last, Sika adhesives deliver strong, lasting bonds every time.

Hybrid Sealants and Adhesives	**28**
Grab and Construction	**32**
Wood and Flooring	**39**
Contact and Superglues	**44**

Stixall Extreme Power
Sealant and Adhesive

Metal / Glass / Brick / Timber / Plastic

SGAN	SIZE	COLOUR	QTY	BARCODE
483107	290 ml	BLACK	12	5029347603281
483108	290 ml	BROWN	12	5029347603304
483168	290 ml	CRYSTAL CLEAR	12	5029347603960
483109	290 ml	GREY	12	5029347603298
483110	290 ml	WHITE	12	5029347602604
821183	290 ml	ANTHRACITE	12	7612655075260
483124	80 ml	CRYSTAL CLEAR	12	5029347606053
483111	80 ml	WHITE	12	5029347606015

Stixall Extreme Power is a combined adhesive and sealant, based on hybrid polymer technology, with extreme power to both bond and seal nearly everything in almost all conditions, even underwater and in the rain!

Available in both cartridges and easi-squeeze tubes. CE Marked.

Sikaflex® EBT+
Polyurethane Adhesive, Sealant and Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
511392	300 ml	WHITE	12	7612894368475
463337	300 ml	CLEAR	12	5055492700780
511395	300 ml	BEIGE	12	7612894370546
511394	300 ml	BLACK	12	7612894368437
511397	300 ml	GREY	12	7612894368451

A multi-purpose, permanently- elastic, one-part, polyurethane* adhesive and sealant. Sikaflex® EBT+ bonds to all common building materials; its excellent grab and gap filling properties makes it ideal for use in a wide range of building and maintenance applications.

*Clear product is a hybrid polymer



- 3-IN-1 ADHESIVE, SEALANT AND FILLER
- PERMANENTLY FLEXIBLE AND ELASTIC
- WATERPROOF AND WEATHERPROOF
- HIGH-GRAB, NON-SAG

Stixall® Ultra
Sealant and Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
894982	300 ml	WHITE	12	7612655250995
894981	300 ml	BLACK	12	7612655249074
894797	300 ml	GREY	12	7612655251206
894816	300 ml	CRYSTAL CLEAR	12	7612655249098
894796	300 ml	ANTHRACITE	12	7612655250667

Sika® Stixall® Ultra is an extremely flexible high grab adhesive and sealant which passes multiple certifications. It is exceptionally strong, sticks to almost anything and even works underwater. Approved for use in food preparation areas according to EN 1186-13:2002. Certified for use insanitary areas, and indoor and outdoor use,whilst also meeting the toughest emissions classification EC1PLUS.

Once cured, it's resistant to mould, temperature extremes, chemicals, petrol, UV radiation.

Brick / Timber / Metal / Plastic / Glass

- SEALS AND BONDS UNDERWATER
- WORKS ON VIRTUALLY ANY SUBSTRATE
- SUPERIOR FLEXIBILITY
- SANITARY AND FOOD SAFE
- INCREDIBLE BOND STRENGTH

GEV-EMICODE EC 1 PLUS very low emission

PRODUCT SAFETY ISEGA WITH LETTER AND SEAL

Multi Stick
Hybrid Polymer Adhesive

- **EXCELLENT BOND STRENGTH**
- **ANTI-SLIP BONDING**
- **BONDS VIRTUALLY ANYTHING**
- **APPLY TO POROUS AND NON-POROUS SURFACES IN THE WET OR DRY!**

SGAN	SIZE	COLOUR	QTY	BARCODE
525020	350 ml	WHITE	12	5055492701725

Multi Stick is a superior grab adhesive with the ability to bond virtually anything to everything in both wet and dry conditions, even underwater or in the rain.

With incredible initial grab, high bonding strength, and almost limitless applications, no tradesman should be without a tube of this next generation adhesive. Think of any bonding application and it is virtually certain Multi-Stick will handle it with ease.

Metal / Brick / Timber / Plastic / Concrete / PVCu

Gun A Nail Standard
Solvent Free Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
485954	290 ml	WHITE	25	5029347000110

Gun A Nail Standard is a high strength, gap filling multi-purpose building adhesive based on a tackified solvent free system for use in a wide variety of building and home improvement applications. Gun A Nail Standard can be used where at least one of the substrates to be bonded is porous. Ideal for fixing skirting boards, wall panels, cladding, framework and floorboards.

Brick / Stone / Timber / Concrete

Clear Fix
Crystal Clear Hybrid Polymer Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
847141	290 ml	CLEAR	12	5029347612931

A clear hybrid polymer grab adhesive that has the ability to bond just about everything in both interior and exterior applications. With added UV stabilisers, Clear Fix is the ideal choice for applications where you may see the colour of the product. Clear Fix is a versatile product which can be used in almost every application imaginable – even when immersed under water! Even more, Clear Fix comes in a completely Clear cartridge to illustrate the clarity of the product.

Metal / Glass / Brick / Timber / PVCu

SikaBond® Mirror Adhesive
Mirror Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
894799	290 ml	WHITE	12	5029347112004

A one component adhesive that is specially formulated for bonding mirrors to most common surfaces. The neutral curing system will not attack the mirror backing. Excellent adhesion to bond mirrors to most common substrates metals, most plastics, concrete, plaster, plasterboard, polyester, perspex, glass, wood, enamel and painted surfaces.



Mirrors / Metal / Plaster / Perspex / Plastic

Stixall® Maximum Grab
High Strength Hybrid Polymer Grab Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
894887	290 ml	WHITE	12	7612655249982

Stixall® Maximum Grab is the ultimate high grab adhesive, providing incredible initial grab, typic ally double that of most grab adhesives on the market today which eliminates the need for temporary support in most applications.

It has the ability to bond almost everything to anything in virtually all conditions, even under water or in the rain. Stixall® Maximum Grab cures to a tough flexible elastic rubber.

Brick / Metal / Glass / Timber / PVCu

DOUBLE THE GRAB STRENGTH OF MOST ADHESIVES

CAN BE APPLIED TO WET OR DAMP SURFACES

INCREDIBLE INITIAL GRAB



Griptite
Solvent Based Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
486238	310 ml	BUFF GREEN	12	5029347611965

Griptite is an extra-tough, high grab construction adhesive that combines great performance with 'easyflow' gunability. This high bond strength, solvent based adhesive adheres to most common substrates and can be used on direct bond or double stick applications. With good early grab properties Griptite is suitable for a wide variety of applications including being usable in both vertical and horizontal positions.



Brick / Stone / Timber / Concrete

Instant Nails
Solvent Free Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
484815	290 ml	WHITE	12	5029347000561
484816	290 ml	WHITE	25	5029347000561

Instant Nails is a high strength, solvent free, gap filling, multi use adhesive that provides a quick grab and replaces mechanical fixings in many home improvement applications. Dries white and may be overpainted if required.



Plaster / Timber / Polystyrene / Brick /Stone / Concrete / PVCu

Pinkgrip
Solvent Based Adhesive

Pinkgrip will stick just about anything on a building site that needs sticking.

Its amazing grabbing strength not only removes the need to pin under the workpiece to prevent slumping, but its revolutionary initial 'Direct Bond' eliminates the need for double stick methods. Pinkgrip can be used inside and outside and adheres to just about every building substrate.

- NON-SLIP BONDING
- SOLVENT BASED
- NO NEED TO 'DOUBLE STICK'
- FAST GRAB

SGAN	SIZE	COLOUR	QTY	BARCODE
486022	350 ml	PINK	12	5029347601690



Brick / Metal / Timber / Concrete / Plastic

Pinkgrip SF
Solvent Free Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
486023	380 ml	PINK	12	5029347602420
486024	380 ml	WHITE	12	5029347610081
518714	600 ml	WHITE	12	NO BARCODE

A direct bond adhesive with all the legendary grabbing performance of original Pinkgrip but in a solvent free formula. Can be used to replace mechanical fixings in a wide variety of home improvement applications. Ideal for bonding wood, brick, plaster, plasterboard, polystyrene, metals and plastics. Available in Pink and White colours.



Brick / Metal / Timber / Concrete / Plastic

WONDER WIPES
BIODEGRADABLE
THE WIPE THAT WORKS
Extra thick for the toughest grime
See page 123

Pinkgrip Dry Fix FR
Plasterboard Adhesive Foam

SIGNIFICANT TIME SAVING OVER CONVENTIONAL DRY WALL ADHESIVES

SUITABLE FOR PLASTERING IN JUST 1 HOUR

BOARDS ONLY NEED HOLDING FOR 1 MINUTE

NO MIXING, NO MESS

SGAN	SIZE	COLOUR	QTY	BARCODE
489721	750 ml	PINK	12	5029347606282

Pinkgrip Dry Fix FR is a revolutionary type of fast curing, adhesive foam that has been specially developed for the rapid installation of Plasterboard, Insulation Boards and other sheet materials such as Roof Decking and Floorboards.

The Dual Flow system means that it can be applied using the nozzle provided or attached to the Dry Fix Applicator Gun. Pinkgrip Dry Fix FR provides significant labour saving and convenience benefits when compared to traditional dry wall adhesives. It will bond to most common building substrates; can be applied horizontally or vertically to the board, wall or battens/beams.

Dry Fix FR conforms to the requirement of EN13501-1 Class E for fire rating.



Brick / Stone / Concrete / Timber / Plasterboard





Pinkgrip Dry Fix
Applicator Gun

SGAN	SIZE	COLOUR	QTY	BARCODE
486434	-	-	1	5029347606466

Pinkgrip Dry Fix Applicator Gun – for use with Pinkgrip Dry Fix Fast Cure Dry Wall Adhesive.

SikaBond® PVA Wood Adhesive Ultra
Wood Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
907644	1 L	WHITE	12	5029347602703
907643	25 L	WHITE	1	5029347611545

SikaBond® PVA Wood Adhesive Ultra is an industrial grade waterproof D4 wood adhesive, suit able for applications under constant water submersion.

Based on the hybrid technology, it contains none of the safety issues associated with conventional isocyanate containing (polyurethane) D4 grades. It can be used internally and externally and provides a high strength, impact and temperature resistant bond that is usually stronger than the wood itself. It dries clear and is ideal for all general woodworking and joinery uses, furniture assembly and household DIY use. **Conforms to EN204 class D4 and WATT 91.**

SikaBond® PVA Wood Adhesive+
Weatherproof Wood Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
907650	250 ml	-	12	7612655250995
907651	500 ml	-	20	7612655249074
908050	1 L	-	12	7612655251206
907568	5 L	-	4	7612655249098
907569	25 L	-	1	7612655250667

SikaBond® PVA Wood Adhesive+ can be used in ternally and externally and provides a high strength, impact resistance bond that is usually stronger than the wood itself. It dries clear and cures fast, with initial set time of 10 minutes. Ideal for all general woodworking and joinery uses, furniture assembly and household DIY use. **Conforms to EN204 and EN205 class D3. EN14256 Resistance to static loads.**

Lumberjack 5 Minute Polyurethane
Wood Adhesive Gel

SGAN	SIZE	COLOUR	QTY	BARCODE
484682	310 ml	TRANS	12	5029347809034

Lumberjack 5 Minute Polyurethane Wood Adhesive Gel is a thixotropic, transparent, gap filling gel which sets hard in just 5 minutes. This product gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which in turn increases the bond strength. Particularly suitable for equipment manufacture and production line applications where rapid handling is required. **Conforms to EN 204. D4 Water Resistance.**



Wood / Metal / Brick / Concrete / Stone

Lumberjack 5 Minute Polyurethane
Wood Adhesive Liquid

SGAN	SIZE	COLOUR	QTY	BARCODE
484683	750 g	BROWN	6	5029347601133

Lumberjack 5 minute polyurethane wood adhesive liquid is brown in colour and is ideal for larger applications, or in the workshop where greater economy is required. Sets hard in 5 minutes. The liquid is 100% waterproof, gives exceptionally high bond strength and is resistant to most chemicals. The product foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Water Resistance.**

Wood / Metal / Brick / Concrete / Stone

Lumberjack 30 Minute Polyurethane
Wood Adhesive Gel

SGAN	SIZE	COLOUR	QTY	BARCODE
484684	310 ml	TRANS	12	5029347809010

Lumberjack 30 Minute Polyurethane Wood Adhesive Gel is a thixotropic, transparent, gap filling gel which sets hard in 30 minutes. This one part, moisture curing gel gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Water Resistance.**



Wood / Metal / Brick / Concrete / Stone

Lumberjack 30 Minute Polyurethane
Wood Adhesive Liquid

SGAN	SIZE	COLOUR	QTY	BARCODE
484685	750 g	BROWN	6	5029347809027

Lumberjack 30 Minute Polyurethane Wood Adhesive Liquid is brown in colour and ideal for larger, horizontal applications where greater economy is required. Sets hard in 30 minutes. This liquid gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Water Resistance.**

Wood / Metal / Brick / Concrete / Stone

Our Wood Filler range is perfect for professional preparation

See page 117 in the Decorating and Wood Fillers section

SikaBond® Wood Flooring Adhesive
Floor Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
895012	300 ml	BUFF	12	5029347603151
895011	600 ml	BUFF	12	5029347603168
895010	14 kg	BUFF	1	5029347603175

A standard-setting, permanently flexible adhesive designed for fixing all types of wooden flooring directly onto most common substrates, including concrete, wood, metal, tiles, vinyl, and natural stone. Suitable for trowel or gun application, it is available in pails for large areas and in cartridges or foils for smaller applications, such as fixes and repairs.

SikaBond®-52
Wood Floor Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
424418	600 ml	BEIGE	20	7612894887525

A one-component, solvent-free, fast-curing, elastic wood flooring adhesive for professional use. SikaBond®-52 Wood Floor is suitable for use on most common types of wood floors, even problematic woods such as beech, maple and bamboo using liquid batten. Suitable for use with underfloor heating when used with the Sika® AcouBond System.

Powered by i-Cure® Technology

SUITABLE FOR USE WITH UNDERFLOOR HEATING

LOW EMISSIONS

QUICK CURING/ DRYING

SikaBond®-54 Wood Floor
Wood Floor Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
489209	6.5 kg	BEIGE	1	7612895203188
427784	13 kg	BEIGE	1	7612894907285

A one-component, solvent-free and elastic wood flooring adhesive that is for professional use. SikaBond®-54 Wood Floor is a full stick down adhesive for use on both solid and engineered wood floors. This product is also suitable for use with underfloor heating systems.

Powered by i-Cure® Technology

SUITABLE FOR USE WITH UNDERFLOOR HEATING

QUICK CURING/ DRYING

SikaBond®-5500 S
Adhesive for Wood Flooring

SGAN	SIZE	COLOUR	QTY	BARCODE
165745	16 kg	BEIGE	1	5055047210177

A one-part, solvent based, rigid adhesive for bonding wood block parquet and engineered boards onto porous substrates. SikaBond®-5500 S provides a high strength bond that is suitable for use with underfloor heating. This product is suitable for use with all types of wood.

KG HIGH BONDING STRENGTH

SOLVENT SOLVENT BASED

1kg/m² APPROX COVERAGE

Sika®
Silent Layer Mat

SGAN	SIZE	COLOUR	QTY	BARCODE
50368	16.66 m	–	1	7612894054736
55606	13.33 m	–	1	7612894069488

A high quality, polyethylene foam mat that is specifically designed to reduce the sound of footfall. Ideal for use in conjunction with SIkaBond® MS Wood Floor gun grade or SikaBond® 52. Sika® Silent Layer Mat is pressure resistant and dimensionally stable.



One product for the whole flooring system!

5 in 1: Primer, Scratch Coat, Roller Coat, Sealer (on broadcast surfaces) AND Self-levelling Coat means you use just one product to finish the whole floor!

- Water-based epoxy coating with low VOC emissions
- Easy to apply
- Time and workload efficient
- Low maintenance
- Wide range of colours

Find out more:

Stick 2
Instant Contact Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
484613	250 ml	BEIGE	12	5029347065027
484612	750 ml	BEIGE	12	5029347065058
484611	5 L	BEIGE	4	5029347006556

Stick 2 All Purpose Contact Adhesive is a premium grade rubber based contact adhesive suitable for use with a wide variety of materials for both professional and DIY use. The product may be used for bonding decorative laminates, all types of wood, rigid PVC, ABS, leather, cork, linoleum, rubber, stone, metals and dense fabrics.

Laminates / Timber / Cork / Rubber / Metal

Stick 2
Instant Spray Contact Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
484593	500 ml	–	12	5029347060855

A sprayable glue which bonds to most common materials including wood, concrete, stone, tiles, rubber, foam, metals, rigid plastics, polyethylene, canvas fabrics, cardboard, paper and cork. Ideal for securing most carpets/floor coverings. Suitable for internal and external use. Time saving spray – easier and quicker to apply than most trowel/spreader applied adhesives. Repositionable.

Wood / Concrete/ Stone / Tiles/ Rubber / Foam Metal/ Rigid Plastic / Fabrics/ Cardboard

Stick 2
Carpet Fix Spray Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
762051	500 ml	–	12	5029347603212

Sprayable medium duty glue which fixes P.U. and foam backed carpets, carpet tiles, underlay, paper felt and cork to most common substrates. Economical and time saving – quicker and easier than spreader applied adhesives. Foaming formula gives low soak into substrates.

Mammoth
Spray Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
483334	500 ml	–	12	5029347611323

A ready to use solvent based flooring adhesive designed for fixing carpet grippers and trims, stair nosings and plastic and wooden skirting. Adheres to most common surfaces including wood, carpet, metal, stone, concrete, PVCu and much more.

Smart Tack Handy
Aerosol

SGAN	SIZE	COLOUR	QTY	BARCODE
762050	500 ml	BLUE	12	5029347601188

Standard aerosol for smaller jobs. Offers all benefits with lower pressure application. 500 ml aerosol will cover 2.5-3.5m² of laminate when applied to both surfaces.

Laminates / Timber / Cork / Rubber / Metal

Stick 2
Industrial Superglue GP

SGAN	SIZE	COLOUR	QTY	BARCODE
484651	20 g	CLEAR	25	5029347900069
484652	50 g	CLEAR	20	5029347602345

Medium viscosity formula fills gaps to 0.1mm. For use on perfect fit surfaces where fast set is required. Bonds nonporous surfaces eg. most plastics, metals, glass, PVCu, rubber and EPDM. Viscosity at 25°C – 100cPs. Set time 5 to 15 seconds. Packed in self merchandising display boxes.

PVCu / Plastic / Glass / Metal

Stick 2
Industrial Superglue HV

SGAN	SIZE	COLOUR	QTY	BARCODE
484654	20 g	CLEAR	25	5029347601072
484655	50 g	CLEAR	20	5029347601089

High viscosity formula for porous and non porous substrates where a slightly delayed set is required. For use on MDF, rubber, metals, PVCu and plastics. Viscosity at 25°C – 1500 cPs. Set time range 10 to 30 seconds. Packed in self merchandising display boxes.

PVCu / Plastic / Glass / Metal

Stick 2
Superglue De-bonder

SGAN	SIZE	COLOUR	QTY	BARCODE
488881	20 ml	CLEAR	10	5029347601096

For de-bonding cured cyanoacrylate adhesive from most common surfaces e.g. steel, plastic, wood, glass and rubber. Can also be used on skin when applied as per instructions.

Stick 2
Thread Lock GP

SGAN	SIZE	COLOUR	QTY	BARCODE
486668	10 g	BLUE	10	5029347601720

Medium strength anaerobic, allows for disassembly, thixotropic non-drip formula For nuts, bolts, screws and threads. Can be used on oil contaminated parts.

Metal

Stick 2 Instant Bond
Contact Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
489420	30 ml	BEIGE	10	5029347601607

Stick 2 Contact Adhesive is a premium grade rubber contact adhesive suitable for internal and external use with laminate, trim, wood, rigid PVC, ABS, leather, cork and metals. Instant bond.

Stick 2
Hard Plastic Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
482347	30 ml	CLEAR	10	5029347601638

Stick 2 Hard Plastic Adhesive is a strong, clear, quick drying adhesive suitable for bonding most types of hard plastic such as rigid PVC, acrylic, polycarbonate and ABS. Ideal for use on non-pressure pipework, and numerous household applications.



Laminates / Timber / Cork / Metal

Stick 2 All Purpose Superglue
Tube and Bottle

SGAN	SIZE	COLOUR	QTY	BARCODE
483372	3 g	–	12	5029347600013

Stick 2 All Purpose Superglue fills gaps up to 0.1mm and bonds non-porous surfaces such as plastics, metals, PVCu, rubber, ceramics and much more. 1 minute instant bond, perfect where a fast set is required. Re-sealable cap.

PVCu / Plastic / Glass / Metal

Stick 2
Touch Up Enamel

SGAN	SIZE	COLOUR	QTY	BARCODE
487746	25 ml	–	10	5029347609580

A high quality gloss enamel that provides superior rust protection and dries to a mirror like finish. It is ideal for touching up scratches and chips or enamel and lacquer damages on bathroom fixtures, kitchen appliances and ceramics. It provides excellent colour and gloss retention, even after repeated cleaning.

Stick 2 Rapid Epoxy
Syringe Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
483851	24 ml	–	12	5029347601645

Stick 2 Rapid Epoxy Syringe is an industrial strength two part clear adhesive which sets hard in 10 minutes. Will bond most common materials and once cured may be drilled, sanded or painted. For industry and home.

Metal / Glass / Wood / Ceramics

Mitre Fast
Kit

SGAN	SIZE	COLOUR	QTY	BARCODE
489755	STD	CLEAR	6	5029347601119
462029	STD	CLEAR	24	5029347611637
489750	LRGE	CLEAR	6	5029347601126

Mitre Fast Bonding Kit is a two part instant adhesive system comprising a cyanoacrylate adhesive and aerosol activator. Mitre Fast is mainly used in the furniture, timber, kitchen and plastics industries where its instant bonding properties dramatically reduce assembly times for mitre joints.

For Professional Use Only



Timber / Plastics / Metal

LANDSCAPING

From installation to protection, we've got it covered

Every outdoor project comes with challenges, from achieving a perfect finish at installation to keeping surfaces protected year after year. Sika provides a complete range of solutions to make landscaping simpler, stronger, and longer lasting.

- **Installation:** Easy-to-use jointing compounds for fast, stable finishes.
- **Cleaning and Restoring:** Cleaners and treatments to revive weathered stone and paving.
- **Sealing and Protecting:** High-performance sealers guard against stains, moisture, and wear.

With Sika, your landscape looks great from day one and stays protected for years.

Jointing Compounds 50
Surface Cleaners and Treatments 53
Sealing and Protecting 56

Sika® FastFix All Weather
Paving Jointing Compound

FOR USE ON JOINTS FROM JUST 20MM DEEP

EASY TO APPLY – FAST TO SET

ACTS AS A BARRIER FOR WEED GROWTH

NO WASTE – STORE AND REUSE ONCE OPENED

SGAN	SIZE	COLOUR	QTY	BARCODE
626733	15 kg	CHARCOAL	1	5055492703125
669017	15 kg	DARK BUFF	1	5055492703644
669016	14 kg	DEEP GREY	1	5055492703637
626734	15 kg	FLINT	1	5055492703118
626320	15 kg	STONE	1	5055492703101

A self-setting paving jointing compound that provides the ideal solution to perfect pointing on paving, paths and patios. Containing a unique formula, Active Resin Technology for advanced durability, Sika® FastFix All Weather is ready to use with no mixing required. Suitable for use in all weather conditions; even in the rain. This product will not shrink or crack over time. Available in 5 colours.

Colour swatches are a guide only and may vary.

SikaCeram® FlowFix
Porcelain Paving System

SikaCeram® FlowFix is a high performance porcelain paving installation system, consisting of a bonding primer and jointing compound.

SikaCeram® FlowFix Bonding Primer is used to provide an exceptional bond between porcelain paving and the bedding mortar. Mixed solely with water, SikaCeram® FlowFix Bonding Primer is applied with a brush or roller to the rear of the paving when laying, to prevent the paving system breaking away from the mortar bed.

SikaCeram® FlowFix Jointing Compound is a controlled, cementitious flowable jointing grout which is applied by mixing with water on site. SikaCeram® FlowFix Jointing Compound is poured over joints with ease and worked into other exposed joints by squeegee. Once dry, the surplus is simply washed off. SikaCeram® FlowFix Jointing Compound is a highly workable product that is non-permeable once cured.

SikaCeram® FlowFix
Bonding Primer



SGAN	SIZE	COLOUR	QTY	BARCODE
907593	20KG	GREY	1	5055492703286

SikaCeram® FlowFix
Jointing Compound



SGAN	SIZE	COLOUR	QTY	BARCODE
907670	15KG	IVORY	1	5055492703972
907596	15KG	LIGHT GREY	1	5055492703965
907595	15KG	DARK GREY	1	5055492703989
907594	15KG	BUFF	1	5055492703996

Colour swatches are a guide only and may vary.

Sika® Block Paving Fix
Narrow Paving Joint Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
906370	15 kg	BUFF	1	5055047209188
879940	20 kg	BUFF	1	5055492700223

An easy-to-use, fast-acting moisture-curing jointing compound designed to provide a durable, low-maintenance finish. Sika® Block Paving Fix is suitable for all types of block paving and is ideal for narrow joints under 5 mm, with optimal performance at 3–4 mm. It can be simply poured or swept into joints and activated with water. Once cured, it resists washout, shrinkage, and cracking over time.



Sika® Mouldbuster
Mould and Algae Treatment

SGAN	SIZE	COLOUR	QTY	BARCODE
905719	5 L	–	4	5055047209096

A powerful treatment which is effective on most surfaces. Sika® Mouldbuster works to remove algae, mould and green growth over several weeks, but results can be seen in days. Simply spray and leave to dry - no need for scrubbing or pressure washing.

Sika® Brick and Patio Cleaner

SGAN	SIZE	COLOUR	QTY	BARCODE
102476	5 L	–	4	5055047200581

A fast acting, acid based cleaning solution for brickwork, concrete and paving. Sika® Brick and Patio Cleaner contains a powerful formula that dissolves mortar and cement stains, ingrained dirt and efflorescence on mineral surfaces.

Sika® Dustproofer & Concrete Hardener
Concrete Surface Hardener

SGAN	SIZE	COLOUR	QTY	BARCODE
879841	5 L	–	4	5029347004354

The smart, ready-to-use solution for turning dusty or weak concrete floors into strong, wear-resistant surfaces. Whether you're sealing a new garage floor or reviving an old one, this advanced formula reacts chemically with the lime content of concrete to form a hard wearing surface and stop dust in its tracks. Certified to BS EN 1504-2.

Sika® 404 Fungicidal Wash
Mould, Fungi and Algae Treatment

SGAN	SIZE	COLOUR	QTY	BARCODE
879881	5 L	–	4	5029347004453

A powerful and fast-acting fungicidal wash that eliminates mould, algae, green slime, and lichen from a wide range of surfaces, both internally and externally, such as paths, patios, roofs, greenhouses, sheds and fences, grout, sealant, plaster, wallpaper and more.

Sika® Stabilising Solution

SGAN	SIZE	COLOUR	QTY	BARCODE
879950	5 L	-	4	5029347601508

A microscopically fine polymer emulsion which penetrates dusty / chalky and badly weathered surfaces to leave a stable and sound base for decoration with paint, wallpaper, tiling or other material finishes. Suitable for both interior and exterior.

Everbuild® Patio Wizard

SGAN	SIZE	COLOUR	QTY	BARCODE
484818	5 L	-	4	5029347606312

Patio Wizard kills algae, green growth, mould and fungi on patios, paths, driveways and all hard surfaces. It is so easy to use, just apply and leave to dry, no need for any washing off, scrubbing or pressure washing. Supplied as a concentrate that dilutes with water at 1:10 i.e. 5 L makes 50L and 1 L makes 10L.

Sika® Cement & Mortar Stain Remover

SGAN	SIZE	COLOUR	QTY	BARCODE
880609	5 L	-	4	5029347611026

Sika® Cement & Mortar Stain Remover is a multi-purpose cleaner designed for the effective removal of wet and cured cement, concrete and mortar stains from most mineral surfaces, including walls, paths, and patios. As an alternative to hydrochloric acid it is safe for use on metal tools and equipment such as cement mixers. It will also help remove salts and efflorescence from mineral substrates and can be used as a general cleaner for removing ingrained dirt. The highly concentrated formula can be diluted up to 10 times with water to suit a variety of applications.

Sika® Driveway Restorer

SGAN	SIZE	COLOUR	QTY	BARCODE
879951	5 L	-	4	5029347612856

A high performance surface coating specially formulated to make tired old tarmac look just like new. Sika® Driveway Restorer provides a tough, durable, low sheen finish which protects from weathering and oil spills, as well as unsightly plant and weed growth. Driveway restorer is easy to apply, provides long term protection and restores the deep, black finish of your tarmac. As it is quick drying, driveways can be used after only 4 hours following application.



Sika® Oil Remover

SGAN	SIZE	COLOUR	QTY	BARCODE
880502	1 L	-	12	5029347611187

Sika® Oil Remover is a ready to use high performance cleaner for drives, paths and patios. The quick and easy solution for removing oil, petrol, diesel, and grease stains from driveways, garage floors and BBQ areas. It works on most common surface types including block paving, natural stone, concrete, tarmac, and most common paving materials. Sika® Oil Remover can also be used as a general cleaner to revive the look of pathway and patio areas.

Sika® Efflorescence Remover

SGAN	SIZE	COLOUR	QTY	BARCODE
880503	5 L	-	4	5029347611200

Sika® Efflorescence Remover eliminates salt and unsightly white efflorescence from bricks and concrete. A biodegradable formula that works on walls, paths and patios, and can be poured, sprayed or brushed on.

Resiblock Superior
Block Paving Sealer

SGAN	SIZE	COLOUR	QTY	BARCODE
116918	5 L	GLOSS	4	5036143000015
119626	5 L	NATURAL	4	5036143000312
116919	25 L	GLOSS	1	5036143000022
119627	25 L	NATURAL	1	5036143000244

A urethane based, low-viscosity, paving sealer and jointing sand stabiliser that protects the paver face from oil and water infiltration.



Resiblock Indian Sandstone Sealer
Invisible

SGAN	SIZE	COLOUR	QTY	BARCODE
173783	5 L	INVISIBLE	4	5036143000039

A urethane based, low-viscosity, surface sealer that provides long-term resistance against staining and algae growth for paths, patios and driveways. Resiblock Indian Sandstone Sealer Invisible lasts up to five years and can be applied in one simple coat.



Resiblock Indian Sandstone Sealer
Colour Enhancer

SGAN	SIZE	COLOUR	QTY	BARCODE
171756	5 L	-	4	5036143000237

A urethane based, low-viscosity surface sealer and colour enhancer. Resiblock Indian Sandstone Colour Enhancer incorporates a completely unique moisture curing system to enhance Indian Sandstone or coloured concrete products.



Resiblock Trade
All Purpose Paving Sealer

SGAN	SIZE	COLOUR	QTY	BARCODE
171755	5 L	-	4	5036143000503
171757	25 L	-	1	5036143000510

A solvent free, all purpose sealer that is suitable for concrete and clay paving as well as most forms of natural stone. Resiblock Trade is ideal for binding jointing sand, sealing the surface of concrete block paving.

Need a quick fix before you clean and treat? Check out our Concrete and brick repair range.

pages 152-153

Sika® Path & Patio Sealer

SGAN	SIZE	COLOUR	QTY	BARCODE
880086	5 L	CLEAR	4	5055047206354
879865	25 L	CLEAR	1	5029347000660

A low odour, water based, acrylic coating that is ideal for sealing and protecting patios, paths, driveways and block paving. Sika® Path & Patio Sealer protects against the effects of water, petrol, and green growth. The milky solution dries to a clear hard-wearing, water-repellent film which gives a low sheen slip-resistant finish.

Sika® Water Sealer

SGAN	SIZE	COLOUR	QTY	BARCODE
880435	5 L	CLEAR	4	5029347004255
880436	25 L	CLEAR	1	5029347004262

Sika® Water Sealer is a high performance transparent water repellent specifically designed to prevent water penetration on mineral substrates such as brick, stone, masonry, pebble dash and render without trapping moisture. Formulated with advanced silicone technology, it penetrates deep into mineral surfaces to repel water and moisture, but will still enable the surface to breathe.

Sika® Stone Protector

SGAN	SIZE	COLOUR	QTY	BARCODE
905916	5 L	CLEAR	4	5055047210993

A water-based solution which is suitable for all forms of porous stone. Once applied to a surface, Sika® Stone Protector resists stains without changing the aesthetic look of the surface it is applied to.

Sika® Block Paving Sealer

SGAN	SIZE	COLOUR	QTY	BARCODE
881569	5 L	CLEAR	4	5029347603083
881477	25 L	CLEAR	1	5029347605780

A clear solvent based acrylic coating designed to bind jointing sand and form a durable seal over block paving and other mineral paver/flags. It penetrates deeply into pavers and jointing sand and then dries by solvent evaporation.



Sika® Waterproofer & Protector

SGAN	SIZE	COLOUR	QTY	BARCODE
881620	5 L	CLEAR	4	5055047210580

A solvent based treatment that provides long term protection against water and damp. It penetrates deeply into porous surfaces to create a hydrophobic barrier while allowing the surface to breathe.



WOOD CARE

Protecting wood. Preserving strength.

Wood faces threats from decay, insects, moisture, and fungi. Sika's Woodcare range provides reliable solutions to stop problems at the source and protect against future damage.

- **Targeted Treatments:** Powerful formulas like Sika 5 Star Wood Treatment, Woodworm Killer, and Masonry Dry Rot tackle infestations and halt deterioration.
- **Lasting Preservation:** Deep-penetrating preservatives defend against rot, fungi, and weathering.
- **Trusted Performance:** From structural timbers to garden furniture, Sika keeps wood strong, durable, and looking its best.

Treatments and Preservatives 62

Sikagard®
Universal 5 Star Wood Treatment

SGAN	SIZE	COLOUR	QTY	BARCODE
422881	5 L	CLEAR	4	5055047210344

All-in-one treatment for wet rot, dry rot, fungi and wood-boring insects.

A deep-penetrating, low-odour treatment formulated with Micro-fine active technology to kill and protect against all common wood rot, decay and insect attack. Suitable for both internal and external use, it can be applied to damp timbers without loss of performance. Fast-drying, non-flammable, and ideal for long-lasting protection across all wood and joinery.

Sikagard®
Woodworm Killer

SGAN	SIZE	COLOUR	QTY	BARCODE
408177	5 L	CLEAR	4	5055047210368

Targeted treatment for all life stages of wood-boring insects.

A low-solvent, low-odour treatment formulated with Micro-fine active technology to penetrate deep into timber, killing woodworm and protecting against re-infestation.



Wood Preserver

SGAN	SIZE	COLOUR	QTY	BARCODE
482976	1 L	CLEAR	10	5029347802011
482977	5 L	CLEAR	4	5029347802035

Wood Preserver is a low-odour, deep-penetrating solution that protects wood from rot, decay, fungi, insects, and blue stain. Suitable for most interior and exterior wood, it contains micro-fine actives for lasting protection. Quick-drying and lightfast, it delivers even, long-lasting colour.



Triple Action
Wood Treatment

SGAN	SIZE	COLOUR	QTY	BARCODE
483183	1 L	CLEAR	10	5029347801014
483185	5 L	CLEAR	4	5029347801038
483186	25 L	CLEAR	1	5029347801045

Triple Action Wood Treatment delivers complete wood care in one can – treating, protecting, and preserving in a single step. Its deep-penetrating formula defends against wet rot, dry rot, fungi, and wood-boring insects and larvae. With micro-fine actives for lasting protection, it kills, protects, and preserves from the inside out.



Sikagard®
Wood Preserver

SGAN	SIZE	COLOUR	QTY	BARCODE
172046	5 L	Clear	4	5055047210436

Deep-penetrating protection against wet rot, dry rot and fungi.

A low-odour, fast-drying wood preserver formulated with Micro-fine active technology for superior penetration and long-lasting protection. Contains advanced fungicides and algaecides to prevent wood decay and rot. Non-flammable and suitable for application to damp timbers without loss of performance.



ROOFING

Repair and protect with ease

Reliability and performance are critical when it comes to roofing. Sika's range of repair and protection products ensure lasting results for both residential and commercial roofing applications.

- **Bitumen-based:** From paints, primers, and coatings, to adhesive, trowel mastic, and emulsions, our range of bitumen products has your roof covered.
- **Repairs made easy:** Whether looking for an instant fix or a lasting repair, our waterproof solutions instantly stop leaks in their tracks.
- **Introducing Cromar:** Following the acquisition of Cromar Building Products, even more roofing solutions are now available through Sika, providing professional grade products for the roofing installer.

Whether looking for a waterproofing system for new roof, or refurbishing an old installation, Sika has the answer.

Roof Repair	**66**
Flashing	**69**
Bitumen	**70**
Cromar Roofing	**72**

Sika® Evercryl One Coat
Roof Repair Compound

CAN BE USED IN THE WET

NO PRIMER NEEDED

ONE COAT APPLICATION

APPLY WITH A BRUSH

Sika® Evercryl is a resin based, fibre re-enforced* roof repair compound which is effective on all common roofing surfaces, giving instant roof repairs even in the wet and on wet surfaces. May also be applied in frosty conditions down to -5°C.

Sika® Evercryl is instantly waterproof when applied, there is no fear of wash off so emergency leaks can be tackled immediately as there is no need to wait for the rain to stop. Sika® Evercryl is brush applied and dries to a smooth seamless flexible membrane which resists algae and fungal growth. Because of the high level of fibre reinforcement, Sika® Evercryl will bridge small cracks and requires only a one coat brush application to give instant and total water protection, even in areas subject to ponding. Sika® Evercryl requires no primer on sound non-porous surfaces. Specifically designed for the following applications: general sealing, maintenance, repair and waterproofing of most common roofs in wet or dry conditions – for use on concrete, fibre/cement, roofing felt, mastic asphalt, existing bituminous roof coatings, rigid PVCu, corrugated iron, metals, slates, brickwork, tiles, lead, copper and zinc.

*Excludes translucent.

SGAN	SIZE	COLOUR	QTY	BARCODE
851572	2.5 kg	BLACK	6	5029347600969
851479	5 kg	BLACK	4	5029347600976
851528	1 kg	TRANS	12	5029347612658
851590	5 kg	TRANS	4	5029347612665
851469	1 kg	GREY	12	5029347609658
851478	2.5 kg	GREY	6	5029347600709
851569	5 kg	GREY	4	5029347600716
851548	20 kg	GREY	1	5029347600723
851555	5 kg	WHITE	4	5029347600686



Sika® Evercryl
Emergency Roof Repair Cartridge

SGAN	SIZE	COLOUR	QTY	BARCODE
851509	C3	GREY	12	5029347612368
851580	C3	CLEAR	12	5029347612375

Sika® Evercryl Emergency Roof Repair is an emergency repair aid for use on external roofing applications. The formula has a gel consistency to allow it to be cartridge applied while still containing the top quality fibres that you expect with Sika® Evercryl. The product is applied through a special 'duck bill' shaped nozzle ideal for emergency repairs to gaps, cracks and holes in roofs, gutters, flashing, upstands and felt. It even works in wet conditions so there is no need to wait for the rain to stop.



Lead Mate
Patination Oil

SGAN	SIZE	COLOUR	QTY	BARCODE
489040	500 ml	–	10	5029347608927
489041	1 L	–	10	5029347608873

Specially formulated to provide a protective coating for newly installed leadwork, that helps to prevent the white carbonate staining that affects new lead and surrounding tiles, brickwork, and stonework. Just one coat of Patination Oil helps to provide a uniform attractive appearance to newly installed lead and helps the ageing process whilst the natural patina of the lead is being formed.



SikaSeal® Lead provides the perfect finish

See page 14 within the Sealant section

SikaRoof® Liquid Membrane
All Weather Roofing System

SGAN	SIZE	COLOUR	QTY	BARCODE
881237	7 kg	SLATE GREY	4	5029347614164
881238	21 kg	SLATE GREY	1	5029347614171
Sikalastic Fleece-120				
97480	50m	-	1	7612894436402

An easy to use, all weather roofing system ideal for waterproofing flat or pitched roofs.

SikaRoof® Liquid Membrane is a one-component, fast curing, polyurethane based waterproofing system for flat and pitched roofs.

Applied in two coats by brush or roller, SikaRoof® Liquid Membrane creates a solid, seamless, waterproof membrane that remains permanently flexible, making it the ideal solution for new installations, the refurbishment of old or to overlay most common roofing substrates.

SikaRoof® Liquid Membrane comes ready to use and is cold applied by brush or roller, using moisture in the air to cure meaning no additional catalyst is required. And what's more, it will cure in many weather conditions becoming completely rain resistant in just 10 minutes, even if a pool of water forms on top of it.

Suitable for use on a variety of substrates, SikaRoof® Liquid Membrane is compatible with concrete, mortar, stone, fibre cement, roof tiles and metals. Not only that but it can also be applied to wood, asphalt, roofing felt and bituminous coatings with the use of full reinforcement in the form of Sikalastic Fleece-120.

PU WATERPROOFING LIQUID MEMBRANE FOR FLAT AND PITCHED ROOFS

FAST CURING – RAIN RESISTANT IN 10 MINUTES

MOISTURE CURING TECHNOLOGY – NO CATALYST REQUIRED

FOR NEW ROOFS AND REFURBISHING OLD ROOFS

STEP ONE
Ensure all surfaces are sound, clean and free from dust and loose friable material.

STEP TWO
Apply the first coat of SikaRoof® Liquid Membrane liberally at a thickness of 1mm, by brush or solvent-resistant roller.

STEP THREE
If required, apply Sikalastic Fleece-120 on top of the first coat whilst still wet, overlapping the edges.

STEP FOUR
Apply a second coat at a similar thickness to the first, immediately after laying the fleece.

For full application instructions, please refer to latest Product Data Sheet or contact the Sika Technical Team.

Black Jack
Self Adhesive Flashing Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
852561	75 mm	LEAD LOOK	8	5029347099015
852562	100 mm	LEAD LOOK	6	5029347099022
852563	150 mm	LEAD LOOK	4	5029347099039
852564	225 mm	LEAD LOOK	2	5029347099046
852565	300 mm	LEAD LOOK	2	5029347099053
852566	450 mm	LEAD LOOK	1	5029347099060

Black Jack self adhesive flashing with natural lead-look finish. All available in 10mtr long rolls.

Black Jack 901
Black Bitumen Paint

SGAN	SIZE	COLOUR	QTY	BARCODE
852657	1 L	BLACK	12	5029347009113
852658	2.5 L	BLACK	6	5029347009120
852659	5 L	BLACK	4	5029347009151
852660	25 L	BLACK	1	5029347009137

Black Bitumen Paint is a solvent based, full bodied black bituminous paint. When dry, the product forms an odourless and taint free black film suitable for metal protection, and overcoating felt.

Black Jack 902
Bitumen and Flashing Primer

SGAN	SIZE	COLOUR	QTY	BARCODE
852670	1 L	BLACK	12	5029347009212
852671	5 L	BLACK	4	5029347009250

Bitumen and Flashing Primer is a thin primer that prepares substrates for bitumen paints, roof coatings and flashings. By creating a better grip on the substrate, Bitumen and Flashing Primer ensures long-lasting and professional finish

Black Jack 903
Bitumen Trowel Mastic

SGAN	SIZE	COLOUR	QTY	BARCODE
852672	1 L	BLACK	12	5029347009311
852673	2.5 L	BLACK	6	5029347009328
852674	5 L	BLACK	4	5029347009359

A trowel applied, black, heavily filled bituminous compound with added fibres for reinforcement. The product forms a surface skin, but the mass below remains soft to allow for moderate movement. Suitable for sealing and filling holes in mastic asphalt, roofing felt, corrugated iron, metal guttering and downpipes.

Black Jack 904
Roof Felt Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
852650	1 L	BLACK	12	5029347009410
852651	2.5 L	BLACK	6	5029347009427
852652	5 L	BLACK	4	5029347009458
852653	25 L	BLACK	1	5029347009434

Roof Felt Adhesive is a cold applied, oxidised bitumen based adhesive used to bond roofing felt to most surfaces. Specifically designed for bonding all types of roofing felt to metal and concrete, sealing felt laps and as a cold gritting solution for bonding mineral chippings.

Black Jack 905
All Weather Roof Coating

SGAN	SIZE	COLOUR	QTY	BARCODE
852567	5 L	BLACK	4	5029347009557
852568	25 L	BLACK	1	5029347009533

A solvent based, full bodied black brushable bitumen compound with added fibres for reinforcement. It is an effective general purpose roof coating that is resistant to wash off by rain almost immediately. The product is specifically designed for general waterproofing in all roofing applications.

Black Jack 906
Bitumen Roofing Emulsion

SGAN	SIZE	COLOUR	QTY	BARCODE
852666	5 L	BLACK	4	5029347009656

Bitumen Roofing Emulsion is a stable bitumen/water emulsion of medium brushing consistency which dries to a black, flexible coating. The product is specially designed for general waterproofing of roofs and provides protection against corrosion of pipes and structural steelwork.

Black Jack 907
Solar Reflective Paint

SGAN	SIZE	COLOUR	QTY	BARCODE
852668	5 L	SILVER	4	5029347009755
852667	25 L	SILVER	1	5029347601027

Solar Reflective Paint is a thin bituminous based aluminium protective paint of brushable consistency which dries to a silvery finish. The product is specifically designed for application over primed metal walls and roofs to reduce heat absorption.

Black Jack 908
DPM

SGAN	SIZE	COLOUR	QTY	BARCODE
852663	5 L	BLACK	4	5029347009854

DPM is an rubber enriched bitumen emulsion which provides a highly effective sandwich damp proof membrane for floors. Acts as a waterproofer for walls, above ground structures and foundations. DPM is also suitable as an adhesive for wood block and mosaic panels, insulation boards etc.

CROMAR®
Building Products

A SIKA COMPANY

HYDROSIL®

Professional Grade 100% Silicone Roof Coating

Hydrosil is a highly reflective Fluid Applied Professional Grade Silicone Coating System used to coat all existing roofing substrates. Silicone durability – excellent long term resistance to natural weathering including extreme temperatures, UV, rain and snow.

HYDROSIL SEAM SEALER & DETAILER.

Multi-purpose product.

A premium silicone based multi-purpose detailer for protection of seams, penetrations and fasteners on various roofing substrates. Forms a durable, breathable and weatherproof barrier that is highly resistant to degradation from UV and natural weathering.

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
AHYDSIL/SSD	887263	7.5 L	GREY	1	5036684022477

HYDROSIL SILICONE ROOF COATING.

A high performance, moisture curing liquid applied premium silicone coating. With superior coverage, Hydrosil covers over one and a half times that of a standard PU coating. Fast curing, durable, watertight and weatherproof barrier and excellent UV resistance are just some of the product benefits.

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
AHYDSIL/501	886746	3.78 L	GREY	4	5036684022460
AHYDSIL/601	888997	18.9 L	GREY	1	5036684022453

HYDROSIL REINFORCEMENT ROLL.

A non-woven, spun bonded 100% polyester used with the Hydrosil Seam Sealer & Detailer to reinforce seams, penetrations, joints or transitions that are subjected to high shear.

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
AHYDSIL/ROLL	887212	150mm x 100m	WHITE	1	5036684022484

HYDROSIL Silicone Roof Coating

A high performance, moisture curing liquid applied premium silicone coating.

NEW DECK	OVERLAY	TRADE / PROFESSIONAL USE	DIY USE	SUBSTRATES	BASE	PRIMER REQUIRED	REINFORCEMENT	TRAINING
✗	✓	✓	✓	Most common roofing substrates	SOLVENT	✗	✓	✗

COVERAGE: 1L /1.25m²

Grey

18.9Ltr 3.78Ltr

ACRYPOL+

Acrypol + known as the original waterproof coating, can be applied during damp weather conditions and still provide a long-term solution to waterproofing problems, including flat roof repair.

ACRYPOL+

Acrypol+ is a total roof coating waterproof system developed to refurbish failed industrial, commercial or domestic flat roofs and is also ideal for general property maintenance as well as patch repairs. Brush applied as a semi liquid paste; it dries to form an ultra-tough, seamless flexible overlay.

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
ACRYPOL/2.5	887188	2.5 kg	GREY	8	5039053000519
ACRYPOL/5	887200	5 kg	GREY	4	5039053000601
ACRYPOL/20	887189	20 kg	GREY	1	5039053000618
ACRY/FSOLB/5	887202	5 kg	BLACK	4	5039053000007
ACRY/FSOLB/20	887201	20 kg	BLACK	1	5039053000014
ACRY/FSOLW/5	887204	5 kg	WHITE	4	5039053000625
ACRY/FSOLW/20	887203	20 kg	WHITE	1	5055510239650

ACRYPOL SCRIM

Used when extra reinforcement is required, for example cracks in corrugated asbestos, gutters, splits in felt and asphalt roofing.

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
ACRY/SCRIM/15	887421	15cm x 20m	WHITE	5	5039053000205

ACRYPOL+ Acrylic Roof Coating

Known as the original waterproof coating, Acrypol+ can be applied during damp weather and still provide a long-term solution to waterproofing problems, including flat roof repair.

NEW DECK	OVERLAY	TRADE / PROFESSIONAL USE	DIY USE	SUBSTRATES	BASE	PRIMER REQUIRED	REINFORCEMENT	TRAINING
✗	✓	✓	✓	Most common roofing substrates	SOLVENT	✗	✓	✗

COVERAGE 1 kg/m²

Grey White Black

20kg 5kg 2.5kg

METALKOTE

Waterproof Coating For Metal Roofs

METAL-KOTE

A fast acting, cost effective way to revive failing metal roofs – at around 40% of the cost of replacement and without any downtime. This single coat, cold applied system renovates and waterproofs ageing metal and plastic coated roofs, tackling flaking, rusting and peeling surfaces with no primer required. Its high performance formula delivers 100% waterproofing, exceptional adhesion and even seals small tears in metal roofing.

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
ACRY/GWG20	904164	20 kg	GOOSEWING GREY	1	7612655270856

RubberCoat
LIQUID RUBBER ROOF COATING

RUBBERCOAT

A versatile, durable coating designed to protect and bond to almost any surface, including concrete, masonry, wood, brick, metal, foam and more. Easy to apply by brush, roller or squeegee, it delivers a flexible, seamless finish with excellent UV, adhesion and chemical resistance. Built to withstand freeze–thaw cycles, it resists cracking, chipping, peeling, impact and abrasion for long lasting performance.

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
ARC/3.78	903252	3.78 l	BLACK	1	7612655268808
ARC//18.9	903251	18.9 l	BLACK	1	7612655266699

Building on advanced GRP technology, PROGRP delivers all weather protection for any flat roof. Suitable for everything from small domestic roofs to large industrial environments, it offers a tough, long lasting waterproofing solution backed by Sika's proven expertise.

PROGRP®
ADVANCED GLASSFIBRE ROOFING SYSTEM

PROGRP Roofing System

PROGRP can be applied in small domestic situations right through to large industrial environments.

NEW DECK	OVERLAY	WARRANTY (YEARS)	LIFE EXPECTANCY (YEARS)	TRADE / PROFESSIONAL USE	DIY USE	SUBSTRATES	BASE	PRIMER REQUIRED	REINFORCEMENT	TRAINING
✓	✗	25*	25+	✓	✗	Most common roofing substrates	SOLVENT	✗	✓	✓

Grey 20kg 10kg

Broof (t4) EN 13501-5

PROGRP TOP COAT

Part of the PROGRP Roofing System, this brush or roller applied top coat is cold applied and fully bonds to the membrane to create a durable, seamless, long lasting finish. Designed for reliable all weather protection and a complete system build up.

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
G25/TOP10FR	903354	10 kg	DARK GREY	1	7612655269300
G25/TOP20FR	903353	20 kg	DARK GREY	1	7612655268990

PROGRP RESIN

Cold applied and easy to form around complex roof details, PROGRP Resin delivers a tough, durable layer that stands up to foot traffic. As a core component of the PROGRP Roofing System, it provides strong bonding and long lasting performance backed by Sika's proven technology.

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
G25/RES10	903440	10 kg	-	1	7612655268761
G25/25RESIN20	903441	20 kg	-	1	7612655268778

PROGRP FINISHING TISSUE

Designed for neat, professional finishes on visible moulded corners and around roof penetrations. This fine glassfibre tissue helps smooth out details, ensuring a clean, uniform appearance across the PROGRP Roofing System.

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
GTISH	904037	100 mm x 250 m	WHITE	1	7612655270801

PROGRP FIBREGLASS MATTING

Part of the PROGRP Glassfibre Roofing System, this high strength matting is sandwiched between two layers of PROGRP Resin to create a tough, durable and fully reinforced laminate. Essential for delivering long lasting performance across all PROGRP installations.

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
GMAT/15	903550	1 m x 15 m	-	4	7612655270092
GMAT/16.5	903489	1 m x 36 m	-	4	7612655270085
GMAT/35600	903552	1 m x 55 m	-	4	7612655270115
GMAT/35	903551	1 m x 70 m	-	4	7612655270108

PROGRP HARDENER

A reliable catalyst formulated to ensure consistent curing of unsaturated polyester resins and topcoats. An essential component for achieving strong, predictable performance across the PROGRP Roofing System.

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
GH/1	904036	1 kg	-	12	7612655270672
GH/5	904035	5 kg	-	1	7612655270689

GLASS FIBRE JOINTING BANDAGE

Designed for taping joints and seams on GRP roofs, this glass fibre bandage uses an emulsion bound mat to provide strong, reliable reinforcement. An essential component of the PROGRP Roofing System, helping create a smooth, durable and long lasting finish.

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
GB/ROLL	903553	100 mm x 75 m	WHITE	10	7612655270122

High performance resin and topcoat system designed for reliable GRP roofing applications. Provides strong bonding, long lasting durability and a professional finish, making it ideal for trade contractors working across domestic and commercial projects

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
Contractor G25 Resin	G25/RES10C	904032	10 kg	-	1	7612655270665
Contractor G25 Resin	G25/RES20C	904031	20 kg	-	1	7612655270658
Contractor G25 Topcoat	G25/TOP10C	910080	10 kg	-	1	7612655270665
Contractor G25 Topcoat	G25/TOP20C	910081	20 kg	-	1	7612655270658

GRP TRIMS & ACCESSORIES

A complete range of purpose-designed trims and accessories engineered to ensure professional detailing and long-term performance across PROGRP and Flexiglass roofing installations.



WALL FILLET TRIM (D TRIM)

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
D260 Wall Fillet Trim	GD260/RSAT-1	902702	100 mm	GREY	10	5036684006477
D300 Wall Fillet Trim	GD300	904759	170 mm	GREY	10	7612655271853

RAISED ANGLE TRIM

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
Internal Raised Angle Trim	GINT/195.RS/INT	904169	-	GREY	10	7612655270931
External Raised Angle Trim	GEXT/195/RS/INT	909987	-	GREY	10	7612655271853





RAISED EDGE TRIMS (B TRIM)

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
Raised Edge Trim	GB230/RSRT-1	903751	105 mm	GREY	10	7612655270238
Raised Edge Trim	GB260/RSRT-2	902825	127 mm	GREY	10	7612655267610
Raised Edge Trim	GB/300	904165	177 mm	GREY	10	-



RIDGE CLOSURE

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
C5 Large Roof F Ridge Closure E280	GA/C5	903977	-	GREY	1	7612655270610
C6 Small Roof Ridge Closure	GA/C6	903976	-	GREY	1	7612655270603

FILLET CORNER

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
C3 External Fillet Corner	GA/C3EXT	904160	-	GREY	1	7612655270832
C3 Internal Fillet Corner	GA/C3INT	904161	-	GREY	1	7612655270849





STANDARD CORNER

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
C1 External Corner	GA/C1	904039	-	GREY	1	7612655270825
C4 Internal Corner	GA/C4	903978	-	GREY	1	7612655270627

FILLET TO TRIM

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
C2 Fillet to Trim corner Left	GA/C2	903979	-	GREY	1	7612655270634
C2 Fillet to Trim corner Right	GA/C2R	904030	-	GREY	1	7612655270641





FLAT SHEET (F TRIM)

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
F300 Flat Sheet	GF300	904242	20 m	GREY	1	7612655270993

LEAD FLASHING (C TRIM)

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
C100 Simulated Lead Flashing Trim	GC100/RSLT-1	902824	-	GREY	10	7612655267603



EXPANSION JOINT (E TRIM)

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
E280 Expansion Joint	GEXP	902703	-	GREY	10	5036684006569



RAINWATER OUTLETS

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
Rainwater Outlet for Internal Drain	GA/7116	902708	4 inch	GREY	1	7612655267443
Pipe Collar Rainwater Outlet	GA/117	902706	2 inch	GREY	1	7612655267429
Through Wall Parapet Outlet	GA/7115	902845	-	GREY	1	7612655267764

TRIM ADHESIVE

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
Trim Adhesive	MPHM/031	904810	300 ml	GREY	-	7612655271860



LAMINATING ROLLERS

DESCRIPTION	CROMAR CODE	SGAN	SIZE	QTY	BARCODE
Laminating Roller	GBB/70	903358	70 mm x 21 mm	10	7612655269355
Laminating Roller	GBB/140	903355	140 mm x 21 mm	10	7612655269379
Laminating Roller	GBB/225	903356	225 mm x 21 mm	10	7612655269317
Laminating Roller	GBB/225/40	903357	225 mm x 45 mm	10	7612655269331

RESIN APPLICATOR ROLLER

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
Roller	GROLL/3	903363	3"	-	10	7612655269461
Roller	GROLL/7	903364	7"	-	7	7612655269485
Roller	GROLL/9	903365	9"	-	9	7612655269508



ROLLER REFILLS

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
Roller Refill	GFILL/3	903366	3"	-	20	7612655269522
Roller Refill	GFILL/7	903367	7"	-	6	7612655269546
Roller Refill	GFILL/9	903368	9"	-	6	7612655269560

WHITE TUB

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
White Tub	SEMPTY/10	903338	10 L	WHITE	1	7612655268945
White Tub	SEMPTYT/501	903339	5 L	WHITE	1	7612655268952

BUCKETS

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
Mixing Bucket	SEMPTYGRP/12.5	903359	10 L	CLEAR	1	7612655269393
Graduating Bucket	GBUCK/10	904168	14 L	-	1	7612655270924

BRUSHES

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
PROGRP Paint Brush	GPB/2	903360	2"	-	12	7612655269409
PROGRP Paint Brush	GPB/3	903361	3"	-	12	7612655269423
PROGRP Paint Brush	GPB/4	903362	4"	-	12	7612655269447

CATALYST DISPENSER

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
PROGRP Catalyst Dispensing Bottle	GDISP/80	902707	80 ml	CLEAR	50	7612655267436

ACETONE

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
PROGRP Acetone	GA/1	903486	1 L	CLEAR	12	7612655270054
PROGRP Acetone	GA/5	903488	5 L	CLEAR	4	7612655270078
PROGRP Acetone	GA/25	903487	25 L	CLEAR	1	7612655270061

ACRYPOL FLEXIGLASS® GRP ROOFING SYSTEM

Acrypol Flexiglass is a versatile GRP roofing system suitable for both new installations and refurbishment projects. Designed for maximum compatibility, it can be applied to a wide range of surfaces - including felt, asphalt, concrete, and OSB3 TG board – providing a durable new roof covering. The system offers a fully seamless, highly flexible finish, making it ideal for projects of any size.

FLEXIGLASS PRIMER

A pre-promoted, low viscosity, thixotropic polyester primer engineered for flexible overlay roofing applications. Designed to deliver excellent adhesion, it creates a strong, reliable bond across a wide range of substrates substrates.

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
G20/FLEXIPRIMER5	903351	5 kg	-	120	7612655268976

FLEXIGLASS TOP COAT RESIN

A pre-promoted, thixotropic polyester resin formulated for flexible overlay roofing applications, providing consistent performance and reliable handling across a range of substrates.

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
G20/FLEXITC20	903352	20 kg	-	36	7612655268983

FLEXIGLASS GRP Roofing System

Acrypol Flexiglass is a versatile GRP resin roof system designed for new and existing r

NEW DECK	OVERLAY	WARRANTY (YEARS)	LIFE EXPECTANCY (YEARS)	TRADE / PROFESSIONAL USE	DIY USE	SUBSTRATES	BASE	PRIMER REQUIRED	REINFORCEMENT	TRAINING
✓	✓	20*	20+	✓	✗	Most common roofing substrates	SOLVENT	✓	✓	✓

COVERAGE Resin 1.7 kg/m² — 20kg, 5kg, Grey

Broof (t4) EN 13501-5

FLEXIGLASS MATTING 225 GSM

As part of the Flexiglass system, the 225gsm fibreglass matting is embedded between two layers of resin to create a strong, seamless, and reinforced laminate.

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
GMATTECH/225/6.75	903336	6.75 kg	WHITE	-	5036684009089
GMATTECH/225/26	903335	26 kg	WHITE	-	5036684008891
GMATTECH/225/33	903334	33 kg	WHITE	-	5036684009089

FLEXIGLASS BPO CATALYST

Flexiglass Catalyst is the essential hardening agent used in all fibreglass flat roofing systems, providing controlled curing and ensuring the resin achieves full strength and durability.

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
G20/BPO50	903449	50 g	WHITE	-	7612655269928
G20/BPO100	903480	100 g	WHITE	-	7612655269942
G20/BPO200	903481	200 g	WHITE	-	7612655269966

BITUMEN PRIMER
A low-viscosity bitumen primer designed for use on porous surfaces prior to remedial roofing works. Suitable for applications including pour-and-roll and torch-on felt systems. A fast-drying (QD) version is also available.

CROMAR CODE	SGAN	SIZE	QTY	BARCODE
APR/101	902370	1 L	12	7612655265876
APR/251	902371	2.5 L	6	7612655265890
APR/501	902374	5 L	4	7612655266026
APR/601	902373	25 L	1	7612655266019

QUICK DRYING VERSION

CROMAR CODE	SGAN	SIZE	QTY	BARCODE
AQP/501	902379	5 L	4	7612655266095
AQP/601	902378	25 L	1	7612655266088

BLACK BITUMEN PAINT
A general-purpose bituminous coating used for waterproofing and weather-protecting steelwork and concrete surfaces. Provides a durable, protective black finish suitable for a wide range of roofing and construction applications.

CROMAR CODE	SGAN	SIZE	QTY	BARCODE
ABP/101	902058	1 L	12	7612655265500
ABP/251	902059	2.5 L	6	7612655265845
ABP/501	902231	5 L	4	7612655265524
ABP/601	902230	25 L	1	7612655265517

CROMAPRUFE EMULSION
A general-purpose rubberised bitumen emulsion used on walls and floors to prevent water ingress and rising damp. Also suitable for roofing applications and can be used as an adhesive for wood block flooring.

CROMAR CODE	SGAN	SIZE	QTY	BARCODE
ACP/501	900532	5 L	4	7612655258236
ACP/601	900428	25 L	1	7612655258045

ALUMINIUM PAINT
A bright, reflective aluminium coating suitable for application to bituminous roofing substrates. Provides a protective, UV-resistant finish.

CROMAR CODE	SGAN	SIZE	QTY	BARCODE
AAC/251	910084	2.5 L	6	7612655286529
AAC/501T	910085	5 L	4	7612655286543
AAC/601	910082	25 L	1	7612655286512

COLD GRITTING ADHESIVE
A cold-applied bituminous adhesive formulated for bonding chippings to flat or low-pitched roofs, providing a durable and secure finish without the need for heating.

CROMAR CODE	SGAN	SIZE	QTY	BARCODE
ACG/501	903970	5 L	4	7612655270412
ACG/601	903959	25 L	1	7612655270405

HOT GRITTING ADHESIVE
A hot-applied bituminous adhesive designed for bonding chippings to flat or low-pitched roofs, delivering a strong, durable, and weather-resistant finish

CROMAR CODE	SGAN	SIZE	QTY	BARCODE
AHG/601	903958	25 L	1	7612655270290

ALL WEATHER ROOF COAT
A filled bituminous solution designed for overall roof waterproofing. Suitable for application to dry surfaces throughout the year, providing durable, all-weather protection.

CROMAR CODE	SGAN	SIZE	QTY	BARCODE
AAW/501	902057	5 L	4	7612655263391
AAW/601	902056	25 L	1	7612655263384

TROWEL MASTIC
A heavy-bodied bituminous mastic designed for sealing cracks, splits, and defects in roofing substrates and gutters. Provides a durable, weather-resistant repair suitable for a wide range of surfaces.

CROMAR CODE	SGAN	SIZE	QTY	BARCODE
APR/101	902370	1 L	12	7612655265876
APR/251	902371	2.5 L	6	7612655265890
APR/501	902374	5 L	4	7612655266026
APR/601	902373	25 L	1	7612655266019

ROOFING FELT ADHESIVE
A cold-applied bituminous adhesive designed for bonding successive layers of roofing felt in built-up roofing systems. Provides strong adhesion and reliable waterproofing across flat and low-pitched roofs.

CROMAR CODE	SGAN	SIZE	QTY	BARCODE
AFA/101	903971	1 L	12	7612655270436
AFA/251	903972	2.5 L	6	7612655270450
AFA/501	903974	5 L	4	7612655270481
AFA/601	903973	25 L	1	7612655270474

SBS TORCH ON & UNDERLAY RANGE

Traditional bitumen torch on felt. Quick to apply in both wet and dry conditions. For application to concrete, timber and metal deck flat roofs, and can be used as the covering for garages, sheds and flat roof extensions.

DESCRIPTION	CROMAR CODE	SGAN	WEIGHT	SIZE	COLOUR	QTY	BARCODE
SBS Underlay 2 kg Sand Roll	ECAUSBS/2	903122	32 kg	16 m x 1 m	SAND	30	7612655268419
SBS Underlay 2 kg Double Glossy Roll	ECAUSBS/2G	902843	32 kg	16 m x 1m	BLACK	28	7612655267740
SBS Capsheet 3 mm Double Glossy Black Roll	ECAUSBS/2G3MM	903123	36 kg	12 m x 1m	BLACK	25	7612655268426
SBS Torch on Sand Roll	ECASG/4	903124	32 kg	8 m x 1m	SAND	25	7612655268433
SBS Torch on Mineral Green Roll	ECGG/4.5	903126	36 kg	8 m x 1 m	GREEN	25	7612655268457
SBS Torch on Slate Black Roll	ECABG/4.5	903125	36 kg	8 m x 1m	BLACK	25	7612655268440

TRADITIONAL FELTS

Our Traditional Felts range is designed for use with bitumen based roofing systems, offering reliable strength, flexibility, and long lasting waterproofing. Ideal for built up roofing and refurbishment work, these felts provide consistent performance across flat and low pitched roofs.

DESCRIPTION	CROMAR CODE	SGAN	WEIGHT	SIZE	COLOUR	QTY	BARCODE
Traditional 1F Underslaters Felt	B1F/22	902842	22.5 kg	15 m x 1 m	BLACK	36	7612655267733
Cap Sheet Green Mineral Roll	BCS/36	902517	34 kg	10 m x 1m	GREEN	25	7612655267108
Shedfelt Green	BSF/10	902829	10 kg	5 m x 1m	GREEN	72	7612655267719
Shedfelt Green	BSF/20	902840	20 kg	10 m x 1m	GREEN	49	7612655267702
Shedfelt Sand	BSF/14	902841	14 kg	10 m x 1 m	SAND	48	7612655267726
3B Bonding Felt	C3B/36	902425	36 kg	20 m x 1m	-	25	7612655266804
Underlay 180 Polyester Sanded	DHP/36	902844	36 kg	20 m x 1m	SAND	25	7612655267757

PROTECT IF

A high performance non breathable roof underslating which gives major benefits over plastic and traditional 1F bitumen based underslating felt

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
TPF/15	897790	1 m x 15 m	GREY	160	7612655251671
TPF/45	897688	1 m x 45 m	GREY	56	7612655251657
TPF/301.5M	897689	1.5 m x 30 m	GREY	56	7612655251664

The Cromar VENT3® range offers high performance, multi-layer breather membranes designed for modern warm and cold roof constructions.

LEADING ROOFING EXCELLENCE

VENT3® Pro
165gsm

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
TV3P/50	913955	1 m x 50 m	GREEN	56	5036684004138
TV3P/75	913959	1.5 m x 50 m	GREEN	48	5036684004145

A heavyweight, high-performance breathable membrane designed for both cold and warm roof applications, offering significant advantages over traditional roof underlays.

VENT3®
135gsm

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
TV3/25	913952	1 m x 25 m	BLUE	104	7612655251992
TV3/50	913953	1m x 50 m	BLUE	54	5036684002974
TV3/75	913954	1.5m x 50 m	BLUE	54	5036684003193

A high performance breathable membrane ideal for cold and warm roof application.

VENT3® Classic
115gsm

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
TV3C/25	913829	1 m x 25 m	GREY	104	7612655251695
TV3C/50	913950	1 m x 50 m	GREY	56	5036684003216
TVC3/75	913951	1.5m x 50 m	GREY	56	5036684003209

A breathable roof underlay for cold and warm roof applications, offering major performance advantages over traditional underlays.

VENT3® Light
95gsm

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
TV3L/25	913951	1 m x 25 m	GREY	104	5036684003889
TV3L/50	913941	1 m x 50 m	GREY	56	5036684003834
TV3L/75	913828	1.5 m x 50 m	GREY	56	5036684003841

A lightweight, breathable roof underlay for cold and warm roof applications, offering significant advantages over traditional roof underlays.

VENT3®
Joint Sealing Tape

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
TC3/TAPE	903118	60 mm	-	4	7612655268334

A modified acrylic, high-strength adhesive tape designed to create airtight laps between successive layers of underlay or vapour barrier membranes.

VENT3®
Underlay Support Tray

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
IUST/1B	903119	1.5 m x 235 mm	-	-	7612655268358

A rigid, durable support tray designed to maintain correct membrane positioning at the eaves, preventing sagging and ensuring effective drainage for Vent 3 underlays

Cromar VENT3® Air is an advanced, multi-layer breather membrane designed for both warm and cold roof constructions. Engineered to deliver superior ventilation, it promotes essential airflow, effective moisture control, and long lasting durability, creating a healthier, more energy efficient building envelope.

VENT3® Air
170gsm

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
TV3/50AIR	913639	1 m x 50 m	ORANGE	30	7612655251633

The use of VENT3® AIR roofing membranes delivers key benefits, including improved energy efficiency, reduced moisture-related risks, enhanced roof durability, and greater indoor comfort.

VENT3® Excel 190
190gsm

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
TV3E/50	913970	1 m x 50 m	BLUE	56	5036684023757

Weighing 190gsm, this premium roofing felt is fully BS5534 compliant, delivering exceptional wind uplift resistance and reliable weather protection.

CROMASLATE

Cromaslate is a premium lightweight thermal roof slate, that is UV-resistant for long-term weathering performance

Ideal for:
- Conservatories, Annexes, Sheds,
- Garages, Lean-tos & Extensions

HIP TILE SLATE
225mm visible face, approx. 5 hip ridge per 1m run

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
R/SLATEHIPG	904758	300 mm x 490 mm	GREY	15	7612655271839

ANGLED RIDGE SLATE
5 hip ridge per 1m run

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
R/SLATERIDGEASG	903121	250 mm x 445 mm	GREY	20	7612655268396

DRY SLATE VERGE
The Cromar Dry Fix Slate Verge provides a secure, mortar-free solution for slate verges, delivering a reliable all-weather finish.

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
R/SLATEVERGE	904166	2000 mm x 90 mm	GREY	10	7612655270870

DRY SLATE VERGE CONNECTER

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
R/SLATEVERGE/CON	904167	40 mm x 90 mm	BLACK	10	7612655270894



CROMASLATE ROOF TILE

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
R/SLATESG	903120	-	ANTHRACITE	15	7612655268372

LEADAX ORIGINAL

Since it's launch in 2018 Leadax has grown to be one of the most popular lead alternatives on the market. With numerous benefits over Lead, and other lead replacements, it is the obvious choice. **6m long rolls.**

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
KLD/150	887205	150 mm	GREY	198	8719558741618
KLD/200	887213	200 mm	GREY	165	8719558741625
KLD/250	887214	250 mm	GREY	132	8719558741687
KLD/300	887215	300 mm	GREY	99	8719558741700
KLD/400	887216	400 mm	GREY	66	8719558741649
KLD/450	887217	450 mm	GREY	66	8719558741694
KLD/600	887218	600 mm	GREY	66	8719558741663
KLD/1000	887219	1000 mm	GREY	33	8719558741601

LEADAX EASY FA

Leadax Easy FA is the fully self-adhesive lead replacement in the product family Leadax Flashing. Leadax Easy FA has no harmful effects on people's health and the environment. A second generation lead replacement that's very light to use. Leadax Easy FA can easily be applied by hand and only has to be pushed down with a roller very lightly. Leadax Easy FA is extremely thin, yet extremely strong. **5m long rolls.**

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
KLDE/150	887211	150 mm	GREY	198	8719558749515
KLDE/250	887260	250 mm	GREY	132	8719558749522
KLDE/300	887261	300 mm	GREY	99	8719558749546
KLDE/450	887262	450 mm	GREY	66	8719558749577

LEAD-FREE PLUS

Is a high performance, economical aluminium self adhesive flashing suitable for use as an alternative to traditional lead in both flat and pitched roof applications.
5m long rolls.

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
KLFP/150	887211	150 mm	GREY	198	8719558749515
KLFP/300	887260	250 mm	GREY	132	8719558749522
KLFP/450	887261	300 mm	GREY	99	8719558749546



LEADAX SEALANT

An all purpose hybrid sealant and adhesive for fixing Leadax to the base material or for overlapping. Provides good adhesion to lead and roofing substrates.

CROMAR CODE	SIZE	SIZE	COLOUR	QTY	BARCODE
M/LEADAXSEAL	887210	290ml	BLACK	12	8719558740109

MULTI-PURPOSE SCISSORS

High quality, extra tough scissors for cutting Leadax to size quickly and easily.

CROMAR CODE	SGAN	COLOUR	QTY	BARCODE
KLAD/SCISSORS	887208	SILVER	1	5036684022958





FIXING CLIPS

For use with above ground masonry, fixing clips allow you to attach Leadax into masonry joints quickly and easily. Also suitable for use with lead.

CROMAR CODE	SIZE	SIZE	COLOUR	QTY	BARCODE
KLD/CLIP50	887206	50 CLIPS	SILVER	10	5036684009041

PENNY ROLLER

Rollers to allow easy moulding of Leadax around roof tiles or difficult profiles.

CROMAR CODE	SGAN	COLOUR	QTY	BARCODE
KLAD/PENNYROLL	887209	SILVER	1	7612655295583

STEEL ROLLER

Rollers to allow easy moulding of Leadax around roof tiles or difficult profiles.

CROMAR CODE	SGAN	COLOUR	QTY	BARCODE
KLAD/ROLLER	887207	SILVER	1	7612655295576

The Cromar ProRidge Universal Ridge & Hip Kit provides a secure, mortar-free solution for ridge and hip applications. Compatible with most ridge tiles, it offers a faster, easier alternative to traditional mortar bedding.

PRO RIDGE UNIVERSAL

Suitable for both ridge and hip applications, compatible with most ridge tiles, and offering a quick, mortar free installation solution.

CROMAR CODE	SGAN	SIZE	QTY	BARCODE
URK/3M	909671	3 m	72	7612655284518
URK/6M	909670	6 m	72	7612655284501

PRO RIDGE PLUS

Suitable for use with clay ridge tiles, this kit includes all components from the Universal ProRidge Kit, plus additional ridge tile clamps, screws, ridge unions and union clips for secure, reliable installation.

CROMAR CODE	SGAN	SIZE	QTY	BARCODE
URK/6MP	910888	6 m	48	-

PRO RIDGE HIP TRAY

CROMAR CODE	SGAN	SIZE	QTY	BARCODE
UR/TRAY	902828	1.2 m	20	7612655267665

CROMAVERGE DRY FIX VERGE

A premium universal dry verge system that eliminates the need for separate left and right units. Its quick-fit, mortar-free design ensures a secure installation, keeping roof tiles firmly in place even in strong winds.

CROMAR CODE	SGAN	COLOUR	QTY	BARCODE
UR/VERGBL	903089	BLACK	20	7612655268242
UR/VERGBR	903110	BROWN	20	7612655268259
UR/VERGG	903111	GREY	20	7612655268266
UR/VERGT	903112	TERRACOTTA	20	7612655268273

CROMAVERGE STARTER KIT

CROMAR CODE	SGAN	COLOUR	QTY	BARCODE
UR/VERGBL	903089	BLACK	20	7612655268242
UR/VERGBR	903110	BROWN	20	7612655268259
UR/VERGG	903111	GREY	20	7612655268266
UR/VERGT	903112	TERRACOTTA	20	7612655268273

CROMAVERGE CENTRE CAPS

A premium universal dry verge system that eliminates the need for separate left and right units. Its quick-fit, mortar-free design ensures a secure installation, keeping roof tiles firmly in place even in strong winds.

TYPE	CROMAR CODE	SGAN	COLOUR	QTY	BARCODE
Round	UR/CAPG	903082	GREY	10	7612655268129
Angled	UR/CAPAG	903087	GREY	10	7612655268174
Round	UR/CAPBR	903081	BROWN	10	7612655268112
Angled	UR/CAPABR	903086	BROWN	10	7612655268150
Round	UR/CAPT	902749	TERRACOTTA	10	7612655266491
Angled	UR/CAPAT	903088	TERRACOTTA	10	7612655268198
Round	UR/CAPBL	903080	BLACK	10	7612655268105
Angled	UR/CAPABL	903085	BLACK	10	7612655268136

Valley troughs are suitable for use with clay or concrete tiles, slate roofs, and profiled GRP or metal roofing. Available for both wet and dry fixing, they can be installed with or without mortar.

STANDARD VALLEY TROUGH
(Double lap) Slate/Tiles

PRO VALLEY 55mm

PRO VALLEY 80mm



PRO VALLEY 105mm



90 DEGREE TOP CLOSURE
Piece for 70mm GDFVT110



TOP CLOSURE
for use with GDFVTCD110

DF VALLEY TROUGH

PRO VALLEY BONDING STRIP 100mm

PRO VALLEY BONDING STRIP 70mm



90 DEGREE TOP CLOSURE
Piece for 70mm GDFVT70



EAVES CLOSURE
Piece for GDFVT70

DF VALLEY TROUGH
(Natural / Man made slate)

DF BONDING STRIP
or use with natural/ slate man made

DF BONDING STRIP
(Concrete/Clay tile)

NARROW VALLEY TROUGH
(Single lap tile)
Over Batten Fix

STANDARD VALLEY TROUGH
(Single lap tile)
Over Batten Fix

STANDARD VALLEY TROUGH
(Slate or tile)
Under Batten

SECRET JOINT STRIP
Bonded in channel

ABUTMENT SOAKER

STANDARD VALLEY TROUGH

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
Double Lap (Slate/Tile)	GSVT1	903446	330 mm x 3 m	GREY	10	7612655269867
Single Lap Tile (Over Batten)	GTB14	903447	400 mm x 3 m	GREY	10	7612655269881
Slate or Tile (Batten)	GTF14	903448	400 mm x 3 m	GREY	10	7612655269904

PRO VALLEY

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
Pro Valley 55mm	GDFVTUB55	903128	400 mm x 3 m	GREY	10	7612655268488
Pro Valley 80mm	GDFVTUB80	903129	400 mm x 3 m	GREY	10	7612655268600
Pro Valley 105mm	GDFVTUB105	903127	400 mm x 3 m	GREY	10	7612655268464

90 DEGREE TOP CLOSURE

DESCRIPTION	CROMAR CODE	SGAN	COLOUR	QTY	BARCODE
90 Degree Top Closure for use with (GDVT110)	GDFCD110	902827	BLACK	10	7612655267641
90 Degree Top Closure 70mm	GDFVTCD70	902700	BLACK	10	7612655265739

EAVES CLOSURE

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
Piece for GDFVT110	GFVTCS110	903253	-	BLACK	10	7612655268815
Piece for DF Valley Trough	GDFS110	902709	-	GREY	10	7612655267450

DF VALLEY TROUGH

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
Bonding Strip 100mm	GDFBSUB100	903160	225 mm x 3 m	GREY	10	7612655268624
Bonding Strip 70mm	GDFBSUB70	903161	225 mm x 3 m	GREY	10	7612655268648

DF BONDING STRIP

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
Natural/Man made Slate	GDFBS70	903443	225 mm x 3 m	GREY	10	7612655269805
Concrete/Clay Tiles	GDFBS110	903442	225 mm x 3 m	GREY	10	7612655268785

NARROW VALLEY TROUGH

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
Single Lap Tile (Over Batten)	GTB13	902826	360 mm x 3 m	GREY	10	7612655267627

STANDARD VALLEY TROUGH

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
Single Lap Tile (Over Batten)	GTB14	903447	400 mm x 3 m	GREY	10	7612655269881
Slate or Tile (Under Batten)	GTF14	903448	400 mm x 3 m	GREY	10	7612655269904

SECRET JOINTING STRIP

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
Bonded in Channel	GJS1	902820	216 mm x 3 m	BLACK	10	7612655267474

ABUTMENT SOAKER

DESCRIPTION	CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
Abutment Soaker	GAS1	902701	140 mm x 3 m	BLACK	10	7612655265753

1 3-IN-1 OVERFASCIA EAVES PROTECTION COMB FILLER

A fast and efficient way to ventilate and protect at the eaves, combining a 1000 mm over-fascia vent with an integrated underlay support tray and eaves comb filler.

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
R/OVEP-310	902424	1 m	BLACK	10	7612655266590

2 EAVES COMB FILLER

A physical barrier designed to prevent birds, bats, and insects from entering the roof void between the felt and tiles, helping to eliminate nesting and infestation problems.

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
R/BC-1	902704	1000 mm	BLACK	50	7612655265784

3 OVERFASCIA VENT

Available in two ventilation capacities, allowing airflow into the roof void between the felt and fascia board.

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
R/OFV10-1000	903162	1000 mm x 10 mm	BLACK	50	7612655268662
R/OFV25-1000	903163	1000 mm x 25 mm	BLACK	50	7612655268686

4 2-IN-1 OVER FASCIA PROTECTOR

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
R/OVEP-210	900447	55 mm x 1 m	BLACK	20	7612655265814

5 CONTINUOUS RAFTER TRAY ROLL

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
R/RPV-300	902518	6 m x 300 mm	BLACK	10	7612655267115
R/RPV-400	902519	6 m x 400 mm	BLACK	10	7612655267122
R/RPV-600	902520	6 m x 600 mm	BLACK	5	7612655267139
R/RPV-800	902521	6m x 800 mm	BLACK	5	7612655267146

6 5U EAVES PROTECTOR STRIP

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
D5U/330	903790	333 mm X 16 m	BLACK	90	7612655270269
D5U/15	903791	500 mm X 16 m	BLACK	60	7612655270276

7 DISC SOFFIT VENT

CROMAR CODE	SGAN	SIZE	COLOUR	QTY	BARCODE
R/DSV2000BL	903165	70 mm	BLACK	10	7612655268723
R/DSV2000B	903166	70 mm	BROWN	10	7612655268747
R/DSV2000T	903049	70 mm	TAN	10	7612655266668
R/DSV2000W	903250	70 mm	WHITE	10	7612655266682



SPECIALITY APPLICATIONS

When performance is critical

Passive Fire Protection 104
Fire Foams 106
Other Specialist Applications 107

Certain jobs demand more than standard sealants and foams—they demand specialist solutions. The Sika Specialty Applications range is engineered to deliver safety, reliability, and confidence where it matters most.

- **Passive Fire Protection:** Our fire-rated and heat-resistant sealants provide trusted performance in high-temperature and fire-critical environments.
- **Fire-rated foams:** Sika B1 and B2 expanding foams combine easy application with tested fire resistance, helping to seal, insulate, and protect with confidence.
- **Specialty water solutions:** Seal, bond, and block water ingress, delivering reliable performance in tough conditions.

With Sika, you get specialist answers to complex challenges, innovative products that keep projects safe, compliant, and secure.

Sikacryl®-620 Fire
Fire Resistant Acrylic Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
483461	300 ml	WHITE	12	7612895181219
835254	380 ml	GREY	25	7612655103420
835256	380 ml	WHITE	25	7612655103444
835257	600 ml	GREY	12	7612655103468
835258	600 ml	WHITE	12	7612895181219

Movement Accommodation	+/-12.5%
Skinning Time	10 mins
Elongation at Break	200%

A fire resistant acrylic sealant for interior joints in walls and floors. Provides up to 4 hours fire resistance to prevent the passage of fire and smoke, according to EN 1366-4.

Typically used for joints in walls and floors, and internal perimeter pointing of fire rated doors and window frames.

Reaction to fire tested to EN 13501-1. Resistance to fire tested to EN 13501-2. Fire testing BS 476-20. Tested for Sound transmission to ISO 10140-2. UL Product iQ, XHBN.HW-S-0113.

Sikasil®-670 Fire
Fire Rated Silicone Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
582754	300 ml	CONCRETE GREY	12	7612895508818
483479	300 ml	WHITE	12	7612895181561
835259	380 ml	BLACK	25	7612655103901
835330	380 ml	GREY	25	7612655103925
835331	380 ml	WHITE	25	7612655103949
736349	600 ml	BLACK	12	7612895845111
741197	600 ml	GREY	12	7612895890135

Movement Accommodation	+/-25%
Skinning Time	30 - 45 mins
Elastic Recovery	80%
Elongation at Break	350%

A fire resistant, elastic, neutral cure silicone sealant for interior and exterior joints in walls and floors.

Typically used for movement and connection joints within partitions and other structures.

Fire rated to EN 1366-4.

SikaSeal® Fire Guard
Intumescent Acrylic Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
902103	295ML	WHITE	12	5029347900748
902083	295ML	GREY	12	5029347905842

A four-hour rated, one part, water based, ablative acoustic sealant that gives a firm yet flexible seal to joints in a variety of internal fire-rated structures. The product, in suitably designed joints, will resist the passage of fire for up to 4 hours.

Fire rated to EN1366-4. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1. Tested to EN1366-3

.

Brick / Concrete / Stone / Timber / Plasterboard

Heat Mate
Heat Resistant Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
484772	295 ml	RED	12	5029347113001
484776	295 ml	BLACK	12	5029347615307

A high modulus permanently flexible 100% silicone which is temperature resistant up to 275˚C. Ideal for sealing industrial and high performance gaskets, oven doors, and much more. It cures quickly to reduce dirt pick up. Remains permanently flexible, forming a water tight rubber-like seal. Excellent adhesion to most non-porous surfaces.

Pyro Mate
Fire Rated Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
486041	295 ml	WHITE	12	5029347608941

A neutral cure elastic silicone sealant which conforms to EN1366-4 for fire protection and has a fire rating of up to 4 hours in certain joint configurations. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components/products for residential ventilation. **Conforms to ISO 11600 class: F25 LM and EN15651 to ISO 9047, 8339 and 10563.**



Timber / Brick / Stone / Glass / Concrete / Metal

Contract AC95
Intumescent Sealant and Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
880891	600 ml	WHITE	12	7612655195197

An intumescent acrylic sealant and adhesive specifically formulated for fire rated sealing and bonding applications on plasterboard and other kraft lined insulation boards. Provides up to 4 hours fire resistance. **Tested to EN1366-4. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components/ products for residential ventilation. Tested to EN13963, Type 4A.**



Timber / Plaster / Brick / Stone / Concrete

Fire Foam B1
Handheld

SGAN	SIZE	COLOUR	QTY	BARCODE
488714	750 ml	PINK	12	5029347125004

Fire Foam B1 Handheld is a quick-setting fire rated, one part polyurethane foam. It expands on application to yield up to 50 times the can contents and meets the test criteria BS476 Part 20. Fire rated up to 4 hours in certain joint configurations. Once cured, the foam can be cut, sawn or plastered over after approx one hour.

QUICK CURING/ DRYING · GAP FILLING · FIRE RETARDANT

PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Fire Foam B1
Gun Grade

SGAN	SIZE	COLOUR	QTY	BARCODE
488715	750 ml	PINK	12	5029347611729

A quick-setting fire rated, one part polyurethane foam. It expands on application to yield up to 50 times the can contents. Fire rated up to 4 hours in certain joint configurations, meets requirements of the test criteria DIN 4102 Part 1 for Construction Materials, Class B1 and BS 476 Part 20.

For professional use only.

QUICK CURING/ DRYING · GAP FILLING · FIRE RETARDANT

PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Fire Foam B2
Handheld

SGAN	SIZE	COLOUR	QTY	BARCODE
488717	750 ml	PINK	12	5029347600471

Fire Foam B2 Handheld is a quick setting fire rated, one part polyurethane foam in a ready to use hand held canister. Fire resistant for up to 2 hours in certain joint configurations. It expands on application to up to 50 times the can contents and meets the requirements of the test criteria for BS476 Part 20.

QUICK CURING/ DRYING · GAP FILLING · FIRE RETARDANT

PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Fire Foam B2
Gun Grade

SGAN	SIZE	COLOUR	QTY	BARCODE
488718	750 ml	PINK	12	5029347600464

Fire Foam B2 Gun Grade is a quick setting fire rated, one part polyurethane foam for application by a foam applicator gun. Fire resistant for up to 2 hours in certain joint configurations. It expands on application to up to 50 times the can contents and meets the requirements of the test criteria for BS476 Part 20.

For professional use only.

QUICK CURING/ DRYING · GAP FILLING · FIRE RETARDANT

PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Sika Boom®-405
Water Stop

SGAN	SIZE	COLOUR	QTY	BARCODE
818448	320 ml	-	15	7612655063502

An advanced 2-component, self-expanding polyurethane foam requires no external moisture, delivering a high-density seal with a finely tuned, predominantly closed-cell structure. Perfect for sealing pipe penetrations, connections, and gaps, Sika Boom-405® forms an impenetrable barrier against water intrusion.

DIN 4102-1 CLASS B2 TESTED & APPROVED REACTION TO FIRE · FAST CURING · UP TO 1 BAR WATER PRESSURE · ABOVE / BELOW GROUND

Aqua Mate
Aquarium Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
489687	295 ml	TRANS	12	5029347120009

An acetoxy cure 100% silicone sealant and adhesive designed specifically for aquarium manufacture. The waterproof seal will withstand continuous water immersion over a long period of time once cured. Fast cure (tack free in one hour), gives extremely high early strengths.

100% fish safe formula. Meets the requirements of ISO 11600 G20LM

QUICK CURING/ DRYING · SOLVENT FREE · AQUARIA SAFE

Glass / PVCu / Aluminium

Sikaflex®-117 Metal Force

SGAN	SIZE	COLOUR	QTY	BARCODE
649763	290 ml	LIGHT GREY	20	7612895656595

Sikaflex®-117 Metal Force is a one part construction adhesive, specifically formulated to seal and bond metals, without the use of a primer for a one step application.

GEV-EMICODE EC 1 PLUS very low emission

SPECIALITY APPLICATIONS

Other Specialist Applications

SikaSeal®-75
Hard-Setting Mastic

TIN

SGAN	SIZE	COLOUR	QTY	BARCODE
871633	1.5 kg	GREY	4	7612655175212

SPARE CARTRIDGE AND NOZZLES

SGAN	SIZE	COLOUR	QTY	BARCODE
877620	C3	WHITE	5	7612655189103

A two-part, hard-setting mastic that cures to form a durable, pick and chemical-resistant seal, engineered to withstand minor extension movements and substantial compression. This combination of strength and flexibility makes it well suited for challenging environments where durability and reliability are essential. Spare cartridges and nozzles available to order for easy application.

Sikaflex®-423
Powercure

SGAN	SIZE	COLOUR	QTY	BARCODE
713122	600 ml	Grey	14	7612895813158

Sikaflex®-423 Powercure is a 1-part, non-sag, high-performance polyurethane sealant and booster, for vertical and horizontal joints in civil engineering application. Mixed by the Sika® PowerCure dispenser, correct ratios of sealant and SikaBooster are applied directly to the joint for a quick and convenient application. Provides high movement capability of +-/ 25%, and high mechanical and chemical resistance.

See the Sika® Powercure Dispenser
page 110 within the Cleaner and Accessories section

SOLUTIONS FOR YOUR MODULAR BUILDING

SOLUTIONS FROM THE **BASEMENT TO THE ROOF**

AUTOMATION FOR REDUCTION IN LABOUR COSTS

ACOUSTIC SOLUTIONS TO AID **NOISE REDUCTION** AND IMPROVE COMFORT

FAST PRODUCTION TIME TO REDUCE CYCLES AND INCREASE OUTPUTS

FASTER PRODUCTION RESULTING IN **COST SAVINGS** FOR THE CUSTOMER

SAFE AND SECURE BUILDINGS WITH **FIRE PROTECTION** SYSTEMS

HIGH QUALITY PRODUCTS AND SERVICE TO MEET LOCAL AND INTERNATIONAL BUILDING REGULATIONS

EXPERT SPECIFICATION SUPPORT COMBINING **INDUSTRY KNOW-HOW** WITH CONSTRUCTION PRODUCTS

IMPROVE **STRUCTURAL INTEGRITY** AND REDUCE WEIGHT BY THE USE OF ADHESIVES

REDUCE MATERIAL HANDLING AND WASTE FOR A MORE **SUSTAINABLE MANUFACTURING PROCESS**

DEDICATED **SPECIALIST MMC DIVISION** OPTIMISING SUPPLY CHAIN PARTNERSHIP

SCAN HERE

ONLY **SIKA** CAN PROVIDE CUSTOMERS WITH ALL THIS

DECORATING AND TAPES

Reliable results, every time

Bring a professional finish to any project with Sika's range of fillers, surface protectors, cleaners, and more.

- **High strength fillers:** From surface imperfections to deep cracks, our range of quality fillers provide smooth, durable finishes ideal for walls and ceilings.
- **Protect with confidence:** Avoid costly spills and stains with our range of floor protectors, including Roll & Stroll for a quick and easy application.
- **Tapes that perform:** From building and repair tapes to masking and plasterboard tapes, we have a comprehensive range to meet every need.

Easy to apply and built for lasting performance, Sika decorating and tape solutions help you tackle everything from small household repairs to larger refurbishment projects

Surface Protectors	**112**
Decorating and Wood Fillers	**114**
Decorating Sundries	**118**
Tapes	**99**

Roll and Stroll
Premium Carpet Protector

SGAN	SIZE	COLOUR	QTY	BARCODE
462111	25 m	YELLOW	6	5029347605636
484946	75 m	YELLOW	1	5029347605643

The ultimate fire-rated, self-adhesive carpet protector with the adhesive coating on the outside making light work of unwinding and applying to the area. Safer than dust sheets, Roll and Stroll is waterproof, won't tear and can be left for up to 4 weeks.

Roll and Stroll
Textured Non-Slip Carpet Protector

SGAN	SIZE	COLOUR	QTY	BARCODE
484868	75 m	YELLOW	1	5029347610265

Roll & Stroll Textured Non-Slip Carpet Protector is the ultimate self-adhesive carpet protection solution. With the adhesive on the outside, it's easy to unwind, safer than traditional dust sheets, and ideal for all trade applications. Provides waterproof protection and textured for a secure, non-slip finish.

Roll and Stroll
Contract Carpet Protector

SGAN	SIZE	COLOUR	QTY	BARCODE
484869	50 m	CLEAR	1	5029347606206
484910	100 m	CLEAR	1	5029347606213

Roll and Stroll Contract Carpet Protector is the ultimate clear self adhesive carpet protection system. With the adhesive coating on the outside, it is easy to unwind, safer than dust sheets and has a multitude of uses across all trade sectors. Totally waterproof, it protects against spillage, and won't tear or rip.

Roll and Stroll
Hard Surface Protector

SGAN	SIZE	COLOUR	QTY	BARCODE
462110	25 m	CLEAR	6	5029347606077
484945	75 m	CLEAR	1	5029347606084

Roll and Stroll Hard Surface Protector is the ultimate self adhesive floor protection, works on all hard surfaces such as timber, ceramic tiles, laminate, vinyl, metal and stone. It is also suitable for use on worktops, window sills; doors and kitchen units. With the adhesive coating on the outside it is easy to unwind, safer than dust sheets and has a multitude of uses, protects against spillage and won't tear or rip.

Glass Protector

SGAN	SIZE	COLOUR	QTY	BARCODE
467445	25 m	RED	15	5029347611248

Glass Protector is the ultimate self adhesive protector ideal to protect glass against the mess, dirt, staining, spillages and soiling that occurs during general building and decorating work. It also reduces the risk of costly scratches to glass. With the adhesive coating on the outside it is also easy to apply.



Cotton
Dust Sheets

SGAN	SIZE	COLOUR	QTY	BARCODE
484993	3.7 m x 2.7 m (12' x 9')	–	10	5029347604127

Cotton Dust Sheet is made of strong hardwearing cotton which protects surfaces from spills, splashes and dust. Reversible and machine washable.

Laminated Cotton
Dust Sheets

SGAN	SIZE	COLOUR	QTY	BARCODE
484992	3.7 m x 2.7 m (12' x 9')	–	10	5029347602574

Top quality cotton twill with polythene inter-laminate, stops paints and liquids passing through.

Polythene
Dust Sheets

SGAN	SIZE	COLOUR	QTY	BARCODE
484995	3.7 m x 2.7 m (12' x 9')	CLEAR	20	5029347602253

Heavy duty, perfect for painting. Protects from paint spills, splashes, dirt and dust.

Sika® One Strike
Ready Mixed Filler

- IT WON'T SLUMP (EVEN OVERHEAD)
- IT WON'T SHRINK OR CRACK
- IT WON'T NEED LAYERS TO FILL
- IT WON'T NEED SANDING

- IT WON'T TAKE LONG TO DRY (30 MIN)
- IT WON'T BREAK THE BANK

SGAN	SIZE	COLOUR	QTY	BARCODE
461918	250 ml	WHITE	18	5029347300029
461917	450 ml	WHITE	12	5029347300050
461916	1 L	WHITE	6	5029347300012
488534	2.5 L	WHITE	1	5029347603458
480347	5 L	WHITE	1	5029347300500

Sika® One Strike is an ultra-lightweight filler formulated with advanced polymer bubbles to quickly and easily fill most holes and cracks – even deep ones. Suitable for plaster, wood, brick, stone, and render, it won't slump in overhead applications. It smooths effortlessly, needs little or no sanding, and is ready to paint or wallpaper in just 30 minutes.



Brick / Stone / Concrete / Plaster

SikaWall® All Purpose Ready Mixed Filler
Ready Mixed Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
916009	600 g	WHITE	12	5029347000899
916014	1 kg	WHITE	12	5029347000882

A high-performance, polymer-enhanced powder filler formulated for general interior repairs. When mixed with clean water, the product produces a smooth, easy-to-apply paste within one minute. It achieves a durable, sandable finish in approximately one hour.

SikaWall® Fine Surface Filler
Ready Mixed Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
916073	600 g	WHITE	12	5029347000998

A ready-mixed, easy-to- apply filler designed for filling small holes, minor sur- face imperfections and fine surface defects on most porous substrates, including plaster and wood. The product dries to a smooth, high-quality finish suitable for painting or papering.

SikaWall® Deep Gap Filler
Ready Mixed Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
916227	1 L	WHITE	6	5029347609368

A high-performance ready mixed filler, formulated with ceramic spheres, that can fill deep holes up to 50 mm in one application, with no need for secondary filling to build up or level off. Suitable for repairs to wood, plaster, masonry, cement, stone, brick and rendering.

Keep it simple with Caulk Once

See page 7

All Purpose
Powder Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
480442	450 g	WHITE	16	5029347600570
480443	1.5 kg	WHITE	10	5029347600587
480444	5 kg	WHITE	1	5029347611873

All Purpose Powder Filler for both interior and exterior use, with added PVA for extra strength. Fills holes up to 40mm deep. For repairs to plaster, brick, stone, wood, can be nailed or screwed when dry. Quick setting, non-shrink.



Protect your flooring with Roll & Stroll

See the full range on pages 112-113

Multi Purpose Joinery Grade
Wood Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
480461	250 ml	LIGHT STAINABLE	6	5029347603359
480462	250 ml	MEDIUM STAINABLE	6	5029347603366
480463	250 ml	PINE	6	5029347608286
480465	250 ml	LIGHT OAK	6	5029347608309
480466	250 ml	DARK OAK	6	5029347608316
480467	250 ml	WHITE	6	5029347608293

Multi-Purpose Wood Filler fills nail holes, cracks, gaps and minor imperfections in wood. It is easy to sand, can be stained, varnished and painted and is solvent free.



Wood / Brick / Stone / Concrete / Plaster

2 Part High Performance
Wood Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
481022	500 g	LIGHT STAINABLE	6	5029347608194
481024	500 g	MEDIUM STAINABLE	6	5029347608200
481051	500 g	OAK	6	5029347608132
481027	500 g	PINE	6	5029347608170
484991	500 g	WHITE	6	5029347608149

2 Part High Performance Wood Filler, is a fast drying, interior and exterior wood filler. The 2 Part Wood Filler is easy to mix and apply and is completely weatherproof. Once mixed, the filler sets hard to a shatterproof finish in approximately 30 mins and may be drilled, carved or planed once dry.

Wood / Brick / Stone / Concrete / Plaster

Stain Block

SGAN	SIZE	COLOUR	QTY	BARCODE
488592	400 ml	-	12	5029347602017

Stain Block is a spray applied, heavily pigmented white paint which permanently prevents existing stains from water, mould, rust, nicotine, grease, soot, crayon showing through subsequent coatings. Quick drying, overcoat in 15 mins, easy to apply.



Mammoth Powerful Grip Tape
Extra Strong Double Sided Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
484679	25 mm x 2.5 m	CLEAR	24	5029347605773
484680	50 mm x 2.5 m	CLEAR	12	5029347605766

Mammoth Powerful Grip Tape is a double sided tape that breaks the rules, with an incredible immediate bond strength that has to be seen to be believed. It will bond to virtually any material, indoors or outdoors including ceramics, brickwork, wood, metal, plastics and PVC.

It is moisture resistant and will not degrade with U.V light. Ideal for use in the home, industry, construction and office. Can be used in many applications to replace drilling, plugging and unsightly screws.

Mammoth
Mega All Purpose Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
483326	50 mm x 50 m	BLACK	24	5029347600549
483329	50 mm x 50 m	SILVER	24	5029347602628

The ultimate all purpose duct tape, top quality cloth with aggressive natural rubber adhesive. Tough, durable and waterproof, for thousands of applications on site, in the home and industry, in the widest possible range of colours.

Mammoth
Aluminium Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
482270	50 mm x 45 m	SILVER	24	5029347604509
482259	100 mm x 45 m	SILVER	12	5029347604523

Heat and light reflective aluminium foil tape, heat resistant to 180°c, flame retardant to Class O. Excellent moisture resistance, ideal for use as a vapour barrier between foil faced insulation panels in roof and wall applications, duct sealing on all types of air conditioning and ventilation and protecting wires and pipes from heat.

EuroScrim
Self Adhesive Scrim Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
484687	48 mm x 90 m	WHITE	24	5029347611750
484688	100 mm x 90 m	WHITE	12	5029347612627

EuroScrim is a premium quality, quick and easy to apply, self-adhesive scrim tape that is made in Europe to perform!

EuroScrim has a quality high tack adhesive and an open mesh that will not blister or bubble, creating perfect joints every time.



CLEANERS AND ACCESSORIES

Finishing touches that make all the difference

Every project deserves a perfect finish, and Sika's Accessories and Cleaners range provides the smart solutions to keep surfaces clean, protected, and performing at their best.

- **Everyday cleaning:** Specialist wipes, glass cleaners, and uPVC cleaners quickly remove dirt, residue, and grime for a professional finish every time.
- **Problem Solvers:** Targeted solutions tackle graffiti and stubborn marks.
- **Maintenance Made Easy:** Lubricants and accessories protect surfaces and keep fittings moving smoothly.

Wipes	**122**
Glazing Cleaners and Lubricants	**124**
Guns and Tools	**126**

Wonder Wipes
Multi-Use

SGAN	SIZE	COLOUR	QTY	BARCODE
467442	100	–	6	5029347601522
484948	300	–	1	5029347604172
524290	500	–	1	5029347614379

Multi-Use Wonder Wipes are specially formulated to clean hands, tools and surfaces from wet and semi-cured paint, sealant, adhesive, bitumen, expanding foam, oil, grease and even silicone.

Useful when there is no water on site. Wonder Wipes contain a powerful anti-bacterial additive that is tested by an independent laboratory to BSEN 1276:2009.

INTERIOR AND EXTERIOR USE

ROBUST AND EXTRA ABSORBENT TRIPLE LAYER WIPE THAT TRAPS DIRT AND ABSORBS MOISTURE

ANTIBACTERIAL ADDITIVE TO PROVIDE PROTECTION

CONTAINS VITAMIN E AND ALOE VERA TO NOURISH HANDS

Wonder Wipes
Biodegradable

SGAN	SIZE	COLOUR	QTY	BARCODE
780111	60	–	12	5055492704016

Sika Wonder Wipes Biodegradable are a standout in the popular range, delivering powerful cleaning for hands, tools, and surfaces. Made 100% biodegradable and plastic-free, their extra-thick design ensures strength and durability. Effortlessly tackle tough grime – including paint, silicone, adhesive, bitumen, expanding foam, oil, and grease. Packaged in convenient flow-wrap for easy storage, quick access, and longer-lasting freshness.

100% BIODEGRADABLE AND PLASTIC-FREE WIPES

EXTRA THICK MATERIAL FOR EXCEPTIONAL CLEANING

CONTAINS AN ANTI-BACTERIAL ADDITIVE

CONTAINS ALOE VERA TO CONDITION SKIN AND PREVENT DRYNESS AND CRACKING

INTERIOR AND EXTERIOR USE

Wonder Wipes
Heavy Duty

SGAN	SIZE	COLOUR	QTY	BARCODE
467443	75	–	6	5029347609467

Heavy Duty Wonder Wipes are textured wipes specially formulated for the building, engineering and allied trades to clean ingrained dirt from hands, tools and surfaces.

INTERIOR AND EXTERIOR USE

Wonder Wipes
Multi-Use Spray

SGAN	SIZE	COLOUR	QTY	BARCODE
511711	1 L	–	12	5029347613952

Multi-Use Wonder Wipes is available in a hand spray. Wonder Wipes Spray is the ideal solution for cleaning large surface areas by using the spray with Paper Wipe Rolls or refreshing a Wipe to make it go that extra mile. Wonder Wipes Spray is also the perfect way to keep the PVC door and window frames looking good as new.

INTERIOR AND EXTERIOR USE

Glass Cleaner

SGAN	SIZE	COLOUR	QTY	BARCODE
490894	1 L	–	12	5029347900014

Glass Cleaner is a powerful glass cleaning agent containing a high level of detergents and solvents for rapid drying to a smear and static free finish. May also be used on tiling, VDUs, TV screens, chrome, and other glass items.

QUICK CURING/ DRYING · SOLVENT BASED

PVCu Solvent Cleaner

SGAN	SIZE	COLOUR	QTY	BARCODE
486919	1 L	–	12	5029347900045

PVCu Solvent Cleaner is a solvent based product formulated to remove ingrained dirt from PVCu and most plastics. Also suitable to restore an 'as new' look to old windows and plastic garden furniture. Fast drying.

QUICK CURING/ DRYING · SOLVENT BASED

All Purpose
Silicone Spray

SGAN	SIZE	COLOUR	QTY	BARCODE
484813	400 ml	–	12	5029347600648

All Purpose Silicone Spray is a dry silicone lubricant and mould release agent for the easing of friction between two surfaces. Ideal for use in mould making/release industries, to ease installation of rubber and EPDM gaskets to window and door frames and has 100's of uses around the home, garage, workshop and industry. Silicone Spray will also enhance the appearance of vinyl and hard surfaces such as car dashboards etc, where the dry-bright finish will eliminate the need for polish.

INTERIOR AND EXTERIOR USE · SOLVENT BASED

SHOP THE SIKA RANGE NOW ON THE SIKA B2B ESHOP



SCAN HERE TO LOG IN OR SIGN UP

Power Pro
Sealant Gun

SGAN	SIZE	QTY	BARCODE
484912	C4/400 ml	6	5029347600945

The ultimate heavy duty sealant gun, extra pull trigger, hook end and swivel action barrel for both 310 ml and 400 ml cartridges. Engineered for the trade.

Superflow
Sealant Gun

SGAN	SIZE	QTY	BARCODE
489588	C3/310 ml	6	5029347613082

Engineered to be what we believe is the best gun ever, with a rotating barrel, smooth action trigger, soft grip handle, and a non-drip device all wrapped up in a robust, sturdy gun that will handle the toughest of conditions.

Sika® Foil
Applicator Gun

SGAN	SIZE	QTY	BARCODE
483370	600 ml	1	5029347600808

The Foil Pack applicator gun is designed for use with foil packs, the enclosed aluminium barrel can also be used for standard cartridges.

Sika® PowerCure
Dispenser

DISPENSER

SGAN	SIZE	QTY	BARCODE
671579	600 ml	1	7612895699936

NOZZLE

SGAN	SIZE	QTY	BARCODE
496783	-	40	7612895230030

The Sika PowerCure Dispenser provides a quick and efficient way of applying SikaBooster technology found in Sikaflex 423 Powercure. The fast curing technology coupled with the Sika PoweCure Dispenser creates the most convenient application method for when time is of the essence.

Foil Pack
Spare Nozzles and Push Disc

SGAN	SIZE	QTY	BARCODE
489586	–	1	5029347602208

Refill pack for foil pack applicator gun; contains 10 x nozzles and 1 x push disc.

Professional
Sealant Gun

SGAN	SIZE	QTY	BARCODE
483371	C3/310 ml	12	5029347602246
485999	C4/400 ml	12	5029347600952

Sturdy skeleton gun with hexagonal rod and reinforced ring and hook end.

Sika Boom® P45
Metal Gun

SGAN	SIZE	QTY	BARCODE
907254	P45	1	5029347603526

A durable foam applicator gun which gives the user more control, and allows the user to apply expanding foam precisely and in hard to reach areas.

Sika Boom® P65
Metal Gun

SGAN	SIZE	QTY	BARCODE
907304	P65	1	5029347123000

Heavy duty foam applicator gun for precise application of gun-grade expanding foams.

Pro Point
Gun Kit

SGAN	SIZE	QTY	BARCODE
489049	-	1	5029347603410

Mortar Pointing Gun Kit complete with nozzles for both mortar and tile grout and mixing paddle. Designed to apply mortar deep into joints for maximum protection and strength. Comes complete with two plastic nozzles, a metal ended nozzle and a mixing paddle packed in a high impact printed box.

See our full range of expanding foams

Pages 26-27

Standard Nozzles

SGAN	SIZE	QTY	BARCODE
489640	-	12	5029347606237

Standard cartridge nozzles, handy replacements packed in 6's.

Seal Rite
Strip-Out Tool

SGAN	SIZE	QTY	BARCODE
482769	-	12	5029347603557

The Strip-Out Tool works on any type of sealant and is the ideal partner for use before applying silicone sealant. The Strip-Out Tool is incredibly simple and its design and shape provides a really quick way to strip all types of sealant out of any 90˚ angle joint.

Seal Rite
Smooth-Out Tool

SGAN	SIZE	QTY	BARCODE
486847	-	12	5029347603618

The Smooth-Out Tool is a unique tool that is ideal for smoothing out all sealants after application – it creates a perfect seal every time. Even better, you will have no edge marks and no mess! This tool is really remarkable, once used, you'll never seal again without it.

Seal Rite
Strip-Out and Smooth-Out Twin Pack

SGAN	SIZE	QTY	BARCODE
483399	-	12	5029347609603

A Twin pack with Strip-Out Tool for easy sealant removal and Smooth-Out Tool to create the perfect seal. Ideal for use with our full range of Silicone Sealants.

PLUMBING AND HEATING

Leak free seals where it matters most

Sika's heating and plumbing range provides high-quality products that make installation, repair, and maintenance fast and dependable.

- **Secure sealers:** Keep plumbing secure and leak free with our range of high-performance sealers.

With Sika heating and plumbing supplies, every connection is strong, every job is simpler, and every system is built to last.

Sealers and Compounds **132**

Plumbers Gold
Sealant & Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
847283	290 ml	CLEAR	12	5029347607081
847282	290 ml	WHITE	12	5029347607074

Specially formulated for the plumbing professional, Plumbers Gold is a sealant and adhesive based on hybrid polymer technology that offers outstanding adhesion to all sanitary, bathroom, wetroom, kitchen and plumbing materials.

CAN BE APPLIED TO WET SURFACES

WILL EVEN WORK UNDERWATER

Brick / Timber / Metal / PVCu / Glass

P16
PVC Pipe Cement

SGAN	SIZE	COLOUR	QTY	BARCODE
488408	250 ml	–	12	5029347607029

PVC Pipe Cement is a non-drip, thixotropic solvent based pipe cement for bonding non-pressure PVC and ABS thermoplastic pipes and conduits to themselves and each other.
Conforms to BSEN14814 and BSEN14680.

PVC/PVCu/ABS

See our wide range of grab adhesives

Pages 32-38

Heat Resistant Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
486749	310 ml	BLACK	12	5029347609290

Heat Resistant Silicone is a high temperature resistant, fast cure, silicone, heat stable up to 275°C, which is permanent flexibility – high modulus sealant. It is ideal for joints and assemblies in ducting, metal chimneys, industrial/domestic ovens, heating appliances. Excellent adhesion to most non-porous surfaces.

INTERIOR AND EXTERIOR USE

QUICK CURING/ DRYING

Flue Jointing Compound

SGAN	SIZE	COLOUR	QTY	BARCODE
488403	500 g	–	12	5010618050019
488407	1 kg	–	12	5010618050217

Flue Jointing Compound is a finely dispersed asbestos free material with a stiff consistency. It will not harden completely and small movements can be accommodated without cracking. Flue Jointing Compound is nonflammable and, therefore, there is no risk of fire.

INTERIOR AND EXTERIOR USE

HIGH TEMP RESISTANCE

GAP FILLING

See our specialist fire-rated sealant range.

Pages 104-105

TILING SYSTEM SOLUTIONS WITH SIKACERAM®

From decorative tiled surfaces to highly functional tiled wall and floor finishes, Sika is able to provide full systems. Sika has developed a comprehensive range of tile adhesives, tile grouts and useful ancillary products that are designed as integrated systems to achieve the optimum results.

For the full range see Page 150-152

BUILDING SUPPLIES

Reliable solutions for every stage of construction

From groundwork to finishing, Sika provides innovative building supplies you can trust.

- **Structural Performance:** Waterproofing, admixtures, self-levellers, and chemical anchors for strength and durability.
- **Repair and Protection:** Floor paints, line markers, wall finishes, and concrete/brick repair solutions.
- **Bonding and Finishing:** PVA/SBR bonding agents, putties, and pointing compounds for secure adhesion and flawless results.

Sika delivers practical, professional-grade solutions that make construction simpler, stronger, and longer lasting.

Waterproofing	138
Admixtures	142
Self Levelling Compounds	146
Concrete and Brick Repair	150
Primer, PVA, and SBR Bonding	154
Wall Finishing	156
Building Sundries	158

Sika®-1 Waterproofer
Liquid Waterproofing Additive

SGAN	SIZE	COLOUR	QTY	BARCODE
114448	5 L	YELLOW	4	7612895673271
114449	25 L	YELLOW	1	5055047200123

A liquid waterproofing additive for mortar and concrete.

The colloidal silicates in the additive swell and block the capillaries and pores in the applied sand/cement renders, screeds and mortar to provide an effective barrier against the transmission of liquid water.

PROVEN TRACK RECORD FOR OVER 100 YEARS

EXCELLENT RESISTANCE TO BACKWATER PRESSURE

WATERPROOF RENDERS TO RESIST MOISTURE ABOVE GROUND

CONSUMPTION: 0.75 L PER 25 KG CEMENT

Sika®-2
Water Plug

SGAN	SIZE	COLOUR	QTY	BARCODE
114452	5 L	RED	4	505547200048

A ready to use, rapid setting, leak stopping liquid which is mixed with ordinary portland cement to produce a paste for immediate leak sealing against high water pressure infiltration. Suitable to seal severe water leaks and to be applied on surfaces with running surface water.



Sika®-4
Rapid Setting

SGAN	SIZE	COLOUR	QTY	BARCODE
114453	5 L	BROWN	4	5055047200086

A ready to use liquid for accelerating the set time of mortars and renders where low water pressure or slow water movement exists. Sika®-4 Rapid Setting Provides excellent resistance to backwater pressure and prevents cement wash out.



Sika®-4a
Water Stop

SGAN	SIZE	COLOUR	QTY	BARCODE
114454	5 L	CLEAR	4	5055047200109

A ready to use, quick setting, liquid which is mixed with water and ordinary portland cement to produce a paste for leak stopping .Sika®-4a Water Stop is suitable for use against high or moderate water pressure infiltrations.



Sikalastic®-1K

SGAN	SIZE	COLOUR	QTY	BARCODE
489549	20 kg	GREY	1	5055492701305

A one-component, highly flexible, cementitous, fibre-reinforced mortar for the waterproofing of concrete structures. It can be used for the outside waterproofing and protection of basement walls as well as on hydraulic structures, such as swimming pools.



Sika® Damp Proofing Slurry

SGAN	SIZE	COLOUR	QTY	BARCODE
456454	20 kg	GREY	1	5055492700704
102198	25 kg	GREY	1	5055047201021

A high-quality, thin layer, waterproof slurry coating that contains special cements and admixtures that provides a finish that prevents dampness and water penetration. Easy to mix and apply as well as being overpaintable with vapour permeable coatings.

SikaMur® InjectoCream-100

SGAN	SIZE	COLOUR	QTY	BARCODE
425016	300 ml	WHITE	12	7612894892604

A silane-based, waterproof cream that can be inserted into holes in mortar course of the wall to provide a Damp Proof Course (DPC) that will block future rising damp.

Febtank Super
Waterproof Coating

SGAN	SIZE	COLOUR	QTY	BARCODE
486609	25 kg	GREY	1	5029347607807
489396	20 kg	GREY	1	5029347609856

Febtank Super, when mixed with clean water, forms an extremely durable waterproof coating for concrete and masonry which is easily applied by a stiff hand brush, broom or spray. Ideal permanent waterproofing system for basements, cellars, pools, reservoirs and below ground level applications. Resists both negative and positive water pressure. **Tested to BSEN 1504-3.**

Our ground-breaking **Sika® Watertight Concrete System** is specifically designed for water resistance underground. Made in Britain by the original innovators of watertight concrete to keep water in its place. Available now in powdered (hydrophobic or crystalline) and bulk liquid (hydrophobic).

- Keeps water out – and in for swimming pools
- Industry leading design and technical support for complex projects
- Includes complementary jointing products for a complete watertight seal
- Incorporates the latest concrete admixture technology
- No.1 in the UK – all formulas are BBA certified, backed with 15-year Sika® Guarantee

Find out more at sikawaterproofing.co.uk

BUILDING TRUST

SikaMix
Mortar Plasticiser

SGAN	SIZE	COLOUR	QTY	BARCODE
445021	5 L	–	4	5055492700483
445917	25 L	–	1	5055492700544

SikaMix Mortar Plasticiser is a chloride-free, air-entraining admixture designed to improve workability, durability, and cohesion in mortars, renders and screeds. It produces smoother, creamier mixes, reduces shrinkage and efflorescence.

REDUCES SHRINKAGE AND CRACKING
IMPROVES FROST RESISTANCE
CERTIFICATION

SikaMix
3 in 1

SGAN	SIZE	COLOUR	QTY	BARCODE
880786	5 L	YELLOW	4	5055047200529

SikaMix 3 in 1 is a professional-grade admixture that combines water resistance, plasticising, and retarding in one convenient product. Perfect for exterior renders and screeds, it improves workability, reduces water bleed, and enhances durability.

AIR ENTRAINING ADMIXTURE
CERTIFICATION

SikaMix
Powdered Mortar Plasticiser

SGAN	SIZE	COLOUR	QTY	BARCODE
165860	250 sachets	–	1	5055047209041

SikaMix® Powdered Mortar Plasticiser (PMP) is a pre-measured air entraining admixture which complies to EN 934-3 and replaces or complements the use of lime in sand and cement bricklaying and rendering.

IMPROVES FROST RESISTANCE
CERTIFICATION

SikaMix
Frostproofer and Plasticiser

SGAN	SIZE	COLOUR	QTY	BARCODE
877562	5 L	AMBER	4	5055047200864

A chloride free admixture for concrete that is suitable for use with steel reinforcement. Sikamix® Frostproofer and Plasticiser allows mortars and concretes to be used in sub-zero temperatures, eliminating the need for a separate frostproofer.

FASTER SETTING TIMES
REDUCES SHRINKAGE AND CRACKING
IMPROVES FROST RESISTANCE
CERTIFICATION

Sika® Release Oil

SGAN	SIZE	COLOUR	QTY	BARCODE
513849	5 L	CLEAR	4	5055047200604

A ready to use, formwork release agent that is suitable for mould and shuttering. Sika® Release Oil is suitable for use prior to casting concrete in order to achieve a clean release after removal of formwork.

READY TO USE
INCREASES FRAMEWORK REUSE
NON-COMBUSTABLE VAPOUR
SELF-LEVELLING WHEN SPRAYED

Sika MaxMix®
Powder Mortar Tone

SGAN	SIZE	COLOUR	QTY	BARCODE
878064	1 kg	BLACK	6	5029347002817
878131	1 kg	BROWN	6	5029347002831
878077	1 kg	BUFF	6	5029347002855
878076	1 kg	RED	6	5029347002824

Sika MaxMix Power Mortar Tone is formulated from best quality oxide pigments for colouring all types of mortars. The pigments disperse easily into the mix to give a uniform shade for each mix batch, shading can be adjusted to provide a wider variety of colour depths. **Tested to EN12878.**

IMPROVES WORKABILITY
ADJUSTABLE COLOUR DEPTH
CERTIFICATION

Sika® MaxMix®
Concentrated Integral Waterproofer

SGAN	SIZE	COLOUR	QTY	BARCODE
881475	1 L	YELLOW	6	7612894695649

A highly concentrated waterproofing and air entraining admixture for sand and cement mortars, renders and screeds. Sika® MaxMix® Concentrated Integral Waterproofer improves the workability of mortar/render and helps prevent shrinkage, cracking, crazing and mild frost damage.

Sika® MaxMix®
Concentrated Frostproofer and Hardener

SGAN	SIZE	COLOUR	QTY	BARCODE
881347	1 L	STRAW	6	7612894695724

A highly concentrated air entraining admixture which is designed specifically for cold weather by eliminating the requirement for a second frostproofing admix. Sika® MaxMix® Concentrated Frostproofer and Accelerator reduces the setting time of sand and cement based mortars, renders, screeds etc.

Sika® MaxMix®
Concentrated Mortar Tone

SGAN	SIZE	COLOUR	QTY	BARCODE
170406	1 L	BLACK	6	7612894695823
170408	1 L	BROWN	6	7612894695861
170410	1 L	RED	6	7612894695908
170412	1 L	YELLOW	6	7612894695946

A concentrated, one-shot cement colourant that provides a uniform shade of colour to cement mortars, renders, concrete and pointing.

Sika® MaxMix®
Concentrated Mortar Plasticiser

SGAN	SIZE	COLOUR	QTY	BARCODE
880826	1 L	BROWN	6	7612894694888

A highly-concentrated, air entraining liquid plasticising admixture that is twenty five times the strength of conventional products. Forms extremely stable air bubbles in mortar mixes that improves the consistency and workability of mortar. Sika® MaxMix® Mortar Plasticiser helps to prevent shrinkage, cracking, crazing and mild frost damage.

SikaMix
Integral Waterproofer

SGAN	SIZE	COLOUR	QTY	BARCODE
877539	5 L	–	4	5029347002251

SikaMix Integral Liquid Waterproofer is a plasticising, air-entraining admixture that provides built-in protection by reducing permeability and surface absorption. Suitable for pool and tank linings, roof areas, external renders, pointing, and below-ground structures, it improves durability, enhances workability, and ensures easier application. **Tested to EN934-3 (2009)+A1(2012).**

SikaMix
Frostproofer and Hardener

SGAN	SIZE	COLOUR	QTY	BARCODE
878091	5 L	–	4	5029347002350

SikaMix Frostproofer and Hardener is a chloride-free accelerator that shortens setting times and protects mixes down to -8 °C. Its non-corrosive formula is safe for use with brick ties and reinforcement, making it an ideal choice for mortars, screeds, renders, concrete and emergency plugging repairs. **Tested to EN934-2 (2009)+A1(2012).**

Sikafloor®-122 Level
Universal Self Levelling Compound

SGAN	SIZE	COLOUR	QTY	BARCODE
813560	20 kg	GREY	1	7612655050076

A one-part, multi-purpose, cement based self-leveller for smoothing and levelling uneven internal rigid floors prior to applying a final wearing covering. Suitable for underfloor heating applications beneath heating systems. This product is highly fluid and easy to apply.



Sikafloor®-125 Level
Flex Self Levelling Compound



SGAN	SIZE	COLOUR	QTY	BARCODE
825002	20 kg	GREY	1	7612655082343

A one-part, latex modified smoothing and levelling compound with added polymer powder for improved flexibility and resilience. This product is suitable for smoothing and levelling rigid internal floors prior to applying final wearing coverings. Suitable for underfloor heating applications beneath heating systems.



Sikafloor®-131 Level
Latex Ultra Self Levelling Compound

SGAN	SIZE	COLOUR	QTY	BARCODE
619525	25 kg	GREY	1	5055047210726

A one-part, latex modified, high-strength self leveller for smoothing and levelling uneven rigid floors. SikaFloor® 131 Level Latex Ultra may be overlaid with common floor coverings or may be left as a final wearing surface. A rapid setting heavy duty product which is suitable for both internal and external floors, this product is also strong enough to withstand vehicular traffic.



Sikafloor®-132 Level
Rapid Self Levelling Compound

SGAN	SIZE	COLOUR	QTY	BARCODE
767210	16 kg	GREY	1	7612895935782

Sikafloor®-132 Level Rapid is a 1-part, cementitious, polymer-modified, fast setting, smoothing and levelling compound for uneven rigid internal floors. Ideal for applications where same day covering is required. Suitable for use with many flooring finishes such as carpets, vinyl, wood block flooring, ceramic tiles and laminate flooring.

Compatible with underfloor heating applications, beneath heating systems, with maximum surface temperature of +27 °C.



Sikafloor®-245 Level
Deep Fill Ultra Self Levelling Compound

SGAN	SIZE	COLOUR	QTY	BARCODE
612979	25 kg	GREY	1	5055492702951

A one-part, thick bed, smoothing and resurfacing compound for levelling out uneven floors and screeds down to the depth of 50mm. This product is known for it's extremely low shrinkage properties and is suitable for use on internal and external floors.



Sikafloor-360 Level
Fibre Self Levelling Compound

SGAN	SIZE	COLOUR	QTY	BARCODE
861772	20 kg	GREY	1	7612655156327

A fibre modified, cement based, protein free self levelling compound used for levelling uneven floors and screeds up to 60mm depth in one pour. Contains powdered polymer to eliminate the need for a separate latex liquid being added. Suitable for use on timber floors and designed for underfloor heating applications, including embedment. The free flowing mix sets in 4 hours and can be overlaid after 8 hours.



Sikafloor®-440 Level
Fibre Reinforced Self Levelling Compound

SGAN	SIZE	COLOUR	QTY	BARCODE
612787	20 kg	GREY	1	5055492702944

A one-part, fibre and polymer re-enforced, flexible, high strength heat resistant cement based levelling compound. Designed specifically for the embedment of underfloor heating elements and for use on timber floors. SikaFloor® 440 Level Fibre Reinforced can be left as a final wearing surface or may be overlaid with floor coverings.



SikaGrout® 111 GP

SGAN	SIZE	COLOUR	QTY	BARCODE
527763	25 kg	GREY	1	7612895340319

A one part, general purpose, high precision, shrinkage compensated cementitious grout. SikaGrout® 111 GP is easy to mix and apply; it is perfect for a multitude of jobs, such as filling voids, machine and base plates.

Sikadur®-31+

SGAN	SIZE	COLOUR	QTY	BARCODE
644950	1.2 kg	GREY	8	7612895650944
644872	6 kg	GREY	1	7612895650838
Rapid				
722440	1.2 kg	GREY	8	7612895827704
662201	6 kg	GREY	1	7612895674056

Sikadur®-31+ is a two-part, low-VOC, moisture-tolerant epoxy structural adhesive which bonds to many construction materials. It is also used for structural concrete repairs, joint filling, and crack sealing. It can be used in both do-it-yourself (DIY) and professional applications.

Looking for a dry spray mortar for large volume applications?

- Economical
- Dust reduction technology
- Class R4 according to EN 1504-3
- High build
- Rapid strength gain
- Low shrinkage

And that's not all!
Find out the details at:

SCAN ME

Sikagard® 550 W Elastic
Crack Bridging and Protective Coating

SGAN	SIZE	COLOUR	QTY	BARCODE
407930	15 L	RAL 1001	1	7612894809237
407929	15 L	RAL 1002	1	7612894809220
183570	15 L	RAL 1015	1	7612895387826
524264	15 L	RAL 7023	1	7612895322650
489356	15 L	RAL 7030	1	7612895203720
504747	15 L	RAL 7032	1	N/A
457266	15 L	RAL 7035	1	7612895062860
403609	15 L	RAL 7037	1	N/A
540553	15 L	RAL 7038	1	7612895394756
452574	15 L	RAL 7040	1	7612895046648
405013	15 L	RAL 7044	1	7612895194356
414256	15 L	RAL 9001	1	7612894841824
414250	15 L	RAL 9002	1	7612894841794
182776	15 L	RAL 9010	1	N/A
486873	15 L	RAL 9016	1	7612895194356

RAL 7023 RAL 7038 RAL 9010 RAL 1001 RAL 7032 RAL 7044

RAL 7030 RAL 7040 RAL 9016 RAL 1002 RAL 7035 RAL 9001

RAL 1015 RAL 7037 RAL 9002

Colour swatches are a guide only and may vary.

Sikagard 550 W Elastic is a one component, plasto-elastic coating based on UV-curing acrylic dispersion with excellent crack-bridging properties even at temperatures below 0°C.

It has been specifically deisgned for the protection and enhancement of concrete structures (normal and lightweight concrete), especially exposed outdoor concrete surfaces with a risk of cracking. Sikagard 550 W Elastic is the perfect solution for overpainting render in the colour of your choice, giving an exceptional protection against UV, weather and ageing.

Jetcem Rapid
Repair Cement

SGAN	SIZE	COLOUR	QTY	BARCODE
620460	3 kg	GREY	4	5010618043103
620438	6 kg	GREY	2	5010618044100

Ideal for rapid patching or when a fast repair job is needed. Sets in approximately 30 minutes. Sets in the cold and wet.

Jetcem Deep
Rapid Repair Sand and Cement

SGAN	SIZE	COLOUR	QTY	BARCODE
620326	2 kg	GREY	6	5010618047101
620439	6 kg	GREY	2	5010618048108

Strong and easy to use rapid setting repair compound. Internal and external repairs to gaps and cracks on walls, floors, steps and kerbstones. Repairs deep holes in concrete, stone and brick.

Jetcem Waterproof
Rapid Repair Cement

SGAN	SIZE	COLOUR	QTY	BARCODE
620436	3 kg	–	4	5029347610166

Fast, strong and easy to use waterproof repair compound. Internal and external repairs to cracks and holes in structures subject to permanent water immersion. Ideal for patch repairs to tanking and water retaining structures including ponds. Suitable for use on concrete, stone and brick.

Jetcem Plaster
Rapid Repair

SGAN	SIZE	COLOUR	QTY	BARCODE
620437	6 kg	OFF WHITE	2	5029347610173

Fast, strong and easy to use repair compound for patching plaster. Internal repairs for plasterboard, brick wood and stone. With added PVA powder to increase strength and reduce cracking and shrinkage.

Febset 45 Rapid
High Strength Repair Mortar

SGAN	SIZE	COLOUR	QTY	BARCODE
628382	25 kg	GREY	1	5029347607630

Febset 45 is a specially formulated repair mortar, based on magnesia-phosphate cement pre-mixed with selected aggregates, which gives controlled, extremely high early strengths in temperatures ranging from -20°C up to over 30°C. Trafficable after 45 minutes. High bond strength, no primers required.

EpoxySet 105
Heavy Duty Epoxy Mortar Kit

SGAN	SIZE	COLOUR	QTY	BARCODE
490359	4 kg	GREY	1	5029347010515
490405	14 kg	GREY	1	5029347010522

Epoxyset 105 is a three part general purpose repair mortar based on epoxy technology. Formulated to withstand chemicals, impact and abrasion and can be used to repair concrete, screeds, stone, brick and steel in even the most demanding domestic and industrial situations. Pack includes finishing solvent and gloves.

Brick / Stone / Concrete

PRO POINT GUN KIT

Designed to apply mortar deep into joints for maximum protection and strength.

See page 128-129

SikaBond® Rapid DPM

SGAN	SIZE	COLOUR	QTY	BARCODE
175129	5 L	BROWN	4	5055047210603

A solvent-free, single-part, moisture curing polyurethane primer and damp proof membrane, ideal for use on cement based substrates. SikaBond® Rapid DPM can be used for priming, consolidating and sealing in various applications. This product is particularly ideal to use on absorbent and non-absorbent subfloors, consolidating weak cement screeds and isolating old adhesive residue. Can be used as DPM on subfloors under hydrostatic pressure.



Sika® Primer MB

SGAN	SIZE	COLOUR	QTY	BARCODE
498982	5 kg	BLUE	1	7612894379990

A low viscosity, solvent-free, two-component epoxy resin based primer and moisture barrier for wooden floors. Suitable for use in conjunction with SikaBond® elastic adhesives on critical substrates.



SIKAFLOOR® SELF LEVELLING

Check out the full range on pages 146-149

SikaBond® PVA+

SGAN	SIZE	COLOUR	QTY	BARCODE
873752	500 mL	WHITE	20	5029347005108
892408	1 L	WHITE	12	5055492700568
892663	2.5 L	WHITE	6	5055492700575
892664	5 L	WHITE	4	5055492700469
892693	25 L	WHITE	1	5055492700520

A medium viscosity general purpose adhesive, sealer and mortar admixture. It is easy to use, has excellent adhesion and reduces surface dusting. **SikaBond® PVA + Conforms to BS5270.**

SikaBond® Waterproof PVA Ultra

SGAN	SIZE	COLOUR	QTY	BARCODE
892721	5 L	White	4	5055047209867

A water resistant, vinyl acetate polymer, specifically formulated for exterior use as an adhesive and sealer. Suitable for brickwork, mortar render, screed and plaster. Easy to use and, unlike normal PVA, will not re-emulsify when wet.

SikaBond® Contractors PVA

SGAN	SIZE	COLOUR	QTY	BARCODE
757726	2.5 L	WHITE	6	7612895923253
754683	5 L	WHITE	4	7612895914145
873753	25 L	WHITE	1	5029347613372

A multi-purpose, economic adhesive, sealer and mortar admixture. SikaBond® Contractors PVA Adheres to most common building materials, making it ideal for priming unsound surfaces prior to plastering or painting. Also suitable for use as an adhesive, general dust sealer and cement admixture.

SikaBond® SBR

SGAN	SIZE	COLOUR	QTY	BARCODE
873668	2.5 L	WHITE	6	5029347613624
892731	5 L	WHITE	4	5055492700476
892692	25 L	WHITE	1	5055492700537
873665	1000 L	WHITE	1	7612655190826

A one-component, water-based, general purpose bonding agent and mortar admixture. As an admixture diluted with water, it produces a gauging solution for improving adhesion, workability and water resistance of mortars and cementitious mixes.
Suitable for improving resistance to abrasion, chemicals and oils.

Sika® Blue Grit
Plaster Bonding Agent

SGAN	SIZE	COLOUR	QTY	BARCODE
849277	5 L	BLUE	1	5029347608910
849327	10 L	BLUE	1	5029347608880

Sika® Blue Grit is a high performance, plasterers grip coat bonding agent specifically designed to provide an improved key to smooth surfaces. Containing a fine aggregate, it provides a mechanical key to backgrounds such as plaster, concrete, painted surfaces, textured surfaces and ceramic tiles. One coat application, coloured blue to indicate coverage.

507 Rendagrip
Render Bonding Agent

SGAN	SIZE	COLOUR	QTY	BARCODE
461975	10 L	RED	1	5029347612610

Rendagrip is an extra grip render bonding agent that contains a fine aggregate to provide an improved key before applying render on external surfaces e.g. concrete, lightweight blockwork, brick etc. The fine aggregates are suspended in a unique waterproof polymer to ensure easy application and an even spread of aggregate avoiding any weak spots in the key coat and preventing the aggregate particles coming loose during application.



WONDER WIPES

Perfect for keeping hands, tools, and surfaces clean on-site or at home, they are a must-have for builders, decorators, mechanics, and DIY enthusiasts.

See page 122-123

Why Chemical Anchors?

Chemical Anchors, also often referred to as 'Resin Bonded' anchors, are being increasingly used where a critical or heavy weight loading needs fastening.

Unlike intrusive mechanical expansion anchors or plastic plugs, chemical anchors make the fixing an integral part of the substrate as the load is spread throughout the entire fixing area, removing the stress caused within the substrate when mechanical anchors or plastic plugs are "tightened" up.

This key difference is particularly relevant on lightweight substrates, and poor and friable substrates, cracked concrete, sandstone and masonry as well for fixings close to the edge.

How are they used?

The hole is drilled to the required diameter dependent upon the threaded bar to be used, and the loading it has to take. Full tables of relevant hole diameter sizes and loading strengths can usually be found on all packs and technical data, but for example for an M8 fixing a 10mm diameter hole would normally be used in concrete.

Where are they used?

In addition to the more critical structural applications Chemical Anchors also provide a more robust fixing solution in many day to day building applications such as:

• Railings • Heavy Pipes • Gates • Sanitary Fixings • Wall Ties • Fire Surrounds • Lamps • Steel Structures • Kitchen Wall Cupboards • Towel Holders

Sika®
AnchorFix-1

SGAN	SIZE	COLOUR	QTY	BARCODE
461476	300 ml	GREY	6	5055492700742

A two-component, fast curing, solvent and styrene free, polyester based chemical anchoring adhesive. Sika® AnchorFix®-1 is recommended for standard applications with low to medium loads.

Anchorset Green 150
Styrene Free Anchor Fixing Resin

SGAN	SIZE	COLOUR	QTY	BARCODE
490165	150 ml	GREY	12	5029347606503

Anchorset Green 150 is a styrene free anchor fixing resin packed using a twin bag system for application with a standard sealant gun. Applied in one single action, this general purpose resin will produce a strong, chemical resistant fixing. Ideal for a multitude of uses including fixing railings, satellite dishes, brackets etc. which require heavy loads.

Anchorset Green 300
Styrene Free Anchor Fixing Resin

SGAN	SIZE	COLOUR	QTY	BARCODE
482457	300 ml	GREY	12	5029347606046

A styrene free chemical anchor in a new easy to use twin bag system operated by a standard sealant gun, therefore easy to use by a general builder. Applied in one single action, this general purpose resin will produce a strong, chemical resistant fixing. Perfect for satellite dish mountings, gate hinges, balcony rails etc. Complete with a mixer nozzle.



Anchorset
Nozzle

SGAN	SIZE	COLOUR	QTY	BARCODE
489048	–	–	25	NO BARCODE

Nozzle No. 4 – Standard mixer nozzle, 215 mm length for use with Anchorset 150 and 300.

Sikadur® 33
Structural Epoxy Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
498629	250 ml	GREY	12	7612894403688

A two-component, solvent-free, cold cure, thixotropic epoxy resin, structural adhesive. Sikadur® 33 is supplied in a cartridge with an in-line mixer nozzle.



101 Multi Purpose
Linseed Oil Putty

SGAN	SIZE	COLOUR	QTY	BARCODE
480210	1 kg	NATURAL	12	5029347001117
480211	2 kg	NATURAL	6	5029347001124

101 Multi-Purpose Linseed Oil Putty is specially formulated using only the best grade linseed oil, for glazing single glass into metal, softwood and hardwood window frames.

103 Premium
Trowel Mastic

SGAN	SIZE	COLOUR	QTY	BARCODE
488964	3 kg	STONE	4	5029347600525
488966	6 kg	STONE	2	5029347606794

103 Trowel Mastic is a premium oil based mastic for perimeter pointing around wood and metal window and door frames.

Sika® Line & Spot Marking Spray
Marking Paint

SGAN	SIZE	COLOUR	QTY	BARCODE
918770	700 ml	BLUE	12	5029347601560
918764	700 ml	RED	12	5029347601577
918771	700 ml	WHITE	12	5029347000943
918772	700 ml	YELLOW	12	5029347601553

A spray-applied marking paint designed for clear, temporary to semi-permanent line marking across a wide range of sur faces. Developed for professional use, it delivers high opacity and visibility for surveying, construction, utilities, and sports applications.

SHOP THE SIKA RANGE NOW ON THE SIKA B2B ESHOP

SCAN THE QR CODE TO LOG IN OR SIGN UP.



TILE ADHESIVES AND GROUTS

Built to last, behind every tile

Sika's adhesives, grouts, and wet room kits deliver reliable performance for professionals and DIYers.

- **Wet Rooms:** Waterproofing tanking kits for long-lasting protection.
- **Tiling:** Adhesives for all projects, including rapid-set, flexible, and underfloor heating applications.
- **Grouting:** Durable, mould-resistant grouts in a range of colours.

From splashbacks to full wet rooms, Sika provides solutions for every tiling project.

Wet Room System	**164**
Tile Adhesives	**166**
Grouts	**169**

Aquaseal
Wet Room System Kit

SGAN	SIZE	COLOUR	QTY	BARCODE
487861	LARGE	-	1	5029347611149
487891	STD	-	1	5029347611262

The Aquaseal Wet Room System Kit gives you everything you need to waterproof both walls and floors prior to tiling showers, wet rooms, wet zones and other areas susceptible to water and excessive moisture. Ideal for use on Plasterboard, Plaster, MDF, Plywood, Cementitious Boards, Block work, Concrete and Specialist Wet Room Boards.

The Aquaseal Tanking Kit is available in two sizes; Standard – everything you need to waterproof 4.5m² and Large – everything you need to waterproof 7.5m².

Both kits come complete with:

- Waterproof Tanking Primer (1 L)
- Waterproof Tanking Membrane (3LTR – Standard, 5 L – Large)
- Waterproof Tanking Tape (10 m)
- Waterproof Tanking Drain Mat
- Aquaseal Wet Room System instruction leaflet

SIMPLE AND EASY TO APPLY 3 PART SYSTEM

COMES COMPLETE WITH ROLLER, BRUSH AND DRAIN MAT.

SUITABLE FOR USE WITH UNDERFLOOR HEATING

1 Tanking Primer

Apply primer to surfaces that are to be waterproofed.

2 Tanking Tape and Mat

Apply self-adhesive tape across all joints, corners and pipe penetrations.

Next, apply the self-adhesive drain mat around the drain outlet.

3 Tanking Membrane

The ready-to-use membrane is applied by brush in a 2 coat system at right angles to each other.

Aquaseal
Waterproof Tanking Membrane

SGAN	SIZE	COLOUR	QTY	BARCODE
487333	5 L	BLUE	1	5029347611163

Aquaseal Waterproof Tanking Membrane is the ideal product for use when waterproofing before tiling. It forms a permanently flexible watertight membrane, is non hazardous and solvent free. Aquaseal Tanking Membrane is easy to apply by brush, is quick drying and can be tiled after 12 hours.

Aquaseal
Wet Room System Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
683645	10 m	-	1	5055492703927

Aquaseal Waterproof Tanking Tape is a self adhesive joint and corner tape ideal for use when waterproofing showers, wet rooms and wet zones in bathrooms before tiling.
A permanently flexible butyl backed fleece with cross directional stability, Waterproof Tanking Tape can be used on all board joints, corners and pipe entries. Can be tiled directly or overcoated with Aquaseal Waterproof Tanking Membrane for full wet zones and is easy to apply with a pre-cut release liner.

SikaCeram®-140
Rapid Set

SGAN	SIZE	COLOUR	QTY	BARCODE
674162	20 kg	GREY	1	5055492703712

SikaCeram®-140 Rapid Set is a water-resistant tile adhesive, suitable for bonding ceramic and mosaic tiles to floor or walls in both thick and thin bed applications.

Classification C1 FT

SikaCeram®-240
Flexible Rapid Set

SGAN	SIZE	COLOUR	QTY	BARCODE
677239	20 kg	GREY	1	5055492703729

SikaCeram®-240 Flexible Rapid Set Tile Adhesive is suitable for bonding ceramic tiles to walls or floors with a thick or thin bed application, with crack resistant properties making it ideal for applications where slight surface movement is likely.

Classification C2 FE

SikaCeram®-272
Ultra Flexible Rapid Set

SGAN	SIZE	COLOUR	QTY	BARCODE
677329	20 kg	WHITE	1	5055492703736

SikaCeram®-272 Ultra Flexible is a rapid-setting, water resistant tile adhesive with superior flexibility, and is ideal for tiling heavy duty areas including heavily walked floors or areas under constant immersion.

Classification C2 FTE S1

SikaCeram®-277
Flexible Standard Set

SGAN	SIZE	COLOUR	QTY	BARCODE
677506	20 kg	WHITE	1	5055492703743
677508	20 kg	GREY	1	5055492703750

SikaCeram®-277 Flexible Standard Set is a thin bed adhesive with a long working pot-life and extended open time for applications where extensive cutting is required during application.

Classification C2 TE S1

SikaCeram®-282
Fibre Reinforced

SGAN	SIZE	COLOUR	QTY	BARCODE
678298	20 kg	GREY	1	5055492703767

SikaCeram®-282 Fibre Reinforced is a highly flexible, lightweight, fibre reinforced tile adhesive for applications where movement is expected.

Classification C2 TE S2

701 Non Slip Showerproof
Ready Mixed Tile Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
487066	3.75 kg	OFF WHITE	1	5029347070120
487067	7.5 kg	OFF WHITE	1	5029347070137
487068	14 kg	OFF WHITE	1	5029347070144

Acrylic Non Slip Tile Adhesive is an acrylic based formula for extra slip resistance and grab. Designed for general use in bathroom and kitchen areas. May be used in domestic showers when used in conjunction with Everbuild Powdered Wall Tile Grout. Tested to EN 12004 type D1T.

702 Water Resistant
Ready Mixed Tile Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
487071	7.5 kg	OFF WHITE	1	5029347070250
487072	16 kg	OFF WHITE	1	5029347070205

Water Resistant Tile Adhesive is a premium grade adhesive that can be used in areas subject to prolonged/permanent wet conditions and in areas of high humidity and condensation. Tested to EN 12004 type D2T.

703 Fix And Grout
Ready Mixed Tile Adhesive and Grout

SGAN	SIZE	COLOUR	QTY	BARCODE
487074	750 g	WHITE	12	5029347600426
487075	1.5 kg	WHITE	12	5029347070311
487077	3.75 kg	WHITE	1	5029347070328
487078	7.5 kg	WHITE	1	5029347070359

Fix and Grout Tile Adhesive is a premium grade adhesive, formulated to be used as both an adhesive and grout. Contains a fungicide to prevent mould growth and dries to a brilliant white finish. Tested to EN 12004 type D2T.

700 TileSet Universal
Floor and Wall Tile Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
678329	20 kg	GREY	1	5029347615819
695061	20 kg	WHITE	1	5029347615826

700 TileSet Universal is a standard setting tile adhesive, ideal for when an extended opening time is required. Suitable for fixing ceramic, mosaic and natural stone tiles to semi-porous surfaces.

Classification C1 T



705 TileSet Rapid
Floor and Wall Tile Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
486663	20 kg	GREY	1	5029347070526

705 TileSet Rapid is fast setting tile adhesive, drying in just 1-2 hours making it ideal for when same day fixing, and grouting is required. Suitable for bonding ceramic tiles to floors and walls.

Classification C1 FT



711 TileSet Flexiplus S1
Floor and Wall Tile Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
486660	20 kg	GREY	1	5029347071110
695062	20 kg	WHITE	1	5029347615901

711 TileSet Flexiplus S1 is a rapid setting tile adhesive with added latex powder for improved flexibility. Can be used for ceramic, porcelain, and large format tiles.

Classification C2 FTE S1



730 Universal Flexible Hygienic
Wall and Floor Tile Grout

SGAN	SIZE	COLOUR	QTY	BARCODE
695765	2.5 kg	WHITE	4	5029347615918
486468	5 kg	WHITE	1	5029347612283
486045	5 kg	ANTHRACITE	1	5029347612337
486466	5 kg	IVORY	1	5029347612306
486465	5 kg	GREY	1	5029347612290

730 Uniflex Flexible Hygienic Wall and Floor Tile Grout is a cementitious grout designed specifically for wall and floor tile applications for joints up to 15mm wide. The added powder polymer provides flexibility and water resistance to provide a durable water repellent finish.

Suitable for most common tiles including ceramic, natural stone and porcelain. 730 Uniflex Flexible Hygienic Wall and Floor Tile Grout contains Mould Shield for long lasting Anti-Fungal protection against black mould.*.

*Simulated ageing.

MOULD SHIELD

GREY

IVORY

WHITE



ANTHRACITE

These swatch colours may not be a true representation, please obtain a sample from your local stockist.

SikaCeram® CleanGrout
Floor and Wall Tile Grout

SGAN	SIZE	COLOUR	QTY	BARCODE
427156	5 kg	ANTHRACITE	4	7612894904116
427154	5 kg	ASH	4	7612894904079
427155	5 kg	BEIGE	4	7612894904093
445625	5 kg	ABSOLUTE BLACK	4	7612895008011
445651	5 kg	JASMIN	4	7612895008318
427153	5 kg	MANHATTAN GREY	4	7612894904055
427157	5 kg	WHITE	4	7612894904130

SikaCeram® CleanGrout is a cementitious, floor and wall tile grout for joints 1mm to 8mm in width; incorporating a high-quality, water-repellent formula which also prevents colours from fading over time.

Used: in applications where water-resistance is essential including swimming pools and tanks.

Inhibits the formation of mould and bacterial growth.

Suitable for interior and exterior applications.

For use on all types of tiles, mosaic, marble and natural stone.



WHITE


MANHATTAN GREY

BEIGE

ABSOLUTE BLACK

JASMIN


ASH

ANTHRACITE

These swatch colours may not be a true representation, please obtain a sample from your local stockist.

Sika® Forever White
Powder Wall Tile Grout

SGAN	SIZE	COLOUR	QTY	BARCODE
852168	1.2 kg	ARCTIC WHITE	8	5029347606145
852167	3 kg	ARCTIC WHITE	1	5029347606367

Sika® Forever White Powder Wall Tile Grout is a cement based powdered grouting compound with added PVA to promote adhesion and water repellents to shed water.

Simply mix with water to give a pure white paste. Can be used on wall joints up to 3mm.





Sika® Forever White
Grout Reviver

SGAN	SIZE	COLOUR	QTY	BARCODE
852169	200 ml	ARCTIC WHITE	12	5029347606152

Sika® Forever White Grout Reviver is the easy way to restore discoloured and dirty grout to a bright white finish.

Simply apply to grout lines using the easy to use applicator, allow to dry and remove any excess residue with a damp cloth. Depending upon size of tile, will cover approx 20m² of tiles.

BUILDING FINISHING

Beautiful Exteriors, Made Simple

Enhance a property's kerb appeal with Sika's high-quality renders in a wide range of colours.

- **Colour Perfection:** Mineral renders in 48 colours, durable, breathable, and weather resistant.
- **Start Right:** Base coats that bond to challenging substrates to help achieve a flawless finish.
- **Top It Off:** Weather-resistant topcoats in multiple colours and finishes for long-lasting protection.

Sika façade renders provide reliable solutions for both new builds and renovations.

Renders	**174**
Base Coat and Top Coats	**176**
Pointing Mortars	**178**
Complementary Products	**179**

Parex Monorex GM / GF

A medium or fine grain one-coat or top coat finish, through coloured, weather resistant and breathable decorative render. Available in a wide range of colours.

SCAN FOR FULL COLOUR RANGE

SikaWall-580 Monorex GM UK

SGAN	SIZE	COLOUR	PALLET QTY
721393	25 kg	G00 NATURAL WHITE	40
721401	25 kg	G10 WHITE LIGHT	40
721394	25 kg	G20 OFF-WHITE	40
846924	25 kg	G30 MOUSE GREY	40
846953	25 kg	G50 ASH GREY	40
846966	25 kg	J20 PALE YELLOW	40
846952	25 kg	J39 ATHENS SAND	40
775535	25 kg	LW1 LIMESTONE WHITE	40

A medium grain one-coat or top coat finish, through coloured, weather resistant and breathable decorative render.

SikaWall-571 Dash Receiver

SGAN	SIZE	COLOUR	PALLET QTY
711824	25 kg	WHITE	40
711825	25 kg	MAGNOLIA	40
711826	25 kg	CREAM	40
852472	25 kg	GREY	40

A one-coat, dry dash receiver that replaces the requirement for two-coat renders, reducing time on site. Through coloured to ensure a consistent colour and texture.

Parex Monoblanco

SGAN	SIZE	PALLET QTY
629246	25 kg	48

A bright white, semi-lightweight, one coat, weather resistant and breathable one-coat render for vertical masonry and concrete walls. Monoblanco is a bright white version of Monorex GF.

SikaWall®-500
Wet Dash

SGAN	SIZE	COLOUR	PALLET QTY
711785	25 kg	BROWN	40
711783	25 kg	RED	40
711784	25 kg	TAN	40
711782	25 kg	YELLOW	40
711777	25 kg	FAWN	40
711776	25 kg	CREAM	40
711779	25 kg	IVORY	40
711780	25 kg	MAGNOLIA	40
711781	25 kg	WHITE	40
711778	25 kg	GREY	40

SikaWall®-500 Wet Dash is combined with decorative aggregate to create a wet dash finish for masonry applications.

SikaWall®-530
Top Coat

SGAN	SIZE	COLOUR	PALLET QTY
711795	25 kg	YELLOW	40
711786	25 kg	BEIGE	40
711793	25 kg	TAN	40
711790	25 kg	IVORY	40
711787	25 kg	BROWN	40
711792	25 kg	RED	40
711796	25 kg	GREY	40
711788	25 kg	CREAM	40
711789	25 kg	FAWN	40
711791	25 kg	MAGNOLIA	40
711794	25 kg	WHITE	40

SikaWall®-530 Topcoat is a Dry Dash receiver for application onto SikaWall®-100 Base Coat.

Blanc du littoral

SGAN	SIZE	COLOUR	PALLET QTY
673946	25 kg	WHITE	48

A bright white, one-coat weather resistant and decorating render for internal and external vertical dense masonry and concrete walls.

Parlumiere Fin

SGAN	SIZE	COLOUR	PALLET QTY
632158	25 KG	G00	48
633775	25 KG	G20	48
633788	25 KG	T60	48

A fine through-coloured hydraulic lime render for use as a traditional render, please see the Mineral Render Colour Chart.

Parlumiere Moyen

SGAN	SIZE	COLOUR	PALLET QTY
700173	25 kg	G00	48
662492	25 kg	G20	48
669192	25 kg	J20	48
688632	25 kg	J30	48
662493	25 kg	J40	48
686918	25 kg	V10	48

A medium grain through-coloured top coat render made of hydraulic lime, used as the finishing coat of traditional renders. Please see the Mineral Render Colour Chart.

Parlumiere Clair

SGAN	SIZE	COLOUR	PALLET QTY
632159	25 kg	WHITE	48

Hydraulic, lime-based, lightweight, natural white mortar, designed for use as a base coat in conjunction with Parlumiere Moyen/ Fin or Parexal lime renders.

Parlumiere STH

SGAN	SIZE	COLOUR	PALLET QTY
657211	25 kg	GREY	48
657210	25 kg	WHITE	48

Hydraulic, lime-based, lightweight, water repellent mortar and render, resistant to sulphates, designed to stabilise masonry which has deteriorated due to salts, saltpetre or damp.

Parinter Renovation

SGAN	SIZE	COLOUR	PALLET QTY
673947	25 kg	G00	48

A restoration and bonding mortar for the renovation of old hydraulic cement or lime based renders, whether sound or cracked but not delaminated, including render or masonry that has been painted or has received a thick textured coating system.

SikaWall®-100
Base Coat

SGAN	SIZE	PALLET QTY
711840	25 kg	40

SikaWall®-100 Base Coat is for use prior to the application of SikaWall®-530 Top Coat. Made in the UK.

SikaWall®-1015
Adhesive Coat

SGAN	SIZE	COLOUR	PALLET QTY
711844	25 kg	WHITE	40

SikaWall®-1015 Adhesive Coat is an adhesive to bond insulation as part of Sika EWI systems.

Parex Maité

SGAN	SIZE	COLOUR	PALLET QTY
632422	25 kg	G00	48
633990	25 kg	J20	48

An Insulation adhesive and base coat used with the Parextherm and Parexdirect render systems.

Parex Monogris E

SGAN	SIZE	PALLET QTY
674154	25 kg	48

A high-performance polymer modified, weather resistant, grey base coat and finishing render for vertical external and internal walls.

Parex Parmurex

SGAN	SIZE	PALLET QTY
673948	25 kg	48

One-coat weather resistant grey render for internal and external dense masonry and concrete walls. Suitable as a grey coat finishing render or as a base coat for receiving a Parex decorative finish.

One-Coat GPR
General Purpose Render

SGAN	SIZE	COLOUR	QTY	BARCODE
636028	25 kg	GREY	1	5055492703194

One-Coat General Purpose Render used to render over prepared masonry to provide a weather resistant, breathable rendered finish. Applied to a thickness of up to 15mm which cures to an overpaintable finish and perfect for use on brickwork, blockwork and concrete substrates. Dries to a grey surface finish that complies to W2 water capillary resistance.

Parex Revlane+ Ignifuge Taloche Gros

A pre-mixed, vapour permeable, ready to apply Acrylic based decorative coating for external and internal walls. Finished appearance is based upon grain size, Gros 1.6mm.

SCAN FOR FULL COLOUR RANGE

Parex Revlane+ Ignifuge Taloche Fin

A pre-mixed, vapour permeable, ready to apply Acrylic based decorative coating for external and internal walls. Finished appearance is based upon grain size, Fin 1.0mm.

SCAN FOR FULL COLOUR RANGE

Parex Revlane Siloxane Ignifuge Taloche Gros

A pre-mixed, vapour permeable, ready to apply Siloxane-based decorative coating offering increased weather resistance and water run off properties. Finished appearance is based upon grain size, Gros 1.6mm.

SCAN FOR FULL COLOUR RANGE

Parex Revlane Siloxane Ignifuge Taloche Fin

A pre-mixed, vapour permeable, ready to apply Siloxane-based decorative coating offering increased weather resistance and water run off properties. Finished appearance is based upon grain size, Fin 1.0mm.

SCAN FOR FULL COLOUR RANGE

Parex Revlane+ Regulateur

An acrylic-based, ready-to-use coloured primer designed to adjust the base absorption to substrates and increase the depth of colour prior to the application of Parex REVLANE+ top coat finishes.

SCAN FOR FULL COLOUR RANGE

Parex Crylane

An acrylic binder paint specially designed for new and existing building façades with excellent coverage. Can be used pure or diluted with water. Please see the Revlane Colour chart.

SCAN FOR FULL COLOUR RANGE

Historic Mortar

Designed for gun-injection, Parex Historic Mortar provides a cementfree mortar for pointing soft brick or stonework. Consistent in both colour and finish, Parex Historic mortars are pumped deep into the joint, providing a complete fill and a degree of flexibility.

SCAN FOR FULL COLOUR RANGE

Historic Mortar KL

Designed for gun-injection, Parex Historic Mortar KL is a cement-free mortar suitable for use with dense masonry and brick tiles, eg. Corium Brick Cladding System, where porosity is low and suction is limited.

SCAN FOR FULL COLOUR RANGE

Standard Mortar

Designed for gun-injection, Parex Standard Mortar provides a clean, quick, lasting solution for pointing sound brickwork or masonry.

SCAN FOR FULL COLOUR RANGE

Reproface

A cementitious, through coloured, masonry repair mortar.

SCAN FOR FULL COLOUR RANGE

Parex TV10
Reinforcement Mesh

SGAN	SIZE	PALLET QTY
633203	1 m x 50 m ROLL	33

A glass fibre mesh fabric combined with specially designed surface treatments that can be used in a wide range of Parex cement and lime render applications. For ease of identification the TV10 mesh is coloured green and has the Parex logo throughout the mesh.

Parex Fixopierre

SGAN	SIZE	PALLET QTY
633436	5 L	90
633435	20 L	28

A water vapour-permeable and microporous substrate porosity regulator and key coat admixture, particularly suitable for lime or earth-based substrates where high breathability of the substrate is required or where a high absorption substrate is expected.

FIXOPIERRE improves the adhesion of façade renders by reducing the risk of the product drying out before hardening.

Parex Render Bead Adhesive

SGAN	SIZE	COLOUR	BOX QTY
651522	350 ml	WHITE	12

A new ready-to-use, high-strength render bead adhesive. The bead adhesive has been designed for ease of application, fast drying and is capable of bonding to a wide range of substrates.

Parex Monaccel Plus

SGAN	SIZE	PALLET QTY
669718	20 L	24

Monaccel Plus is an admixture used to reduce the initial setting time of one-coat renders.

Parex Micro Gobetis 3000

SGAN	SIZE	PALLET QTY
633272	20 L	27

A pink coloured liquid with a high granular consistency for ease of application recognition, and to provide excellent bonding characteristics. Micro Gobetis 3000 is designed to control suction to high absorption or low porosity substrates and improves the adhesion for one coat render systems.

Parex Paraguard

SGAN	SIZE	PALLET QTY
630036	5 L	48
630037	25 L	24

A water-based coating, which provides a weatherproof, lotus leaf effect, water resistant surface to a range of render, paving, masonry and timber substrates.

1. INTERPRETATION

In these Terms and Conditions, the following expressions will have the following meanings unless inconsistent with the context:

"Bespoke Goods" means any Goods which are made to measure, bespoke, or otherwise manufactured to a unique specification.

"Brexit" means the United Kingdom ceasing to be a member state of the European Union.

"Buyer" the person(s), firm or company whose order for the Goods or Services is accepted by the Company in accordance with these Terms and Conditions.

"Company" Sika Limited (Company number:226822) whose registered office is located at Watchmead, Welwyn Garden City, Herts, AL7 1BQ.

"Confidential Information" means all information in respect of the business of the Company including, but not limited to, know-how, prices or other matters connected with the Goods or Services (which shall include any instructions or procedures, instruction manuals, user guides and other information which is supplied by the Company with the Goods or Services) and any other information of whatever nature which, if disclosed, will be liable to cause harm to the Company.

"Contract" any contract between the Company and the Buyer for the sale and purchase of the Goods or Services formed in accordance with Condition 2.

"Delivery Point" the place where delivery of the Goods is agreed to take place, as set out in the Company's written acknowledgement of order.

"Final Inspection Certificate" A Certificate issued for the benefit of a third party at the completion of the Services.

"Goods" any goods which the Company supplies to the Buyer (including any of them or any part of them) under a Contract.

"Guarantee" a guarantee or Final Inspection Certificate for or related to the Goods in a form to be provided by the Company in favour of a third party nominated by the Buyer.

"Guarantee Period" the on-going period of protection provided to a third party as set out in a Guarantee.

"Intellectual Property Rights" all intellectual and industrial property rights including patents, know-how, registered trade marks, registered designs, utility models, applications for and rights to apply for any of the foregoing, unregistered design rights, unregistered trade marks, rights to prevent passing off for unfair competition and copyright, database rights, topography rights and any other rights in any invention, discovery or process, in each case in the United Kingdom and all other countries in the world and together with all renewals and extensions

"Services" any services which the Company performs for the Buyer under a Contract, which are ancillary to the supply of Goods.

"Service Point" the place at which the Services are to be performed, as set out in the Company's written acknowledgement of order.

"Specific Delivery Requirement" any goods, which are required to be delivered by a type of vehicle specified by the Buyer.

"Terms and Conditions" the standard terms and conditions of sale set out in this document together with any special terms agreed in writing between the Buyer and the Company. "Trademark" the SARNAFIL trademark registered in the United Kingdom under trademark number 1046240.

"Working Day" any day other than Saturday or Sunday or a public or bank holiday in England.

2. FORMATION AND INCORPORATION

2.1 Subject to any variation under Condition 14.5, the Contract will be upon these Terms and Conditions, to the exclusion of all other terms and conditions and all previous oral or written representations including any terms or conditions which the Buyer purports to apply under any purchase order, confirmation of order or similar document, whether or not such document is referred to in the Contract.

2.2 Each order or acceptance of a quotation for Goods or Services will be deemed to be an offer by the Buyer to purchase Goods or Services upon these Terms and Conditions. The Contract is formed when the Buyer receives confirmation that the order is accepted by the Company. Such confirmation may either be given orally or in writing. No contract will come into existence until such confirmation has been given by the Company.

2.3 The Buyer must ensure that the terms of its order and any applicable specification are complete and accurate.

2.4 Acceptance of delivery of the Goods or commencement of the performance of the Services will be deemed conclusive evidence of the Buyer's acceptance of these Terms and Conditions.

2.5 Subject to Condition 6.5, the Buyer may not cancel the Contract. The Company may cancel the Contract at any time prior to delivery of the Goods or commencement of the performance of the Services.

3. DESCRIPTION OF THE GOODS AND SERVICES

3.1. The description of the Goods will be as set out in the Company's price list. All samples, drawings, descriptive matter, specifications and advertising issued by the Company and any descriptions or illustrations contained in the Company's catalogues or brochures are issued or published for the sole purpose of giving an approximate idea of the Goods represented by or described in them. They will not form part of the Contract and this is not a sale by sample.

3.2. The Company may make any change to the specification, design, materials or finishes of the Goods which are:

3.2.1. required to conform with any applicable safety, statutory or regulatory requirement; or

3.2.2. do not materially affect their quality or performance.

3.3. The Company will only perform Services which are ancillary to, or relating to, Goods provided under a Contract.

3.4. The Services will only be performed by the Company at the Service Point.

3.5. The Company shall use all reasonable endeavours to perform the Services:

3.5.1. to the standard required for the issue of a Final Inspection Certificate;

3.5.2. promptly, but time shall not be the essence for the performance of the Services.

3.6. The Company shall have the right to make any changes to the Services which are necessary to comply with applicable safety, statutory or regulatory requirements, or which do not materially affect the nature or quality of the Services, and the Company shall notify the Buyer in any such event.

4. PRICE AND PAYMENT

4.1. The price for the Goods or Services will be the price set out in the Company's published price list current at the date of delivery of Goods or performance of Services or as otherwise notified by the Company to the Buyer prior to the Contract being made. Orders for Goods valued below £2000 (before VAT) are exclusive of any costs of packaging and carriage, VAT and any other applicable sales tax or duty which will be added to the sum in question. Orders for Goods valued greater than £2000 (before VAT) and which are to be dispatched from the Company's warehouse within the United Kingdom are inclusive of any costs of packaging and carriage within the United Kingdom but exclusive of VAT and any other applicable sales tax or duty will be added to the sum in question.

4.2. The Company may invoice the Buyer for the Goods on or at any time after dispatch, or for the Services on or at any time after performance commences and payment is due in pounds sterling by the last day of the next calendar month following the date of invoice, or upon termination of the Contract, whichever occurs first.

4.3. Time for payment will be of the essence. No payment will be deemed to have been received until the Company has received cleared funds.

4.4. All payments to be made by the Buyer under the Contract will be made in full without any set-off, restriction or condition and without any deduction for or on account of any counterclaim.

4.5. If any sum payable under the Contract is not paid when due then, without prejudice to the Company's other rights under the Contract: that sum will bear interest from the due date until payment is made in full, both before and after any judgment, at a combined rate of the Bank of England base rate from time to time and the rate provided by the Late Payment of Commercial Debts (Interest) Act 1998 as amended from time to time; and the Company will be entitled to suspend deliveries of the Goods or performance of the Services until the outstanding amount has been received.

4.6. The Company reserves the right to recoup any sum, resulting from costs incurred from legal proceedings to recover the sum payable under the Contract.

4.7. Any invoice queries must be communicated to the Company within 10 (ten) Working Days of receipt of the invoice by the Buyer.

5. INSTALMENTS

5.1. The Company may deliver the Goods, or perform Services, by separate instalments. Each instalment will be a separate Contract and no cancellation or termination of any one Contract relating to an instalment will entitle the Buyer to repudiate or cancel any other Contract or instalment unless otherwise notified by the Company. Each separate instalment will be invoiced and paid for in accordance with the provisions of the Contract.

6. DELIVERY OF GOODS

6.1. Delivery of the Goods within the UK mainland will be CPT Delivery Point INCOTERMS 2010 (save that carriage may be charged to the Buyer in accordance with Condition 6.4 and/or Condition 6.5).

6.2. Delivery of the Goods to Northern Ireland, the Scottish Isles, the Channel Islands or the Isle of Man will be made FOB Delivery Point INCOTERMS 2010.

6.3. Delivery of the Goods outside the UK will be made FAS Delivery Point INCOTERMS 2010, except that risk shall pass to the Buyer at the time that the Goods leave the Company's premises.

6.4. Delivery of the Goods will be accepted at any time of day. At the sole discretion of the Company, overnight deliveries or deliveries at specified times may be agreed in certain circumstances. Notwithstanding condition 6.1, such deliveries shall be subject to an additional charge being raised by the Company. If the Buyer fails to take delivery, or provide any necessary documents, the Goods will be deemed to have been delivered and the Company, without prejudice to its other rights, may at its option:

6.4.1. store or arrange for storage of the Goods until actual delivery or sale and charge the Buyer for all related costs and expenses (including, without limitation, storage and insurance); and/or

6.4.2. following written notice to the Buyer, sell any of the Goods at the best price reasonably obtainable in the circumstances and charge the Buyer for any shortfall below the price under the Contract.

Excessive waiting times may also be charged to the Buyer in certain circumstances.

6.5. The Company will use reasonable endeavours to deliver Goods 5 (five) Working Days after the date on which the order is confirmed by the Company, but the time of delivery will not be of the essence of a Contract. Notwithstanding condition 6.1, carriage will be charged on deliveries required within 5 (five) Working Days, or deliveries with specific time or vehicle type stipulations. If, despite those endeavours, the Company is unable for any reason to fulfil any delivery of Goods on a specified date, the Company will be deemed not to be in breach of the Contract, nor (for the avoidance of doubt) will the Company have any liability to the Buyer for direct, indirect or consequential loss (all three of which terms includes, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss) howsoever caused (including as a result of negligence) by any delay or failure in delivery of Goods except as set out in this condition. Any delay in delivery of Goods will not entitle the Buyer to cancel the order unless and until the Buyer has given 10 (ten) Working Days' written notice to the Company requiring the delivery of the Goods and the Company has not fulfilled the delivery of the Goods within that period. If the Buyer cancels the order in accordance with this Condition 6.5 then, save as excluded under Condition 6.6:

6.5.1. the Company will refund to the Buyer any sums which the Buyer has paid to the Company in respect of the Goods which have been cancelled;

6.5.2. and the Buyer will be under no liability to make any further payments under Condition 4 in respect of the Goods that have been cancelled.

6.6. Notwithstanding, the provisions of Condition 6.5, the Company will be under no obligation to:

6.6.1. to refund the Buyer any sums which the Buyer has paid to the Company in respect of the Bespoke Goods which have been cancelled under Condition 6.5; and

6.6.2. waive any outstanding further payments due by the Buyer in respect of Bespoke Goods which have been cancelled under Condition 6.5.

6.7. The Buyer will provide at its expense at the Delivery Point adequate and appropriate equipment and manual labour for off- loading the Goods.

6.8. A £10.00 handling charge will be made in addition to the carriage charge for overnight dispatch of Goods. This service is offered as resources allow and is subject to available transport.

6.9. The type of vehicle used to deliver Goods and the method of packaging of the Goods for delivery will be at the discretion of the Company.

6.10. Any change required by the Buyer to the delivery vehicle and/or the method of packaging the Goods for delivery selected by the Company will constitute a Specific Delivery Requirement. The Buyer will incur any additional costs for a Specific Delivery Requirement.

6.11 The Buyer will provide a full and correct address, including postcode, for the delivery of the Goods.

7. RISK/TITLE IN THE GOODS

7.1. Risk of damage to or loss of the Goods will pass to the Buyer in accordance with Condition 6.

7.2. Ownership of the Goods will not pass to the Buyer until the Company has received in full (in cash or cleared funds) all sums due to it in respect of:

7.2.1. the Goods; and

7.2.2. all other sums which are, or which become due to the Company from the Buyer on any account, whether for Goods or Services.

7.3. Until ownership of the Goods has passed to the Buyer, the Buyer must:

7.3.1. hold the Goods on a fiduciary basis as the Company's bailee;

7.3.2. store the Goods (at no cost to the Company) separately from all other Goods of the Buyer or any third party in such a way that they remain readily identifiable as the Company's property;

7.3.3. not destroy, deface or obscure any identifying mark or packaging on or relating to the Goods; and

7.3.4. maintain the Goods in satisfactory condition insured on the Company's behalf for their full price against all risks to the reasonable satisfaction of the Company, and will whenever requested by the Company produce a copy of the policy of insurance.

7.4. The Buyer may resell the Goods before ownership has passed to it solely on the following conditions:

7.4.1. any sale will be effected in the ordinary course of the Buyer's business at full market value and the Buyer will account to the Company accordingly; and

7.4.2. any such sale will be a sale of the Company's property on the Buyer's own behalf and the Buyer will deal as principal when making such a sale.

7.5. The Buyer's right to possession of the Goods will terminate immediately if any of the circumstances set out in Condition 11.1 occur.

7.6. The Company will be entitled to recover payment for the Goods notwithstanding that title in any of the Goods has not passed from the Company.

7.7. The Buyer grants the Company, its agents and employees an irrevocable license at any time to enter any premises where the Goods are or may be stored in order to inspect them, or, where the Buyer's right to possession has terminated, to recover them.

7.8. Where the Company is unable to determine whether any Goods are the goods in respect of which the Buyer's right to possession has terminated, the Buyer will be deemed to have sold all goods of the kind sold by the Company to the Buyer in the order in which they were invoiced to the Buyer.

7.9. On termination of the Contract, howsoever caused, the Company's (but not the Buyer's) rights contained in this Condition 7 will remain in effect.

8. LIABILITY OF COMPANY

8.1. The Company will, free of charge, within a period of 12 months from the date of delivery of Goods, or where a Guarantee has been issued, for the Guarantee Period, which are proved to the reasonable satisfaction of the Company to be missing, damaged or defective due to defects in material or design (other than a design made, furnished or specified by the Buyer), repair, or at its option provide or replace, such Goods. This obligation will not apply where:

8.1.1. the Goods have been improperly altered in any way whatsoever, or have been subject to misuse or unauthorised repair;

8.1.2. the Goods have been improperly installed or connected;

8.1.3. any maintenance requirements relating to the Goods have not been complied with;

8.1.4. the Buyer has failed to notify the Company of any defect(s) or missing item(s) from the order acknowledgement within 48 hours of delivery where the defect(s) or missing item(s) should be apparent on reasonable inspection, or within 48 hours of the same coming to the knowledge of the Buyer where the defect(s) or missing item(s) is not that which should be apparent on reasonable inspection, and in any event no later than 12 months from the date of delivery;

8.1.5. where a guarantee has been issued, and has been breached by the third party beneficiary of the Guarantee within the Guarantee Period.

8.2. Any Goods which have been replaced by the Company will belong to the Company. Any repaired or replacement Goods will be liable to repair or replacement under the terms specified in Condition 8.1 for the unexpired portion of the 12 month period from the original date of delivery of the replaced Goods or where a Guarantee has been issued, for the Guarantee Period.

8.3. In the event of any breach of the Company's express obligations under Conditions 6.5, 8.1 and 8.2 above the remedies of the Buyer will be limited to damages.

8.4. The Company does not exclude its liability (if any) to the Buyer:

8.4.1. for breach of the Company's obligations arising under section 12 Sale of Goods Act 1979 or section 2 Supply of Goods and Services Act 1982;

8.4.2. for personal injury or death resulting from the Company's negligence; 8.4.3. under section 2(3) Consumer Protection Act 1987;

8.4.4. for any matter which it would be illegal for the Company to exclude (or to attempt to exclude) its liability; or

8.4.5. for fraud.

8.5. Except as provided in Conditions 6.5 and 8.1 to 8.4, the Company's liability to the Buyer (whether in contract, tort (including negligence), breach of statutory duty, restitution or otherwise) for any injury, death, damage or direct, indirect or consequential loss (all three of which terms include, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss) howsoever caused arising out of or in connection with:

8.5.1. any of the Goods, or the manufacture or sale or supply, or failure or delay in supply, of the Goods by the Company or on the part of the Company's employees, agents or sub-contractors;

8.5.2. any of the Services, or their performance, or failure or delay in performance, of the Services by the Company or on the part of the Company's employees, agents or sub- contractors;

8.5.3. any breach by the Company of any of the express or implied terms of the Contract;

8.5.4. any use made or resale by the Buyer of any of the Goods, or of any product incorporating any of the Goods;

8.5.5. any use made by the Buyer of any of the Services, or of any product incorporating any of the Services; or

8.5.6. any statement made or not made, or advice given or not given, by or on behalf of the Company or otherwise under the Contract, shall be limited to the invoiced value of the Goods.

8.6. Except as set out in Conditions 6.5 and 8.1 to 8.5, the Company hereby excludes to the fullest extent permissible in law, all conditions, warranties and stipulations, express (other than those set out in the Contract) or implied, statutory, customary or otherwise which, but for such exclusion, would or might subsist in favour of the Buyer.

8.7. Each of the Company's employees, agents and sub- contractors may rely upon and enforce the exclusions and restrictions of liability in Conditions 6.5 and 8.3 to 8.6 in that person's own name and for that person's own benefit, as if the words "its employees, agents and sub-contractors" followed the word Company wherever it appears in those conditions save each reference in Condition 8.5.1.

8.8. The Buyer agrees to indemnify, keep indemnified and hold harmless the Company from and against all costs (including the costs of enforcement), expenses, liabilities (including any tax liability), injuries, direct, indirect or consequential loss (all three of which terms include, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss), damages, claims, demands, proceedings or legal costs (on a full indemnity basis) and judgments which the Company incurs or suffers as a consequence of a direct or indirect breach or negligent performance or failure or the Contract which is not capable of remedy. delay in performance by the Buyer of the terms of the Contract. Where a Guarantee has been issued, such indemnity shall continue until the end of the Guarantee Period.

9. GUARANTEE

9.1 Where the Company provides a Warranty additional to the guarantee in Condition 8 hereof, the Buyer may request that the Warranty be provided in favour of an interested third party nominated by the Buyer.

9.2 The Warranty shall be on such terms and in such form as the Company considers appropriate.

9.3 The Warranty shall only be provided when all payments due from the Buyer have been received and if in association with a Final Inspection Certificate, when the Company has been given all reasonable opportunity to carry out a technical audit.

9.4 The Buyer acknowledges that in the event of a claim being brought against the Company under, and in accordance with the terms of a Warranty, which is solely or partially due to the installation of the Goods not having been carried out in accordance with the Company's recommendations or with the skill and care expected of an experienced contractor, the Buyer shall indemnify the Company and shall;

9.4.1 recognise the continuing obligations of the Company and the Buyer to remedy defects in the Goods for the Guarantee Period; and

9.4.2 not seek to rely on and, if and to the extent necessary, expressly waive any entitlement to rely on the provisions of the Limitation Act 1980 in defence of such claim.

10. FORCE MAJEURE

The Company will not be in breach of the Contract and / or liable to the Buyer for any failure or delay, or for the consequences of any failure or delay, in performance of the Contract if such failure or delay is due to any event or circumstance beyond the reasonable control of the Company including, without limitation, any act of God, disease, epidemic, pandemic, war, industrial dispute, protest, fire, tempest, explosion, act of terrorism, and national emergency, and the Company will be entitled to a reasonable extension of time for performing its obligations in such event or circumstance.

11. TERMINATION

11.1. The Company may by written notice terminate the Contract immediately if the Buyer:

11.1.1. is in material breach of any of the terms of the Contract. Failure to pay any sums due in accordance with Condition 4.2 is a material breach of the terms of the Contract which is not capable of remedy.

11.1.2. becomes bankrupt, insolvent, makes any composition with his creditors, has a receiver appointed under the Mental Health Act 1983 or dies;

11.1.3. has any distraint, execution or other process levied or enforced on any of its property;

11.1.4. ceases to trade or appears in the reasonable opinion of the Company likely or is threatening to cease trade; or

11.1.5. the equivalent of any of the above occurs to the Buyer under the jurisdiction to which the Buyer is subject.

11.2. The Company may terminate the Contract in accordance with Condition 14.14.

11.3. The termination of the Contract howsoever arising is without prejudice to the rights, duties and liability of either the Buyer or the Company accrued prior to termination. The conditions which expressly or impliedly have effect after termination will continue to be in force notwithstanding termination, which shall include but shall not be limited to, the Buyer's obligations in relation to any Guarantee.

12. INTELLECTUAL PROPERTY

12.1. No right or licence is granted to the Buyer in respect of the existing Intellectual Property Rights of the Company, except the right to use, or re-sell the Goods in the Buyer's ordinary course of business.

12.2. All Intellectual Property Rights in or arising out of or in connection with the performance of Services shall be owned by the Company.

12.3. The Buyer will not without the Company's prior consent allow the Trademark or any other trade marks of the Company or other words or marks applied to the Goods to be obliterated, obscured or omitted nor will he add any additional marks or words.

13. DISTRIBUTION

13.1. The Buyer shall not give additional or more favourable warranties than the ones given under clause 8 if it resells the Goods, and the Company shall not bear any liability whatsoever in relation thereto. Furthermore, if the Buyer intends to resell the Goods for a non-approved Sika use or outside of the United Kingdom and / or Great Britain, then the Buyer/Reseller shall do so at its own risk and the Company shall not bear any liability whatsoever with respect to such a resale. Furthermore, the Buyer/Reseller shall indemnify and hold harmless the Company against any third party claim in relation to such a resale, including without limitation, expenses, fees and damages that could be claimed against the Company.

14. GENERAL

14.1. Time for performance of all obligations of the Buyer is of the essence. Time for performance of all obligations of the Company is not of the essence.

14.2. Each right or remedy of the Company under the Contract is without prejudice to any other right or remedy of the Company whether under the Contract or not.

14.3. If any condition or part of the Contract is found by any court, tribunal, administrative body or authority of competent jurisdiction to be illegal, invalid or unenforceable then that provision will, to the extent required, be severed from the Contract and will be ineffective, without, as far as is possible, modifying any other provision or part of the Contract and this will not affect any other provisions of the Contract which will remain in full force and effect.

14.4. No failure or delay by the Company to exercise any right, power or remedy will operate as a waiver of it, nor will any partial exercise preclude any further exercise of the same, or of any other right, power or remedy.

14.5. Save as set out in the Contract and Condition 8.1.5, these Terms and Conditions may only be varied or amended in writing and signed by a senior manager of the Company.

14.6. The Company may assign, delegate, license, hold on trust or sub-contract all or any part of its rights or obligations under the Contract.

14.7. The Contract is personal to the Buyer who may not assign, delegate, license, hold on trust or sub-contract all or any of its rights or obligations under the Contract without the Company's prior written consent.

14.8. The Contract contains all the terms which the Company and the Buyer have agreed in relation to the Goods and/or Services and supersedes any prior written or oral agreements, representations or understandings between the parties relating to such Goods and/or Services. The Buyer acknowledges that it has not relied on any statement, promise or representation made or given by or on behalf of the Company which is not set out in the Contract. Nothing in this Condition 14.8 will exclude any liability which one party would otherwise have to the other party in respect of any statements made fraudulently.

14.9. Save as set out in Condition 8.7 the parties to the Contract do not intend that any of its terms will be enforceable by virtue of the Contracts (Rights of Third Parties) Act 1999 by any person not a party to it.

14.10. Any notice in connection with the Contract will be in writing addressed to the other party at its registered office, or principal place of business and will be delivered by hand, or first class or special delivery post or Airmail. The notice will be deemed to have been duly served, if delivered by hand, when left at the proper address for service or if made by pre-paid, first class post or special delivery post, 48 hours after being posted or in the case of Airmail, 14 days after being posted.

14.11. The formation, existence, construction, performance, validity and all aspects whatsoever of the Contract or of any term of the Contract will be governed by English law. The English courts will have exclusive jurisdiction to settle any dispute which may arise out of, or in connection with the Contract.

The parties agree to submit to that jurisdiction.

14.12. Where Part II of the Housing Grants, Construction and Regeneration Act 1996 applies, either party may refer any dispute or difference arising under this Agreement to adjudication. The adjudication procedures and the agreement for the appointment of an adjudicator shall be set out in the Model Adjudication Procedures published by the Construction Industry Council current at the date of reference. The nominating body shall be the Technology and Construction Solicitors' Association or any successor organisation.

14.13. The Buyer will keep confidential any and all Confidential Information that it may acquire. The Buyer will not use the Confidential Information for any purpose other than to perform its obligations under the Contract. The Buyer will ensure that its officers and employees comply with the provisions of this Condition 14.13. The obligations on the Buyer set out in this Condition will not apply to any information which is publicly available or becomes publicly available through no act or omission of the Buyer or if the Buyer is required to disclose by order of a court of competent jurisdiction.

14.14. Where a Brexit Trigger Event occurs (as defined below) and the Company gives notice to the Buyer of the same:

14.14.1. the Company shall not be liable to the Buyer for any failure or delay or for the consequences of any failure or delay in performance of the Contract where there is a Brexit Trigger Event (and the notice shall have effect from its date);

14.14.2. the Company may require the Buyer to negotiate in good faith an amendment to the Contract to alleviate the Brexit Trigger Event; and if no such amendment is made to the Contract within 7 days from notice given by the Company, the Company may terminate the Contract by giving Buyer not less than 21 days written notice.

14.15. For the avoidance of doubt the rights afforded by this clause 14.14 are without prejudice to the entitlement of the Company to exercise its rights pursuant to Condition 2.5, and the Company may cancel the Contract at any time prior to delivery of the Goods or commencement of the performance of the Services, for any reason.

14.16. "Brexit Trigger Event" means any of the following events occurring at any time on or after Brexit:

14.16.1. an adverse impact on the Company's ability to perform the Contract in accordance with its terms and the law (and the Company shall determine in its absolute discretion whether such an adverse impact has occurred));

14.16.2. an increase in the costs incurred by the Company performing the Contract since the price for the Goods was last agreed;

Revised updates April 2025

Numbers

101 Multi Purpose Linseed Oil Putty 160
103 Trowel Mastic 160
2 in 1 Over Fascia Eaves Protecto 100
2 Part High Performance 117
3 in 1 Overfascia Eaves Protection Comb Filler 100
30 Minute Polyurethane 40
3B Bonding Felt 87
5 Minute Polyurethane 39
505 Plasterers Gripcoat 141
507 Rendagrip 157
5U Eaves Protector Strip 100
701 Non Slip Showerproof 167
90 Degree Top Closure 99

A

Abutment Soaker 99
Acropol Scrim 74
Acrypol Flexiglass BPO Catalyst 83
Acrypol Flexiglass Encapsulating Primer 82
Acrypol Flexiglass Matting 83
Acrypol Flexiglass Topcoat Resin 82
Acrypol+ 74
All Purpose 116
All Weather Roof Coating 85
Aluminium Paint 84
Anchorset Green 150 159
Anchorset Green 300 159
Anchorset Spare Nozzle 159
Angle Trim 78
Aqua Mate 107
Aquaseal Waterproof Tanking Membrane 165
Aquaseal Wet Room System Kit 164
Aquaseal Wet Room System Tape 165

B

B1 FireFoam 106
B2 FireFoam 106
Bath & Kitchen Sealant 13
Bath & Kitchen Sealant - Easi Squeeze 13
Bitumen Paint 84
Bitumen Primer 84
Black Jack 69
Black Jack 901 70
Black Jack 902 70
Black Jack 903 70
Black Jack 904 70
Black Jack 905 71
Black Jack 906 71
Black Jack 907 71
Black Jack 907 71
Black Jack 908 71
Blanc Du Littoral 175

C

C1 Corner 79
C2 Fillet 79
C3 Internal Corner 79
C4 Internal Corner 79
C5 Closure 78
C6 Closure 78
Cap Sheet Roll 87
Carpet Fix Spray Adhesive 44
Caulk Once 7
Clear Fix 33
Cold Gritting Adhesive 84
Constructa-Pro 23
Construction Silicone 8
Construction Silicone + 8
Construction Silicone Ultra 9
Continuous Rafter Tray Roll 100
Contract 225 9
Contract 700T 10
Contract AC50 10
Contract AC95 105
Contractor G25 Resin 77
Contractor G25 Topcoat 77
Cotton 113
Cromaprufe Emulsion 85
CromaSlate 93
CromaVerge Centre Cap 97
CromaVerge Dry Fix Verge 97
CromaVerge Starter Pack 97

D

D260 Wall Fillet Trim 78
D300 Wall Fillet Trim 78
Decorators Flexible Filler - Easi Squeeze 15
DF Bonding Strip 99
Disc Soffit Vent 100
Drip Trim 78

E

E280 Expansion Trim 79
Eaves Comb Filler 100
Edge Trim 78
Epoxyset 105 153
Euroscrim Self Adhesive 199
Everbuild 700 TileSet Universal 168
Everbuild 702 Water Resistant 167
Everbuild 703 Fix and Grout 167
Everbuild 705 TileSet Rapid 168
Everbuild 711 TIleSet Flexiplus S1 168
Everbuild 730 Universal Flexible Hygienic 169
Evercryl 67
Evercryl One Coat 66
Exact Gap 22
External Frame Sealant 13

F

F300 Flat Sheet 79
Febset 45 Rapid 153
Febtank Super 140
Fixing Clips 94
Flue Jointing Compound 134
Foil Pack 127
Forever Clear 6
Forever Grey 6
Forever Ivory 6
Forever White 6
Forever White Powder Wall Tile Grout 171
Forever White Grout Reviver 171

G

Galva Mate Duct Sealant 11
General Purpose Silicone 12
General Purpose Silicone - Easi Squeeze 12
Glass Cleaner Spray 124
Glass Fibre Jointing Bandage 78
Griptite 35
Gun A Nail Standard 33

H

Hard Plastic Adhesive 46
Heat Mate 105
Heat Resistant Silicone 134
Historic Mortar 178
Historic Mortar KL 178
Hot Gritting Adhesive 84
Hydrosil 73

I

Industrial Superglue GP 45
Industrial Superglue HV 45
Instant Contact Adhesive 44
Instant Nails 35
Instant Spray Contact Adhesive 44

J

Jetcem Deep 152
Jetcem Plaster 152
Jetcem Rapid 152
Jetcem Waterproof 152

L

LLaminated Cotton 113
Laminating Roller 80
Lead Free Plus Flashing Roll 95
Lead Mate 67
Leadax Easy FA 94
Leadax Original 94
Leadax Sealant 94

Line & Spot Marking Spray 161
LMN Frame Silicone Ultra 13

M

Mammoth Aluminium Tape 119
Mammoth Mega All Purpose Tape 119
Mammoth Powerful Grip Tape 118
Metal-Kote Goosewing Grey 75
Mitre Fast 47
Mixing Bucket 81
Mould Resistant Caulk+ 8
Multi Purpose Joinery Grade 117
Multi Stick 32
Multi-Purpose Scissors 94

N

Narrow Valley Trough 99

O

One Hour Caulk 8
One Strike 114
One-Coat GPR 176
Overfascia Vent 100

P

P16 Plumbers PVC Pipe Cement 133
Parex Crylane 177
Parex Fixopierre 179
Parex Maite 176
Parex Micro Gobetis 3000 179
Parex Monaccel Plus 179
Parex Monoblanco 174
Parex Monogris E 176
Parex Monorex GM/GF 174
Parex Paraguard 179
Parex Parmurex 176
Parex Render Bead Adhesive 179
Parex Revlane Siloxane Ignifuge Taloche Fin 177
Parex Revlane Siloxane Ignifuge Taloche Gros 177
Parex Revlane+ Ignifuge Taloche Fin 177
Parex Revlane+ Ignifuge Taloche Gros 177
Parex Revlane+ Regulateur 177
Parex TV10 Reinforcement Mesh 179
ParexLanko Maite 176
Parinter Renovation 175
Parlumiere Clair 175
Parlumiere Fin 175
Parlumiere Moyen 175
Parlumiere Moyen J20 175
Parlumiere STH 175
Patio Wizard 54
Penny Roller 94
Pinkgrip 36
Pinkgrip Dry Fix 38
Pinkgrip Dry Fix FR 38
Pinkgrip SF 37
Plumbers Gold 132
Polythene 133
Power Pro 126
Premium+ 565 10
Pro Point Gun Kit 128
Pro Ridge Plus 96
Pro Ridge Universal 96
Pro Valley 99
Pro Valley Bonding Strip 99
Professional 127
PROGRP Acetone 81
PROGRP Dispensing Bottle 81
PROGRP Fibreglass Matting 77
PROGRP Finishing Tissue 76
PROGRP Hardener 77
PROGRP Paint Brush 81
PROGRP Resin 76
PROGRP Topcoat 76
ProRidge Hip Tray 100
Protect 1F non breather 86
PVCu Solvent Cleaner 124
Pyro Mate 105

R

Rain Water Outlets 80
Reproface 178
Resiblock Indian Sandstone Sealer 57
Resiblock Superior Block Paving Sealer 56
Resiblock Trade All Purpose Paving Sealer 57
Resin Applicator Roller 80
Roll & Stroll Contract Carpet Protector 112
Roll & Stroll Glass Protector 113
Roll & Stroll Hard Surface Protector 112
Roll & Stroll Premium Carpet Protector 112
Roll & Stroll Textured Carpet Protector 112
Roofing Felt Adhesive 85
RubberCoat 75

S

SSanitary Silicone + 9
SBS Capsheet 86
SBS Torch on 86
SBS Underlay 86
Seal Rite 129
Secret Jointing Strip 99
Shedfelt 87
Showerproof Bathroom Silicone 13
Sika 404 Fungicidal Wash 53
Sika Block Paving Sealer 59
Sika Boom Foam Applicator Gun 128
Sika Boom Foam Applicator Gun+ 128
Sika Boom Foam Cleaner 24
Sika Boom® Expanding Foam 22
Sika Boom® Gun Grade Expanding Foam 23
Sika Boom® Insulating Expanding Fosm 22
Sika Boom® Spare Nozzles 22
Sika Brick and Patio Cleaner 53
Sika Cement & Mortar Stain Remover 54
Sika Driveway Restorer 55
Sika Dustproofer & Concrete Hardener 53
Sika Efflorescence Remover 55
Sika FastFix All Weather 50
Sika Max Mix Powder Mortar Tone 143
Sika Mouldbuster 53
Sika Oil Remover 55
Sika Path & Patio Sealer 58
Sika Stabilising Solution 54
Sika Stone Protector 59
Sika Water Sealer 58
Sika Waterproofer and Protector 59
Sika® Anchorfix-1 158
Sika® Blue Grit 156
Sika® Damp-Proof Slurry 140
Sika® Foil 126
Sika® Hybriflex® 25 LM Hybrid Ploymer Sealant & Adhesive 15
Sika® Hybriflex® 40 Hybrid Polymer Adhesive 15
Sika® Hybriflex® 55 Hybrid Polymer Adhesive 16
Sika® Hybriflex® Antipick 109 Pick Resistant Sealant 16
Sika® Hybriflex® SMP Flooring Sealant 16
Sika® MaxMix® Concentrated Frostproofer and Hardener 144
Sika® MaxMix® Concentrated Integral Waterproofer 144
Sika® MaxMix® Concentrated Mortar Plasticiser 144
Sika® MaxMix® Concentrated Mortar Tone 144
Sika® PowerCure 127
Sika® Primer 3N 21
Sika® Primer MB 154
Sika® Primer-115 21
Sika® Release Oil 143
Sika® Silent Layer Mat 43
Sika®-1 Waterproofer 138
Sika®-2 139
Sika®-4 139
Sika®-4a 139
SikaBlock Paving Fix 52
SikaBond Mirror Adhesive 33
SikaBond Wood Flooring Adhesive 41
SikaBond® 5500 S 43
SikaBond® Contractors PVA 155
SikaBond® PVA Wood Adhesive Ultra 39
SikaBond® PVA Wood Adhesive+ 39
SikaBond® PVA+ 155
SikaBond® Rapid DPM Primer 154
SikaBond® SBR 155
SikaBond® Waterproof PVA Ultra 155
SikaBond®-52 32
SikaBond®-54 Wood Floor 42
SikaBoom -405 107
SikaCeram FlowFix 51

PRODUCT INDEX

SikaCeram - 140 166
SikaCeram - 240 166
SikaCeram - 272 166
SikaCeram - 277 166
Sikaceram - 282 167
SikaCeram Clean Grout 170
SikaCeram FlowFix Bonding Primer 51
Sikacryl®-620 Fire 104
Sikadur® -31+ 150
Sikadur® 33 159
Sikaflex® -117 Metal Force 107
Sikaflex® Construction Purform 19
Sikaflex® EBT+ 30
Sikaflex® PRO-3 Purform Polyurethane Engineering Sealant 17
Sikaflex® PRO-3 Self-Levelling Polyurethane Floor Sealant 17
Sikaflex® Tank N 20
Sikaflex®-11 FC Purform 18
Sikaflex®-403 Tank & Silo 20
Sikaflex®-406 KC 20
Sikaflex®-415 Universal 19
Sikaflex®-423 Powercure 108
Sikafloor® -122 Level 146
Sikafloor® -125 Level 146
Sikafloor® -131 Level 147
Sikafloor® -132 Level 147
Sikafloor® -245 Level 148
Sikafloor® -360 Level 148
Sikafloor® -440 Level 149
Sikagard® 550 W Elastic 151
SikaGrout®-111 GP 150
SikaHyflex® -250 Façade 18
Sikalastic®-1K 139
SikaMix 3 in 1 142
SikaMix Frostproofer and Hardener 145
SikaMix Frostproofer and Plasticiser 143
SikaMix Integral Waterproofer 145
SikaMix Mortar Plasticiser 142
SikaMix Powdered Mortar Plasticiser 142
Sikamur® 140
SikaRoof® Liquid Membrane 68
SikaSeal Roofline Repair and Protect 12
SikaSeal® Fire Guard 105
SikaSeal® Lead 11
SikaSeal®-414 Backer Rod 18
SikaSeal®-75 108
Sikasil® DW 19
Sikasil® Pool 19
Sikasil® S50 Acetoxy Sanitary Silicone Sealant 15
Sikasil®-670 Fire 104
Sikasil®-825 Silicone Sealant 14
SikaWall® All Purpose Ready Mixed Filler 115
SikaWall® Deep Gap Filler 115
SikaWall® Fine Surface Filler 115
SikaWall®-100 176
SikaWall®-1015 176
SikaWall®-500 Wet Dash 174
SikaWall®-530 Top Coat 174
SikaWall®-571 Dash Receiver 174
SikaWall®-580 Monorex GM UK 174
Silicone Eater 10
Silicone Spray - All Purpose 124
Simulated Lead Flashing Trim 79
Smart Tack Handy 45
Spray Adhesive 44
Stain Block 117
Standard Mortar 178
Standard Nozzles 129
Standard Raised Edge Trim 79
Steel Roller 94
Stick 2 All Purpose Superglue 46
Stick 2 Instant Bond 46
Stick 2 Rapid Epoxy 47
Stixall® Extreme Power 28
Stixall® Maximum Grab 34
Stixall® Ultra 31
Superflow 126
Superglue De-bonder 45

T

Thread Lock GP 45
Through Wall Parapet Outlet Trim 80
Touch Up Enamel 47
Traditional 1F Underslaters Felt 87
Trim Adhesive 80
Triple Action Wood Treatment 63
Trowel Mastic 85

U

Underlay 180 Polyester 87
Universal 5 Star Wood Treatment 62

V

Valley Trough 99
Vent 3 Underlay Support Tray 89
Vent3 88
Vent3 AIR 90
Vent3 Classic 89
Vent3 Double Sided Joint sealing tape 89
Vent3 EXCEL190 92
Vent3 Light 89
Vent3 Pro 88

W

Weather Mate 11
White Plastic Tub 81
Wonder Wipes Biodegradable 122
Wonder Wipes Heavy Duty 122
Wonder Wipes Multi Use 122
Wonder Wipes Multi-Use Spray 122
Wood Filler 117
Wood Preserver 62
Woodworm Killer 62

NOTES

BRING
IT ON
FOR ALL YOUR BUILDING SOLUTIONS.
SIKA.CO.UK/BRINGITON
Sika
BUILDING TRUST

SALES SUPPORT:

0113 240 2424

distribution.sales@uk.sika.com

TECHNICAL SUPPORT:

0808 141 0709

distribution.technical@uk.sika.com

Sika® Leeds Manufacturing Centre
Site 41, Knowsthorpe Way
Cross Green Industrial Estate
Leeds, LS9 0SW

Sika® Leeds Distribution Centre
Lennerton Lane
Sherburn In Elmet
Leeds, LS25 6RE

0113 240 3456

distribution.info@uk.sika.com

sika.co.uk/distribution

VIEW THE LATEST
PRODUCT GUIDE ONLINE

BUILDING TRUST