

Date of last issue: 22.12.2022	Version 7.0	Print Date 19.07.2023
Revision Date: 19.07.2023		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Sikalastic-851 R (A)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Polyurethane coating, For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited
		Watchmead Welwyn Garden City
		Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person	:	EHS@uk.sika.com
responsible for the SDS		-

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation. Eye irritation, Category 2 H319: Causes serious eye irritation. Respiratory sensitisation, Category 1 breathing difficulties if inhaled. Skin sensitisation, Category 1 Carcinogenicity, Category 2 H351: Suspected of causing cancer. Specific target organ toxicity - single ex-H335: May cause respiratory irritation. posure, Category 3, Respiratory system Specific target organ toxicity - repeated

2.2 Label elements

H334: May cause allergy or asthma symptoms or

H317: May cause an allergic skin reaction.

H373: May cause damage to organs through prolonged or repeated exposure.

exposure, Category 2

Labelling (REGULATION (EC) No 1272/2008)





Date of last issue: 22.12.2022 Revision Date: 19.07.2023	Version 7.0		Print Date 19.07.2023
Hazard statements :	H315 H317 H319 H334 H335 H351 H373	Causes skin irritation. May cause an allergic skin reac Causes serious eye irritation. May cause allergy or asthma sy breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs the longed or repeated exposure.	mptoms or
Precautionary statements :	Prevention: P201 P260 P264 P280	Obtain special instructions befo Do not breathe mist or vapours. Wash skin thoroughly after han Wear protective gloves/ protect eye protection/ face protection.	dling.
	Response: P304 + P340 + I P342 + P311	P312 IF INHALED: Remove pe air and keep comfortable for bre POISON CENTER/ doctor if you If experiencing respiratory symp POISON CENTER/ doctor.	eathing. Call a u feel unwell.

Hazardous components which must be listed on the label:

methylenediphenyl diisocyanate

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Date of last issue: 22.12.2022 Revision Date: 19.07.2023 Version 7.0

Print Date 19.07.2023

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
methylenediphenyl diisocyanate	26447-40-5 905-806-4 01-2119457015-45- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 	>= 25 - < 40

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attenda	nce.
If inhaled	Move to fresh air. Consult a physician after significant exposure.	
In case of skin contact	Take off contaminated clothing and shoes immediat Wash off with soap and plenty of water. If symptoms persist, call a physician.	ely.
In case of eye contact	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing.	



Date of last issue: 22.12.2022 Revision Date: 19.07.2023	Version 7.0	Print Date 19.07.2023
	If eye irritation persists, consult a sp	ecialist.
If swallowed	 Do not induce vomiting without med Rinse mouth with water. Do not give milk or alcoholic beverag Never give anything by mouth to an 	ges.
4.2 Most important symptom	s and effects, both acute and delayed	
Symptoms	: Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed inf and symptoms.	formation on health effects
Risks	: irritant effects sensitising effects	
	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma sympto ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs throug exposure.	oms or breathing difficul-
4.3 Indication of any immedia	ate medical attention and special treatmer	nt needed
Treatment	: Treat symptomatically.	-

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media :	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from th	e substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		



Date of last issue: 22.12.2022 Revision Date: 19.07.2023		Version 7.0	Print Date 19.07.2023
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing	g apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental releas	se i	measures	
6.1 Personal precautions, protect	tiv	e equipment and emergency procedures	
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanitary sewer If the product contaminates rivers and lakes or d respective authorities.	
6.3 Methods and material for cor	ntai	inment and cleaning up	
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	, silica gel,

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid formation of aerosol. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.



Date of last issue: 22.12.2022 Revision Date: 19.07.2023		Version 7.0	Print Date 19.07.2023
Hygiene measures	:	Handle in accordance with good industrial hygie practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the er	using do not
7.2 Conditions for safe storage, in	ncl	uding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ve place. Containers which are opened must be can sealed and kept upright to prevent leakage. Stor ance with local regulations.	refully re-
Further information on stor- age stability	:	No decomposition if stored and applied as direct	ed.
7.3 Specific end use(s)			
Specific use(s)	:	Cleaning with aprotic polar solvents must be avo Consult most current local Product Data Sheet p use.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
methylenediphenyl diisocyanate	26447-40-5	TWA	0,02 mg/m3 (NCO)	GB EH40
	asthma (also k can induce a s immunological become hyper sometimes eve toms. These s asthma. Not al come hyper-re those who are that can cause substances wh with pre-existin include the dis classified as a mation can be assessments of asthma., When stances that ca Where this is r standards of c	ation: Substances to known as asthmage state of specific airw l irritant or other me responsive, further en in tiny quantities, ymptoms can range ll workers who are e esponsive and it is in likely to become hy e occupational asthr nich may trigger the ng airway hyper-res ease themselves. T sthmagens or respin found in the HSE p of the evidence for a rever it is reasonabl an cause occupation not possible, the prin ontrol to prevent wo or substances that or res that exposure be	ns and respiratory ray hyper-responsi- chanism. Once the exposure to the s may cause respira- in severity from a exposed to a sensi- mpossible to identi- yper-responsive. na should be distin- symptoms of asth- ponsiveness, but "he latter substance ratory sensitisers. bublication Asthma agents implicated y practicable, exp- nal asthma should mary aim is to app- orkers from becom-	v sensitisers) iveness via an e airways have substance, ratory symp- a runny nose to itiser will be- ify in advance Substances nguished from ima in people which do not ces are not Further infor- gen? Critical in occupational osure to sub- l be prevented. by adequate ing hyper- ional asthma,



Date of last issue: 22.12.2022 Revision Date: 19.07.2023	Version	7.0	Print Da	te 19.07.2023
	centrations she ment is being e employees exp may cause occ consultation w degree of risk pational asthm assigned only asthma in the bered that othe pational asthm	cable. Activities givin ould receive particul considered. Health bosed or liable to be cupational asthma a ith an occupational and level of surveilla a., The 'Sen' notation to those substances categories shown in the substances not in the substances not in the substances of the ta. HSE's asthma wouk/asthma) provide	lar attention when surveillance is app e exposed to a sub and there should b health professiona ance., Capable of on in the list of WE s which may cause a Table 1. It should these tables may eb pages	risk manage- propriate for all ostance which e appropriate al over the causing occu- ELs has been e occupational d be remem- cause occu-
		STEL	0,07 mg/m3 (NCO)	GB EH40

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

Biological occupational exposure limits

Substance name	CAS-No.	Control parame- ters	Sampling time	Basis
methylenediphenyl diisocyanate	26447-40-5	isocyanate- derived diamine (Isocyanates): 1 µmol/mol creati- nine (Urine)	At the end of the period of expo- sure	GB EH40 BAT

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Hand protection		Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.



Date of last issue: 22.12.2022 Revision Date: 19.07.2023	Version 7.0	Print Date 19.07.2023
Respiratory protection	 In case of inadequate ventilation wear respirate Respirator selection must be based on known exposure levels, the hazards of the product ar ing limits of the selected respirator. organic vapor (Type A) and particulate filter Use a properly fitted NIOSH approved air-puri respirator complying with an approved standar sessment indicates this is necessary. A1: < 1000 ppm; A2: < 5000 ppm; A3: < 1000 P1: Inert material; P2, P3: hazardous substant Ensure adequate ventilation. This can be achi exhaust extraction or by general ventilation. (E ods for determining inhalation exposure). This ticular to the mixing / stirring area. In case this to keep the concentrations under the occupati limits then respiration protection measures must 	or anticipated ad the safe work- fying or air-fed rd if a risk as- 0 ppm ces eved by local EN 689 - Meth- applies in par- is not sufficent onal exposure
Environmental exposure cont	rols	
General advice	: Do not flush into surface water or sanitary sew If the product contaminates rivers and lakes of respective authorities.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour Odour	:	liquid colourless slight
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	exp	losive limits
Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	:	No data available



Date of last issue: 22.12.2022 Revision Date: 19.07.2023		Version 7.0	Print Date 19.07.2023
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture is non-soluble (in water)	
Viscosity			
Viscosity, dynamic	:	ca. 1.200 mPa.s (20 °C)	
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)	
Solubility(ies)			
Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	0,01 hPa	
Density	:	ca. 1,07 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	
9.2 Other information			
No data available			

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No hazards to be specially mentioned.
The action of th	•	no nazarao to bo opoolany mondonoa.

10.4 Conditions to avoid

Conditions to avoid :		No data available
-----------------------	--	-------------------

10.5 Incompatible materials

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



Date of last issue: 22.12.2022 Revision Date: 19.07.2023 Version 7.0

Print Date 19.07.2023

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Date of last issue: 22.12.2022 Revision Date: 19.07.2023 Version 7.0

Print Date 19.07.2023

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment
Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
	way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental



Print Date 19.07.2023

Sikalastic-851 R (A)

Date of last issue: 22.12.2022

Revision Date: 19.07.2023

	protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
SECTION 14: Transport ir	nformation
14.1 UN number or ID numb	per
ADR	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.2 UN proper shipping nar	me
ADR	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.3 Transport hazard class	s(es)
ADR	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.4 Packing group	
ADR	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA (Cargo)	: Not regulated as a dangerous good
IATA (Passenger)	: Not regulated as a dangerous good
14.5 Environmental hazards Not regulated as a dange	
14.6 Special processions for	ů –

Version 7.0

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant EU provisions transposed through retained EU law



_

Date of last issue: 22.12.2022 Revision Date: 19.07.2023	Version 7	7.0	Print Date 19.07.2023				
UK REACH List of restrictions (An	nex 17)	:	Conditions of restriction for the fol- lowing entries should be considered: methylenediphenyl diisocyanate (Number on list 74, 56)				
UK REACH Candidate list of subst concern (SVHC) for Authorisation	ances of very high	:	Not applicable				
The Persistent Organic Pollutants Regulation (EU) 2019/1021 as amo ain)		:	Not applicable				
International Chemical Weapons C Schedules of Toxic Chemicals and		:	Not applicable				
Regulation (EC) No 1005/2009 on plete the ozone layer	substances that de-	:	Not applicable				
UK REACH List of substances sub (Annex XIV)	ject to authorisation	:	Not applicable				
GB Export and import of hazardou Informed Consent (PIC) Regulation		:	Not applicable				
Control of Major Accident Hazards 2015 (COMAH)	Regulations	Not	applicable				
Volatile organic compounds :	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties						
	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable						
If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.							
Health, safety and environ- :	Environmental Protect	ion /	Act 1990 & Subsidiary Regulations				

Health, safety and environ-	:	Environmental Protection Act 1990 & Subsidiary Regulations
mental regulation/legislation		Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or		Control of Substances Hazardous to Health Regulations
mixture:		(COSHH)
		May be subject to the Control of Major Accident Hazards
		Regulations (COMAH), and amendments.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.



Date of last issue: 22.12.2022 Revision Date: 19.07.2023 Version 7.0

SECTION 16: Other information

Full text of H-Statements			
H315	: Causes skin irritation.		
H317	: May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		
H332	: Harmful if inhaled.		
H334	: May cause allergy or asthma symptoms or breathing difficul-		
П334	ties if inhaled.		
11335			
H335	: May cause respiratory irritation.		
H351	: Suspected of causing cancer.		
H373	: May cause damage to organs through prolonged or repeated		
	exposure.		
Full text of other abbreviatio	ns		
Acute Tox.	: Acute toxicity		
Carc.	: Carcinogenicity		
Eye Irrit.	: Eye irritation		
Resp. Sens.	: Respiratory sensitisation		
Skin Irrit.	: Skin irritation		
Skin Sens.	: Skin sensitisation		
STOT RE	: Specific target organ toxicity - repeated exposure		
STOT SE	: Specific target organ toxicity - single exposure		
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits		
GB EH40 BAT	: UK. Biological monitoring guidance values		
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)		
GB EH40 / STEL	: Short-term exposure limit (15-minute reference period)		
ADR	: European Agreement concerning the International Carriage of		
	Dangerous Goods by Road		
CAS	: Chemical Abstracts Service		
DNEL	: Derived no-effect level		
EC50	: Half maximal effective concentration		
GHS	: Globally Harmonized System		
ΙΑΤΑ	: International Air Transport Association		
IMDG	: International Maritime Code for Dangerous Goods		
LD50	: Median lethal dosis (the amount of a material, given all at		
	once, which causes the death of 50% (one half) of a group of		
	test animals)		
LC50	: Median lethal concentration (concentrations of the chemical in		
	air that kills 50% of the test animals during the observation		
	period)		
MARPOL	: International Convention for the Prevention of Pollution from		
	Ships, 1973 as modified by the Protocol of 1978		
OEL	: Occupational Exposure Limit		
PBT	: Persistent, bioaccumulative and toxic		
PNEC	: Predicted no effect concentration		
REACH	: Regulation (EC) No 1907/2006 of the European Parliament		
	and of the Council of 18 December 2006 concerning the Reg-		
	istration, Evaluation, Authorisation and Restriction of Chemi-		
	cals (REACH), establishing a European Chemicals Agency		
	outo (TEROTI), colubilisting a European Orienticalo Agency		



Date of last issue: 22.12.2022 Revision Date: 19.07.2023	Version 7.0		Print Date 19.07.2023	
SVHC vPvB	Substances of Very High ConcernVery persistent and very bioaccumulative			
Further information				
Classification of the mixtu	ire:	Classification procedure:		
Skin Irrit. 2	H315	Calculation method		
Eye Irrit. 2	H319	Calculation method		
Resp. Sens. 1	H334	Calculation method		
Skin Sens. 1	H317	Calculation method		
Carc. 2	H351	Calculation method		
STOT SE 3	H335	Calculation method		

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Calculation method

Changes as compared to previous version !

H373

GB / EN

STOT RE 2