

THE COMPLETE PRODUCT GUIDE

January 2026

BUILDING TRUST



CONTENTS

Sealants and Gap Filling

| | |
|--------------------|----|
| Sealants | 8 |
| Technical Sealants | 18 |
| Expanding Foam | 26 |

Adhesives

| | |
|-------------------------------|----|
| Hybrid Sealants and Adhesives | 32 |
| Grab and Construction | 36 |
| Wood and Flooring | 43 |
| Contact and Superglues | 48 |

Landscaping

| | |
|---------------------------------|----|
| Jointing Compounds | 54 |
| Surface Cleaners and Treatments | 57 |
| Sealing and Protecting | 60 |

Wood Care

| | |
|------------------------------|----|
| Treatments and Preservatives | 66 |
|------------------------------|----|

Roofing

| | |
|----------------|----|
| Roof Repair | 70 |
| Flashing | 73 |
| Bitumen | 74 |
| Cromar Roofing | 76 |

Speciality Applications

| | |
|-------------------------------|----|
| Passive Fire Protection | 84 |
| Fire Foams | 86 |
| Other Specialist Applications | 87 |

BRING IT ON

For those who get the job done



Decorating and Tapes

| | |
|-----------------------------|----|
| Surface Protectors | 92 |
| Decorating and Wood Fillers | 94 |
| Decorating Sundries | 98 |
| Tapes | 99 |

Cleaners and Accessories

| | |
|---------------------------------|-----|
| Wipes | 106 |
| Glazing Cleaners and Lubricants | 108 |
| Guns and Tools | 110 |

Plumbing and Heating

| | |
|-----------------------|-----|
| Sealers and Compounds | 116 |
|-----------------------|-----|

Building Supplies

| | |
|------------------------------|-----|
| Waterproofing | 122 |
| Admixtures | 126 |
| Self Levelling Compounds | 130 |
| Concrete and Brick Repair | 134 |
| Primer, PVA, and SBR Bonding | 138 |
| Wall Finishing | 140 |
| Building Sundries | 142 |

Tiling Adhesives and Grout

| | |
|-----------------|-----|
| Wet Room System | 148 |
| Tile Adhesives | 150 |
| Grouts | 153 |

Building Finishing

| | |
|-------------------------|-----|
| Renders | 158 |
| Base Coat and Top Coats | 160 |
| Pointing Mortars | 162 |
| Complementary Products | 163 |



BUILDING TRUST

SIKA: TRUSTED SOLUTIONS FOR EVERY PROJECT

Sika is a global leader in construction chemicals, delivering high-performance products trusted by trade professionals, DIYers, and builders' merchants across the UK. With over 90 years of experience, our range solves real-world challenges – from waterproofing and roofing to concrete repair, flooring, sealants, adhesives, fillers, and foams.

Designed for both professionals and homeowners, Sika products make every job easier and more reliable—whether tiling, landscaping, sealing, or decorating. Each solution is backed by Sika's renowned quality, technical expertise, and performance you can trust.

Explore this catalogue to see how Sika helps you build smarter, faster, and more confidently.





With UK operations across five key locations and state-of-the-art manufacturing and distribution, we ensure exceptional availability and fast, dependable service.

Our continued investment includes the addition of Cromar to the Sika family, further strengthening our offering to the trade. Our state-of-the-art manufacturing facility and high-capacity distribution centre in Leeds are at the heart of our UK operations, ensuring exceptional product availability, supply chain resilience, and fast, dependable service to customers nationwide.

We are proud to support the construction and industrial sectors with a commitment to rigorous quality standards, technical expertise, and product innovation. Whatever the size or scope of your project, you can count on Sika for reliable solutions that perform - every time.

Explore this catalogue and discover how Sika can help you build smarter, faster, and more confidently.

KNOWLEDGE CENTRE

Answers at Your Fingertips.



SCAN FOR
BLOGS, TIPS AND
EXPERT GUIDES.


SHOP SMART. WORK FAST

Visit Sika's eShop online



SCAN TO SHOP
THE FULL
PRODUCT RANGE.

MARKETING TOOLKIT



SCAN TO ACCESS
BROCHURES AND
PRODUCT IMAGES.

SIKA IN THE COMMUNITY

Sika x Exeter Chiefs

Sika is the official main club partner of Exeter Chiefs, one of the UK's leading Premiership rugby clubs.

Our partnership reflects shared values of strength, resilience, and teamwork—qualities that drive success both on the pitch and across the construction industry.

Through this sponsorship, Sika supports the club, its players through sponsorship of Dafydd Jenkins (Lock) and Flo Robinson (Scrum Half), and its passionate community of fans, while building stronger connections with customers and partners across the Southwest and beyond.





Exeter Chiefs in the Community

We're not just supporting the top tier, we're investing in the future of the sport. Our Sika Community Vans will continue to roll out across the Southwest, bringing rugby into schools and local communities, inspiring the next generation of players and fans.

We are proud to stand alongside the Chiefs as they inspire the next generation, showcasing performance, passion, and progress every step of the way.

Proud partner of the Preston Vocational Centre

Sika is proud to partner with Preston Vocational Centre, a not-for-profit organisation dedicated to providing practical construction training and skills development for young people and adults. Their hands-on approach helps learners gain the confidence, qualifications, and experience needed to build brighter futures in the construction industry.

**PRESTON
VOCATIONAL
CENTRE**



Building Skills | Building Futures

To find out more about their great work
visit: www.prestonvocationalcentre.co.uk

SEALANTS AND GAP FILLING

Seal it with confidence

Sika offers a complete range of sealants and gap fillers for trade, commercial, and DIY projects.

- **Sealants:** Flexible, durable solutions for joints, glazing, sanitary areas, and general construction.
- **Technical Sealants:** Advanced options for demanding commercial applications.
- **Filling and Fixing:** High-performance foams for insulation, gap filling, and securing frames or panels.

Easy to use and proven to last, Sika products deliver strong, flexible joints and reliable protection indoors or out.

| | |
|--------------------|----|
| Sealants | 8 |
| Technical Sealants | 18 |
| Expanding Foam | 26 |



Forever White Silicone Sealant



| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 858495 | 295 ml | WHITE | 12 | 5029347603540 |
| 858501 | 295 ml | CLEAR | 12 | 5029347603953 |
| 858494 | 295 ml | IVORY | 12 | 5029347606404 |
| 858500 | 295 ml | GREY | 12 | 5029347615376 |

A superior silicone sealant that's waterproof, flexible, and antibacterial - designed to be used around the home.

Forever White is a superior silicone sealant that is permanently waterproof, flexible, and ideal for sealing shower bases, cubicles, wetrooms, baths, sinks, and basins. It is also ideal for kitchens and utility rooms and sealing around window and door frames. Contains Mould Shield®, which actively protects the sealant against the growth of bacteria, mildew and black mould.

FOREVER WHITE®
CONTAINS A HIGH
QUALITY ANTIMICROBIAL
ADDITIVE, RIGOROUSLY
TESTED IN ACCREDITED
MICROBIOLOGICAL
LABORATORIES TO SHOW
NO MOULD GROWTH
AFTER 10 YEARS*.

* Simulated ageing.

**PERMANENTLY
FLEXIBLE**

**TOOLS DOWN
SMOOTHLY**

PREMIUM QUALITY

**STARTS WHITE -
STAYS WHITE**

containing
**Mould
Shield®**



Caulk Once Acrylic Caulk

SLUMPING IS OFTEN FOUND
WITH INFERIOR CAULKS

CAULK ONCE IS QUICK
AND EASY TO APPLY

CAULK ONCE TOOLS
DOWN SMOOTHLY FOR
A PERFECT FINISH

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 489514 | 295 ml | White | 12 | 5029347612955 |
| 489516 | 380 ml | WHITE | 12 | 5029347612962 |

A premium quality acrylic caulk - fast drying, permanently flexible, and tailor-made for a range of jobs.


Caulk Once - the best caulk you will ever use. A premium quality acrylic caulk formulated to outperform all other conventional decorating caulks and fillers. Caulk Once is manufactured using an advanced high-quality polymer to offer superior adhesion, low shrink, and smooth tooling down.

APPLY ONCE -
JOB DONE

NO SLUMP

EASY SMOOTH

**SUPERIOR
FLEXIBILITY**



SikaSeal® One Hour Caulk

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 879014 | 300 ml | WHITE | 12 | 5029347000042 |
| 879087 | 380 ml | WHITE | 12 | 5029347000059 |

A filler and sealant that dries in just one hour to speed up decorating projects. It remains permanently flexible to prevent cracking and can be overpainted with most paint types or covered with wallpaper without the need for sanding.



Timber / Plaster / Brick / Concrete

Contract 115
GP Building Mastic

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 489634 | 285 ml | BROWN | 25 | 5029347601386 |
| 489635 | 285 ml | GREY | 25 | 5029347601393 |
| 489636 | 285 ml | STONE | 25 | 5029347601409 |
| 489637 | 285 ml | WHITE | 25 | 5029347000141 |

A traditional oil-based pointing mastic that provides an effective weatherproof seal. Typically used to seal composite sectional panels and low-movement vertical building joints. This high solids formulation means excellent gap-filling properties. It is semi-drying, too, so it remains permanently elastic beneath the surface skin.




Brick / Stone / Concrete / Timber

SikaSeal® Mould Resistant Caulk +

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 880141 | 300 ml | WHITE | 12 | 5029347000066 |

A high-quality, permanently flexible caulk and sealant suitable for a wide range of applications. Its mould-resistant formulation delivers a clean, durable finish without the need for sanding. Ideal for sealing joints and gaps, it adheres to most common construction materials including timber, plaster, brick, stone, PVCu, and concrete. Once cured, it can be overpainted with most paint types or wallpapered for a seamless result.



Timber / Plaster / Brick / PVCu / Concrete / Stone

Premium 145
Butyl Rubber Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 489633 | 300 ml | GREY | 12 | 5029347610357 |

A semi-setting jointing compound. Typically used for roofing, glazing, metal containers and sectional building applications. It forms a skin in approximately 24 hours but remains permanently plastic underneath. The sealant accommodates joint movements of +/- 5% and is overpaintable. Provides an effective weatherproof seal in a variety of exterior and interior applications.



Brick / Stone / Concrete / Timber / Roofing
Glazing / Metal

SikaSeal® Construction Silicone

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 880151 | 295 ml | BLACK | 12 | 5029347601492 |
| 880093 | 295 ml | BROWN | 12 | 5029347601485 |
| 880039 | 295 ml | TRANS | 12 | 5029347601478 |
| 880067 | 295 ml | WHITE | 12 | 7612895106335 |

A low-modulus acetoxycuring sealant that adheres to smooth, non-porous surfaces. The fungal resistant formulation ensures resistance to black mould growth in areas exposed to high humidity, making it ideal for kitchens, bathrooms and other sanitary environments. Provides durable adhesion to glass, ceramics, timber, aluminium and laminates.




Glass / Timber / Aluminium / Ceramics / Laminates

SikaSeal® Construction Silicone +

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 880237 | 295 ml | BLACK | 12 | 5029347601256 |
| 880236 | 295 ml | BROWN | 12 | 5029347601263 |
| 880075 | 295 ml | GREY | 12 | 5029347601287 |
| 880238 | 295 ml | TRANS | 12 | 5029347601300 |
| 880243 | 295 ml | WHITE | 12 | 5029347000028 |

A low-modulus, fast-curing acetoxycuring sealant providing flexibility and durability. Its fungal-resistant formula prevents black mould in humid areas. Forms a weatherproof, waterproof seal and bonds strongly to PVCu, brick, glass, aluminium, plastics, timber, and more.



PVCu / Brick / Aluminium / Plastics / Glass

SikaSeal® Construction Silicone Ultra


| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|------------|-----|---------------|
| 880239 | 300 ml | ANTHRACITE | 12 | 7612655194619 |
| 880254 | 300 ml | BLACK | 12 | 5029347601324 |
| 880126 | 300 ml | BROWN | 12 | 5029347601331 |
| 880260 | 300 ml | BUFF | 12 | 5029347601317 |
| 880244 | 300 ml | GREY | 12 | 5029347601348 |
| 880194 | 300 ml | TRANS | 12 | 5029347601355 |
| 880245 | 300 ml | WHITE | 12 | 5029347000035 |

A low-modulus, neutral-cure sealant offering long-lasting, excellent adhesion to most porous and non-porous surfaces and forms a weather-tight seal. Particularly suited to construction expansion joints and perimeter sealing around all types of door and window frames.

Conforms to ISO 11600 Class: F 25 LM and G 25 LM.



Timber / Brick / Stone / PVCu / Concrete / Metal



Contract 225

Industrial and Glazing Silicone

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 486133 | 295 ml | BLACK | 25 | 5029347601225 |
| 486134 | 295 ml | STEEL | 25 | 5029347602482 |
| 486135 | 295 ml | TRANS | 25 | 5029347601249 |
| 486136 | 295 ml | WHITE | 25 | 5029347000011 |

A mid modulus acetoxy cure silicone sealant that adheres to most smooth and non-porous substrates. Typically used for single glazing, draught-proofing and general industrial use. Quick curing, with low dirt pick up, it remains permanently flexible and provides a waterproof seal. Temperature resistant. Contains a powerful anti-fungal compound to prevent mould growth to the sealant.



Glass / Timber / Aluminium / Ceramics / Laminates

Premium+ 565

Clean Room Silicone

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 486155 | 295 ml | WHITE | 25 | 5029347612399 |

An advanced neutral curing hygienic sealant that contains Mould Shield®, a powerful anti-bacterial compound, and is food contact approved. Prevent growth of most common moulds to the sealant. Offers outstanding adhesion to most substrates including plastics, ceramics and metal. Virtually odourless in application with a slow skinning time. Ideal for long joint runs in larger applications. Remains permanently flexible with a movement capability of +/- 25%. **Approved for food contact to 21CFR177.2600 by IANESCO (France) and meets ISO 11600 F 25 LM.**



Metal / Ceramics / Glass / Most Plastics

Premium+ 500

Bath and Sanitary Silicone

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|-----------|-----|---------------|
| 484838 | 295 ml | GREY | 12 | 5029347603373 |
| 484839 | 295 ml | IVORY | 25 | 5029347601362 |
| 484840 | 295 ml | SANDSTONE | 12 | 5029347603380 |
| 484841 | 295 ml | TRANS | 25 | 5029347601379 |
| 484842 | 295 ml | WHITE | 25 | 5029347000127 |

A premium quality mid modulus acetoxy cure silicone sealant that contains a high level of powerful anti-fungal compound to protect the sealant. Typically used in areas of high humidity, such as bathrooms and kitchens. Permanently flexible, waterproof seal. Will not discolour on ageing even in humid or damp conditions.



Ceramics / Acrylic / Laminates / Aluminium / Glass

Contract 700T

LMN Silicone

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 486156 | 300 ml | BROWN | 25 | 5029347615123 |
| 486160 | 300 ml | TRANS | 25 | 5029347600631 |
| 486161 | 300 ml | WHITE | 25 | 5029347615116 |
| 486162 | 300 ml | BLACK | 25 | 5029347615161 |
| 486166 | 600 ml | TRANS | 12 | NO BARCODE |

A fast, neutral cure, low modulus sealant specially formulated for the PVCu and roofline industry. For perimeter pointing window and door frames, sealing plastic roofline areas, general weather sealing, and also sanitary applications.

White and translucent colours also available in a foil pack.




Timber / Brick / Stone / PVCu / Concrete / Metal

Contract AC50

Acoustic Sealant and Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 489512 | 900 ml | WHITE | 9 | 5029347600112 |
| 489513 | 380 ml | WHITE | 12 | 5029347600358 |

A high strength, permanently flexible sealant and adhesive specifically formulated for sealing and bonding plasterboard and other kraft lined insulation boards. Typically used for walls, ceilings, and dry lining applications. Water-based, solvent-free formula, easy to use and clean up, and adheres to most building substrates.



Silicone Eater

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 482505 | 100 ml | - | 12 | 5029347115005 |

A revolutionary chemical that breaks up and removes all types of silicone sealant. It is harmless to most surrounding surfaces and can be used to remove sealant from baths, kitchen worktops, basins, showers, doors, and window frames.



Timber / Plaster / Brick / Stone / Concrete

Weather Mate

Gap Filler and Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 489689 | 295 ml | CLEAR | 25 | 5029347601454 |
| 489692 | 295 ml | WHITE | 25 | 5029347000073 |
| 489693 | 295 ml | BLACK | 25 | 5029347601447 |

Based on an advanced isoacrylic formula that provides the ultimate in technology for adhesion to many surfaces. It can be applied in wet weather, to wet surfaces, even under water. Resistant to all weather extremes, remains permanently flexible and can be overpainted with most paints and wood stains when cured, although overpainting is not essential.



Check out our full range of grab adhesives

Pages 36-42

Metal / Timber / Galvanised Steel / Bitumen

Galva Mate Duct Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 489540 | 295 ml | GREY | 25 | 5029347000707 |

A high performance adhesive and sealant specifically designed for sealing high velocity duct work in heating and ventilation systems. Very strong adhesion to galvanised and stainless steel surfaces, excellent slump resistance, permanently flexible, and resistant to mildew and mould growth.

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 489540 | 295 ml | GREY | 25 | 5029347000707 |

INTERIOR
USEWATER-BASED/
CLEAN UPQUICK CURING/
DRYING

Galvanised Steel / Stainless Steel

Lead Mate Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 486216 | 295 ml | GREY | 25 | 5029347007355 |

Specially formulated as an alternative to mortaring lead flashing and sheet into brick, stone and concrete, providing a fully waterproof joint. Cleaner and easier to apply than conventional mortar, and a great time-saver. Excellent weathering characteristics, permanently flexible and accommodates thermal movement in lead. Tack free in 1 hour. Temperature resistant to 150°C.

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 486216 | 295 ml | GREY | 25 | 5029347007355 |

EXTERIOR
USE

WATERPROOF

LEAD
COMPATIBLE

Lead / Brick / Concrete / Stone / Timber

See our full range guns and tools

See pages 110-112
within the Cleaners
and Accessories section



General Purpose Silicone


Easi-Squeeze

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 483130 | 80 ml | CLEAR | 12 | 5029347606060 |
| 483131 | 80 ml | WHITE | 12 | 5029347606022 |

Cartridge

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 485955 | 280 ml | BLACK | 25 | 5029347600938 |
| 485956 | 280 ml | BROWN | 25 | 5029347200008 |
| 487789 | 280 ml | GREY | 25 | 5029347608965 |
| 467060 | 280 ml | CLEAR | 25 | 5029347100001 |
| 467061 | 280 ml | WHITE | 25 | 5029347000004 |
| 485957 | 280 ml | BLACK | 12 | 5029347600938 |
| 485958 | 280 ml | BROWN | 12 | 5029347200008 |
| 481298 | 280 ml | GREY | 12 | 5029347608965 |
| 482390 | 280 ml | CLEAR | 12 | 5029347100001 |
| 482391 | 280 ml | WHITE | 12 | 5029347000004 |

A mid modulus silicone sealant that adheres to most smooth and non-porous materials. Contains an anti-fungal compound to be mould resistant in areas of high humidity. Forms a permanently flexible rubber seal. Available in both cartridges and squeeze tubes.



Glass / Ceramics / Timber / Aluminium / Laminates

Bath & Kitchen Sealant


| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 486278 | 290 ml | WHITE | 12 | 5029347000554 |

A high quality, acrylic based sealant that provides an effective, yet economical seal that is easy to use. With added anti-fungal compound. Perfect for use in bathrooms and kitchens. Available in both cartridge and squeeze tube form.

Flexible Decorators Filler

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 486009 | 290 ml | WHITE | 12 | 5029347000554 |

A fast drying, acrylic based filler and sealant that remains permanently flexible. Can be overpainted with most paint types or covered over with wallpaper. No sanding down required. Available in both cartridge and squeeze tube form.



Acrylic / Ceramics / Laminates / Timber / Plaster




Glass / Ceramics / Timber / Metal / Laminates

Showerproof Bathroom Silicone

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 467063 | 280 ml | WHITE | 12 | 5029347609610 |
| 467062 | 280 ml | CLEAR | 12 | 5029347609627 |

A mid modulus sanitary and shower silicone sealant that adheres to most smooth and non-porous materials. Contains a powerful anti-fungal compound to be mould resistant in areas of high humidity. Forms a permanently flexible rubber seal.




Glass / Ceramics / Timber / Aluminium / Laminates

Timber & Laminate Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 483199 | 290 ml | OAK | 6 | 5029347600136 |

A polymer rich, permanently flexible sealant and gap filler designed for sealing around laminate flooring, fitted furniture and kitchen worktops. Formulated using high clarity lightfast colour pigments.




Timber / Laminates / MFC / MDF

Roof & Gutter Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 486214 | 295 ml | BLACK | 12 | 5029347000172 |

A premium quality butyl based sealant and adhesive that provides instant, permanent weather-proofing to a wide variety of roofing applications. Adheres to most common roofing materials such as bitumen, asphalt, felt, metals and wood.




Felt / Slates / Tiles / Wood / Bitumen / Gutters

External Frame Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 483170 | 290 ml | BROWN | 12 | 5029347000585 |
| 483173 | 290 ml | GREY | 12 | 5029347000592 |
| 483174 | 290 ml | STONE | 12 | 5029347000608 |
| 483175 | 290 ml | WHITE | 12 | 5029347000530 |

A high quality acrylic based sealant that provides a long lasting, permanently flexible seal that can be overpainted when cured.




Timber / Plaster / Brick / Stone / Concrete

Sika® Sanisil Sanitary Silicone

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 737764 | 300 ml | CLEAR | 12 | 3240240006050 |
| 737763 | 300 ml | WHITE | 12 | 3240240006043 |

A high quality, acetox curing, sanitary silicone containing a powerful anti-fungal compound for resistance to fungus and mildew. Sika® Sanisil is the ideal choice for sealing around baths, showers, sinks, kitchens and areas subject to high humidity levels. It can also be used for cap sealing to metal, timber, PVCu window frames.



SikaSeal® Multi Purpose General Purpose Silicone

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|-------------|-----|---------------|
| 548128 | 300 ml | TRANSLUCENT | 12 | 5055492701961 |
| 548127 | 300 ml | WHITE | 12 | 5055492701947 |

A versatile acetox curing silicone sealant, suitable for a variety of household applications. Contains an anti-fungal compound to prevent mould growth in the sealant when used in areas of high humidity. Adheres to smooth and non-porous substrates and forms a permanently flexible seal.




**Metal / Timber / PVCu / Baths /
Showers / Basins / Sanitaryware**

Sika® Plastix-22A Premium LMN Silicone

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|-----------------|-----|---------------|
| 507294 | 300 ml | ANTHRACITE | 12 | 5055492701480 |
| 507292 | 300 ml | TRANSLUCENT | 12 | 5055492701442 |
| 507285 | 300 ml | BRILLIANT WHITE | 12 | 5055492701428 |

A premium grade, low-modulus, neutral curing silicone sealant that is ideal for glazing and roofline applications, along with other construction and industrial uses. This product's low dirt pick up makes it ideal for use with PVCu and plastics. Certified for facade, glazing, cold climate and sanitary applications.



uPVC / Wood / Aluminium / Glazing / Soft Metals / Coated Metals / Stainless Steel

Sikasil®-825
 Silicone Sealant


**SUBSTRATES BRICKS,
MORTAR, GLASS,
ALUMINIUM AND PVC
- ALL PRIMERLESS**

**TECHNICAL EXCELLENCE
PROFESSIONAL
PERFORMANCE**

**CONFORMS TO ISO
11600 CLASS F25
LM AND G25 LM**

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|-----------------|-----|---------------|
| 835392 | 380 ml | WHITE | 25 | 5029347603977 |
| 835393 | 380 ml | BLACK | 25 | 5029347615727 |
| 835394 | 380 ml | BEIGE | 25 | 5029347615734 |
| 835395 | 380 ml | BROWN | 25 | 5029347615710 |
| 835396 | 380 ml | BRICK RED | 25 | 5029347615703 |
| 835397 | 380 ml | BUFF | 25 | 5029347615697 |
| 835398 | 380 ml | DARK GREY | 25 | 5029347615680 |
| 835399 | 380 ml | LIMESTONE WHITE | 25 | 5029347615666 |
| 835410 | 380 ml | MAGNOLIA | 25 | 5029347615659 |
| 835411 | 380 ml | MID GREY | 25 | 5029347615642 |
| 835413 | 380 ml | PORTLAND STONE | 25 | 5029347615628 |
| 835414 | 380 ml | ANTHRACITE | 25 | 5029347615741 |
| 835415 | 380 ml | DARK ANTHRACITE | 25 | 5029347615673 |
| 835416 | 600 ml | MID GREY | 12 | 5029347614157 |
| 835417 | 600 ml | ANTHRACITE | 12 | 5029347614195 |
| 835418 | 600 ml | WHITE | 12 | 5029347612870 |
| 864577 | 400 ml | WHITE | 20 | 7612655159144 |
| 864578 | 400 ml | ANTHRACITE | 20 | 7612655159137 |
| 864601 | 400 ml | BRICK RED | 20 | 7612655158383 |

Sikasil®-825 is a low modulus, neutral curing silicone sealant based on a filled alkoxy curing system.

Conforms to ISO 11600 class F25 LM and G25 LM. Used for expansion joints to stone, brick, concrete and composite panels, perimeter pointing around all types of window and door frames. Substrates: glass, aluminium and PVC – all primerless.



| | |
|-------------------------------|--------------------|
| Shore A Hardness | 22-32 |
| Movement Accommodation | +/-35% (ASTM C719) |
| Skinning Time | 20-40 mins |
| Elastic Recovery | >70% |

Sikasil® S50

Sanitary Silicone Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|----------------|-----|---------------|
| 835338 | 310 ml | JASMINE | 25 | 7612655108821 |
| 835339 | 310 ml | MANHATTAN GREY | 25 | 7612655108388 |
| 835390 | 310 ml | TRANSLUCENT | 25 | 7612655108531 |
| 835391 | 310 ml | SANITARY WHITE | 25 | 5029347604844 |

| | |
|-------------------------------|-----------------|
| Movement Accommodation | +/-20% |
| Skinning Time | 15 mins @20°C |
| Cure Time | 3-4MM per 24hrs |
| Service Temp | -40 to +150°C |

A mid modulus, acetox curing silicone sealant that contains a powerful anti-fungal compound to prevent mould and fungal growth to the sealant in areas of high humidity. Gives improved adhesion and flexibility when compared to standard sanitary grades. **Tested to ISO 11600 F/ G20LM and EN15651.**



Sikasil® HM

Acetox Sanitary Silicone

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|-----------------|-----|---------------|
| 835334 | 310 ml | ANTHRACITE | 25 | 7612895960715 |
| 835337 | 310 ml | JASMINE | 25 | 7612895960777 |
| 835333 | 310 ml | LIMESTONE WHITE | 25 | 7612895960197 |
| 835335 | 310 ml | MANHATTEN GREY | 25 | 7612895960739 |
| 835336 | 310 ml | TRANSLUCENT | 25 | 7612895960753 |
| 835332 | 310 ml | WHITE | 25 | 5029347615956 |

| | |
|----------------------------|--|
| Movement Capability | +/-20 % (ISO9047) |
| Elongation at break | >350% (ISO8339) |
| Elastic Recovery | >95 % (ISO7390) |
| Curing Time | 2-4 mm/24 hours (23 °C and 50 % RH) |

A premium, acetox curing silicone sealant engineered to provide enhanced body and superior toolability in sanitary applications.

It contains powerful anti-fungal compound to prevent mould and fungal growth to the sealant in areas of high humidity.



Sika® Hybriflex® 25 LM

Low Modulus Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 835014 | 380 ml | WHITE | 25 | 5029347612054 |

| | |
|--|------------|
| Shore A Hardness | 20-30 |
| Skin Formation at 23°C and 50% RH | 20-45 mins |

A one part low modulus building sealant based on hybrid polymer technology. For perimeter pointing of uPVC, window/door frames, for expansion joints, weather sealing applications, parapet and roofline sealing, weatherproofing sealing, construction and dilation joints. Overpaintable. **Tested to ISO11600 class: F25 LM.**



Sika® Hybriflex® 40

Hybrid Polymer Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 835252 | 295 ml | GREY | 12 | 5029347613334 |

| | |
|-------------------------|------------|
| Shore A Hardness | 50 +/-5 |
| Skinning Time | 10-40 mins |
| Cure Time | 2mm/24 hr |
| Elastic Recovery | >60% |

A high modulus, one-component hybrid based adhesive which adheres strongly to most substrates. Provides excellent resistance to most common chemicals and solvents and can be overpainted when cured.



Sika® Hybriflex® 55 Hybrid Polymer Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 835253 | 600 ml | WHITE | 12 | 7612895192239 |

| | |
|------------------------------------|----------------------|
| Shore A Hardness | 55-60 |
| Skinning Time | 30-45 mins |
| Elastic Recovery (ISO 8339) | >70% |
| Tensile Strength | 1.5N/mm ² |

A high strength, permanently elastic, neutral cure hybrid polymer based adhesive. Isocyanate, silicone and halogen free, overpaintable with most paints, excellent adhesion to most construction substrate.



Sika® Hybriflex® SMP Flooring Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 834156 | 600 ml | GREY | 12 | 7612655099686 |

| | |
|-------------------------------|----------------|
| Shore A Hardness | 30-40 |
| Movement Accommodation | +/-25% |
| Service Temperatures | -40°C to +90°C |

Formulated to provide a high shore A sealant combined with a low viscosity to enable high speed application into floor joints. Suitable for sealing saw cut and pre-formed expansion joints on both internal and external floor joints, provides exceptional abrasion resistance.



Sika® Hybriflex® AntiPick 109 Pick Resistant Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 834154 | 295 ml | GREY | 25 | 5029347615970 |
| 834155 | 295 ml | WHITE | 25 | 5029347610210 |

| | |
|---------------------------------------|---|
| Shore A Hardness | ~50 |
| Tensile Strength (ISO 8339) | > 1.3N/mm ² at 60% elongation 2mm / 24hr |
| Curing Time at 23°C and 50% RH | |

A one-part, chemically curing sealant based on advanced Hybriflex® technology – combining the best properties of silicone and polyurethane. Specifically formulated to provide a degree of resistance to finger picking, it provides a tougher, more tamper-resistant seal compared to traditional sealants, while still accommodating small joint movement.



Sika® Hybriflex® FR Fire Rated Hybrid Polymer

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 835016 | 600 ml | GREY | 12 | 7612655102430 |

| | |
|--|------------|
| Shore A Hardness | 40+/-5 |
| Movement Accommodation | +/-20% |
| Skin Formation at 23°C and 50% RH | 30-40 mins |
| Elongation at Break (ISO 8339) | >250% |

A one part, chemically curing sealant and adhesive. Specifically designed multi-purpose floor/wall sealant for all concrete saw cuts and cladding applications and/or slab expansion joints, where fire resistance is required.
Fire rated up to 4 hours in certain joint configurations (when tested to EN1366 Part 4 2006 – Warrington Fire Certificate 195854/A October 2010).



Sikaflex® PRO-3 Purform Polyurethane Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 693977 | 600 ml | BLACK | 20 | 7612895756448 |
| 694153 | 600 ml | GREY | 20 | 7612895755496 |
| 694308 | 600 ml | WHITE | 20 | 7612895758466 |

Containing new Purform technology for a futureproof polyurethane formula, Sikaflex PRO 3 Purform is a one-part, moisture curing, elastic joint sealant with superior mechanical properties combined with excellent weather and chemical resistance. Ideal for use in floor joint sealing. Ultra-low monomer and VOC content and certified for use in food contact areas.



Sikaflex® PRO-3 Self Levelling Polyurethane Floor Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|---------------|-----|---------------|
| 410863 | 600 ml | CONCRETE GREY | 20 | 7612894826821 |

A one-component, moisture curing, self-levelling, elastic joint sealant which is based on polyurethane. Sikaflex® PRO-3 Self-Levelling is designed for horizontal applications in movement and connection joints in floors, pedestrian and traffic areas, as well as warehouses and production areas. This product is certified for use in food contact areas.



See our full range specialist guns

See pages 110-112
within the Cleaners
and Accessories section



SikaHyflex®-250 Facade

Low Modulus PU

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 443675 | 300 ml | BLACK | 12 | 7612894991635 |
| 443703 | 300 ml | GREY | 12 | 7612894991895 |
| 443676 | 300 ml | WHITE | 12 | 7612894991659 |
| 435632 | 600 ml | BLACK | 20 | 7612894946871 |
| 435543 | 600 ml | GREY | 20 | 7612894945478 |
| 435614 | 600 ml | WHITE | 20 | 7612894949094 |

| | |
|-------------------------------|-----------------------|
| Shore A Hardness | 20 |
| Movement Accommodation | +100/-50% (ASTM C719) |
| Skinning Time | 70 mins |



A one part polyurethane joint sealant used for durably sealing movement and connection joints in concrete, masonry and EIFS facades.

Monomeric diisocyanate content <0.1 %, no safety training required. Conforms ISO11600 F25 LM and is CE marked to EN15651-1: 2012 Type F EXT-INT CC.



SikaSeal®-414 Backer Rod UK

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|----------------|--------|-----|---------------|
| 489399 | 10 mm x 1150 m | GREY | 1 | 7612655098917 |
| 489411 | 15 mm x 550 m | GREY | 1 | 5029347907297 |
| 489412 | 20 mm x 350 m | GREY | 1 | 5029347907303 |
| 489413 | 25 mm x 200 m | GREY | 1 | 5029347907310 |
| 489414 | 30 mm x 160 m | GREY | 1 | 5029347907327 |

The SikaSeal®-414 Backer Rod UK is a non absorbent compressible grey closed cell polyethylene foam backing material. It is inserted into a joint to control sealant depth and create a backstop to allow proper sealant applications.



Sikaflex®-11 FC Purform®

PU Sealant and Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|---------------|-----|---------------|
| 700275 | 300 ml | BLACK | 12 | 7612895776682 |
| 700274 | 300 ml | CONCRETE GREY | 12 | 7612895776668 |
| 617758 | 300 ml | WHITE | 12 | 7612895572505 |
| 693939 | 600 ml | BLACK | 20 | 7612895755908 |
| 693823 | 600 ml | CONCRETE GREY | 20 | 7612895756103 |
| 644641 | 600 ml | WHITE | 20 | 7612895650340 |

| | |
|-------------------------|-------------|
| Shore A Hardness | 33 |
| Skinning Time | ~50 mins |
| Cure Time | 4mm / 24 hr |
| Elastic Recovery | 85% |

A one part moisture curing elastic adhesive and sealant used for interior and exterior multipurpose bonding and joint sealing. It has good and durable adhesion to most construction materials.


Monomeric diisocyanate content <0.1 %, no safety training required. Conforms with LEED v4 EQc 2: Low-Emitting Materials. CE marked to EN 15651-1 type F EXT-INT CC, EN 15651-3 type XS 3, EN 15651-4 type PW EXT-INT CC.



Sikasil® Pool Silicone Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 130877 | 300 ml | GREY | 12 | 7612894590906 |
| 150295 | 300 ml | WHITE | 12 | 7612894609400 |


A one-component, neutral curing silicone sealant for joints located in and around swimming pools and areas under permanent water immersion.



Sikasil® DW

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|-------------|-----|---------------|
| 715630 | 600 ml | BLACK | 20 | 7612895817651 |
| 715585 | 600 ml | SIGNAL GREY | 20 | 7612895817637 |

Sikasil® DW is suitable for joints in contact with potable (drinking) water, e.g. in the water industry in drinking water reservoirs, tanks, treatment and filtration plants.



Approval Number: 2203515

Sikaflex® Construction Purform Purform Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|---------------|-----|---------------|
| 747634 | 600 ml | CONCRETE GREY | 20 | 7612895899404 |

A one-component, moisture curing, flexible joint sealant. Sikaflex® Construction+ is designed for movement and connection joints in concrete and masonry facades.



Sikaflex®-415 Universal

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|---------------|-----|---------------|
| 718414 | 600 ml | CONCRETE GREY | 20 | 7612895821337 |

Sikaflex®-415 Universal is a one-part, moisture curing, elastic polyurethane sealant for sealing floor and wall joints.

Movement Accommodation +/-35 %



Sikaflex®-403 Tank & Silo

Elastic polyurethane sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 707904 | 600 ml | BLACK | 20 | 7612895791395 |

Sikaflex®-403 Tank & Silo is a 1-part, moisture-curing, elastic polyurethane sealant which is resistant to organic acids as found in liquid manure and silage liquids. The product is used for sealing segmented and bolted tanks, concrete containers, floor joints and sewage systems.

**Sikaflex®-406 KC**

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 619221 | 150 ml | BLACK | 5 | 7612895519739 |


Sikaflex®-406 KC is a 1-part self-levelling booster accelerated elastic floor joint sealant with high mechanical and chemical resistance. Rapid and homogeneous curing throughout the entire sealant is achieved by the addition of the Sikaflex®-406 KC Booster. Sikaflex®-406 KC is especially designed for elastic joint sealing between rails, adjacent surfaces and with Icosit KC products.

**Sikaflex® Tank N**

Polyurethane Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|---------------|-----|---------------|
| 869458 | 600 ml | CONCRETE GREY | 20 | 7612655166791 |

A one-component, moisture curing, elastic joint sealant based on polyurethane. Sikaflex® Tank N is designed for use in areas for the storage, handling and filling of water polluting liquids.



Sika® Primer 3N

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 122239 | 1 L | TRANS | 1 | 7612894543216 |

A one-component, solvent based primer and adhesion promoter; designed for use on porous substrates and metals. Evaporates quickly.



Sika® Primer-115

Polyurethane primer.

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 708138 | 1 L | CLEAR | 4 | 7612895791753 |

Sika® Primer-115 is a one part, reactive PU based primer for use as a pre-treatment on porous substrates, prior to Sikaflex applications.



Contain and Control with the Sika Passive Fire Protection range Page 84-85.



**PROFESSIONAL
FIRE PROTECTION**




Fix and Fill Expanding Foam

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 816431 | 500 ml | - | 12 | 5029347000080 |
| 817542 | 750 ml | - | 12 | 5029347000097 |

ADDITIONAL NOZZLES

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 488732 | - | - | 1 | 7612895201603 |

Fix and Fill Expanding Foam is a quick setting polyurethane based foam which expands greatly on application and yields up to 50 times original can contents. Can be cut, sawn, plastered and sealed over after approximately one hour. Fills irregular gaps, fixes framework, insulates and sound deadens.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Exact Gap Expanding Foam

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 484702 | 750 ml | - | 12 | 5029347609337 |

Formulated to provide a more precise foam product that only expands by between 5-10% from the bead extruded on application. The controlled application significantly reduces the amount of cured excess foam that has to be cut back, reducing the danger of wet foam falling onto the floor and surrounding substrates, and the damage and staining this can cause.



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Thermofoam

Insulating and Acoustic Expanding Foam

**ACOUSTIC RATED UP TO
64 DB TO EN ISO 717-1**

**CERTIFIED AIR PERMEABILITY:
A<0,1 M³ TO EN 12114:2000**

**TEMPERATURE RESISTANT
-40 TO +80°C (SHORT TERM
EXPOSURE TO +100°C)**

**FIRE RATED TO ISO
13501 (CLASS E)**



AIRTIGHT

ENERGY SAVING


**ADHERES TO ALL
COMMON BUILDING
MATERIALS**

Professional Gun Grade Expanding Foam

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 817541 | 750 ml | - | 12 | 5029347000103 |

A quick setting polyurethane based foam which expands greatly on application and yields up to 50 times original can contents. Can be cut, sawn, plastered and sealed over after approximately one hour. Fills irregular gaps, fixes framework, insulates and sound deadens.

For professional use only.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber



| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 489712 | 750 ml | - | 12 | 5029347613587 |

Specially formulated, highly flexible PU foam that absorbs component movement thereby giving an air tight seal to reduce heat loss and improve energy efficiency in buildings.




PVCu / Plastic / Brick / Stone
/ Concrete / Metal / Timber

Constructa-Pro Adhesive Foam

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 538593 | 750 ml | - | 12 | 5029347615024 |

A high strength adhesive foam designed for use in a multitude of building applications. Adheres well to most common building materials. Once cured, it's rot-proof, and moisture and temperature resistant from -40°C to +80°C. Suitable for a wide range of applications, for example as an adhesive for fixing plasterboard, insulation board, fixing skirting boards or a mortar substitute for building rough garden walls, planters, and much more.




Brick / Stone / Concrete / Metal / Timber



Dual Purpose Foam Cleaner

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 488713 | 500 ml | - | 12 | 5029347126001 |

Dual Purpose Foam Cleaner is used to remove wet/uncured foam. Attaches to Gun Foam Applicator for purging through; also includes spray nozzle for use without applicator to remove wet foam from outside of the gun and from most building substrates. The unique threaded collar fits most gun foam applicators, including the above foam applicators guns.



HEAVY DUTY WONDER WIPES

Textured for tough jobs

See page 107



JARGON BUSTER

This jargon buster defines key sealant industry terms to help you select the right product with confidence. All our sealants meet rigorous UK and European safety, performance, and quality standards. The UKCA and CE Marks confirm compliance, ensuring reliability and consistency across every certified product



CE / UKCA – There are four main types of approval under the sealant CE / UKCA Mark:

- F** – Façade use which is split into two sub categories with FINT meaning internal use only and F EXT INT meaning the product can be used both internally and externally. F EXT INT is then split into various classifications:

 - P** – Plastic which means the product has limited elastic recovery and behaves more like a plastic bag.
 - E** – Elastic which means the product behaves more like an elastic band.
 - HM** – High Modulus.
 - LM** – Low Modulus.
- G** – Glazing use.
- S** – Sanitary use which is only approved for internal use and is split into two sub categories S and XS with the latter being the more stringently tested of the two. A number will always follow the S or XS with 1 showing the least biological growth and 3 showing the most, basically meaning S3 is the lowest classification and XS1 is the highest.
- PW** – Pedestrian Walkway use.

Acetoxy Cure – A product that cures by a reaction with moisture in the air, giving off an odour of Acetic Acid or vinegar. Acetoxy cure sealants shouldn't be used when they are primarily in contact with alkaline substrates such as concrete.

Alkoxy Cure – Products that cure through a system of crosslinkers, which, when activated by exposure to moisture in the air, release by-products, mainly alcohols. Alkoxy cure sealants are non-corrosive and have minimal impact on the substrates to which they are applied.

Acrylic – Water based sealants which cure through the loss of water into the substrate. These products are commonly used for interior finishing and can be overpainted once cured.

Fire Rating – The measure of a sealant's ability to maintain its insulation and integrity in a joint when exposed to fire.

Hybrid Polymers / MS – This is the next generation technology combining a sealant and adhesive into one product which can be used on most porous and non-porous materials giving them an almost unlimited number of application possibilities. One major advantage these products have over other sealants is that they can be applied in the wet and even under water.

Modulus – Sealants can be either high, mid or low modulus and refers to the elastic nature of the material.

Flexibility – The degree of movement a sealant can cope with when applied with a greater number meaning the sealant is more flexible.

Shore A Hardness – A number which denotes the surface hardness of a sealant once cured. The higher the number, the harder the surface.

Silicone – The most common form of sealant on the market, silicones come in a variety of grades for multiple application uses.

Polyurethanes – Combining the properties of a sealant, adhesive and filler into one product.

Oil Based Mastic – A traditional product mainly used in wooden window installations and pre-cast concrete panel sealing applications.

Treated Articles – Some products now state 'Please use treated articles responsibly' within the health and safety panel which refers to any item which contains a preservative to protect the product through its life cycle.

See our range of
Specialist Sealants
and Adhesives

Pages 82-88



ADHESIVES

Bonds that last

Sika adhesives combine quality, reliability, and performance for every project.

- **Multi-purpose:** Hybrid sealants and adhesives for bonding and sealing in one.
- **Grab and Construction:** Grab adhesives for strong, dependable results.
- **Wood and Craft:** High-strength wood adhesives for precise joinery, industrial strength contact superglues, and all you need for creative projects.
- **Specialist:** Expert solutions for demanding applications.

Easy to apply and built to last, Sika adhesives deliver strong, lasting bonds every time.



| | |
|-------------------------------|----|
| Hybrid Sealants and Adhesives | 32 |
| Grab and Construction | 36 |
| Wood and Flooring | 43 |
| Contact and Superglues | 48 |



Stixall Extreme Power Sealant and Adhesive



Metal / Glass / Brick / Timber / Plastic

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|---------------|-----|---------------|
| 483107 | 290 ml | BLACK | 12 | 5029347603281 |
| 483108 | 290 ml | BROWN | 12 | 5029347603304 |
| 483168 | 290 ml | CRYSTAL CLEAR | 12 | 5029347603960 |
| 483109 | 290 ml | GREY | 12 | 5029347603298 |
| 483110 | 290 ml | WHITE | 12 | 5029347602604 |
| 821183 | 290 ml | ANTHRACITE | 12 | 7612655075260 |
| 483124 | 80 ml | CRYSTAL CLEAR | 12 | 5029347606053 |
| 483111 | 80 ml | WHITE | 12 | 5029347606015 |

Stixall Extreme Power is a combined adhesive and sealant, based on hybrid polymer technology, with extreme power to both bond and seal nearly everything in almost all conditions, even underwater and in the rain!

Available in both cartridges and easi-squeeze tubes. CE Marked.





Sikaflex® EBT+

Polyurethane Adhesive, Sealant and Filler



| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 511392 | 300 ml | WHITE | 12 | 7612894368475 |
| 463337 | 300 ml | CLEAR | 12 | 5055492700780 |
| 511395 | 300 ml | BEIGE | 12 | 7612894370546 |
| 511394 | 300 ml | BLACK | 12 | 7612894368437 |
| 511393 | 300 ml | BROWN | 12 | 7612894370560 |
| 511397 | 300 ml | GREY | 12 | 7612894368451 |

A multi-purpose, permanently- elastic, one-part, polyurethane* adhesive and sealant. Sikaflex® EBT+ bonds to all common building materials; its excellent grab and gap filling properties makes it ideal for use in a wide range of building and maintenance applications.

*Clear product is a hybrid polymer



**3-IN-1 ADHESIVE,
SEALANT AND FILLER**

**PERMANENTLY
FLEXIBLE AND ELASTIC**


**WATERPROOF AND
WEATHERPROOF**

**HIGH-GRAB,
NON-SAG**



EB25

Sealant and Adhesive



| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|---------------|-----|---------------|
| 614049 | 300 ml | ANTHRACITE | 12 | 5029347615598 |
| 605669 | 300 ml | BLACK | 12 | 5029347615550 |
| 605674 | 300 ml | CRYSTAL CLEAR | 12 | 5029347615543 |
| 605670 | 300 ml | GREY | 12 | 5029347615567 |
| 605668 | 300 ml | WHITE | 12 | 5029347615536 |

EB25 uses cutting-edge technology and a unique polymer blend, we've developed a truly universal, top quality hybrid. It's extremely flexible, certified for indoor and outdoor use, and in sanitary and food preparation areas (ISEGA). Plus, it's exceptionally strong, sticks to almost anything and even works underwater!

It's resistant to mould, temperature extremes, chemicals, petrol, UV radiation, plus it does all this whilst meeting the toughest emissions classification! CE Marked.



Brick / Timber / Metal / Plastic / Glass

SEALS AND BONDS
UNDERWATER

WORKS ON VIRTUALLY
ANY SUBSTRATE

SUPERIOR
FLEXIBILITY

SANITARY AND
FOOD SAFE

INCREDIBLE BOND
STRENGTH



Multi Stick

Hybrid Polymer Adhesive



EXCELLENT BOND STRENGTH

ANTI-SLIP BONDING

BONDS VIRTUALLY ANYTHING

APPLY TO POROUS AND
NON-POROUS SURFACES
IN THE WET OR DRY!

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 525020 | 350 ml | WHITE | 12 | 5055492701725 |

Multi Stick is a superior grab adhesive with the ability to bond virtually anything to everything in both wet and dry conditions, even underwater or in the rain.

With incredible initial grab, high bonding strength, and almost limitless applications, no tradesman should be without a tube of this next generation adhesive. Think of any bonding application and it is virtually certain Multi-Stick will handle it with ease.



Metal / Brick / Timber / Plastic / Concrete / PVCu



Gun A Nail Standard Solvent Free Adhesive



| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 485954 | 290 ml | WHITE | 25 | 5029347000110 |

Gun A Nail Standard is a high strength, gap filling multi-purpose building adhesive based on a tackified solvent free system for use in a wide variety of building and home improvement applications. Gun A Nail Standard can be used where at least one of the substrates to be bonded is porous. Ideal for fixing skirting boards, wall panels, cladding, framework and floorboards.




Brick / Stone / Timber / Concrete

Clear Fix Crystal Clear Hybrid Polymer Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 847141 | 290 ml | CLEAR | 12 | 5029347612931 |

A clear hybrid polymer grab adhesive that has the ability to bond just about everything in both interior and exterior applications. With added UV stabilisers, Clear Fix is the ideal choice for applications where you may see the colour of the product. Clear Fix is a versatile product which can be used in almost every application imaginable – even when immersed under water! Even more, Clear Fix comes in a completely Clear cartridge to illustrate the clarity of the product.



Metal / Glass / Brick / Timber / PVCu

Mirror Mate Mirror Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 486027 | 290 ml | WHITE | 12 | 5029347112004 |

Mirror Mate is a one component adhesive based on Hybrid Polymer technology that is specially formulated for bonding mirrors to most common surfaces. The totally neutral curing system will not attack the mirror backing. Excellent primerless adhesion to most surfaces including metals, most plastics, concrete, plaster, plasterboard, polyester, perspex, glass, wood, enamel, painted surfaces and much more.



Mirrors / Metal / Plaster / Perspex / Plastic

Maximum Torque

High Strength Hybrid Polymer Grab Adhesive



| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 484807 | 290 ml | WHITE | 12 | 5029347610814 |

Maximum Torque, based on next generation hybrid polymer technology is the ultimate high grab adhesive, providing a level of immediate grab strength not previously possible with cartridge packed adhesives.

The unique polymer blend gives incredible initial grab, typically double that of most grab adhesives on the market today, eliminating the need for temporary support in most applications. Maximum Torque has the ability to bond basically everything to anything in virtually all conditions.

INTERIOR AND
EXTERIOR
USEOVER-
PAINTABLERESISTANT TO
CHEMICALS

ANTI-SLUMP

Brick / Metal / Glass / Timber / PVCu

DOUBLE THE GRAB
STRENGTH OF
MOST ADHESIVES

CAN BE APPLIED
TO WET OR DAMP
SURFACES


INCREDIBLE
INITIAL GRAB



Griptite Solvent Based Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|------------|-----|---------------|
| 486238 | 310 ml | BUFF GREEN | 12 | 5029347611965 |
| 486717 | 350 ml | BUFF GREEN | 12 | 5029347611644 |

Griptite is an extra-tough, high grab construction adhesive that combines great performance with 'easyflow' gunability. This high bond strength, solvent based adhesive adheres to most common substrates and can be used on direct bond or double stick applications. With good early grab properties Griptite is suitable for a wide variety of applications including being usable in both vertical and horizontal positions.




Brick / Stone / Timber / Concrete

Instant Nails Solvent Free Adhesive



| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 484815 | 290 ml | WHITE | 12 | 5029347000561 |
| 484816 | 290 ml | WHITE | 25 | 5029347000561 |

Instant Nails is a high strength, solvent free, gap filling, multi use adhesive that provides a quick grab and replaces mechanical fixings in many home improvement applications. Dries white and may be overpainted if required.



Plaster / Timber / Polystyrene / Brick / Stone / Concrete / PVCu

Pinkgrip

Solvent Based Adhesive

Pinkgrip will stick just about anything on a building site that needs sticking.

Its amazing grabbing strength not only removes the need to pin under the workpiece to prevent slumping, but its revolutionary initial 'Direct Bond' eliminates the need for double stick methods. Pinkgrip can be used inside and outside and adheres to just about every building substrate.

NON-SLIP BONDING

SOLVENT BASED

NO NEED TO
'DOUBLE STICK'

FAST GRAB



| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 486022 | 350 ml | PINK | 12 | 5029347601690 |

INTERIOR AND
EXTERIOR
USEQUICK CURING/
DRYING

GAP FILLING

SOLVENT
BASED


Brick / Metal / Timber / Concrete / Plastic

Pinkgrip SF

Solvent Free Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 486023 | 380 ml | PINK | 12 | 5029347602420 |
| 486024 | 380 ml | WHITE | 12 | 5029347610081 |
| 518714 | 600 ml | WHITE | 12 | NO BARCODE |

A direct bond adhesive with all the legendary grabbing performance of original Pinkgrip but in a solvent free formula. Can be used to replace mechanical fixings in a wide variety of home improvement applications. Ideal for bonding wood, brick, plaster, plasterboard, polystyrene, metals and plastics. Available in Pink and White colours.



Brick / Metal / Timber / Concrete / Plastic



WONDER WIPES

BIODEGRADABLE

THE WIPE THAT WORKS

Extra thick for the toughest grime

See page 107



Pinkgrip Dry Fix FR Plasterboard Adhesive Foam

**SIGNIFICANT TIME SAVING
OVER CONVENTIONAL DRY
WALL ADHESIVES**

**SUITABLE FOR
PLASTERING IN
JUST 1 HOUR**

**BOARDS ONLY NEED
HOLDING
FOR 1 MINUTE**

**NO MIXING,
NO MESS**




| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 489721 | 750 ml | PINK | 12 | 5029347606282 |

Pinkgrip Dry Fix FR is a revolutionary type of fast curing, adhesive foam that has been specially developed for the rapid installation of Plasterboard, Insulation Boards and other sheet materials such as Roof Decking and Floorboards.

The Dual Flow system means that it can be applied using the nozzle provided or attached to the Dry Fix Applicator Gun. Pinkgrip Dry Fix FR provides significant labour saving and convenience benefits when compared to traditional dry wall adhesives. It will bond to most common building substrates; can be applied horizontally or vertically to the board, wall or battens/beams.

Dry Fix FR conforms to the requirement of EN13501-1 Class E for fire rating.



Brick / Stone / Concrete / Timber / Plasterboard

Pinkgrip Dry Fix Applicator Gun

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 486434 | - | - | 1 | 5029347606466 |


Pinkgrip Dry Fix Applicator Gun – for use with Pinkgrip Dry Fix Fast Cure Dry Wall Adhesive.



Lumberjack D4 Wood Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 484942 | 1L | WHITE | 12 | 5029347602703 |
| 484947 | 25 L | WHITE | 1 | 5029247611545 |


A solvent free industrial grade wood adhesive based upon hybrid resin technology. Can be used internally or externally, gives a high strength, totally waterproof, impact and temperature resistant bond. Dries clear, sets in 10 minutes. Ideal for all general woodworking and joinery uses, assembly line work, RF/HF Cure systems, wood on wood laminating, furniture assembly and household DIY use. **Conforms to EN 204. D4 Water Resistance and WATT91.**



Lumberjack 502 All Purpose Weatherproof Wood Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 483363 | 75 ml | - | 20 | 5029347612924 |
| 483366 | 125 ml | - | 12 | 5029347005276 |
| 482248 | 250 ml | - | 12 | 5029347005238 |
| 482247 | 500 ml | - | 20 | 5029347005207 |
| 479511 | 1 L | - | 12 | 5029347005214 |
| 488859 | 5 L | - | 4 | 5029347005252 |
| 488861 | 25 L | - | 1 | 5029347052492 |


All Purpose Weatherproof Wood Adhesive is a high quality, resin based wood adhesive for all wood bonding. It can be used internally and externally and provides a high strength, impact resistant bond that is usually stronger than the wood itself. Ideal for all general woodworking and joinery uses, furniture assembly and household DIY use. Dries clear. Fast cure, initial set in just 10 minutes. **Conforms to the international standard EN 204 D3 and EN 14256 for resistance to static load.**



Lumberjack 5 Minute Polyurethane Wood Adhesive Gel

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 484682 | 310 ml | TRANS | 12 | 5029347809034 |

Lumberjack 5 Minute Polyurethane Wood Adhesive Gel is a thixotropic, transparent, gap filling gel which sets hard in just 5 minutes. This product gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which in turn increases the bond strength. Particularly suitable for equipment manufacture and production line applications where rapid handling is required. **Conforms to EN 204. D4 Water Resistance.**




Wood / Metal / Brick / Concrete / Stone

Lumberjack 5 Minute Polyurethane Wood Adhesive Liquid

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 484683 | 750 g | BROWN | 6 | 5029347601133 |

Lumberjack 5 minute polyurethane wood adhesive liquid is brown in colour and is ideal for larger applications, or in the workshop where greater economy is required. Sets hard in 5 minutes. The liquid is 100% waterproof, gives exceptionally high bond strength and is resistant to most chemicals. The product foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Water Resistance.**




Wood / Metal / Brick / Concrete / Stone

Lumberjack 30 Minute Polyurethane Wood Adhesive Gel

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 484684 | 310 ml | TRANS | 12 | 5029347809010 |

Lumberjack 30 Minute Polyurethane Wood Adhesive Gel is a thixotropic, transparent, gap filling gel which sets hard in 30 minutes. This one part, moisture curing gel gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Water Resistance.**




Wood / Metal / Brick / Concrete / Stone



Lumberjack 30 Minute Polyurethane Wood Adhesive Liquid

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 484685 | 750 g | BROWN | 6 | 5029347809027 |

Lumberjack 30 Minute Polyurethane Wood Adhesive Liquid is brown in colour and ideal for larger, horizontal applications where greater economy is required. Sets hard in 30 minutes. This liquid gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Water Resistance.**



Wood / Metal / Brick / Concrete / Stone



Our Wood Filler range is perfect for professional preparation

See page 97 in the Decorating and Wood Fillers section




Lumberjack 650

Floor Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 484940 | 14 kg | BUFF | 1 | 5029347603175 |

Lumberjack 650 is a standard setting, hybrid polymer, trowel applied adhesive, specially designed for fixing all types of wooden floors directly on to all common substrates. Lumberjack 650 is 100% active, and will not cause warpage of wood.



Lumberjack 550

Floor Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 484939 | 300 ml | BUFF | 12 | 5029347603151 |
| 484938 | 600 ml | BUFF | 12 | 5029347603168 |

Lumberjack 550 is a high specification, hybrid polymer, cartridge or foil pack applied adhesive specially designed for fixing all types of wooden floors directly on to all common substrates. Lumberjack 550 is 100% active and water free, and will not cause warpage of wood.



SikaBond®-52

Wood Floor Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 424418 | 600 ml | BEIGE | 20 | 7612894887525 |

A one-component, solvent-free, fast-curing, elastic wood flooring adhesive for professional use. SikaBond®-52 Wood Floor is suitable for use on most common types of wood floors, even problematic woods such as beech, maple and bamboo using liquid batten. Suitable for use with underfloor heating when used with the Sika® AcouBond System.




SikaBond® MS

Wood Floor Gun Grade Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 489209 | 6.5 kg | BEIGE | 1 | 7612895203188 |
| 427784 | 13 kg | BEIGE | 1 | 7612894907285 |

A one-component, solvent-free and elastic wood flooring adhesive that is for professional use. SikaBond®-54 Wood Floor is a full stick down adhesive for use on both solid and engineered wood floors. This product is also suitable for use with underfloor heating systems.



SikaBond® MS

Wood Floor Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|---------------|-----|---------------|
| 466914 | 14 kg | PARQUET BROWN | 1 | 5055492700902 |

A high quality, trowel applied MS adhesive which is specifically designed for bonding wooden floors to all common substrates. SikaBond® MS Wood Floor utilises a formulation that is completely water free, thereby reducing the likelihood of wooden boards cupping or crowning. With an extended open time of 40 minutes, this product is ideal for larger application areas.



SikaBond® MS

Wood Floor Gun Grade Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|---------------|-----|---------------|
| 467798 | 600 ml | PARQUET BROWN | 12 | 5055492700933 |


A high quality, gun applied MS adhesive which is specifically designed for bonding wooden floors to all common substrates. Suitable for use with the AcouBond System.



SikaBond® 5500 S

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 165745 | 16 kg | BEIGE | 1 | 5055047210177 |

A one-part, solvent based, rigid adhesive for bonding wood block parquet and engineered boards onto porous substrates. SikaBond®-5500 S provides a high strength bond that is suitable for use with underfloor heating. This product is suitable for use with all types of wood.



Sika® Silent Layer Mat

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|-------|---------|--------|-----|---------------|
| 50368 | 16.66 m | - | 1 | 7612894054736 |
| 55606 | 13.33 m | - | 1 | 7612894069488 |

A high quality, polyethylene foam mat that is specifically designed to reduce the sound of footfall. Ideal for use in conjunction with SikaBond® MS Wood Floor gun grade or SikaBond® 52. Sika® Silent Layer Mat is pressure resistant and dimensionally stable.



One product for the whole flooring system!

Sikafloor®-2510 W has you covered.



5 in 1: Primer, Scratch Coat, Roller Coat, Sealer (on broadcast surfaces) AND Self-levelling Coat means you use just one product to finish the whole floor!

- Water-based epoxy coating with low VOC emissions
- Easy to apply
- Time and workload efficient
- Low maintenance
- Wide range of colours

Find out more:



ADHESIVES


Contact and Superglues

Stick 2

Instant Contact Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 484613 | 250 ml | BEIGE | 12 | 5029347065027 |
| 484612 | 750 ml | BEIGE | 12 | 5029347065058 |
| 484611 | 5 L | BEIGE | 4 | 5029347006556 |

Stick 2 All Purpose Contact Adhesive is a premium grade rubber based contact adhesive suitable for use with a wide variety of materials for both professional and DIY use. The product may be used for bonding decorative laminates, all types of wood, rigid PVC, ABS, leather, cork, linoleum, rubber, stone, metals and dense fabrics.




Laminates / Timber / Cork / Rubber / Metal

Stick 2

Carpet Fix Spray Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 762051 | 500 ml | - | 12 | 5029347603212 |

Sprayable medium duty glue which fixes P.U. and foam backed carpets, carpet tiles, underlay, paper felt and cork to most common substrates. Economical and time saving – quicker and easier than spreader applied adhesives. Foaming formula gives low soak into substrates.




Stick 2

Instant Spray Contact Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 484593 | 500 ml | - | 12 | 5029347060855 |

A sprayable glue which bonds to most common materials including wood, concrete, stone, tiles, rubber, foam, metals, rigid plastics, polyethylene, canvas fabrics, cardboard, paper and cork. Ideal for securing most carpets/floor coverings. Suitable for internal and external use. Time saving spray – easier and quicker to apply than most trowel/spreader applied adhesives. Repositionable.




Wood / Concrete / Stone / Tiles / Rubber / Foam
Metal / Rigid Plastic / Fabrics / Cardboard

Mammoth

Spray Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 483334 | 500 ml | - | 12 | 5029347611323 |


A ready to use solvent based flooring adhesive designed for fixing carpet grippers and trims, stair nosings and plastic and wooden skirting. Adheres to most common surfaces including wood, carpet, metal, stone, concrete, PVCu and much more.



Smart Tack Handy Aerosol

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 762050 | 500 ml | BLUE | 12 | 5029347601188 |

Standard aerosol for smaller jobs. Offers all benefits with lower pressure application. 500 ml aerosol will cover 2.5-3.5m² of laminate when applied to both surfaces.



Laminates / Timber / Cork / Rubber / Metal



Stick 2 Industrial Superglue GP

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 484651 | 20 g | CLEAR | 25 | 5029347900069 |
| 484652 | 50 g | CLEAR | 20 | 5029347602345 |

Medium viscosity formula fills gaps to 0.1mm. For use on perfect fit surfaces where fast set is required. Bonds nonporous surfaces eg. most plastics, metals, glass, PVCu, rubber and EPDM. Viscosity at 25°C - 100cPs. Set time 5 to 15 seconds. Packed in self merchandising display boxes.




PVCu / Plastic / Glass / Metal



Stick 2 Industrial Superglue HV

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 484654 | 20 g | CLEAR | 25 | 5029347601072 |
| 484655 | 50 g | CLEAR | 20 | 5029347601089 |

High viscosity formula for porous and non porous substrates where a slightly delayed set is required. For use on MDF, rubber, metals, PVCu and plastics. Viscosity at 25°C - 1500 cPs. Set time range 10 to 30 seconds. Packed in self merchandising display boxes.



PVCu / Plastic / Glass / Metal



Stick 2 Superglue De-bonder

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 488881 | 20 ml | CLEAR | 10 | 5029347601096 |

For de-bonding cured cyanoacrylate adhesive from most common surfaces e.g. steel, plastic, wood, glass and rubber. Can also be used on skin when applied as per instructions.



Stick 2 Thread Lock GP

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 486668 | 10 g | BLUE | 10 | 5029347601720 |

Medium strength anaerobic, allows for disassembly, thixotropic non-drip formula For nuts, bolts, screws and threads. Can be used on oil contaminated parts.



Metal



ADHESIVES

Contact and Superglues

Stick 2 Instant Bond Contact Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 489420 | 30 ml | BEIGE | 10 | 5029347601607 |

Stick 2 Contact Adhesive is a premium grade rubber contact adhesive suitable for internal and external use with laminate, trim, wood, rigid PVC, ABS, leather, cork and metals. Instant bond.



Laminates / Timber / Cork / Metal

Stick 2 All Purpose Clear Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 489510 | 30 ml | - | 12 | 5029347601621 |

Stick 2 All Purpose Clear Adhesive is a strong, clear, quick drying adhesive suitable for a variety of household repairs and hobbies. Will stick ceramic, porcelain, wood, card, paper, most plastics, leather, cork, linoleum, rubber, stone, glass, metals and dense fabrics. 5 minutes repositionable.



Stick 2 Hard Plastic Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 482347 | 30 ml | CLEAR | 10 | 5029347601638 |

Stick 2 Hard Plastic Adhesive is a strong, clear, quick drying adhesive suitable for bonding most types of hard plastic such as rigid PVC, acrylic, polycarbonate and ABS. Ideal for use on non-pressure pipework, and numerous household applications.



Stick 2 All Purpose Superglue Tube and Bottle

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 483372 | 3 g | - | 12 | 5029347600013 |

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 483374 | 5 g | - | 6 | 5029347605933 |

Stick 2 All Purpose Superglue fills gaps up to 0.1mm and bonds non-porous surfaces such as plastics, metals, PVCu, rubber, ceramics and much more. 1 minute instant bond, perfect where a fast set is required. Re-sealable cap.



PVCu / Plastic / Glass / Metal

Stick 2 Superglue Gel Formula

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 482348 | 3 g | - | 12 | 5029347605926 |

Stick 2 Superglue Gel will bond most common materials. The high viscosity formula is ideal for nondrip, vertical, porous or small gap filling applications. Superglue Gel is ideal for bonding wood, plastics, metals, paper, porcelain, rubber and more.



PVCu / Plastic / Glass / Metal

Stick 2 Rapid Epoxy Syringe Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 483851 | 24 ml | - | 12 | 5029347601645 |

Stick 2 Rapid Epoxy Syringe is an industrial strength two part clear adhesive which sets hard in 10 minutes. Will bond most common materials and once cured may be drilled, sanded or painted. For industry and home.




Metal / Glass / Wood / Ceramics

Stick 2 Touch Up Enamel

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 487746 | 25 ml | - | 10 | 5029347609580 |

A high quality gloss enamel that provides superior rust protection and dries to a mirror like finish. It is ideal for touching up scratches and chips or enamel and lacquer damages on bathroom fixtures, kitchen appliances and ceramics. It provides excellent colour and gloss retention, even after repeated cleaning.




Mitre Fast Kit

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 489755 | STD | CLEAR | 6 | 5029347601119 |
| 462029 | STD | CLEAR | 24 | 5029347611637 |
| 489750 | LRGE | CLEAR | 6 | 5029347601126 |

Mitre Fast Bonding Kit is a two part instant adhesive system comprising a cyanoacrylate adhesive and aerosol activator. Mitre Fast is mainly used in the furniture, timber, kitchen and plastics industries where its instant bonding properties dramatically reduce assembly times for mitre joints.

For Professional Use Only



Timber / Plastics / Metal

LANDSCAPING

From installation to protection,
we've got it covered

Every outdoor project comes with challenges, from achieving a perfect finish at installation to keeping surfaces protected year after year. Sika provides a complete range of solutions to make landscaping simpler, stronger, and longer lasting.

- **Installation:** Easy-to-use jointing compounds for fast, stable finishes.
- **Cleaning and Restoring:** Cleaners and treatments to revive weathered stone and paving.
- **Sealing and Protecting:** High-performance sealers guard against stains, moisture, and wear.

With Sika, your landscape looks great from day one and stays protected for years.


| | |
|---------------------------------|----|
| Jointing Compounds | 54 |
| Surface Cleaners and Treatments | 57 |
| Sealing and Protecting | 60 |



Sika® FastFix All Weather
 Paving Jointing Compound


| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|-----------|-----|---------------|
| 626733 | 15 kg | CHARCOAL | 1 | 5055492703125 |
| 669017 | 15 kg | DARK BUFF | 1 | 5055492703644 |
| 669016 | 14 kg | DEEP GREY | 1 | 5055492703637 |
| 626734 | 15 kg | FLINT | 1 | 5055492703118 |
| 626320 | 15 kg | STONE | 1 | 5055492703101 |

A self-setting paving jointing compound that provides the ideal solution to perfect pointing on paving, paths and patios. Containing a unique formula, Active Resin Technology for advanced durability, Sika® FastFix All Weather is ready to use with no mixing required. Suitable for use in all weather conditions; even in the rain. This product will not shrink or crack over time. Available in 5 colours.



Colour swatches are a guide only and may vary.

**FOR USE ON JOINTS
FROM JUST 20MM DEEP**

EASY TO APPLY - FAST TO SET



**ACTS AS A BARRIER
FOR WEED GROWTH**

**NO WASTE - STORE AND REUSE
ONCE OPENED**



SikaCeram® FlowFix Porcelain Paving System


SikaCeram® FlowFix is a high performance porcelain paving installation system, consisting of a bonding primer and jointing compound.

SikaCeram® FlowFix Bonding Primer is used to provide an exceptional bond between porcelain paving and the bedding mortar. Mixed solely with water, SikaCeram® FlowFix Bonding Primer is applied with a brush or roller to the rear of the paving when laying, to prevent the paving system breaking away from the mortar bed.

SikaCeram® FlowFix Jointing Compound is a controlled, cementitious flowable jointing grout which is applied by mixing with water on site. SikaCeram® FlowFix Jointing Compound is poured over joints with ease and worked into other exposed joints by squeegee. Once dry, the surplus is simply washed off. SikaCeram® FlowFix Jointing Compound is a highly workable product that is non-permeable once cured.



SikaCeram®-62 FlowFix Bonding Primer




| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 633196 | 20 kg | - | 1 | 5055492703286 |



SikaCeram®-621 FlowFix Porcelain Jointing Compound



| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|------------|-----|---------------|
| 711500 | 15 kg | BUFF | 1 | 5055492703972 |
| 711449 | 15 kg | DARK GREY | 1 | 5055492703965 |
| 711447 | 15 kg | IVORY | 1 | 5055492703989 |
| 711448 | 15 kg | LIGHT GREY | 1 | 5055492703996 |



Colour swatches are a guide only and may vary.

Sika® Setting Sand

Narrow Paving Joint Filler



| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 442722 | 20 kg | BUFF | 1 | 5055492700223 |

An easy to use, moisture curing jointing compound for narrow joints. Sika® Setting Sand can be simply poured or swept into joints before being saturated with water. Provides perfect pointing for all types of block paving; once cured, it will not wash out, shrink or crack over time.



Sika® Mouldbuster

Mould and Algae Treatment

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 174996 | 5 L | - | 4 | 5055047209096 |

A powerful treatment which is effective on most surfaces. Sika® Mouldbuster works to remove algae, mould and green growth over several weeks, but results can be seen in days. Simply spray and leave to dry - no need for scrubbing or pressure washing.



Sika® Brick and Patio Cleaner

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 102476 | 5 L | - | 4 | 5055047200581 |

A fast acting, acid based cleaning solution for brickwork, concrete and paving. Sika® Brick and Patio Cleaner contains a powerful formula that dissolves mortar and cement stains, ingrained dirt and efflorescence on mineral surfaces.



Sika® Dustproofer & Concrete Hardener

Concrete Surface Hardener

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 879841 | 5 L | - | 4 | 5029347004354 |

The smart, ready-to-use solution for turning dusty or weak concrete floors into strong, wear-resistant surfaces. Whether you're sealing a new garage floor or reviving an old one, this advanced formula reacts chemically with the lime content of concrete to form a hard wearing surface and stop dust in its tracks. Certified to BS EN 1504-2.



Sika® 404 Fungicidal Wash

Mould, Fungi and Algae Treatment

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 879881 | 5 L | - | 4 | 5029347004453 |

A powerful and fast-acting fungicidal wash that eliminates mould, algae, green slime, and lichen from a wide range of surfaces, both internally and externally, such as paths, patios, roofs, greenhouses, sheds and fences, grout, sealant, plaster, wallpaper and more.



Sika® Stabilising Solution

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 879950 | 5 L | - | 4 | 5029347601508 |

A microscopically fine polymer emulsion which penetrates dusty / chalky and badly weathered surfaces to leave a stable and sound base for decoration with paint, wallpaper, tiling or other material finishes. Suitable for both interior and exterior.



Everbuild® Patio Wizard

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 484818 | 5 L | - | 4 | 5029347606312 |

Patio Wizard kills algae, green growth, mould and fungi on patios, paths, driveways and all hard surfaces. It is so easy to use, just apply and leave to dry, no need for any washing off, scrubbing or pressure washing. Supplied as a concentrate that dilutes with water at 1:10 i.e. 5 L makes 50L and 1 L makes 10L.



Sika® Cement & Mortar Stain Remover

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 880609 | 5 L | - | 4 | 5029347611026 |


Sika® Cement & Mortar Stain Remover is a multi-purpose cleaner designed for the effective removal of wet and cured cement, concrete and mortar stains from most mineral surfaces, including walls, paths, and patios. As an alternative to hydrochloric acid it is safe for use on metal tools and equipment such as cement mixers. It will also help remove salts and efflorescence from mineral substrates and can be used as a general cleaner for removing ingrained dirt. The highly concentrated formula can be diluted up to 10 times with water to suit a variety of applications.



Sika® Tarmac Restorer

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 879951 | 5 L | - | 4 | 5029347612856 |


A high performance surface coating specially formulated to make tired old tarmac look just like new. Sika® Tarmac Restorer provides a tough, durable, low sheen finish which protects from weathering and oil spills, as well as unsightly plant and weed growth. Tarmac restorer is easy to apply, provides long term protection and restores the deep, black finish of your tarmac. As it is quick drying, driveways can be used after only 4 hours following application.



Sika® Oil Remover

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 880502 | 1 L | - | 12 | 5029347611187 |


Sika® Oil Remover is a ready to use high performance cleaner for drives, paths and patios. The quick and easy solution for removing oil, petrol, diesel, and grease stains from driveways, garage floors and BBQ areas. It works on most common surface types including block paving, natural stone, concrete, tarmac, and most common paving materials. Sika® Oil Remover can also be used as a general cleaner to revive the look of pathway and patio areas.



Sika® Efflorescence Remover

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 880503 | 5 L | - | 4 | 5029347611200 |

Sika® Efflorescence Remover eliminates salt and unsightly white efflorescence from bricks and concrete. A biodegradable formula that works on walls, paths and patios, and can be poured, sprayed or brushed on.



Resiblock Superior

Block Paving Sealer

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|---------|-----|---------------|
| 116918 | 5 L | GLOSS | 4 | 5036143000015 |
| 119626 | 5 L | NATURAL | 4 | 5036143000312 |
| 116919 | 25 L | GLOSS | 1 | 5036143000022 |
| 119627 | 25 L | NATURAL | 1 | 5036143000244 |

A urethane based, low-viscosity, paving sealer and jointing sand stabiliser that protects the paver face from oil and water infiltration.



Resiblock Indian Sandstone Sealer Invisible

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|-----------|-----|---------------|
| 173783 | 5 L | INVISIBLE | 4 | 5036143000039 |

A urethane based, low-viscosity, surface sealer that provides long-term resistance against staining and algae growth for paths, patios and driveways. Resiblock Indian Sandstone Sealer Invisible lasts up to five years and can be applied in one simple coat.



Resiblock Indian Sandstone Sealer Colour Enhancer

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 171756 | 5 L | - | 4 | 5036143000237 |

A urethane based, low-viscosity surface sealer and colour enhancer. Resiblock Indian Sandstone Colour Enhancer incorporates a completely unique moisture curing system to enhance Indian Sandstone or coloured concrete products.



Resiblock Trade All Purpose Paving Sealer

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 171755 | 5 L | - | 4 | 5036143000503 |
| 171757 | 25 L | - | 1 | 5036143000510 |

A solvent free, all purpose sealer that is suitable for concrete and clay paving as well as most forms of natural stone. Resiblock Trade is ideal for binding jointing sand, sealing the surface of concrete block paving.



Need a quick fix before you clean and treat? Check out our Concrete and brick repair range.

pages 136-137



Sika® Path & Patio Sealer

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 880086 | 5 L | CLEAR | 4 | 5055047206354 |
| 879865 | 25 L | CLEAR | 1 | 5029347000660 |

A low odour, water based, acrylic coating that is ideal for sealing and protecting patios, paths, driveways and block paving. Sika® Path & Patio Sealer protects against the effects of water, petrol, and green growth. The milky solution dries to a clear hard-wearing, water-repellent film which gives a low sheen slip-resistant finish.



Sika® Water Sealer

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 880435 | 5 L | CLEAR | 4 | 5029347004255 |
| 880436 | 25 L | CLEAR | 1 | 5029347004262 |


Sika® Water Sealer is a high performance transparent water repellent specifically designed to prevent water penetration on mineral substrates such as brick, stone, masonry, pebble dash and render without trapping moisture. Formulated with advanced silicone technology, it penetrates deep into mineral surfaces to repel water and moisture, but will still enable the surface to breathe.



Sika® Stone Protector

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 410465 | 5 L | CLEAR | 4 | 5055047210993 |

A water-based solution which is suitable for all forms of porous stone. Once applied to a surface, Sika® Stone Protector resists stains without changing the aesthetic look of the surface it is applied to.



Everbuild® 409 Block Guard Block Paving Seal and Joint Sand Stabiliser

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 482659 | 5 L | - | 4 | 5029347603083 |
| 482658 | 25 L | - | 1 | 5029347605780 |

Block Guard is a block paving seal and joint sand stabiliser based on a clear solvent based acrylic coating to bind jointing sand and form a durable seal over block paving and other mineral pavers/flags. It penetrates deeply into pavers and jointing sand and then cures by solvent evaporation.



Sika® Water Seal Waterproof and Protector

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 171270 | 5 L | - | 4 | 5055047210580 |

A solvent based water sealer for masonry. Protects structures against rain and damp. Upon application, Sika® Water Seal penetrates up to a depth of 5mm. This product is designed to have minimal effect on appearance or breathability of the surface it product is applied to.



WOOD CARE

Protecting wood.
Preserving strength.

Wood faces threats from decay, insects, moisture, and fungi. Sika's Woodcare range provides reliable solutions to stop problems at the source and protect against future damage.

- **Targeted Treatments:** Powerful formulas like Sika 5 Star Wood Treatment, Woodworm Killer, and Masonry Dry Rot tackle infestations and halt deterioration.
- **Lasting Preservation:** Deep-penetrating preservatives defend against rot, fungi, and weathering.
- **Trusted Performance:** From structural timbers to garden furniture, Sika keeps wood strong, durable, and looking its best.



Sikagard®

Universal 5 Star Wood Treatment

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 422881 | 5 L | CLEAR | 4 | 5055047210344 |

All-in-one treatment for wet rot, dry rot, fungi and wood-boring insects.

A deep-penetrating, low-odour treatment formulated with Micro-fine active technology to kill and protect against all common wood rot, decay and insect attack. Suitable for both internal and external use, it can be applied to damp timbers without loss of performance. Fast-drying, non-flammable, and ideal for long-lasting protection across all wood and joinery.



Sikagard®

Woodworm Killer

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 408177 | 5 L | CLEAR | 4 | 5055047210368 |

Targeted treatment for all life stages of wood-boring insects.

A low-solvent, low-odour treatment formulated with Micro-fine active technology to penetrate deep into timber, killing woodworm and protecting against re-infestation.



Sikagard®

Wood Preserver

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 172046 | 5 L | Clear | 4 | 5055047210436 |

Deep-penetrating protection against wet rot, dry rot and fungi.

A low-odour, fast-drying wood preserver formulated with Micro-fine active technology for superior penetration and long-lasting protection. Contains advanced fungicides and algacides to prevent wood decay and rot. Non-flammable and suitable for application to damp timbers without loss of performance.



Wood Preserver

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|-----------------|-----|---------------|
| 482976 | 1L | CLEAR | 10 | 5029347802011 |
| 482977 | 5L | CLEAR | 4 | 5029347802035 |
| 482978 | 25 L | CLEAR | 1 | 5029347802042 |
| 483723 | 5 L | DARK OAK | 4 | 5029347802073 |
| 483724 | 5 L | GOLDEN CHESTNUT | 4 | 5029347802110 |
| 483725 | 5 L | RED CEDAR | 4 | 5029347802158 |
| 483727 | 5 L | FIR GREEN | 4 | 5029347803032 |
| 633478 | 5 L | SLATE GREY | 4 | 5029347615789 |

Wood Preserver is a low-odour, deep-penetrating solution that protects wood from rot, decay, fungi, insects, and blue stain. Suitable for most interior and exterior wood, it contains micro-fine actives for lasting protection. Quick-drying and lightfast, it delivers even, long-lasting colour.



Triple Action Wood Treatment

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 483183 | 1L | CLEAR | 10 | 5029347801014 |
| 483185 | 5 L | CLEAR | 4 | 5029347801038 |
| 483186 | 25 L | CLEAR | 1 | 5029347801045 |

Triple Action Wood Treatment delivers complete wood care in one can – treating, protecting, and preserving in a single step. Its deep-penetrating formula defends against wet rot, dry rot, fungi, and wood-boring insects and larvae. With micro-fine actives for lasting protection, it kills, protects, and preserves from the inside out.



Woodworm Killer

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 483790 | 5 L | CLEAR | 4 | 5029347610975 |

Woodworm Killer is a ready to use treatment for the eradication of all types and life stages of wood boring insects and their larvae, specifically woodworm. The added insecticide also aids to actively kill the woodworm and protect against re-infestation. Low odour with micro fine actives that penetrate deep into the wood.



Masonry Dry Rot Treatment

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 483768 | 5 L | CLEAR | 4 | 5029347610982 |

Masonry Dry Rot Treatment is a ready to use treatment for the eradication of dry rot in masonry and brickwork. The added biocide helps to protect against re-infestation. Low solvent, low odour and low VOC.



ROOFING

Repair and protect with ease

Reliability and performance are critical when it comes to roofing. Sika's range of repair and protection products ensure lasting results for both residential and commercial roofing applications.

- **Bitumen-based:** From paints, primers, and coatings, to adhesive, trowel mastic, and emulsions, our range of bitumen products has your roof covered.
- **Repairs made easy:** Whether looking for an instant fix or a lasting repair, our waterproof solutions instantly stop leaks in their tracks.
- **Introducing Cromar:** Following the acquisition of Cromar Building Products, even more roofing solutions are now available through Sika, providing professional grade products for the roofing installer.

Whether looking for a waterproofing system for new roof, or refurbishing an old installation, Sika has the answer.

| | |
|----------------|----|
| Roof Repair | 70 |
| Flashing | 73 |
| Bitumen | 74 |
| Cromar Roofing | 76 |



Sika® Evercryn One Coat Roof Repair Compound



Sika® Evercryn is a resin based, fibre re-enforced* roof repair compound which is effective on all common roofing surfaces, giving instant roof repairs even in the wet and on wet surfaces. May also be applied in frosty conditions down to -5°C.

Sika® Evercryn is instantly waterproof when applied, there is no fear of wash off so emergency leaks can be tackled immediately as there is no need to wait for the rain to stop. Sika® Evercryn is brush applied and dries to a smooth seamless flexible membrane which resists algae and fungal growth. Because of the high level of fibre reinforcement, Sika® Evercryn will bridge small cracks and requires only a one coat brush application to give instant and total water protection, even in areas subject to ponding. Sika® Evercryn requires no primer on sound non-porous surfaces. Specifically designed for the following applications: general sealing, maintenance, repair and waterproofing of most common roofs in wet or dry conditions – for use on concrete, fibre/cement, roofing felt, mastic asphalt, existing bituminous roof coatings, rigid PVCu, corrugated iron, metals, slates, brickwork, tiles, lead, copper and zinc.

*Excludes translucent.

CAN BE USED IN THE WET

NO PRIMER NEEDED



ONE COAT APPLICATION

APPLY WITH A BRUSH

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 851572 | 2.5 kg | BLACK | 6 | 5029347600969 |
| 851479 | 5 kg | BLACK | 4 | 5029347600976 |
| 851528 | 1 kg | TRANS | 12 | 5029347612658 |
| 851590 | 5 kg | TRANS | 4 | 5029347612665 |
| 851469 | 1 kg | GREY | 12 | 5029347609658 |
| 851478 | 2.5 kg | GREY | 6 | 5029347600709 |
| 851569 | 5 kg | GREY | 4 | 5029347600716 |
| 851548 | 20 kg | GREY | 1 | 5029347600723 |
| 851555 | 5 kg | WHITE | 4 | 5029347600686 |



Sika® Evercryn
Emergency Roof Repair Cartridge

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 851509 | C3 | GREY | 12 | 5029347612368 |
| 851580 | C3 | CLEAR | 12 | 5029347612375 |

Sika® Evercryn Emergency Roof Repair is an emergency repair aid for use on external roofing applications. The formula has a gel consistency to allow it to be cartridge applied while still containing the top quality fibres that you expect with Sika® Evercryn. The product is applied through a special 'duck bill' shaped nozzle ideal for emergency repairs to gaps, cracks and holes in roofs, gutters, flashing, upstands and felt. It even works in wet conditions so there is no need to wait for the rain to stop.

Lead Mate
Patination Oil

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 489040 | 500 ml | - | 10 | 5029347608927 |
| 489041 | 1 L | - | 10 | 5029347608873 |

Specially formulated to provide a protective coating for newly installed leadwork, that helps to prevent the white carbonate staining that affects new lead and surrounding tiles, brickwork, and stonework. Just one coat of Patination Oil helps to provide a uniform attractive appearance to newly installed lead and helps the ageing process whilst the natural patina of the lead is being formed.





Lead Mate Sealant provides the perfect finish

See page 14 within the Sealant section

SikaRoof® Liquid Membrane

All Weather Roofing System



| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|------------|-----|---------------|
| 881237 | 7 kg | SLATE GREY | 4 | 5029347614164 |
| 881238 | 21 kg | SLATE GREY | 1 | 5029347614171 |

Sikalastic Fleece-120

| | | | | |
|-------|-----|---|---|---------------|
| 97480 | 50m | - | 1 | 7612894436402 |
|-------|-----|---|---|---------------|

An easy to use, all weather roofing system ideal for waterproofing flat or pitched roofs.

SikaRoof® Liquid Membrane is a one-component, fast curing, polyurethane based waterproofing system for flat and pitched roofs.

Applied in two coats by brush or roller, SikaRoof® Liquid Membrane creates a solid, seamless, waterproof membrane that remains permanently flexible, making it the ideal solution for new installations, the refurbishment of old or to overlay most common roofing substrates.

SikaRoof® Liquid Membrane comes ready to use and is cold applied by brush or roller, using moisture in the air to cure meaning no additional catalyst is required. And what's more, it will cure in many weather conditions becoming completely rain resistant in just 10 minutes, even if a pool of water forms on top of it.

Suitable for use on a variety of substrates, SikaRoof® Liquid Membrane is compatible with concrete, mortar, stone, fibre cement, roof tiles and metals. Not only that but it can also be applied to wood, asphalt, roofing felt and bituminous coatings with the use of full reinforcement in the form of Sikalastic Fleece-120.

**PU WATERPROOFING LIQUID MEMBRANE
FOR FLAT AND PITCHED ROOFS**

**FAST CURING - RAIN
RESISTANT IN 10 MINUTES**



**MOISTURE CURING TECHNOLOGY
- NO CATALYST REQUIRED**

**FOR NEW ROOFS AND
REFURBISHING OLD ROOFS**

EXTERIOR
USE

WATERPROOF

QUICK CURING/
DRYINGAPPROX
COVERAGE



STEP ONE

Ensure all surfaces are sound, clean and free from dust and loose friable material.



STEP TWO

Apply the first coat of SikaRoof® Liquid Membrane liberally at a thickness of 1mm, by brush or solvent-resistant roller.



STEP THREE

If required, apply Sikalastic Fleece-120 on top of the first coat whilst still wet, overlapping the edges.



STEP FOUR

Apply a second coat at a similar thickness to the first, immediately after laying the fleece.

For full application instructions, please refer to latest Product Data Sheet or contact the Sika Technical Team.



Black Jack
Self Adhesive Flashing Tape

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|-----------|-----|---------------|
| 852561 | 75 mm | LEAD LOOK | 8 | 5029347099015 |
| 852562 | 100 mm | LEAD LOOK | 6 | 5029347099022 |
| 852563 | 150 mm | LEAD LOOK | 4 | 5029347099039 |
| 852564 | 225 mm | LEAD LOOK | 2 | 5029347099046 |
| 852565 | 300 mm | LEAD LOOK | 2 | 5029347099053 |
| 852566 | 450 mm | LEAD LOOK | 1 | 5029347099060 |

Black Jack self adhesive flashing with natural lead-look finish. All available in 10mtr long rolls.




Black Jack 901

Black Bitumen Paint

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 852657 | 1 L | BLACK | 12 | 5029347009113 |
| 852658 | 2.5 L | BLACK | 6 | 5029347009120 |
| 852659 | 5 L | BLACK | 4 | 5029347009151 |
| 852660 | 25 L | BLACK | 1 | 5029347009137 |



Black Bitumen Paint is a solvent based, full bodied black bituminous paint. When dry, the product forms an odourless and taint free black film suitable for metal protection, and overcoating felt.

**Black Jack 902**

Bitumen and Flashing Primer

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 852670 | 1 L | BLACK | 12 | 5029347009212 |
| 852671 | 5 L | BLACK | 4 | 5029347009250 |


Bitumen and Flashing Primer is a thin primer that prepares substrates for bitumen paints, roof coatings and flashings. By creating a better grip on the substrate, Bitumen and Flashing Primer ensures long-lasting and professional finish

**Black Jack 903**

Bitumen Trowel Mastic

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 852672 | 1 L | BLACK | 12 | 5029347009311 |
| 852673 | 2.5 L | BLACK | 6 | 5029347009328 |
| 852674 | 5 L | BLACK | 4 | 5029347009359 |


A trowel applied, black, heavily filled bituminous compound with added fibres for reinforcement. The product forms a surface skin, but the mass below remains soft to allow for moderate movement. Suitable for sealing and filling holes in mastic asphalt, roofing felt, corrugated iron, metal guttering and downpipes.

**Black Jack 904**

Roof Felt Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 852650 | 1 L | BLACK | 12 | 5029347009410 |
| 852651 | 2.5 L | BLACK | 6 | 5029347009427 |
| 852652 | 5 L | BLACK | 4 | 5029347009458 |
| 852653 | 25 L | BLACK | 1 | 5029347009434 |

Roof Felt Adhesive is a cold applied, oxidised bitumen based adhesive used to bond roofing felt to most surfaces. Specifically designed for bonding all types of roofing felt to metal and concrete, sealing felt laps and as a cold gritting solution for bonding mineral chippings.




Black Jack 905

All Weather Roof Coating

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 852567 | 5 L | BLACK | 4 | 5029347009557 |
| 852568 | 25 L | BLACK | 1 | 5029347009533 |

A solvent based, full bodied black brushable bitumen compound with added fibres for reinforcement. It is an effective general purpose roof coating that is resistant to wash off by rain almost immediately. The product is specifically designed for general waterproofing in all roofing applications.




Black Jack 906

Bitumen Roofing Emulsion

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 852666 | 5 L | BLACK | 4 | 5029347009656 |

Bitumen Roofing Emulsion is a stable bitumen/water emulsion of medium brushing consistency which dries to a black, flexible coating. The product is specially designed for general waterproofing of roofs and provides protection against corrosion of pipes and structural steelwork.




Black Jack 907

Solar Reflective Paint

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 852668 | 5 L | SILVER | 4 | 5029347009755 |
| 852667 | 25 L | SILVER | 1 | 5029347601027 |

Solar Reflective Paint is a thin bituminous based aluminium protective paint of brushable consistency which dries to a silvery finish. The product is specifically designed for application over primed metal walls and roofs to reduce heat absorption.




Black Jack 908

DPM

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 852663 | 5 L | BLACK | 4 | 5029347009854 |
| 852664 | 25 L | BLACK | 1 | 5029347009830 |

DPM is a rubber enriched bitumen emulsion which provides a highly effective sandwich damp proof membrane for floors. Acts as a waterproofer for walls, above ground structures and foundations. DPM is also suitable as an adhesive for wood block and mosaic panels, insulation boards etc.



CROMAR®

Building Products

A SIKI COMPANY



HYDROSIL®

Professional Grade 100% Silicone Roof Coating

Hydrosil is a highly reflective Fluid Applied Professional Grade Silicone Coating System used to coat all existing roofing substrates. Silicone durability – excellent long term resistance to natural weathering including extreme temperatures, UV, rain and snow.

HYDROSIL SEAM SEALER & DETAILER.

Multi purpose product.

A premium silicone based multi purpose detailer for protection of seams, penetrations and fasteners on various roofing substrates. Forms a durable, breathable and weatherproof barrier that is highly resistant to degradation from UV and natural weathering.

| CROMAR CODE | SIZE | COLOUR | QTY | BARCODE |
|-------------|-------|--------|-----|---------------|
| AHYDSIL/SSD | 7.5 L | GREY | 1 | 5036684022477 |

Please refer to the online catalogue for the Sika SGAN

HYDROSIL SILICONE ROOF COATING.

A high performance, moisture curing liquid applied premium silicone coating. With superior coverage, Hydrosil covers over one and a half times that of a standard PU coating. Fast curing, durable, watertight and weatherproof barrier and excellent UV resistance are just some of the product benefits.

| CROMAR CODE | SIZE | COLOUR | QTY | BARCODE |
|-------------|--------|--------|-----|---------------|
| AHYDSIL/501 | 3.78 L | GREY | 6 | 5036684022460 |
| AHYDSIL/601 | 18.9 L | GREY | 1 | 5036684022453 |

Please refer to the online catalogue for the Sika SGAN



HYDROSIL REINFORCEMENT ROLL.

A non-woven, spun bonded 100% polyester used with the Hydrosil Seam Sealer & Detailer to reinforce seams, penetrations, joints or transitions that are subjected to high shear.

| CROMAR CODE | SIZE | COLOUR | QTY | BARCODE |
|--------------|--------------|--------|-----|---------------|
| AHYDSIL/ROLL | 150mm x 100m | WHITE | 1 | 5036684022484 |

Please refer to the online catalogue for the Sika SGAN

HYDROSIL Silicone Roof Coating

A high performance, moisture curing liquid applied premium silicone coating.

| NEW DECK | OVERLAY | TRADE / PROFESSIONAL USE | DRY USE | SUBSTRATES | BASE | PRIMER REQUIRED | REINFORCEMENT | TRAINING |
|----------|---------|--------------------------|---------|--------------------------------|---------|-----------------|---------------|----------|
| | | | | Most common roofing substrates | SOLVENT | | | |



1L / 1.25m²



CROMAPOL

Cromapol will waterproof instantly, even while wet, and will not wash off while curing. It is ideal for use in damp conditions. Will withstand ponding and covers in only one coat.



CROMAPOL.

A one coat, instant waterproof coating ideal for emergency repairs. With the ability to use in damp conditions it provides a flexible, seamless, reinforced membrane that gives instant protection.

| CROMAR CODE | SGAN | SIZE | COLOUR | QTY | BARCODE |
|-------------|--------|--------|--------|-----|---------------|
| APOL/1F | 887076 | 1 kg | GREY | 12 | 5036684011877 |
| APOL/2.5F | 887077 | 2.5 kg | GREY | 6 | 5036684001656 |
| APOL/5 | 887079 | 5 kg | GREY | 4 | 5036684001878 |
| APOL/20 | 887078 | 20 kg | GREY | 1 | 5036684004497 |
| APOLB/1F | 887070 | 1 kg | BLACK | 12 | 5036684005319 |
| APOLB/2.5 | 887071 | 2.5 kg | BLACK | 6 | 5036684001656 |
| APOLB/5F | 887075 | 5 kg | BLACK | 4 | 5036684005296 |
| APOLB/25 | 887074 | 20 kg | BLACK | 1 | 5036684005302 |
| APOLW/1 | 887180 | 1 kg | WHITE | 12 | 5036684008594 |
| APOLW/2.5 | 887181 | 2.5 kg | WHITE | 6 | 5036684008600 |
| APOLW/5F | 887183 | 5 kg | WHITE | 4 | 5036684008624 |
| APOLW/25 | 887182 | 20 kg | WHITE | 1 | 5036684008617 |

CROMAPOL FIBRE FREE.

A fibre free, one coat, instant waterproof coating ideal for emergency repairs. With the ability to use in damp conditions it provides instant protection.

| CROMAR CODE | SGAN | SIZE | COLOUR | QTY | BARCODE |
|-------------|--------|-------|--------|-----|---------------|
| APOLWP/5 | 887185 | 5 kg | WHITE | 4 | 7612655220318 |
| APOLWP/20 | 887184 | 20 kg | WHITE | 1 | 5036684008631 |
| APOLGP/5 | 887059 | 5 kg | GREY | 4 | 5036684001878 |
| APOLWP/20 | 887058 | 20 kg | GREY | 1 | 5036684008501 |


CROMOPOL+ Alkyd/Acrylic Composite Roof Coating

Cromapol will waterproof instantly, even while wet, and will not wash off while curing. It is ideal for use in damp conditions. Will withstand ponding and covers in only one coat.

| NEW DECK | OVERLAY | TRADE / PROFESSIONAL USE | DIY USE | SUBSTRATES | BASE | PRIMER REQUIRED | REINFORCEMENT | TRAINING |
|----------|---------|--------------------------|---------|--------------------------------|---------|-----------------|---------------|----------|
| | | | | Most common roofing substrates | SOLVENT | | | |



1-2kg/m²



Please note: Colours shown against products are simply a representation and are not exact due to limitations of print processes. For exact colours please request samples.

ACRYPOL +

Acrypol + known as the original waterproof coating, can be applied during damp weather conditions and still provide a long-term solution to waterproofing problems, including flat roof repair.



ACRYPOL +.

Acrypol+ is a total roof coating waterproof system developed to refurbish failed industrial, commercial or domestic flat roofs and is also ideal for general property maintenance as well as patch repairs. Brush applied as a semi liquid paste; it dries to form an ultra-tough, seamless flexible overlay.

| CROMAR CODE | SGAN | SIZE | COLOUR | QTY | BARCODE |
|---------------|--------|--------|--------|-----|---------------|
| ACRYPOL/2.5 | 887188 | 2.5 kg | GREY | 8 | 5039053000519 |
| ACRYPOL/5 | 887200 | 5 kg | GREY | 4 | 5039053000601 |
| ACRYPOL/20 | 887189 | 20 kg | GREY | 1 | 5039053000618 |
| ACRY/F50LB/5 | 887202 | 5 kg | BLACK | 4 | 5039053000007 |
| ACRY/F50LB/20 | 887201 | 20 kg | BLACK | 1 | 5039053000014 |
| ACRY/F50LW/5 | 887204 | 5 kg | WHITE | 4 | 5039053000625 |
| ACRY/F50LW/20 | 887203 | 20 kg | WHITE | 1 | 5055510239650 |

ACRYPOL SCRIM.

Used when extra reinforcement is required, for example cracks in corrugated asbestos, gutters, splits in felt and asphalt roofing.

| CROMAR CODE | SGAN | SIZE | COLOUR | QTY | BARCODE |
|---------------|--------|------------|--------|-----|---------------|
| ACRY/SCRIM/15 | 887421 | 15cm x 20m | WHITE | 5 | 5039053000205 |

ACRYPOL+ Acrylic Roof Coating

Known as the original waterproof coating, Acrypol+ can be applied during damp weather and still provide a long-term solution to waterproofing problems, including flat roof repair.

| NEW DECK | OVERLAY | TRADE / PROFESSIONAL USE | DRY USE | SUBSTRATES | BASE | PRIMER REQUIRED | REINFORCEMENT | TRAINING |
|----------|---------|--------------------------|---------|--------------------------------|---------|-----------------|---------------|----------|
| | | | | Most common roofing substrates | SOLVENT | | | |



1 kg/m²



LEADAX ORIGINAL.

Since its launch in 2018 Leadax has grown to be one of the most popular lead alternatives on the market. With numerous benefits over Lead, and other lead replacements, it is the obvious choice. **6m long rolls.**

| CROMAR CODE | SIZE | COLOUR | QTY | BARCODE |
|-------------|--------|-----------|-----|---------------|
| KLD/150 | 150mm | LEAD LOOK | 1 | 8719558741618 |
| KLD/200 | 200mm | LEAD LOOK | 1 | 8719558741625 |
| KLD/250 | 250mm | LEAD LOOK | 1 | 8719558741687 |
| KLD/300 | 300mm | LEAD LOOK | 1 | 8719558741700 |
| KLD/400 | 400mm | LEAD LOOK | 1 | 8719558741649 |
| KLD/450 | 450mm | LEAD LOOK | 1 | 8719558741694 |
| KLD/600 | 600mm | LEAD LOOK | 1 | 8719558741663 |
| KLD/1000 | 1000mm | LEAD LOOK | 1 | - |

Please refer to the online catalogue for the Sika SGAN



LEADAX SEALANT.

An all purpose hybrid sealant and adhesive for fixing Leadax to the base material or for overlapping. Provides good adhesion to lead and roofing substrates.

| CROMAR CODE | SIZE | COLOUR | QTY | BARCODE |
|-------------|-------|--------|-----|---------------|
| M/LEADAX | 290ml | BLACK | 12 | 8719558740109 |

Please refer to the online catalogue for the Sika SGAN



MULTI-PURPOSE SCISSORS.

High quality, extra tough scissors for cutting Leadax to size quickly and easily.

| CROMAR CODE | SIZE | COLOUR | QTY | BARCODE |
|---------------|------|--------|-----|---------|
| KLAD/SCISSORS | - | BLUE | 1 | - |

Please refer to the online catalogue for the Sika SGAN




FIXING CLIPS.

For use with above ground masonry, fixing clips allow you to attach Leadax into masonry joints quickly and easily. Also suitable for use with lead.

| CROMAR CODE | SIZE | COLOUR | QTY | BARCODE |
|-------------|----------|--------|-----|---------------|
| KLD/CLIP50 | 50 clips | SILVER | 10 | 5036684009041 |

Please refer to the online catalogue for the Sika SGAN



LEADAX EASY FA.

Leadax Easy FA is the fully self-adhesive lead replacement in the product family Leadax Flashing. Leadax Easy FA has no harmful effects on people's health and the environment. A second generation lead replacement that's very light to use. Leadax Easy FA can easily be applied by hand and only has to be pushed down with a roller very lightly. Leadax Easy FA is extremely thin, yet extremely strong. **5m long rolls.**

| CROMAR CODE | SIZE | COLOUR | QTY | BARCODE |
|-------------|-------|--------|-----|---------------|
| KLDE/150 | 150mm | GREY | 1 | 8719558749515 |
| KLDE/250 | 250mm | GREY | 1 | 8719558749546 |
| KLDE/300 | 300mm | GREY | 1 | 8719558749546 |
| KLDE/450 | 450mm | GREY | 1 | 8719558749577 |

Please refer to the online catalogue for the Sika SGAN

STEEL ROLLER.

Rollers to allow easy moulding of Leadax around roof tiles or difficult profiles.

| CROMAR CODE | SIZE | COLOUR | QTY | BARCODE |
|-------------|------|--------|-----|---------|
| KLAD/ROLLER | - | SILVER | 1 | - |

Please refer to the online catalogue for the Sika SGAN

PENNY ROLLER.

Rollers to allow easy moulding of Leadax around roof tiles or difficult profiles.

| CROMAR CODE | SIZE | COLOUR | QTY | BARCODE |
|----------------|------|--------|-----|---------|
| KLAD/PENNYROLL | - | GOLD | 1 | - |

Please refer to the online catalogue for the Sika SGAN



SPECIALITY APPLICATIONS

When performance is critical

Certain jobs demand more than standard sealants and foams—they demand specialist solutions. The Sika Specialty Applications range is engineered to deliver safety, reliability, and confidence where it matters most.

- **Passive Fire Protection:** Our fire-rated and heat-resistant sealants provide trusted performance in high-temperature and fire-critical environments.
- **Fire-rated foams:** Sika B1 and B2 expanding foams combine easy application with tested fire resistance, helping to seal, insulate, and protect with confidence.
- **Specialty water solutions:** Seal, bond, and block water ingress, delivering reliable performance in tough conditions.

With Sika, you get specialist answers to complex challenges, innovative products that keep projects safe, compliant, and secure.

| | |
|-------------------------------|----|
| Passive Fire Protection | 84 |
| Fire Foams | 86 |
| Other Specialist Applications | 87 |

Sikacryl®-620 Fire

Fire Resistant Acrylic Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 483461 | 300 ml | WHITE | 12 | 7612895181219 |
| 835254 | 380 ml | GREY | 25 | 7612655103420 |
| 835256 | 380 ml | WHITE | 25 | 7612655103444 |
| 835257 | 600 ml | GREY | 12 | 7612655103468 |
| 835258 | 600 ml | WHITE | 12 | 7612895181219 |

| | |
|-------------------------------|----------|
| Movement Accommodation | +/-12.5% |
| Skinning Time | 10 mins |
| Elongation at Break | 200% |

A fire resistant acrylic sealant for interior joints in walls and floors. Provides up to 4 hours fire resistance to prevent the passage of fire and smoke, according to EN 1366-4.

Typically used for joints in walls and floors, and internal perimeter pointing of fire rated doors and window frames.

Reaction to fire tested to EN 13501-1.

Resistance to fire tested to EN 13501-2.

Fire testing BS 476-20. Tested for Sound transmission to ISO 10140-2. UL Product iQ, XHBN.HW-S-0113.



Sikasil®-670 Fire

Fire Rated Silicone Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|---------------|-----|---------------|
| 582754 | 300 ml | CONCRETE GREY | 12 | 7612895508818 |
| 483479 | 300 ml | WHITE | 12 | 7612895181561 |
| 835259 | 380 ml | BLACK | 25 | 7612655103901 |
| 835330 | 380 ml | GREY | 25 | 7612655103925 |
| 835331 | 380 ml | WHITE | 25 | 7612655103949 |
| 736349 | 600 ml | BLACK | 12 | 7612895845111 |

| | |
|-------------------------------|--------------|
| Movement Accommodation | +/-25% |
| Skinning Time | 30 - 45 mins |
| Elastic Recovery | 80% |
| Elongation at Break | 350% |

A fire resistant, elastic, neutral cure silicone sealant for interior and exterior joints in walls and floors.

Typically used for movement and connection joints within partitions and other structures.

Fire rated to EN 1366-4.



SikaSeal®-632 Firespan

Ablative Pads

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 486164 | SINGLE | RED | 20 | 5029347911126 |
| 486165 | DOUBLE | RED | 20 | 5029347911133 |

Designed to be used on the inside or outside of electrical socket boxes to maintain fire and smoke barrier where service holes are cut into dry lining and all types of fire rated boarding. Tested to EN1366-3 to provide up to 2 hours fire protection, and also maintain acoustic integrity of the drylining system. High tack adhesion, pliable and mouldable, self bonding.

Single Socket Pad Size: 4MM thick x 170 mm x 170 mm.
Double Socket Pad Size: 4MM thick x 230 mm x 170 mm.

Acoustic rated to BS EN ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components/products for residential ventilation.



INTERIOR
USE



FIRE
RETARDANT



Fire Mate

Intumescent Acrylic Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 486028 | 295 ml | WHITE | 25 | 5029347000134 |
| 486040 | 295 ml | GREY | 25 | 5029347613648 |

An intumescent acrylic sealant that swells when exposed to temperatures in excess of 125°C to prevent the passage of fire and smoke. Has a fire rating of up to 4 hours in certain joint configurations. **Fire rated to EN1366-4. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1. Tested to EN1366-3.**



Brick / Concrete / Stone / Timber / Plasterboard

Pyro Mate

Fire Rated Silicone

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 486041 | 295 ml | WHITE | 12 | 5029347608941 |

A neutral cure elastic silicone sealant which conforms to EN1366-4 for fire protection and has a fire rating of up to 4 hours in certain joint configurations. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components/products for residential ventilation. **Conforms to ISO 11600 class: F25 LM and EN15651 to ISO 9047, 8339 and 10563.**




Timber / Brick / Stone / Glass / Concrete / Metal

Heat Mate

Heat Resistant Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 484772 | 295 ml | RED | 12 | 5029347113001 |
| 484776 | 295 ml | BLACK | 12 | 5029347615307 |

A high modulus permanently flexible 100% silicone which is temperature resistant up to 275°C. Ideal for sealing industrial and high performance gaskets, oven doors, and much more. It cures quickly to reduce dirt pick up. Remains permanently flexible, forming a water tight rubber-like seal. Excellent adhesion to most non-porous surfaces.




Contract AC95

Intumescent Sealant and Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 880891 | 600 ml | WHITE | 12 | 7612655195197 |
| 486163 | 900 ml | WHITE | 9 | 5029347602413 |

An intumescent acrylic sealant and adhesive specifically formulated for fire rated sealing and bonding applications on plasterboard and other kraft lined insulation boards. Provides up to 4 hours fire resistance. **Tested to EN1366-4. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components/products for residential ventilation. Tested to EN13963, Type 4A.**




Timber / Plaster / Brick / Stone / Concrete

Fire Foam B1 Handheld

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 488714 | 750 ml | PINK | 12 | 5029347125004 |

Fire Foam B1 Handheld is a quick-setting fire rated, one part polyurethane foam. It expands on application to yield up to 50 times the can contents and meets the test criteria BS476 Part 20. Fire rated up to 4 hours in certain joint configurations. Once cured, the foam can be cut, sawn or plastered over after approx one hour.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Fire Foam B2 Handheld

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 488717 | 750 ml | PINK | 12 | 5029347600471 |

Fire Foam B2 Handheld is a quick setting fire rated, one part polyurethane foam in a ready to use hand held canister. Fire resistant for up to 2 hours in certain joint configurations. It expands on application to up to 50 times the can contents and meets the requirements of the test criteria for BS476 Part 20.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Fire Foam B1 Gun Grade

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 488715 | 750 ml | PINK | 12 | 5029347611729 |

A quick-setting fire rated, one part polyurethane foam. It expands on application to yield up to 50 times the can contents. Fire rated up to 4 hours in certain joint configurations, meets requirements of the test criteria DIN 4102 Part 1 for Construction Materials, Class B1 and BS 476 Part 20.

For professional use only.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Fire Foam B2 Gun Grade

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 488718 | 750 ml | PINK | 12 | 5029347600464 |

Fire Foam B2 Gun Grade is a quick setting fire rated, one part polyurethane foam for application by a foam applicator gun. Fire resistant for up to 2 hours in certain joint configurations. It expands on application to up to 50 times the can contents and meets the requirements of the test criteria for BS476 Part 20.

For professional use only.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Sika Boom®-405 Water Stop

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 818448 | 320 ml | - | 15 | 7612655063502 |

An advanced 2-component, self-expanding polyurethane foam requires no external moisture, delivering a high-density seal with a finely tuned, predominantly closed-cell structure. Perfect for sealing pipe penetrations, connections, and gaps, Sika Boom-405® forms an impenetrable barrier against water intrusion.




Aqua Mate Aquarium Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 489687 | 295 ml | TRANS | 12 | 5029347120009 |

An acetox cure 100% silicone sealant and adhesive designed specifically for aquarium manufacture. The waterproof seal will withstand continuous water immersion over a long period of time once cured. Fast cure (tack free in one hour), gives extremely high early strengths.

100% fish safe formula. Meets the requirements of ISO 11600 G20LM



Sikaflex®-117 Metal Force

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|------------|-----|---------------|
| 649763 | 290 ml | LIGHT GREY | 20 | 7612895656595 |

Sikaflex®-117 Metal Force is a one part construction adhesive, specifically formulated to seal and bond metals, without the use of a primer for a one step application.



Glass / PVCu / Aluminium

SikaSeal®-75 Hard-Setting Mastic

TIN

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 871633 | 1.5 kg | GREY | 4 | 7612655175212 |

SPARE CARTRIDGE AND NOZZLES

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 877620 | C3 | WHITE | 5 | 7612655189103 |

A two-part, hard-setting mastic that cures to form a durable, pick and chemical-resistant seal, engineered to withstand minor extension movements and substantial compression. This combination of strength and flexibility makes it well suited for challenging environments where durability and reliability are essential. Spare cartridges and nozzles available to order for easy application.



Sikaflex®-423 Powercure

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 713122 | 600 ml | Grey | 14 | 7612895813158 |

Sikaflex®-423 Powercure is a 1-part, non-sag, high-performance polyurethane sealant and booster, for vertical and horizontal joints in civil engineering application. Mixed by the Sika® PowerCure dispenser, correct ratios of sealant and SikaBooster are applied directly to the joint for a quick and convenient application. Provides high movement capability of +/- 25%, and high mechanical and chemical resistance.



See the Sika® Powercure Dispenser

page 110 within
the Cleaner and
Accessories section



SOLUTIONS FOR YOUR MODULAR BUILDING

SOLUTIONS FROM THE
**BASEMENT TO
THE ROOF**



AUTOMATION
FOR REDUCTION IN
LABOUR COSTS



ACOUSTIC SOLUTIONS TO AID
NOISE REDUCTION
AND IMPROVE COMFORT



FAST PRODUCTION TIME TO REDUCE
CYCLES AND INCREASE OUTPUTS



FASTER PRODUCTION RESULTING
IN **COST SAVINGS**
FOR THE CUSTOMER



SAFE AND SECURE BUILDINGS
WITH
FIRE PROTECTION
SYSTEMS



HIGH QUALITY PRODUCTS
AND SERVICE TO MEET LOCAL
AND INTERNATIONAL BUILDING
REGULATIONS



EXPERT SPECIFICATION
SUPPORT COMBINING
**INDUSTRY
KNOW-HOW**
WITH CONSTRUCTION
PRODUCTS



IMPROVE **STRUCTURAL
INTEGRITY** AND REDUCE
WEIGHT BY THE USE OF
ADHESIVES



REDUCE MATERIAL HANDLING AND
WASTE FOR A MORE **SUSTAINABLE
MANUFACTURING PROCESS**



DEDICATED **SPECIALIST MMC
DIVISION** OPTIMISING SUPPLY
CHAIN PARTNERSHIP



SCAN HERE



ONLY **SIKA**
CAN PROVIDE
CUSTOMERS
WITH ALL THIS



DECORATING AND TAPES

Reliable results, every time

Bring a professional finish to any project with Sika's range of fillers, surface protectors, cleaners, and more.

- **High strength fillers:** From surface imperfections to deep cracks, our range of quality fillers provide smooth, durable finishes ideal for walls and ceilings.
- **Protect with confidence:** Avoid costly spills and stains with our range of floor protectors, including Roll & Stroll for a quick and easy application.
- **Tapes that perform:** From building and repair tapes to masking and plasterboard tapes, we have a comprehensive range to meet every need.

Easy to apply and built for lasting performance, Sika decorating and tape solutions help you tackle everything from small household repairs to larger refurbishment projects



| | |
|-----------------------------|----|
| Surface Protectors | 92 |
| Decorating and Wood Fillers | 94 |
| Decorating Sundries | 98 |
| Tapes | 99 |



Roll and Stroll Premium Carpet Protector

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 462111 | 25 m | YELLOW | 6 | 5029347605636 |
| 484946 | 75 m | YELLOW | 1 | 5029347605643 |

The ultimate fire-rated, self-adhesive carpet protector with the adhesive coating on the outside making light work of unwinding and applying to the area. Safer than dust sheets, Roll and Stroll is waterproof, won't tear and can be left for up to 4 weeks.



Roll and Stroll Textured Non-Slip Carpet Protector

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 484868 | 75 m | YELLOW | 1 | 5029347610265 |

Roll & Stroll Textured Non-Slip Carpet Protector is the ultimate self-adhesive carpet protection solution. With the adhesive on the outside, it's easy to unwind, safer than traditional dust sheets, and ideal for all trade applications. Provides waterproof protection and textured for a secure, non-slip finish.



Roll and Stroll Contract Carpet Protector

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 484869 | 50 m | CLEAR | 1 | 5029347606206 |
| 484910 | 100 m | CLEAR | 1 | 5029347606213 |


Roll and Stroll Contract Carpet Protector is the ultimate clear self adhesive carpet protection system. With the adhesive coating on the outside, it is easy to unwind, safer than dust sheets and has a multitude of uses across all trade sectors. Totally waterproof, it protects against spillage, and won't tear or rip.



Roll and Stroll Hard Surface Protector

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 462110 | 25 m | CLEAR | 6 | 5029347606077 |
| 484945 | 75 m | CLEAR | 1 | 5029347606084 |

Roll and Stroll Hard Surface Protector is the ultimate self adhesive floor protection, works on all hard surfaces such as timber, ceramic tiles, laminate, vinyl, metal and stone. It is also suitable for use on worktops, window sills; doors and kitchen units. With the adhesive coating on the outside it is easy to unwind, safer than dust sheets and has a multitude of uses, protects against spillage and won't tear or rip.



Glass Protector

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 467445 | 25 m | RED | 15 | 5029347611248 |

Glass Protector is the ultimate self adhesive protector ideal to protect glass against the mess, dirt, staining, spillages and soiling that occurs during general building and decorating work. It also reduces the risk of costly scratches to glass. With the adhesive coating on the outside it is also easy to apply.



Cotton Dust Sheets

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------------------------|--------|-----|---------------|
| 484993 | 3.7 m x 2.7 m (12' x 9') | - | 10 | 5029347604127 |

Cotton Dust Sheet is made of strong hardwearing cotton which protects surfaces from spills, splashes and dust. Reversible and machine washable.



Laminated Cotton Dust Sheets

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------------------------|--------|-----|---------------|
| 484992 | 3.7 m x 2.7 m (12' x 9') | - | 10 | 5029347602574 |

Top quality cotton twill with polythene inter-laminate, stops paints and liquids passing through.



Polythene Dust Sheets

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------------------------|--------|-----|---------------|
| 484995 | 3.7 m x 2.7 m (12' x 9') | CLEAR | 20 | 5029347602253 |

Heavy duty, perfect for painting. Protects from paint spills, splashes, dirt and dust.




Sika® One Strike Ready Mixed Filler



| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 461918 | 250 ml | WHITE | 18 | 5029347300029 |
| 461917 | 450 ml | WHITE | 12 | 5029347300050 |
| 461916 | 1 L | WHITE | 6 | 5029347300012 |
| 488534 | 2.5 L | WHITE | 1 | 5029347603458 |
| 480347 | 5 L | WHITE | 1 | 5029347300500 |

Sika® One Strike is an ultra-lightweight filler formulated with advanced polymer bubbles to quickly and easily fill most holes and cracks – even deep ones. Suitable for plaster, wood, brick, stone, and render, it won't slump or overhead applications. It smooths effortlessly, needs little or no sanding, and is ready to paint or wallpaper in just 30 minutes.



Brick / Stone / Concrete / Plaster

IT WON'T SLUMP
(EVEN OVERHEAD)

IT WON'T SHRINK OR CRACK

IT WON'T NEED LAYERS TO FILL

IT WON'T NEED SANDING



IT WON'T TAKE LONG
TO DRY (30 MIN)

IT WON'T BREAK THE BANK

All Purpose Ready Mixed Filler

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 480176 | 600 g | WHITE | 12 | 5029347000899 |
| 480182 | 1 kg | WHITE | 12 | 5029347000882 |

All Purpose Filler is an easy to use ready mixed filler which is suitable for both interior and exterior use. Fills holes up to 9mm deep. Dries to a smooth but tough crack resistant sandable finish which may be painted, papered or stained. Designed for repairs to plaster, plasterboard, brick, render, wood, stone and most other building materials.



Fine Surface Ready Mixed Filler

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 480440 | 600 g | WHITE | 12 | 5029347000998 |

Fine Surface Filler is an easy to use ready mixed filler for filling small holes up to 4mm deep, and surface imperfections in most porous surfaces such as plaster and wood. Dries to a very smooth finish that can be painted or papered.



Deep Gap Ready Mixed Filler

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|------------|-----|---------------|
| 480445 | 1 L | LIGHT GREY | 6 | 5029347609368 |

Deep Gap Filler is a filler, formulated to fill most holes and cracks; especially deep holes up to 50mm, in just one quick application. It will not shrink, sag or crack and finishes smooth, requiring little or no sanding.



Keep it simple with Caulk Once


See page 9



All Purpose Powder Filler

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 480442 | 450 g | WHITE | 16 | 5029347600570 |
| 480443 | 1.5 kg | WHITE | 10 | 5029347600587 |
| 480444 | 5 kg | WHITE | 1 | 5029347611873 |


All Purpose Powder Filler for both interior and exterior use, with added PVA for extra strength. Fills holes up to 40mm deep. For repairs to plaster, brick, stone, wood, can be nailed or screwed when dry. Quick setting, non-shrink.



All Purpose Ready Mixed Filler Easi Squeeze

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 480266 | 330 g | WHITE | 12 | 5029347600389 |


Fast drying ready mixed filler in an easy to use squeeze tube, can be used for a multitude of filling applications both internally and externally. Fills holes up to 5mm deep.



Fill and Skim Ready Mixed Plaster

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 486745 | 5 L | WHITE | 1 | 5029347603229 |

Fill and Skim is a ready mixed lightweight plaster for both patching jobs and covering larger areas. Fill and skim is ideal for covering over old textured surfaces. Ideal for trade and DIY use.



Brick / Stone / Concrete / Plaster

Filler Coat Thick Base Coat

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 486746 | 5 L | WHITE | 1 | 5029347610067 |

Filler Coat is a thick base coat for use on imperfect surfaces prior to painting. It hides and obliterates areas that have been filled, as well as covering and preventing the reappearance of hairline cracks. Working like a roll on filler, the thick formula completely covers strong colours. Ideal for use on walls and ceilings.



Brick / Stone / Concrete / Plaster

Multi Purpose Joinery Grade Wood Filler

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|------------------|-----|---------------|
| 480449 | 100 ml | LIGHT STAINABLE | 6 | 5029347603335 |
| 480461 | 250 ml | LIGHT STAINABLE | 6 | 5029347603359 |
| 480462 | 250 ml | MEDIUM STAINABLE | 6 | 5029347603366 |
| 480463 | 250 ml | PINE | 6 | 5029347608286 |
| 480464 | 250 ml | MAHOGANY | 6 | 5029347608323 |
| 480465 | 250 ml | LIGHT OAK | 6 | 5029347608309 |
| 480466 | 250 ml | DARK OAK | 6 | 5029347608316 |
| 499701 | 250 ml | TEAK | 6 | 5029347613921 |
| 480467 | 250 ml | WHITE | 6 | 5029347608293 |

Multi-Purpose Wood Filler fills nail holes, cracks, gaps and minor imperfections in wood. It is easy to sand, can be stained, varnished and painted and is solvent free.



Wood / Brick / Stone / Concrete / Plaster

Wood Filler Hardener / Catalyst

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|------------|
| 488531 | 40 g | - | 25 | NO BARCODE |


Spare catalyst/hardener tubes for use with all 2 part wood fillers.



2 Part High Performance Wood Filler

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|------------------|-----|---------------|
| 481022 | 500 g | LIGHT STAINABLE | 6 | 5029347608194 |
| 481023 | 1.4 kg | LIGHT STAINABLE | 6 | 5029347608262 |
| 481028 | 500 g | MAHOGANY | 6 | 5029347608156 |
| 481024 | 500 g | MEDIUM STAINABLE | 6 | 5029347608200 |
| 481051 | 500 g | OAK | 6 | 5029347608132 |
| 481027 | 500 g | PINE | 6 | 5029347608170 |
| 481026 | 1.4 kg | PINE | 6 | 5029347608330 |
| 481052 | 500 g | REDWOOD | 6 | 5029347608187 |
| 484991 | 500 g | WHITE | 6 | 5029347608149 |
| 484990 | 1.4 kg | WHITE | 6 | 5029347608231 |

2 Part High Performance Wood Filler, is a fast drying, interior and exterior wood filler. The 2 Part Wood Filler is easy to mix and apply and is completely weatherproof. Once mixed, the filler sets hard to a shatterproof finish in approximately 30 mins and may be drilled, carved or planed once dry.



Wood / Brick / Stone / Concrete / Plaster

Pro-Fill High Performance Filler

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|------------|-----|---------------|
| 490423 | 500 g | LIGHT GREY | 6 | 5029347608781 |

Pro-Fill 2 Part High Performance filler, for joinery, decorating and building applications, suitable for repairing most building materials including concrete, metal, wood and GRP. Rapid cure non-tack surface that's easy to sand.




Wood / Brick / Stone / Concrete / Plaster

Stain Block

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 488592 | 400 ml | - | 12 | 5029347602017 |


Stain Block is a spray applied, heavily pigmented white paint which permanently prevents existing stains from water, mould, rust, nicotine, grease, soot, crayon showing through subsequent coatings. Quick drying, overcoat in 15 mins, easy to apply.



White Spirit

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 488597 | 750 ml | - | 12 | 5029347602000 |
| 488598 | 2 L | - | 8 | 5029347601997 |
| 488599 | 4 L | - | 4 | 5029347602215 |

White spirit is a solvent designed for thinning paints and varnishes, cleaning brushes and general household degreasing and cleaning.

Protect your flooring
with Roll & Stroll

See the full range
on pages 92-93



Mammoth Powerful Grip Tape Extra Strong Double Sided Tape



ULTIMATE GRIP STRENGTH

BONDS ALMOST ANYTHING

OUTDOOR AND
INDOOR USE

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|---------------|--------|-----|---------------|
| 484678 | 12 mm x 2.5 m | CLEAR | 48 | 5029347605896 |
| 484679 | 25 mm x 2.5 m | CLEAR | 24 | 5029347605773 |
| 484680 | 50 mm x 2.5 m | CLEAR | 12 | 5029347605766 |

Mammoth Powerful Grip Tape is a double sided tape that breaks the rules, with an incredible immediate bond strength that has to be seen to be believed. It will bond to virtually any material, indoors or outdoors including ceramics, brickwork, wood, metal, plastics and PVC.

It is moisture resistant and will not degrade with U.V light. Ideal for use in the home, industry, construction and office. Can be used in many applications to replace drilling, plugging and unsightly screws.



American
Duct Tape

100% WATERPROOF

50MM WIDTH

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------------|--------|-----|---------------|
| 487240 | 50 mm X 25 m | ORANGE | 12 | 5029347610326 |
| 487241 | 50 mm X 25 m | SILVER | 12 | 5029347613228 |

American Duct Tape is a remarkable tape which is not only thick, strong and 100% waterproof; it also has the most amazing adhesive quality.

DOUBLE STRENGTH ADHESIVE

STRONG WEAVE FABRIC

EASY TEAR



Mammoth

Mega All Purpose Tape

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------------|--------|-----|---------------|
| 483326 | 50 mm x 50 m | BLACK | 24 | 5029347600549 |
| 483327 | 50 mm x 50 m | BLUE | 24 | 5029347604226 |
| 483328 | 50 mm x 50 m | RED | 24 | 5029347602611 |
| 483329 | 50 mm x 50 m | SILVER | 24 | 5029347602628 |
| 483330 | 50 mm x 50 m | WHITE | 24 | 5029347602635 |
| 483331 | 50 mm x 50 m | YELLOW | 24 | 5029347604233 |

The ultimate all purpose duct tape, top quality cloth with aggressive natural rubber adhesive. Tough, durable and waterproof, for thousands of applications on site, in the home and industry, in the widest possible range of colours.



Mammoth

Gaffa Tape

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------------|--------|-----|---------------|
| 467448 | 50 mm x 45 m | BLACK | 12 | 5029347611743 |
| 696047 | 50 mm x 45 m | SILVER | 12 | 5029347611736 |

Gaffa Tape is a strong, tough and durable utility grade cloth tape for use in repairs in construction, industry, home and garden.



Mammoth

Aluminium Tape

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|---------------|--------|-----|---------------|
| 482270 | 50 mm x 45 m | SILVER | 24 | 5029347604509 |
| 482271 | 75 mm x 45 m | SILVER | 16 | 5029347604516 |
| 482259 | 100 mm x 45 m | SILVER | 12 | 5029347604523 |

Heat and light reflective aluminium foil tape, heat resistant to 180°C, flame retardant to Class O. Excellent moisture resistance, ideal for use as a vapour barrier between foil faced insulation panels in roof and wall applications, duct sealing on all types of air conditioning and ventilation and protecting wires and pipes from heat.



Mammoth

Clear Weatherproof Tape

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------------|--------|-----|---------------|
| 488634 | 50 mm x 10 m | CLEAR | 36 | 5029347610494 |

Strong Weatherproof Tape with strong adhesive, ideal for jointing and repairing all PVC and polythene Sheets and many other uses in construction, industry and the home. Also ideal for repairing cracks in glass and acrylic without obscuring vision/light.



Mammoth

Low Tack Masking Tape

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------------|-----------|-----|---------------|
| 486865 | 25 mm x 25 m | OFF WHITE | 60 | 5029347604622 |
| 486864 | 50 mm x 25 m | OFF WHITE | 30 | 5029347604639 |

The professionals choice for application to more delicate surfaces and wallpaper, where conventional Masking Tapes could damage the surface. Can be left on for up to 7 days, without a residue being left on the surface.

**Mammoth**

Pro Blue Masking Tape

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------------|--------|-----|---------------|
| 486861 | 25 mm x 33 m | BLUE | 48 | 5029347604530 |
| 486860 | 50 mm x 33 m | BLUE | 24 | 5029347604547 |

Professional long stay masking tape that can be left on for up to 14 days without leaving a residue or damage to the surface.

**Mammoth**

Labelled GP Masking Tape

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------------|-----------|-----|---------------|
| 487011 | 19 mm x 50 m | OFF WHITE | 64 | 5029347604325 |
| 467447 | 25 mm x 50 m | OFF WHITE | 48 | 5029347604332 |
| 487012 | 38 mm x 50 m | OFF WHITE | 32 | 5029347604349 |
| 487013 | 50 mm x 50 m | OFF WHITE | 24 | 5029347604356 |
| 487014 | 75 mm x 50 m | OFF WHITE | 16 | 5029347604363 |

General Purpose, trade quality masking tape, suitable for many uses. Easily removable within 3 days. Rolls individually film wrapped and labelled with separate barcode per size.

**Mammoth**

Value GP Masking Tape

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------------|-----------|-----|------------|
| 486871 | 19 mm x 50 m | OFF WHITE | 64 | NO BARCODE |
| 486870 | 25 mm x 50 m | OFF WHITE | 48 | NO BARCODE |
| 486868 | 38 mm x 50 m | OFF WHITE | 32 | NO BARCODE |
| 486867 | 50 mm x 50 m | OFF WHITE | 24 | NO BARCODE |
| 486866 | 75 mm x 50 m | OFF WHITE | 16 | NO BARCODE |

General purpose trade quality masking tape for conventional paint masking, can be left on for up to 3 days without leaving a residue. Loose packed rolls without individual film wrap or barcode.



Mammoth

Multi-Purpose Double Sided Tape

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------------|--------|-----|---------------|
| 488735 | 25 mm x 25 m | CLEAR | 48 | 5029347604707 |
| 488736 | 50 mm x 25 m | CLEAR | 24 | 5029347604714 |
| 488737 | 50 mm x 5 m | CLEAR | 30 | 5029347610623 |

High tack multi-purpose double sided tape, ideal for securing many items to smooth surfaces, vertically and horizontally.



Silweld

Silicone Self Fusing Repair Tape

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 484806 | 3 m | BLACK | 6 | 5029347611279 |

Silweld is the incredible silicone self fusing tape that can be used to repair almost anything from an emergency repair to a water hose or air pipe to insulating electrical wires or connections.

It creates an air tight, watertight seal in seconds without the need for any adhesive and even works underwater. Excellent electrical insulator up to 8,000 volts, withstands extreme temperatures -65°C to 260°C and even withstands pressure to 700psi. Silweld also resists petrol, oil, acids, solvents, salt water and UV rays.



EuroScrim

Self Adhesive Scrim Tape

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|---------------|--------|-----|---------------|
| 484687 | 48 mm x 90 m | WHITE | 24 | 5029347611750 |
| 484688 | 100 mm x 90 m | WHITE | 12 | 5029347612627 |

EuroScrim is a premium quality, quick and easy to apply, self-adhesive scrim tape that is made in Europe to perform!

EuroScrim has a quality high tack adhesive and an open mesh that will not blister or bubble, creating perfect joints every time.



CLEANERS AND ACCESSORIES

Finishing touches that make all the difference

Every project deserves a perfect finish, and Sika's Accessories and Cleaners range provides the smart solutions to keep surfaces clean, protected, and performing at their best.

- **Everyday cleaning:** Specialist wipes, glass cleaners, and uPVC cleaners quickly remove dirt, residue, and grime for a professional finish every time.
- **Problem Solvers:** Targeted solutions tackle graffiti and stubborn marks.
- **Maintenance Made Easy:** Lubricants and accessories protect surfaces and keep fittings moving smoothly.

| | |
|---------------------------------|-----|
| Wipes | 106 |
| Glazing Cleaners and Lubricants | 108 |
| Guns and Tools | 110 |



Wonder Wipes Multi-Use



| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 467442 | 100 | - | 6 | 5029347601522 |
| 484948 | 300 | - | 1 | 5029347604172 |
| 524290 | 500 | - | 1 | 5029347614379 |

Multi-Use Wonder Wipes are specially formulated to clean hands, tools and surfaces from wet and semi-cured paint, sealant, adhesive, bitumen, expanding foam, oil, grease and even silicone.

Useful when there is no water on site.

Wonder Wipes contain a powerful antibacterial additive that is tested by an independent laboratory to BSEN 1276:2009.

**ROBUST AND EXTRA
ABSORBENT TRIPLE LAYER
WIPE THAT TRAPS DIRT
AND ABSORBS MOISTURE**

**ANTIBACTERIAL ADDITIVE
TO PROVIDE PROTECTION**

**CONTAINS VITAMIN E
AND ALOE VERA TO
NOURISH HANDS**



Wonder Wipes Biodegradable

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 780111 | 60 | - | 12 | 5055492704016 |

Sika Wonder Wipes Biodegradable are a standout in the popular range, delivering powerful cleaning for hands, tools, and surfaces. Made 100% biodegradable and plastic-free, their extra-thick design ensures strength and durability. Effortlessly tackle tough grime – including paint, silicone, adhesive, bitumen, expanding foam, oil, and grease. Packaged in convenient flow-wrap for easy storage, quick access, and longer-lasting freshness.

100% BIODEGRADABLE
AND PLASTIC-FREE WIPES

EXTRA THICK MATERIAL
FOR EXCEPTIONAL
CLEANING

CONTAINS AN
ANTI-BACTERIAL
ADDITIVE



CONTAINS ALOE VERA TO CONDITION SKIN
AND PREVENT DRYNESS AND CRACKING



Wonder Wipes Heavy Duty

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 467443 | 75 | - | 6 | 5029347609467 |

Heavy Duty Wonder Wipes are textured wipes specially formulated for the building, engineering and allied trades to clean ingrained dirt from hands, tools and surfaces.



Wonder Wipes Multi-Use Spray

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 511711 | 1L | - | 12 | 5029347613952 |


Multi-Use Wonder Wipes is available in a hand spray. Wonder Wipes Spray is the ideal solution for cleaning large surface areas by using the spray with Paper Wipe Rolls or refreshing a Wipe to make it go that extra mile. Wonder Wipes Spray is also the perfect way to keep the PVC door and window frames looking good as new.



Glass Cleaner

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 490894 | 1L | - | 12 | 5029347900014 |


Glass Cleaner is a powerful glass cleaning agent containing a high level of detergents and solvents for rapid drying to a smear and static free finish. May also be used on tiling, VDUs, TV screens, chrome, and other glass items.



PVCu Solvent Cleaner

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 486919 | 1L | - | 12 | 5029347900045 |

PVCu Solvent Cleaner is a solvent based product formulated to remove ingrained dirt from PVCu and most plastics. Also suitable to restore an 'as new' look to old windows and plastic garden furniture. Fast drying.


All Purpose
Silicone Spray

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 484813 | 400 ml | - | 12 | 5029347600648 |

All Purpose Silicone Spray is a dry silicone lubricant and mould release agent for the easing of friction between two surfaces. Ideal for use in mould making/release industries, to ease installation of rubber and EPDM gaskets to window and door frames and has 100's of uses around the home, garage, workshop and industry. Silicone Spray will also enhance the appearance of vinyl and hard surfaces such as car dashboards etc, where the dry-bright finish will eliminate the need for polish.



SHOP THE SIKA RANGE NOW ON THE SIKA B2B ESHOP



**SCAN HERE
TO LOG IN
OR SIGN UP**

Power Pro Sealant Gun

| SGAN | SIZE | QTY | BARCODE |
|--------|-----------|-----|---------------|
| 484912 | C4/400 ml | 6 | 5029347600945 |

The ultimate heavy duty sealant gun, extra pull trigger, hook end and swivel action barrel for both 310 ml and 400 ml cartridges. Engineered for the trade.



Superflow Sealant Gun

| SGAN | SIZE | QTY | BARCODE |
|--------|-----------|-----|---------------|
| 489588 | C3/310 ml | 6 | 5029347613082 |

Engineered to be what we believe is the best gun ever, with a rotating barrel, smooth action trigger, soft grip handle, and a non-drip device all wrapped up in a robust, sturdy gun that will handle the toughest of conditions.



Sika® Foil Applicator Gun

| SGAN | SIZE | QTY | BARCODE |
|--------|--------|-----|---------------|
| 483370 | 600 ml | 1 | 5029347600808 |

The Foil Pack applicator gun is designed for use with foil packs, the enclosed aluminium barrel can also be used for standard cartridges.



Sika® PowerCure Dispenser

DISPENSER

| SGAN | SIZE | QTY | BARCODE |
|--------|--------|-----|---------------|
| 671579 | 600 ml | 1 | 7612895699936 |

NOZZLE

| SGAN | SIZE | QTY | BARCODE |
|--------|------|-----|---------------|
| 496783 | - | 40 | 7612895230030 |

The Sika PowerCure Dispenser provides a quick and efficient way of applying SikaBooster technology found in Sikaflex 423 Powercure. The fast curing technology coupled with the Sika PoweCure Dispenser creates the most convenient application method for when time is of the essence.



Foil Pack

Spare Nozzles and Push Disc

| SGAN | SIZE | QTY | BARCODE |
|--------|------|-----|---------------|
| 489586 | - | 1 | 5029347602208 |

Refill pack for foil pack applicator gun; contains 10 x nozzles and 1 x push disc.



Professional

Sealant Gun

| SGAN | SIZE | QTY | BARCODE |
|--------|-----------|-----|---------------|
| 483371 | C3/310 ml | 12 | 5029347602246 |
| 485999 | C4/400 ml | 12 | 5029347600952 |

Sturdy skeleton gun with hexagonal rod and reinforced ring and hook end.



Jumbo

Sealant Gun

| SGAN | SIZE | QTY | BARCODE |
|--------|--------|-----|---------------|
| 489587 | 900 ml | 1 | 5029347600785 |

With swivel action and extra heavy duty push rod mechanism to cope with stiff acoustic sealants. For all 900 ml cartridges.



P45 Medium Duty Metal Gun

| SGAN | SIZE | QTY | BARCODE |
|--------|------|-----|---------------|
| 486679 | P45 | 1 | 5029347603526 |

P45 Foam Gun gives the user more control to apply the foam precisely in hard to reach places, saving unnecessary wastage.



P65 Heavy Duty Metal Gun

| SGAN | SIZE | QTY | BARCODE |
|--------|------|-----|---------------|
| 486680 | P65 | 1 | 5029347123000 |

A gun for heavy duty applications, with unique 'Easy Clean Tip' for cleaning of the valve and gun nozzle. For use with all gun grade foams.



Pro Point Gun Kit

| SGAN | SIZE | QTY | BARCODE |
|--------|------|-----|---------------|
| 489049 | - | 1 | 5029347603410 |

Mortar Pointing Gun Kit complete with nozzles for both mortar and tile grout and mixing paddle. Designed to apply mortar deep into joints for maximum protection and strength. Comes complete with two plastic nozzles, a metal ended nozzle and a mixing paddle packed in a high impact printed box.



See our full
range of
expanding foams

Pages 26-27



Standard Nozzles

| SGAN | SIZE | QTY | BARCODE |
|--------|------|-----|---------------|
| 489640 | - | 12 | 5029347606237 |

Standard cartridge nozzles, handy replacements packed in 6's.



Seal Rite Strip-Out Tool

| SGAN | SIZE | QTY | BARCODE |
|--------|------|-----|---------------|
| 482769 | - | 12 | 5029347603557 |

The Strip-Out Tool works on any type of sealant and is the ideal partner for use before applying silicone sealant. The Strip-Out Tool is incredibly simple and its design and shape provides a really quick way to strip all types of sealant out of any 90° angle joint.



Seal Rite Smooth-Out Tool

| SGAN | SIZE | QTY | BARCODE |
|--------|------|-----|---------------|
| 486847 | - | 12 | 5029347603618 |

The Smooth-Out Tool is a unique tool that is ideal for smoothing out all sealants after application – it creates a perfect seal every time. Even better, you will have no edge marks and no mess! This tool is really remarkable, once used, you'll never seal again without it.



Seal Rite Strip-Out and Smooth-Out Twin Pack

| SGAN | SIZE | QTY | BARCODE |
|--------|------|-----|---------------|
| 483399 | - | 12 | 5029347609603 |

A Twin pack with Strip-Out Tool for easy sealant removal and Smooth-Out Tool to create the perfect seal. Ideal for use with our full range of Silicone Sealants.



PLUMBING AND HEATING

Leak free seals where it matters most

Sika's heating and plumbing range provides high-quality products that make installation, repair, and maintenance fast and dependable.

- **Secure sealers:** Keep plumbing secure and leak free with our range of high-performance sealers.

With Sika heating and plumbing supplies, every connection is strong, every job is simpler, and every system is built to last.





Plumbers Gold

Sealant & Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 847283 | 290 ml | CLEAR | 12 | 5029347607081 |
| 847282 | 290 ml | WHITE | 12 | 5029347607074 |

Specially formulated for the plumbing professional, Plumbers Gold is a sealant and adhesive based on hybrid polymer technology that offers outstanding adhesion to all sanitary, bathroom, wetroom, kitchen and plumbing materials.

CAN BE APPLIED
TO WET SURFACES

WILL EVEN WORK
UNDERWATER



INTERIOR AND
EXTERIOR
USE



ANTI-SLUMP



OVER-
PAINTABLE




ANTI-FUNGAL
MOULD



RESISTANT TO
CHEMICALS



containing
**Mould
Shield**



Brick / Timber / Metal / PVCu / Glass

P13 Putty

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 488411 | 750 g | BEIGE | 12 | 5029347600655 |

Plumber's Putty is a ready-mixed, waterproof, non-setting putty designed for sealing and bedding WC soil pipes, joints in sanitary wear, sinks and waste water fittings. Plumber's Putty will seal ceramics, vitreous enamels, metals and PVC. Remains permanently flexible to allow for joint movement.



P16 PVC Pipe Cement

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 488408 | 250 ml | - | 12 | 5029347607029 |

PVC Pipe Cement is a non-drip, thixotropic solvent based pipe cement for bonding non-pressure PVC and ABS thermoplastic pipes and conduits to themselves and each other.

Conforms to BSEN14814 and BSEN14680.



CONFORMS TO
BSI KMS61610



PVC/PVCu/ABS

P20 Flux Soldering Paste

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 488416 | 140 g | WHITE | 12 | 5029347613068 |

Plumber's Flux is a soft paste which is applied to joint areas prior to soldering. It is suitable for use with most metal types. It is self cleaning and can be used with potable water.



See our wide
range of
grab adhesives

Pages 36-42



Heat Resistant Silicone

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 486749 | 310 ml | BLACK | 12 | 5029347609290 |

Heat Resistant Silicone is a high temperature resistant, fast cure, silicone, heat stable up to 275°C, which is permanent flexibility – high modulus sealant. It is ideal for joints and assemblies in ducting, metal chimneys, industrial/domestic ovens, heating appliances. Excellent adhesion to most non-porous surfaces.



Flue Jointing Compound

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 488403 | 500 g | - | 12 | 5010618050019 |
| 488407 | 1 kg | - | 12 | 5010618050217 |

Flue Jointing Compound is a finely dispersed asbestos free material with a stiff consistency. It will not harden completely and small movements can be accommodated without cracking. Flue Jointing Compound is nonflammable and, therefore, there is no risk of fire.



See our specialist
fire-rated
sealant range.

Pages 84-85



TILING SYSTEM SOLUTIONS WITH SIKACERAM®

From decorative tiled surfaces to highly functional tiled wall and floor finishes, Sika is able to provide full systems. Sika has developed a comprehensive range of tile adhesives, tile grouts and useful ancillary products that are designed as integrated systems to achieve the optimum results.

For the full range see Page 150-152



BUILDING SUPPLIES

Reliable solutions for every stage of construction

From groundwork to finishing, Sika provides innovative building supplies you can trust.

- **Structural Performance:** Waterproofing, admixtures, self-levellers, and chemical anchors for strength and durability.
- **Repair and Protection:** Floor paints, line markers, wall finishes, and concrete/brick repair solutions.
- **Bonding and Finishing:** PVA/SBR bonding agents, putties, and pointing compounds for secure adhesion and flawless results.

Sika delivers practical, professional-grade solutions that make construction simpler, stronger, and longer lasting.

| | |
|------------------------------|-----|
| Waterproofing | 122 |
| Admixtures | 126 |
| Self Levelling Compounds | 130 |
| Concrete and Brick Repair | 134 |
| Primer, PVA, and SBR Bonding | 138 |
| Wall Finishing | 140 |
| Building Sundries | 142 |



Sika®-1 Waterproofer

Liquid Waterproofing Additive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 114448 | 5 L | YELLOW | 4 | 7612895673271 |
| 114449 | 25 L | YELLOW | 1 | 5055047200123 |

A liquid waterproofing additive for mortar and concrete.

The colloidal silicates in the additive swell and block the capillaries and pores in the applied sand/cement renders, screeds and mortar to provide an effective barrier against the transmission of liquid water.



**PROVEN TRACK RECORD
FOR OVER 100 YEARS**

**EXCELLENT RESISTANCE
TO BACKWATER PRESSURE**

**WATERPROOF RENDERS
TO RESIST MOISTURE
ABOVE GROUND**


**CONSUMPTION: 0.75 L
PER 25 KG CEMENT**



Sika®-2 Water Plug

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|--------------|
| 114452 | 5 L | RED | 4 | 505547200048 |


A ready to use, rapid setting, leak stopping liquid which is mixed with ordinary portland cement to produce a paste for immediate leak sealing against high water pressure infiltration. Suitable to seal severe water leaks and to be applied on surfaces with running surface water.



Sika®-4 Rapid Setting

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 114453 | 5 L | BROWN | 4 | 5055047200086 |


A ready to use liquid for accelerating the set time of mortars and renders where low water pressure or slow water movement exists. Sika®-4 Rapid Setting Provides excellent resistance to backwater pressure and prevents cement wash out.



Sika®-4a Water Stop

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 114454 | 5 L | CLEAR | 4 | 5055047200109 |

A ready to use, quick setting, liquid which is mixed with water and ordinary portland cement to produce a paste for leak stopping. Sika®-4a Water Stop is suitable for use against high or moderate water pressure infiltrations.



Sikalastic®-1K

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 489549 | 20 kg | GREY | 1 | 5055492701305 |

A one-component, highly flexible, cementitious, fibre-reinforced mortar for the waterproofing of concrete structures. It can be used for the outside waterproofing and protection of basement walls as well as on hydraulic structures, such as swimming pools.



Sika® Damp Proofing Slurry

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 456454 | 20 kg | GREY | 1 | 5055492700704 |
| 102198 | 25 kg | GREY | 1 | 5055047201021 |

A high-quality, thin layer, waterproof slurry coating that contains special cements and admixtures that provides a finish that prevents dampness and water penetration. Easy to mix and apply as well as being overpaintable with vapour permeable coatings.

SikaMur®
InjectoCream-100

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 425016 | 300 ml | WHITE | 12 | 7612894892604 |

A silane-based, waterproof cream that can be inserted into holes in mortar course of the wall to provide a Damp Proof Course (DPC) that will block future rising damp.

Febtank Super
Waterproof Coating

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 486609 | 25 kg | GREY | 1 | 5029347607807 |
| 489396 | 20 kg | GREY | 1 | 5029347609856 |

Febtank Super, when mixed with clean water, forms an extremely durable waterproof coating for concrete and masonry which is easily applied by a stiff hand brush, broom or spray. Ideal permanent waterproofing system for basements, cellars, pools, reservoirs and below ground level applications. Resists both negative and positive water pressure. **Tested to BSEN 1504-3.**



Febtank Plug

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 486603 | 5 kg | GREY | 1 | 5029347607814 |

Febtank Plug is an ultra-rapid setting, durable plugging compound designed to stop active water leaks in concrete and masonry.

Once applied, the material expands as it cures to form a permanent watertight seal with similar characteristics to concrete. Suitable for use with Febtank Super.



THE WATERTIGHT SOLUTION ENGINEERED FOR BASEMENTS



Our ground-breaking **Sika® Watertight Concrete System** is specifically designed for water resistance underground. Made in Britain by the original innovators of watertight concrete to keep water in its place. Available now in powdered (hydrophobic or crystalline) and bulk liquid (hydrophobic).

- Keeps water out – and in for swimming pools
- Industry leading design and technical support for complex projects
- Includes complementary jointing products for a complete watertight seal
- Incorporates the latest concrete admixture technology
- No.1 in the UK – all formulas are BBA certified, backed with 15-year Sika® Guarantee

Find out more at sikawaterproofing.co.uk

BUILDING TRUST



SikaMix Mortar Plasticiser

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 445021 | 5 L | - | 4 | 5055492700483 |
| 445917 | 25 L | - | 1 | 5055492700544 |

SikaMix Mortar Plasticiser is a chloride-free, air-entraining admixture designed to improve workability, durability, and cohesion in mortars, renders and screeds. It produces smoother, creamier mixes, reduces shrinkage and efflorescence.



SikaMix 3 in 1

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 880786 | 5 L | YELLOW | 4 | 5055047200529 |

SikaMix 3 in 1 is a professional-grade admixture that combines water resistance, plasticising, and retarding in one convenient product. Perfect for exterior renders and screeds, it improves workability, reduces water bleed, and enhances durability.



SikaMix Powdered Mortar Plasticiser

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------------|--------|-----|---------------|
| 165860 | 250 sachets | - | 1 | 5055047209041 |

SikaMix® Powdered Mortar Plasticiser (PMP) is a pre-measured air entraining admixture which complies to EN 934-3 and replaces or complements the use of lime in sand and cement bricklaying and rendering.



SikaMix

Frostproofers and Plasticisers

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 877562 | 5 L | AMBER | 4 | 5055047200864 |

A chloride free admixture for concrete that is suitable for use with steel reinforcement. Sikamix® Frostproofers and Plasticisers allows mortars and concretes to be used in sub-zero temperatures, eliminating the need for a separate frostproofers.



Sika® Release Oil

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 513849 | 5 L | CLEAR | 4 | 5055047200604 |

A ready to use, formwork release agent that is suitable for mould and shuttering. Sika® Release Oil is suitable for use prior to casting concrete in order to achieve a clean release after removal of formwork.



Sika MaxMix®

Powder Mortar Tone

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 878064 | 1kg | BLACK | 6 | 5029347002817 |
| 878131 | 1kg | BROWN | 6 | 5029347002831 |
| 878077 | 1kg | BUFF | 6 | 5029347002855 |
| 878076 | 1kg | RED | 6 | 5029347002824 |

Sika MaxMix Power Mortar Tone is formulated from best quality oxide pigments for colouring all types of mortars. The pigments disperse easily into the mix to give a uniform shade for each mix batch, shading can be adjusted to provide a wider variety of colour depths. **Tested to EN12878.**



Sika® MaxMix® Concentrated Integral Waterproofer

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 881475 | 1L | YELLOW | 6 | 7612894695649 |

A highly concentrated waterproofing and air entraining admixture for sand and cement mortars, renders and screeds. Sika® MaxMix® Concentrated Integral Waterproofer improves the workability of mortar/render and helps prevent shrinkage, cracking, crazing and mild frost damage.



Sika® MaxMix® Concentrated Frostproofer and Hardener

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 881347 | 1L | STRAW | 6 | 7612894695724 |

A highly concentrated air entraining admixture which is designed specifically for cold weather by eliminating the requirement for a second frostproofing admix. Sika® MaxMix® Concentrated Frostproofer and Accelerator reduces the setting time of sand and cement based mortars, renders, screeds etc.



Sika® MaxMix® Concentrated Mortar Tone

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 170406 | 1L | BLACK | 6 | 7612894695823 |
| 170408 | 1L | BROWN | 6 | 7612894695861 |
| 170410 | 1L | RED | 6 | 7612894695908 |
| 170412 | 1L | YELLOW | 6 | 7612894695946 |

A concentrated, one-shot cement colourant that provides a uniform shade of colour to cement mortars, renders, concrete and pointing.



Sika® MaxMix® Concentrated Mortar Plasticiser

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 880826 | 1L | BROWN | 6 | 7612894694888 |

A highly-concentrated, air entraining liquid plasticising admixture that is twenty five times the strength of conventional products. Forms extremely stable air bubbles in mortar mixes that improves the consistency and workability of mortar. Sika® MaxMix® Mortar Plasticiser helps to prevent shrinkage, cracking, crazing and mild frost damage.



SikaMix Integral Waterproofer

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 877539 | 5 L | - | 4 | 5029347002251 |

SikaMix Integral Liquid Waterproofer is a plasticising, air-entraining admixture that provides built-in protection by reducing permeability and surface absorption. Suitable for pool and tank linings, roof areas, external renders, pointing, and below-ground structures, it improves durability, enhances workability, and ensures easier application. **Tested to EN934-3 (2009)+A1(2012).**



SikaMix Frostproofer and Hardener

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 878091 | 5 L | - | 4 | 5029347002350 |

SikaMix Frostproofer and Hardener is a chloride-free accelerator that shortens setting times and protects mixes down to -8 °C. Its non-corrosive formula is safe for use with brick ties and reinforcement, making it an ideal choice for mortars, screeds, renders, concrete and emergency plugging repairs. **Tested to EN934-2 (2009)+A1(2012).**



HEAVY DUTY WONDER WIPES

Textured for tough jobs

See page 107




Sikafloor®-122 Level

Universal Self Levelling Compound

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 813560 | 20 kg | GREY | 1 | 7612655050076 |

A one-part, multi-purpose, cement based self-leveller for smoothing and levelling uneven internal rigid floors prior to applying a final wearing covering. Suitable for underfloor heating applications beneath heating systems. This product is highly fluid and easy to apply.

**Sikafloor®-125 Level**

Flex Self Levelling Compound

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 825002 | 20 kg | GREY | 1 | 7612655082343 |

A one-part, latex modified smoothing and levelling compound with added polymer powder for improved flexibility and resilience. This product is suitable for smoothing and levelling rigid internal floors prior to applying final wearing coverings. Suitable for underfloor heating applications beneath heating systems.




Sikafloor®-131 Level

Latex Ultra Self Levelling Compound

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 619525 | 25 kg | GREY | 1 | 5055047210726 |

A one-part, latex modified, high-strength self leveller for smoothing and levelling uneven rigid floors. Sikafloor® 131 Level Latex Ultra may be overlaid with common floor coverings or may be left as a final wearing surface. A rapid setting heavy duty product which is suitable for both internal and external floors, this product is also strong enough to withstand vehicular traffic.




Sikafloor®-132 Level

Rapid Self Levelling Compound

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 767210 | 16 kg | GREY | 1 | 7612895935782 |

Sikafloor®-132 Level Rapid is a 1-part, cementitious, polymer-modified, fast setting, smoothing and levelling compound for uneven rigid internal floors. Ideal for applications where same day covering is required. Suitable for use with many flooring finishes such as carpets, vinyl, wood block flooring, ceramic tiles and laminate flooring.

Compatible with underfloor heating applications, beneath heating systems, with maximum surface temperature of +27 °C.




Sikafloor®-245 Level

Deep Fill Ultra Self Levelling Compound

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 612979 | 25 kg | GREY | 1 | 5055492702951 |


A one-part, thick bed, smoothing and resurfacing compound for levelling out uneven floors and screeds down to the depth of 50mm. This product is known for it's extremely low shrinkage properties and is suitable for use on internal and external floors.

**Sikafloor-360 Level**

Fibre Self Levelling Compound

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 861772 | 20 kg | GREY | 1 | 7612655156327 |

A fibre modified, cement based, protein free self levelling compound used for levelling uneven floors and screeds up to 60mm depth in one pour. Contains powdered polymer to eliminate the need for a separate latex liquid being added. Suitable for use on timber floors and designed for underfloor heating applications, including embedment. The free flowing mix sets in 4 hours and can be overlaid after 8 hours.




Sikafloor®-440 Level

Fibre Reinforced Self Levelling Compound

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 612787 | 20 kg | GREY | 1 | 5055492702944 |

A one-part, fibre and polymer re-enforced, flexible, high strength heat resistant cement based levelling compound. Designed specifically for the embedment of underfloor heating elements and for use on timber floors. Sikafloor® 440 Level Fibre Reinforced can be left as a final wearing surface or may be overlaid with floor coverings.



SikaGrout®
111 GP

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 527763 | 25 kg | GREY | 1 | 7612895340319 |

A one part, general purpose, high precision, shrinkage compensated cementitious grout. SikaGrout® 111 GP is easy to mix and apply; it is perfect for a multitude of jobs, such as filling voids, machine and base plates.

**Sikadur®-31+**

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 644950 | 1.2 kg | GREY | 8 | 7612895650944 |
| 644872 | 6 kg | GREY | 1 | 7612895650838 |

Rapid

| | | | | |
|--------|--------|------|---|---------------|
| 722440 | 1.2 kg | GREY | 8 | 7612895827704 |
| 662201 | 6 kg | GREY | 1 | 7612895674056 |

Sikadur®-31+ is a two-part, low-VOC, moisture-tolerant epoxy structural adhesive which bonds to many construction materials. It is also used for structural concrete repairs, joint filling, and crack sealing. It can be used in both do-it-yourself (DIY) and professional applications.



Looking for a dry spray mortar for large volume applications?

Look no further than
Sikacrete®-101 Standard.



- Economical
- Dust reduction technology
- Class R4 according to EN 1504-3
- High build
- Rapid strength gain
- Low shrinkage

And that's not all!
Find out the details at:



SCAN ME

Sikagard® 550 W Elastic

Crack Bridging and Protective Coating


| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|----------|-----|---------------|
| 407930 | 15 L | RAL 1001 | 1 | 7612894809237 |
| 407929 | 15 L | RAL 1002 | 1 | 7612894809220 |
| 183570 | 15 L | RAL 1015 | 1 | 7612895387826 |
| 524264 | 15 L | RAL 7023 | 1 | 7612895322650 |
| 489356 | 15 L | RAL 7030 | 1 | 7612895203720 |
| 504747 | 15 L | RAL 7032 | 1 | N/A |
| 457266 | 15 L | RAL 7035 | 1 | 7612895062860 |
| 403609 | 15 L | RAL 7037 | 1 | N/A |
| 540553 | 15 L | RAL 7038 | 1 | 7612895394756 |
| 452574 | 15 L | RAL 7040 | 1 | 7612895046648 |
| 405013 | 15 L | RAL 7044 | 1 | 7612895194356 |
| 414256 | 15 L | RAL 9001 | 1 | 7612894841824 |
| 414250 | 15 L | RAL 9002 | 1 | 7612894841794 |
| 182776 | 15 L | RAL 9010 | 1 | N/A |
| 486873 | 15 L | RAL 9016 | 1 | 7612895194356 |



RAL 7023

RAL 7038

RAL 9010



RAL 1001

RAL 7032

RAL 7044



RAL 7030

RAL 7040

RAL 9016



RAL 1002

RAL 7035

RAL 9001



RAL 1015

RAL 7037

RAL 9002

Sikagard 550 W Elastic is a one component, plasto-elastic coating based on UV-curing acrylic dispersion with excellent crack-bridging properties even at temperatures below 0°C.

It has been specifically designed for the protection and enhancement of concrete structures (normal and lightweight concrete), especially exposed outdoor concrete surfaces with a risk of cracking. Sikagard 550 W Elastic is the perfect solution for overpainting render in the colour of your choice, giving an exceptional protection against UV, weather and ageing.

Colour swatches are a guide only and may vary.



UV RESISTANT

WATERPROOF



Jetcem Rapid Repair Cement

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 620460 | 3 kg | GREY | 4 | 5010618043103 |
| 620438 | 6 kg | GREY | 2 | 5010618044100 |

Ideal for rapid patching or when a fast repair job is needed. Sets in approximately 30 minutes. Sets in the cold and wet.



Jetcem Deep Rapid Repair Sand and Cement

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 620326 | 2 kg | GREY | 6 | 5010618047101 |
| 620439 | 6 kg | GREY | 2 | 5010618048108 |

Strong and easy to use rapid setting repair compound. Internal and external repairs to gaps and cracks on walls, floors, steps and kerbstones. Repairs deep holes in concrete, stone and brick.



Jetcem Waterproof Rapid Repair Cement

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 620436 | 3 kg | - | 4 | 5029347610166 |

Fast, strong and easy to use waterproof repair compound. Internal and external repairs to cracks and holes in structures subject to permanent water immersion. Ideal for patch repairs to tanking and water retaining structures including ponds. Suitable for use on concrete, stone and brick.



Jetcem Plaster Rapid Repair

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|-----------|-----|---------------|
| 620437 | 6 kg | OFF WHITE | 2 | 5029347610173 |

Fast, strong and easy to use repair compound for patching plaster. Internal repairs for plasterboard, brick wood and stone. With added PVA powder to increase strength and reduce cracking and shrinkage.



Febset 45 Rapid

High Strength Repair Mortar

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 628382 | 25 kg | GREY | 1 | 5029347607630 |

Febset 45 is a specially formulated repair mortar, based on magnesia-phosphate cement pre-mixed with selected aggregates, which gives controlled, extremely high early strengths in temperatures ranging from -20°C up to over 30°C. Trafficable after 45 minutes. High bond strength, no primers required.



Febgrout Flowable

Anchoring Grout

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 627865 | 25 kg | GREY | 1 | 5055492703156 |

Febgrout Flowable is a structural fluid precision grout, specifically formulated to give high strength, shrinkage compensation and vibration resistance. It's suitable for grouting equipment and machinery, bearing pads, bridge bearings, rails and stanchion base plates. It can also be used to fill cavities, voids, gaps, recesses, and sealing around penetrations. Fills gaps in concrete 10mm to 150mm wide.



EpoxySet 105

Heavy Duty Epoxy Mortar Kit

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 490359 | 4 kg | GREY | 1 | 5029347010515 |
| 490405 | 14 kg | GREY | 1 | 5029347010522 |

Epoxyset 105 is a three part general purpose repair mortar based on epoxy technology. Formulated to withstand chemicals, impact and abrasion and can be used to repair concrete, screeds, stone, brick and steel in even the most demanding domestic and industrial situations. Pack includes finishing solvent and gloves.



Brick / Stone / Concrete

PRO POINT GUN KIT

Designed to apply mortar deep into joints for maximum protection and strength.


See page 112



SikaBond®
Rapid DPM


| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 175129 | 5 L | BROWN | 4 | 5055047210603 |

A solvent-free, single-part, moisture curing polyurethane primer and damp proof membrane, ideal for use on cement based substrates. SikaBond® Rapid DPM can be used for priming, consolidating and sealing in various applications. This product is particularly ideal to use on absorbent and non-absorbent subfloors, consolidating weak cement screeds and isolating old adhesive residue. Can be used as DPM on subfloors under hydrostatic pressure.

**Sika® Primer**
MB

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 498982 | 5 kg | BLUE | 1 | 7612894379990 |

A low viscosity, solvent-free, two-component epoxy resin based primer and moisture barrier for wooden floors. Suitable for use in conjunction with SikaBond® elastic adhesives on critical substrates.

**SIKAFLOOR® SELF LEVELLING**

Check out the full range on pages 130-133



SikaBond® PVA+

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 873752 | 500 mL | WHITE | 20 | 5029347005108 |
| 892408 | 1 L | WHITE | 12 | 5055492700568 |
| 892663 | 2.5 L | WHITE | 6 | 5055492700575 |
| 892664 | 5 L | WHITE | 4 | 5055492700469 |
| 892693 | 25 L | WHITE | 1 | 5055492700520 |

A medium viscosity general purpose adhesive, sealer and mortar admixture. It is easy to use, has excellent adhesion and reduces surface dusting. **SikaBond® PVA + Conforms to BS5270.**



SikaBond® Waterproof PVA Ultra

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 892721 | 5 L | White | 4 | 5055047209867 |

A water resistant, vinyl acetate polymer, specifically formulated for exterior use as an adhesive and sealer. Suitable for brickwork, mortar render, screed and plaster. Easy to use and, unlike normal PVA, will not re-emulsify when wet.



SikaBond® Contractors PVA

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 757726 | 2.5 L | WHITE | 6 | 7612895923253 |
| 754683 | 5 L | WHITE | 4 | 7612895914145 |
| 873753 | 25 L | WHITE | 1 | 5029347613372 |

A multi-purpose, economic adhesive, sealer and mortar admixture. SikaBond® Contractors PVA Adheres to most common building materials, making it ideal for priming unsound surfaces prior to plastering or painting. Also suitable for use as an adhesive, general dust sealer and cement admixture.



SikaBond® SBR

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 873668 | 2.5 L | WHITE | 6 | 5029347613624 |
| 892731 | 5 L | WHITE | 4 | 5055492700476 |
| 892692 | 25 L | WHITE | 1 | 5055492700537 |
| 873665 | 1000 L | WHITE | 1 | 7612655190826 |

A one-component, water-based, general purpose bonding agent and mortar admixture. As an admixture diluted with water, it produces a gauging solution for improving adhesion, workability and water resistance of mortars and cementitious mixes. Suitable for improving resistance to abrasion, chemicals and oils.



Sika® Blue Grit

Plaster Bonding Agent

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 487206 | 5 L | BLUE | 1 | 5029347608910 |
| 487207 | 10 L | BLUE | 1 | 5029347608880 |



Sika® Blue Grit is a high performance, plasterers grip coat bonding agent specifically designed to provide an improved key to smooth surfaces. Containing a fine aggregate, it provides a mechanical key to backgrounds such as plaster, concrete, painted surfaces, textured surfaces and ceramic tiles. One coat application, coloured blue to indicate coverage.




507 Rendagrip Render Bonding Agent

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 461975 | 10 L | RED | 1 | 5029347612610 |




Rendagrip is an extra grip render bonding agent that contains a fine aggregate to provide an improved key before applying render on external surfaces e.g. concrete, lightweight blockwork, brick etc. The fine aggregates are suspended in a unique waterproof polymer to ensure easy application and an even spread of aggregate avoiding any weak spots in the key coat and preventing the aggregate particles coming loose during application.



505 Plasterers Gripcoat Plasterers Gripcoat

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 461974 | 10 L | BLUE | 1 | 5029347611538 |

Plasterers Gripcoat is a high performance, plasterers grip coat bonding agent specifically designed to provide an improved key to smooth surfaces. Containing a fine aggregate, it provides a mechanical key to backgrounds such as plaster, concrete, painted surfaces, textured surfaces and ceramic tiles. One coat application, coloured blue to indicate coverage; now, with new improved colour.



Why Chemical Anchors?

Chemical Anchors, also often referred to as ‘Resin Bonded’ anchors, are being increasingly used where a critical or heavy weight loading needs fastening.

Unlike intrusive mechanical expansion anchors or plastic plugs, chemical anchors make the fixing an integral part of the substrate as the load is spread throughout the entire fixing area, removing the stress caused within the substrate when mechanical anchors or plastic plugs are “tightened” up.

This key difference is particularly relevant on lightweight substrates, and poor and friable substrates, cracked concrete, sandstone and masonry as well for fixings close to the edge.



Sika® AnchorFix-1

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 461476 | 300 ml | GREY | 6 | 5055492700742 |

A two-component, fast curing, solvent and styrene free, polyester based chemical anchoring adhesive. Sika® AnchorFix®-1 is recommended for standard applications with low to medium loads.

How are they used?

The hole is drilled to the required diameter dependent upon the threaded bar to be used, and the loading it has to take. Full tables of relevant hole diameter sizes and loading strengths can usually be found on all packs and technical data, but for example for an M8 fixing a 10mm diameter hole would normally be used in concrete.

Where are they used?

In addition to the more critical structural applications Chemical Anchors also provide a more robust fixing solution in many day to day building applications such as:

- Railings • Heavy Pipes • Gates • Sanitary Fixings • Wall Ties • Fire Surrounds • Lamps
- Steel Structures • Kitchen Wall Cupboards
- Towel Holders




Anchorset Green 150

Styrene Free Anchor Fixing Resin

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 490165 | 150 ml | GREY | 12 | 5029347606503 |

Anchorset Green 150 is a styrene free anchor fixing resin packed using a twin bag system for application with a standard sealant gun. Applied in one single action, this general purpose resin will produce a strong, chemical resistant fixing. Ideal for a multitude of uses including fixing railings, satellite dishes, brackets etc. which require heavy loads.




Anchorset Green 300

Styrene Free Anchor Fixing Resin

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 482457 | 300 ml | GREY | 12 | 5029347606046 |

A styrene free chemical anchor in a new easy to use twin bag system operated by a standard sealant gun, therefore easy to use by a general builder. Applied in one single action, this general purpose resin will produce a strong, chemical resistant fixing. Perfect for satellite dish mountings, gate hinges, balcony rails etc. Complete with a mixer nozzle.



Anchorset Nozzle

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|------------|
| 489048 | - | - | 25 | NO BARCODE |

Nozzle No. 4 - Standard mixer nozzle, 215 mm length for use with Anchorset 150 and 300.




Sikadur® 33

Structural Epoxy Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 498629 | 250 ml | GREY | 12 | 7612894403688 |

A two-component, solvent-free, cold cure, thixotropic epoxy resin, structural adhesive. Sikadur® 33 is supplied in a cartridge with an in-line mixer nozzle.



101 Multi Purpose

Linseed Oil Putty

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|---------|-----|---------------|
| 480210 | 1 kg | NATURAL | 12 | 5029347001117 |
| 480211 | 2 kg | NATURAL | 6 | 5029347001124 |

101 Multi-Purpose Linseed Oil Putty is specially formulated using only the best grade linseed oil, for glazing single glass into metal, softwood and hardwood window frames.

**102 Premium**

Butyl Glazing Compound

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 489029 | 2 kg | BROWN | 6 | 5029347001223 |

102 Butyl Glazing Compound is specially formulated for glazing double glazed units into timber window frames where a timber bead is to be used. Suitable for both soft and hardwood frames.

**103 Premium**

Trowel Mastic

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 488964 | 3 kg | STONE | 4 | 5029347600525 |
| 488966 | 6 kg | STONE | 2 | 5029347606794 |

103 Trowel Mastic is a premium oil based mastic for perimeter pointing around wood and metal window and door frames.



Surveyline Marking Paint

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 490207 | 700 ml | BLUE | 12 | 5029347601560 |
| 490213 | 700 ml | RED | 12 | 5029347601577 |
| 490214 | 700 ml | WHITE | 12 | 5029347000943 |
| 490215 | 700 ml | YELLOW | 12 | 5029347601553 |


A spray applied marking paint for contractors/surveyors spot marking. Colour coded for electric, gas, water and cable company use. Semi permanent formula lasts at least 3 months after application. Survey Line is available in four different colours: White (General Marker), Red (Electricity), Yellow (General Marker, Gas) and Blue (Water).



SHOP THE SIKA RANGE NOW ON THE SIKA B2B ESHOP



**SCAN THE QR CODE
TO LOG IN OR SIGN UP.**



TILE ADHESIVES AND GROUTS

Built to last, behind every tile

Sika's adhesives, grouts, and wet room kits deliver reliable performance for professionals and DIYers.

- **Wet Rooms:** Waterproofing tanking kits for long-lasting protection.
- **Tiling:** Adhesives for all projects, including rapid-set, flexible, and underfloor heating applications.
- **Grouting:** Durable, mould-resistant grouts in a range of colours.

From splashbacks to full wet rooms, Sika provides solutions for every tiling project.

| | |
|-----------------|-----|
| Wet Room System | 148 |
| Tile Adhesives | 150 |
| Grouts | 153 |



Aquaseal Wet Room System Kit

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 487861 | LARGE | - | 1 | 5029347611149 |
| 487891 | STD | - | 1 | 5029347611262 |

The Aquaseal Wet Room System Kit gives you everything you need to waterproof both walls and floors prior to tiling showers, wet rooms, wet zones and other areas susceptible to water and excessive moisture. Ideal for use on Plasterboard, Plaster, MDF, Plywood, Cementitious Boards, Block work, Concrete and Specialist Wet Room Boards.

The Aquaseal Tanking Kit is available in two sizes; Standard – everything you need to waterproof 4.5m² and Large – everything you need to waterproof 7.5m².

Both kits come complete with:

- Waterproof Tanking Primer (1 L)
- Waterproof Tanking Membrane (3LTR – Standard, 5 L – Large)
- Waterproof Tanking Tape (10 m)
- Waterproof Tanking Drain Mat
- Aquaseal Wet Room System instruction leaflet



**SIMPLE AND EASY TO APPLY
3 PART SYSTEM**

**COMES COMPLETE WITH ROLLER,
BRUSH AND DRAIN MAT.**

**SUITABLE FOR USE WITH
UNDERFLOOR HEATING**



Aquaseal

Waterproof Tanking Membrane

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 487333 | 5 L | BLUE | 1 | 5029347611163 |

Aquaseal Waterproof Tanking Membrane is the ideal product for use when waterproofing before tiling. It forms a permanently flexible watertight membrane, is non hazardous and solvent free. Aquaseal Tanking Membrane is easy to apply by brush, is quick drying and can be tiled after 12 hours.



- Tanking Primer**
Apply primer to surfaces that are to be waterproofed.




- Tanking Tape and Mat**
Apply self-adhesive tape across all joints, corners and pipe penetrations.

Next, apply the self-adhesive drain mat around the drain outlet.



- Tanking Membrane**
The ready-to-use membrane is applied by brush in a 2 coat system at right angles to each other.



Aquaseal

Wet Room System Tape

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 683645 | 10 m | - | 1 | 5055492703927 |

Aquaseal Waterproof Tanking Tape is a self adhesive joint and corner tape ideal for use when waterproofing showers, wet rooms and wet zones in bathrooms before tiling. A permanently flexible butyl backed fleece with cross directional stability, Waterproof Tanking Tape can be used on all board joints, corners and pipe entries. Can be tiled directly or overcoated with Aquaseal Waterproof Tanking Membrane for full wet zones and is easy to apply with a pre-cut release liner.



SikaCeram®-140

Rapid Set

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 674162 | 20 kg | GREY | 1 | 5055492703712 |

SikaCeram®-140 Rapid Set is a water-resistant tile adhesive, suitable for bonding ceramic and mosaic tiles to floor or walls in both thick and thin bed applications.

Classification C1 FT



SikaCeram®-240

Flexible Rapid Set

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 677239 | 20 kg | GREY | 1 | 5055492703729 |

SikaCeram®-240 Flexible Rapid Set Tile Adhesive is suitable for bonding ceramic tiles to walls or floors with a thick or thin bed application, with crack resistant properties making it ideal for applications where slight surface movement is likely.

Classification C2 FE



SikaCeram®-272

Ultra Flexible Rapid Set

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 677329 | 20 kg | WHITE | 1 | 5055492703736 |

SikaCeram®-272 Ultra Flexible is a rapid-setting, water resistant tile adhesive with superior flexibility, and is ideal for tiling heavy duty areas including heavily walked floors or areas under constant immersion.

Classification C2 FTE S1



SikaCeram®-277

Flexible Standard Set

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 677506 | 20 kg | WHITE | 1 | 5055492703743 |
| 677508 | 20 kg | GREY | 1 | 5055492703750 |

SikaCeram®-277 Flexible Standard Set is a thin bed adhesive with a long working pot-life and extended open time for applications where extensive cutting is required during application.

Classification C2 TE S1



SikaCeram®-282 Fibre Reinforced

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 678298 | 20 kg | GREY | 1 | 5055492703767 |

SikaCeram®-282 Fibre Reinforced is a highly flexible, lightweight, fibre reinforced tile adhesive for applications where movement is expected.

Classification C2 TE S2



701 Non Slip Showerproof Ready Mixed Tile Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|---------|-----------|-----|---------------|
| 487066 | 3.75 kg | OFF WHITE | 1 | 5029347070120 |
| 487067 | 7.5 kg | OFF WHITE | 1 | 5029347070137 |
| 487068 | 14 kg | OFF WHITE | 1 | 5029347070144 |

Acrylic Non Slip Tile Adhesive is an acrylic based formula for extra slip resistance and grab. Designed for general use in bathroom and kitchen areas. May be used in domestic showers when used in conjunction with Everbuild Powdered Wall Tile Grout. Tested to EN 12004 type D1T.



702 Water Resistant Ready Mixed Tile Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|-----------|-----|---------------|
| 487071 | 7.5 kg | OFF WHITE | 1 | 5029347070250 |
| 487072 | 16 kg | OFF WHITE | 1 | 5029347070205 |

Water Resistant Tile Adhesive is a premium grade adhesive that can be used in areas subject to prolonged/permanent wet conditions and in areas of high humidity and condensation. Tested to EN 12004 type D2T.



703 Fix And Grout Ready Mixed Tile Adhesive and Grout

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|---------|--------|-----|---------------|
| 487074 | 750 g | WHITE | 12 | 5029347600426 |
| 487075 | 1.5 kg | WHITE | 12 | 5029347070311 |
| 487077 | 3.75 kg | WHITE | 1 | 5029347070328 |
| 487078 | 7.5 kg | WHITE | 1 | 5029347070359 |

Fix and Grout Tile Adhesive is a premium grade adhesive, formulated to be used as both an adhesive and grout. Contains a fungicide to prevent mould growth and dries to a brilliant white finish. Tested to EN 12004 type D2T.



700 TileSet Universal


Floor and Wall Tile Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 678329 | 20 kg | GREY | 1 | 5029347615819 |
| 695061 | 20 kg | WHITE | 1 | 5029347615826 |

700 TileSet Universal is a standard setting tile adhesive, ideal for when an extended opening time is required.

Suitable for fixing ceramic, mosaic and natural stone tiles to semi-porous surfaces.

Classification C1 T




705 TileSet Rapid

Floor and Wall Tile Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 486663 | 20 kg | GREY | 1 | 5029347070526 |

705 TileSet Rapid is fast setting tile adhesive, drying in just 1-2 hours making it ideal for when same day fixing, and grouting is required. Suitable for bonding ceramic tiles to floors and walls.

Classification C1 FT




711 TileSet Flexiplus S1

Floor and Wall Tile Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 486660 | 20 kg | GREY | 1 | 5029347071110 |
| 695062 | 20 kg | WHITE | 1 | 5029347615901 |

711 TileSet Flexiplus S1 is a rapid setting tile adhesive with added latex powder for improved flexibility. Can be used for ceramic, porcelain, and large format tiles.

Classification C2 FTE S1



730 Universal Flexible Hygienic Wall and Floor Tile Grout

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|------------|-----|---------------|
| 695765 | 2.5 kg | WHITE | 4 | 5029347615918 |
| 486468 | 5 kg | WHITE | 1 | 5029347612283 |
| 486045 | 5 kg | ANTHRACITE | 1 | 5029347612337 |
| 486466 | 5 kg | IVORY | 1 | 5029347612306 |
| 486465 | 5 kg | GREY | 1 | 5029347612290 |

730 Uniflex Flexible Hygienic Wall and Floor Tile Grout is a cementitious grout designed specifically for wall and floor tile applications for joints up to 15mm wide. The added powder polymer provides flexibility and water resistance to provide a durable water repellent finish.

Suitable for most common tiles including ceramic, natural stone and porcelain. 730 Uniflex Flexible Hygienic Wall and Floor Tile Grout contains Mould Shield for long lasting Anti-Fungal protection against black mould.*.

*Simulated ageing.



GREY



IVORY



WHITE



ANTHRACITE

These swatch colours may not be a true representation, please obtain a sample from your local stockist.

SikaCeram® CleanGrout

Floor and Wall Tile Grout

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|----------------|-----|---------------|
| 427156 | 5 kg | ANTHRACITE | 4 | 7612894904116 |
| 427154 | 5 kg | ASH | 4 | 7612894904079 |
| 427155 | 5 kg | BEIGE | 4 | 7612894904093 |
| 445625 | 5 kg | ABSOLUTE BLACK | 4 | 7612895008011 |
| 445651 | 5 kg | JASMIN | 4 | 7612895008318 |
| 427153 | 5 kg | MANHATTAN GREY | 4 | 7612894904055 |
| 427157 | 5 kg | WHITE | 4 | 7612894904130 |


SikaCeram® CleanGrout is a cementitious, floor and wall tile grout for joints 1mm to 8mm in width; incorporating a high-quality, water-repellent formula which also prevents colours from fading over time.

Used: in applications where water-resistance is essential including swimming pools and tanks.

Inhibits the formation of mould and bacterial growth.

Suitable for interior and exterior applications.


For use on all types of tiles, mosaic, marble and natural stone.



WHITE




MANHATTAN GREY



BEIGE



ABSOLUTE BLACK



JASMIN



ASH



ANTHRACITE

These swatch colours may not be a true representation, please obtain a sample from your local stockist.

Sika® Forever White Powder Wall Tile Grout

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------------|-----|---------------|
| 852168 | 1.2 kg | ARCTIC WHITE | 8 | 5029347606145 |
| 852167 | 3 kg | ARCTIC WHITE | 1 | 5029347606367 |

Sika® Forever White Powder Wall Tile Grout is a cement based powdered grouting compound with added PVA to promote adhesion and water repellents to shed water.

Simply mix with water to give a pure white paste. Can be used on wall joints up to 3mm.



Sika® Forever White Grout Reviver

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------------|-----|---------------|
| 852169 | 200 ml | ARCTIC WHITE | 12 | 5029347606152 |

Sika® Forever White Grout Reviver is the easy way to restore discoloured and dirty grout to a bright white finish.

Simply apply to grout lines using the easy to use applicator, allow to dry and remove any excess residue with a damp cloth. Depending upon size of tile, will cover approx 20m² of tiles.



BUILDING FINISHING

Beautiful Exteriors, Made Simple

Enhance a property's kerb appeal with Sika's high-quality renders in a wide range of colours.

- **Colour Perfection:** Mineral renders in 48 colours, durable, breathable, and weather resistant.
- **Start Right:** Base coats that bond to challenging substrates to help achieve a flawless finish.
- **Top It Off:** Weather-resistant topcoats in multiple colours and finishes for long-lasting protection.

Sika façade renders provide reliable solutions for both new builds and renovations.



| | |
|-------------------------|-----|
| Renders | 158 |
| Base Coat and Top Coats | 160 |
| Pointing Mortars | 162 |
| Complementary Products | 163 |



Parex Monorex GM / GF

A medium or fine grain one-coat or top coat finish, through coloured, weather resistant and breathable decorative render. Available in a wide range of colours.



**SCAN FOR
FULL COLOUR
RANGE**



SikaWall-580 Monorex GM UK

| SGAN | SIZE | COLOUR | PALLET QTY |
|--------|-------|---------------------|------------|
| 721393 | 25 kg | G00 NATURAL WHITE | 40 |
| 721401 | 25 kg | G10 WHITE LIGHT | 40 |
| 721394 | 25 kg | G20 OFF-WHITE | 40 |
| 846924 | 25 kg | G30 MOUSE GREY | 40 |
| 846953 | 25 kg | G50 ASH GREY | 40 |
| 846966 | 25 kg | J20 PALE YELLOW | 40 |
| 846952 | 25 kg | J39 ATHENS SAND | 40 |
| 775535 | 25 kg | LW1 LIMESTONE WHITE | 40 |

A medium grain one-coat or top coat finish, through coloured, weather resistant and breathable decorative render.



SikaWall-571 Dash Receiver

| SGAN | SIZE | COLOUR | PALLET QTY |
|--------|-------|----------|------------|
| 711824 | 25 kg | WHITE | 40 |
| 711825 | 25 kg | MAGNOLIA | 40 |
| 711826 | 25 kg | CREAM | 40 |
| 852472 | 25 kg | GREY | 40 |

A one-coat, dry dash receiver that replaces the requirement for two-coat renders, reducing time on site. Through coloured to ensure a consistent colour and texture.



Parex Monoblanco

| SGAN | SIZE | PALLET QTY |
|--------|-------|------------|
| 629246 | 25 kg | 48 |

A bright white, semi-lightweight, one coat, weather resistant and breathable one-coat render for vertical masonry and concrete walls. Monoblanco is a bright white version of Monorex GF.

SikaWall®-500
Wet Dash

| SGAN | SIZE | COLOUR | PALLET QTY |
|--------|-------|----------|------------|
| 711785 | 25 kg | BROWN | 40 |
| 711783 | 25 kg | RED | 40 |
| 711784 | 25 kg | TAN | 40 |
| 711782 | 25 kg | YELLOW | 40 |
| 711777 | 25 kg | FAWN | 40 |
| 711776 | 25 kg | CREAM | 40 |
| 711779 | 25 kg | IVORY | 40 |
| 711780 | 25 kg | MAGNOLIA | 40 |
| 711781 | 25 kg | WHITE | 40 |
| 711778 | 25 kg | GREY | 40 |

SikaWall®-500 Wet Dash is combined with decorative aggregate to create a wet dash finish for masonry applications.

SikaWall®-530
Top Coat

| SGAN | SIZE | COLOUR | PALLET QTY |
|--------|-------|----------|------------|
| 711795 | 25 kg | YELLOW | 40 |
| 711786 | 25 kg | BEIGE | 40 |
| 711793 | 25 kg | TAN | 40 |
| 711790 | 25 kg | IVORY | 40 |
| 711787 | 25 kg | BROWN | 40 |
| 711792 | 25 kg | RED | 40 |
| 711796 | 25 kg | GREY | 40 |
| 711788 | 25 kg | CREAM | 40 |
| 711789 | 25 kg | FAWN | 40 |
| 711791 | 25 kg | MAGNOLIA | 40 |
| 711794 | 25 kg | WHITE | 40 |

SikaWall®-530 Topcoat is a Dry Dash receiver for application onto SikaWall®-100 Base Coat.



Blanc du littoral

| SGAN | SIZE | COLOUR | PALLET QTY |
|--------|-------|--------|------------|
| 673946 | 25 kg | WHITE | 48 |

A bright white, one-coat weather resistant and decorating render for internal and external vertical dense masonry and concrete walls.



Parlumiére Fin

| SGAN | SIZE | COLOUR | PALLET QTY |
|--------|-------|--------|------------|
| 632158 | 25 KG | G00 | 48 |
| 633775 | 25 KG | G20 | 48 |
| 633788 | 25 KG | T60 | 48 |

A fine through-coloured hydraulic lime render for use as a traditional render, please see the Mineral Render Colour Chart.



Parlumiére Moyen

| SGAN | SIZE | COLOUR | PALLET QTY |
|--------|-------|--------|------------|
| 700173 | 25 kg | G00 | 48 |
| 662492 | 25 kg | G20 | 48 |
| 669192 | 25 kg | J20 | 48 |
| 688632 | 25 kg | J30 | 48 |
| 662493 | 25 kg | J40 | 48 |
| 686918 | 25 kg | V10 | 48 |

A medium grain through-coloured top coat render made of hydraulic lime, used as the finishing coat of traditional renders. Please see the Mineral Render Colour Chart.



Parlumiére Clair

| SGAN | SIZE | COLOUR | PALLET QTY |
|--------|-------|--------|------------|
| 632159 | 25 kg | WHITE | 48 |

Hydraulic, lime-based, lightweight, natural white mortar, designed for use as a base coat in conjunction with Parlumiére Moyen/Fin or Parexal lime renders.



Parlumiére STH

| SGAN | SIZE | COLOUR | PALLET QTY |
|--------|-------|--------|------------|
| 657211 | 25 kg | GREY | 48 |
| 657210 | 25 kg | WHITE | 48 |

Hydraulic, lime-based, lightweight, water repellent mortar and render, resistant to sulphates, designed to stabilise masonry which has deteriorated due to salts, saltpetre or damp.



Parinter Renovation

| SGAN | SIZE | COLOUR | PALLET QTY |
|--------|-------|--------|------------|
| 673947 | 25 kg | G00 | 48 |

A restoration and bonding mortar for the renovation of old hydraulic cement or lime based renders, whether sound or cracked but not delaminated, including render or masonry that has been painted or has received a thick textured coating system.



SikaWall®-100 Base Coat

| SGAN | SIZE | PALLET QTY |
|--------|-------|------------|
| 711840 | 25 kg | 40 |

SikaWall®-100 Base Coat is for use prior to the application of SikaWall®-530 Top Coat. Made in the UK.



SikaWall®-1015 Adhesive Coat

| SGAN | SIZE | COLOUR | PALLET QTY |
|--------|-------|--------|------------|
| 711844 | 25 kg | WHITE | 40 |

SikaWall®-1015 Adhesive Coat is an adhesive to bond insulation as part of Sika EWI systems.



Parex Maité

| SGAN | SIZE | COLOUR | PALLET QTY |
|--------|-------|--------|------------|
| 632422 | 25 kg | G00 | 48 |
| 633990 | 25 kg | J20 | 48 |

An Insulation adhesive and base coat used with the Parextherm and Parexdirect render systems.



Parex Monogris E

| SGAN | SIZE | PALLET QTY |
|--------|-------|------------|
| 674154 | 25 kg | 48 |

A high-performance polymer modified, weather resistant, grey base coat and finishing render for vertical external and internal walls.



Parex Parmurex

| SGAN | SIZE | PALLET QTY |
|--------|-------|------------|
| 673948 | 25 kg | 48 |

One-coat weather resistant grey render for internal and external dense masonry and concrete walls. Suitable as a grey coat finishing render or as a base coat for receiving a Parex decorative finish.



One-Coat GPR General Purpose Render

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 636028 | 25 kg | GREY | 1 | 5055492703194 |

One-Coat General Purpose Render used to render over prepared masonry to provide a weather resistant, breathable rendered finish. Applied to a thickness of up to 15mm which cures to an overpaintable finish and perfect for use on brickwork, blockwork and concrete substrates. Dries to a grey surface finish that complies to W2 water capillary resistance.



Parex Revlane+ Ignifuge Taloche Gros

A pre-mixed, vapour permeable, ready to apply Acrylic based decorative coating for external and internal walls. Finished appearance is based upon grain size, Gros 1.6mm.



**SCAN FOR
FULL COLOUR
RANGE**



Parex Revlane+ Ignifuge Taloche Fin

A pre-mixed, vapour permeable, ready to apply Acrylic based decorative coating for external and internal walls. Finished appearance is based upon grain size, Fin 1.0mm.



**SCAN FOR
FULL COLOUR
RANGE**



Parex Revlane Siloxane Ignifuge Taloche Gros

A pre-mixed, vapour permeable, ready to apply Siloxane-based decorative coating offering increased weather resistance and water run off properties. Finished appearance is based upon grain size, Gros 1.6mm.



**SCAN FOR
FULL COLOUR
RANGE**



Parex Revlane Siloxane Ignifuge Taloche Fin

A pre-mixed, vapour permeable, ready to apply Siloxane-based decorative coating offering increased weather resistance and water run off properties. Finished appearance is based upon grain size, Fin 1.0mm.



**SCAN FOR
FULL COLOUR
RANGE**



Parex Revlane+ Regulateur

An acrylic-based, ready-to-use coloured primer designed to adjust the base absorption to substrates and increase the depth of colour prior to the application of Parex REVLANE+ top coat finishes.



**SCAN FOR
FULL COLOUR
RANGE**



Parex Crylane

An acrylic binder paint specially designed for new and existing building façades with excellent coverage. Can be used pure or diluted with water. Please see the Revlane Colour chart.



**SCAN FOR
FULL COLOUR
RANGE**



Historic Mortar

Designed for gun-injection, Parex Historic Mortar provides a cement-free mortar for pointing soft brick or stonework. Consistent in both colour and finish, Parex Historic mortars are pumped deep into the joint, providing a complete fill and a degree of flexibility.



**SCAN FOR
FULL COLOUR
RANGE**

**Historic Mortar KL**

Designed for gun-injection, Parex Historic Mortar KL is a cement-free mortar suitable for use with dense masonry and brick tiles, eg. Corium Brick Cladding System, where porosity is low and suction is limited.



**SCAN FOR
FULL COLOUR
RANGE**

**Standard Mortar**

Designed for gun-injection, Parex Standard Mortar provides a clean, quick, lasting solution for pointing sound brickwork or masonry.



**SCAN FOR
FULL COLOUR
RANGE**

**Reproface**

A cementitious, through coloured, masonry repair mortar.



**SCAN FOR
FULL COLOUR
RANGE**



Parex TV10 Reinforcement Mesh

| SGAN | SIZE | PALLET QTY |
|--------|-----------------|------------|
| 633203 | 1 m x 50 m ROLL | 33 |

A glass fibre mesh fabric combined with specially designed surface treatments that can be used in a wide range of Parex cement and lime render applications. For ease of identification the TV10 mesh is coloured green and has the Parex logo throughout the mesh.



Parex Fixopierre

| SGAN | SIZE | PALLET QTY |
|--------|------|------------|
| 633436 | 5 L | 90 |
| 633435 | 20 L | 28 |

A water vapour-permeable and microporous substrate porosity regulator and key coat admixture, particularly suitable for lime or earth-based substrates where high breathability of the substrate is required or where a high absorption substrate is expected.

FIXOPIERRE improves the adhesion of façade renders by reducing the risk of the product drying out before hardening.



Parex Render Bead Adhesive

| SGAN | SIZE | COLOUR | BOX QTY |
|--------|--------|--------|---------|
| 651522 | 350 ml | WHITE | 12 |

A new ready-to-use, high-strength render bead adhesive. The bead adhesive has been designed for ease of application, fast drying and is capable of bonding to a wide range of substrates.



Parex Monacel Plus

| SGAN | SIZE | PALLET QTY |
|--------|------|------------|
| 669718 | 20 L | 24 |

Monacel Plus is an admixture used to reduce the initial setting time of one-coat renders.



Parex Micro Gobetis 3000

| SGAN | SIZE | PALLET QTY |
|--------|------|------------|
| 633272 | 20 L | 27 |

A pink coloured liquid with a high granular consistency for ease of application recognition, and to provide excellent bonding characteristics. Micro Gobetis 3000 is designed to control suction to high absorption or low porosity substrates and improves the adhesion for one coat render systems.



Parex Paraguard

| SGAN | SIZE | PALLET QTY |
|--------|------|------------|
| 630036 | 5 L | 48 |
| 630037 | 25 L | 24 |

A water-based coating, which provides a weatherproof, lotus leaf effect, water resistant surface to a range of render, paving, masonry and timber substrates.



1. INTERPRETATION

In these Terms and Conditions, the following expressions will have the following meanings unless inconsistent with the context:

"Bespoke Goods" means any Goods which are made to measure, bespoke, or otherwise manufactured to a unique specification.

"Brexit" means the United Kingdom ceasing to be a member state of the European Union.

"Buyer" the person(s), firm or company whose order for the Goods or Services is accepted by the Company in accordance with these Terms and Conditions.

"Company" Sika Limited (Company number:226822) whose registered office is located at Watchmead, Welwyn Garden City, Herts, AL7 1BQ.

"Confidential Information" means all information in respect of the business of the Company including, but not limited to, know-how, prices or other matters connected with the Goods or Services (which shall include any instructions or procedures, instruction manuals, user guides and other information which is supplied by the Company with the Goods or Services) and any other information of whatever nature which, if disclosed, will be liable to cause harm to the Company.

"Contract" any contract between the Company and the Buyer for the sale and purchase of the Goods or Services formed in accordance with Condition 2.

"Delivery Point" the place where delivery of the Goods is agreed to take place, as set out in the Company's written acknowledgement of order.

"Final Inspection Certificate" A Certificate issued for the benefit of a third party at the completion of the Services.

"Goods" any goods which the Company supplies to the Buyer (including any of them or any part of them) under a Contract.

"Guarantee" a guarantee or Final Inspection Certificate for or related to the Goods in a form to be provided by the Company in favour of a third party nominated by the Buyer.

"Guarantee Period" the on-going period of protection provided to a third party as set out in a Guarantee.

"Intellectual Property Rights" all intellectual and industrial property rights including patents, know-how, registered trade marks, registered designs, utility models, applications for and rights to apply for any of the foregoing, unregistered design rights, unregistered trade marks, rights to prevent passing off for unfair competition and copyright, database rights, topography rights and any other rights in any invention, discovery or process, in each case in the United Kingdom and all other countries in the world and together with all renewals and extensions

"Services" any services which the Company performs for the Buyer under a Contract, which are ancillary to the supply of Goods.

"Service Point" the place at which the

Services are to be performed, as set out in the Company's written acknowledgement of order.

"Specific Delivery Requirement" any goods, which are required to be delivered by a type of vehicle specified by the Buyer.

"Terms and Conditions" the standard terms and conditions of sale set out in this document together with any special terms agreed in writing between the Buyer and the Company. "Trademark" the SARNAFIL trademark registered in the United Kingdom under trademark number 1046240.

"Working Day" any day other than Saturday or Sunday or a public or bank holiday in England.

2. FORMATION AND INCORPORATION

2.1 Subject to any variation under Condition 14.5, the Contract will be upon these Terms and Conditions, to the exclusion of all other terms and conditions and all previous oral or written representations including any terms or conditions which the Buyer purports to apply under any purchase order, confirmation of order or similar document, whether or not such document is referred to in the Contract.

2.2 Each order or acceptance of a quotation for Goods or Services will be deemed to be an offer by the Buyer to purchase Goods or Services upon these Terms and Conditions. The Contract is formed when the Buyer receives confirmation that the order is accepted by the Company. Such confirmation may either be given orally or in writing. No contract will come into existence until such confirmation has been given by the Company.

2.3 The Buyer must ensure that the terms of its order and any applicable specification are complete and accurate.

2.4 Acceptance of delivery of the Goods or commencement of the performance of the Services will be deemed conclusive evidence of the Buyer's acceptance of these Terms and Conditions.

2.5 Subject to Condition 6.5, the Buyer may not cancel the Contract. The Company may cancel the Contract at any time prior to delivery of the Goods or commencement of the performance of the Services.

3. DESCRIPTION OF THE GOODS AND SERVICES

3.1. The description of the Goods will be as set out in the Company's price list. All samples, drawings, descriptive matter, specifications and advertising issued by the Company and any descriptions or illustrations contained in the Company's catalogues or brochures are issued or published for the sole purpose of giving an approximate idea of the Goods represented by or described in them. They will not form part of the Contract and this is not a sale by sample.

3.2. The Company may make any change to the specification, design, materials or finishes of the Goods which are:

3.2.1. required to conform with any applicable safety, statutory or regulatory requirement;

or

3.2.2. do not materially affect their quality or performance.

3.3. The Company will only perform Services which are ancillary to, or relating to, Goods provided under a Contract.

3.4. The Services will only be performed by the Company at the Service Point.

3.5. The Company shall use all reasonable endeavours to perform the Services:

3.5.1. to the standard required for the issue of a Final Inspection Certificate;

3.5.2. promptly, but time shall not be the essence for the performance of the Services.

3.6. The Company shall have the right to make any changes to the Services which are necessary to comply with applicable safety, statutory or regulatory requirements, or which do not materially affect the nature or quality of the Services, and the Company shall notify the Buyer in any such event.

4. PRICE AND PAYMENT

4.1. The price for the Goods or Services will be the price set out in the Company's published price list current at the date of delivery of Goods or performance of Services or as otherwise notified by the Company to the Buyer prior to the Contract being made. Orders for Goods valued below £2000 (before VAT) are exclusive of any costs of packaging and carriage, VAT and any other applicable sales tax or duty which will be added to the sum in question. Orders for Goods valued greater than £2000 (before VAT) and which are to be dispatched from the Company's warehouse within the United Kingdom are inclusive of any costs of packaging and carriage within the United Kingdom but exclusive of VAT and any other applicable sales tax or duty will be added to the sum in question.

4.2. The Company may invoice the Buyer for the Goods on or at any time after dispatch, or for the Services on or at any time after performance commences and payment is due in pounds sterling by the last day of the next calendar month following the date of invoice, or upon termination of the Contract, whichever occurs first.

4.3. Time for payment will be of the essence. No payment will be deemed to have been received until the Company has received cleared funds.

4.4. All payments to be made by the Buyer under the Contract will be made in full without any set-off, restriction or condition and without any deduction for or on account of any counterclaim.

4.5. If any sum payable under the Contract is not paid when due then, without prejudice to the Company's other rights under the Contract: that sum will bear interest from the due date until payment is made in full, both before and after any judgment, at a combined rate of the Bank of England base rate from time to time and the rate provided by the Late Payment of Commercial Debts (Interest) Act 1998 as amended from time to time; and the Company will be entitled to suspend

deliveries of the Goods or performance of the Services until the outstanding amount has been received.

4.6. The Company reserves the right to recoup any sum, resulting from costs incurred from legal proceedings to recover the sum payable under the Contract.

4.7. Any invoice queries must be communicated to the Company within 10 (ten) Working Days of receipt of the invoice by the Buyer.

5. INSTALMENTS

5.1. The Company may deliver the Goods, or perform Services, by separate instalments. Each instalment will be a separate Contract and no cancellation or termination of any one Contract relating to an instalment will entitle the Buyer to repudiate or cancel any other Contract or instalment unless otherwise notified by the Company. Each separate instalment will be invoiced and paid for in accordance with the provisions of the Contract.

6. DELIVERY OF GOODS

6.1. Delivery of the Goods within the UK mainland will be CPT Delivery Point INCOTERMS 2010 (save that carriage may be charged to the Buyer in accordance with Condition 6.4 and/or Condition 6.5).

6.2. Delivery of the Goods to Northern Ireland, the Scottish Isles, the Channel Islands or the Isle of Man will be made FOB Delivery Point INCOTERMS 2010.

6.3. Delivery of the Goods outside the UK will be made FAS Delivery Point INCOTERMS 2010, except that risk shall pass to the Buyer at the time that the Goods leave the Company's premises.

6.4. Delivery of the Goods will be accepted at any time of day. At the sole discretion of the Company, overnight deliveries or deliveries at specified times may be agreed in certain circumstances. Notwithstanding condition 6.1, such deliveries shall be subject to an additional charge being raised by the Company. If the Buyer fails to take delivery, or provide any necessary documents, the Goods will be deemed to have been delivered and the Company, without prejudice to its other rights, may at its option:

6.4.1. store or arrange for storage of the Goods until actual delivery or sale and charge the Buyer for all related costs and expenses (including, without limitation, storage and insurance); and/or

6.4.2. following written notice to the Buyer, sell any of the Goods at the best price reasonably obtainable in the circumstances and charge the Buyer for any shortfall below the price under the Contract.

Excessive waiting times may also be charged to the Buyer in certain circumstances.

6.5. The Company will use reasonable endeavours to deliver Goods 5 (five) Working Days after the date on which the order is confirmed by the Company, but the time of delivery will not be of the essence of a Contract. Notwithstanding condition 6.1,

carriage will be charged on deliveries required within 5 (five) Working Days, or deliveries with specific time or vehicle type stipulations. If, despite those endeavours, the Company is unable for any reason to fulfil any delivery of Goods on a specified date, the Company will be deemed not to be in breach of the Contract, nor (for the avoidance of doubt) will the Company have any liability to the Buyer for direct, indirect or consequential loss (all three of which terms includes, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss) howsoever caused (including as a result of negligence) by any delay or failure in delivery of Goods except as set out in this condition. Any delay in delivery of Goods will not entitle the Buyer to cancel the order unless and until the Buyer has given 10 (ten) Working Days' written notice to the Company requiring the delivery of the Goods and the Company has not fulfilled the delivery of the Goods within that period. If the Buyer cancels the order in accordance with this Condition 6.5 then, save as excluded under Condition 6.6:

6.5.1. the Company will refund to the Buyer any sums which the Buyer has paid to the Company in respect of the Goods which have been cancelled;

6.5.2. and the Buyer will be under no liability to make any further payments under Condition 4 in respect of the Goods that have been cancelled.

6.6. Notwithstanding, the provisions of Condition 6.5, the Company will be under no obligation to:

6.6.1. to refund the Buyer any sums which the Buyer has paid to the Company in respect of the Bespoke Goods which have been cancelled under Condition 6.5; and

6.6.2. waive any outstanding further payments due by the Buyer in respect of Bespoke Goods which have been cancelled under Condition 6.5.

6.7. The Buyer will provide at its expense at the Delivery Point adequate and appropriate equipment and manual labour for off-loading the Goods.

6.8. A £10.00 handling charge will be made in addition to the carriage charge for overnight dispatch of Goods. This service is offered as resources allow and is subject to available transport.

6.9. The type of vehicle used to deliver Goods and the method of packaging of the Goods for delivery will be at the discretion of the Company.

6.10. Any change required by the Buyer to the delivery vehicle and/or the method of packaging the Goods for delivery selected by the Company will constitute a Specific Delivery Requirement. The Buyer will incur any additional costs for a Specific Delivery Requirement.

6.11 The Buyer will provide a full and correct address, including postcode, for the delivery of the Goods.

7. RISK/TITLE IN THE GOODS

7.1. Risk of damage to or loss of the Goods

will pass to the Buyer in accordance with Condition 6.

7.2. Ownership of the Goods will not pass to the Buyer until the Company has received in full (in cash or cleared funds) all sums due to it in respect of:

7.2.1. the Goods; and

7.2.2. all other sums which are, or which become due to the Company from the Buyer on any account, whether for Goods or Services.

7.3. Until ownership of the Goods has passed to the Buyer, the Buyer must:

7.3.1. hold the Goods on a fiduciary basis as the Company's bailee;

7.3.2. store the Goods (at no cost to the Company) separately from all other Goods of the Buyer or any third party in such a way that they remain readily identifiable as the Company's property;

7.3.3. not destroy, deface or obscure any identifying mark or packaging on or relating to the Goods; and

7.3.4. maintain the Goods in satisfactory condition insured on the Company's behalf for their full price against all risks to the reasonable satisfaction of the Company, and will whenever requested by the Company produce a copy of the policy of insurance.

7.4. The Buyer may resell the Goods before ownership has passed to it solely on the following conditions:

7.4.1. any sale will be effected in the ordinary course of the Buyer's business at full market value and the Buyer will account to the Company accordingly; and

7.4.2. any such sale will be a sale of the Company's property on the Buyer's own behalf and the Buyer will deal as principal when making such a sale.

7.5. The Buyer's right to possession of the Goods will terminate immediately if any of the circumstances set out in Condition 11.1 occur.

7.6. The Company will be entitled to recover payment for the Goods notwithstanding that title in any of the Goods has not passed from the Company.

7.7. The Buyer grants the Company, its agents and employees an irrevocable license at any time to enter any premises where the Goods are or may be stored in order to inspect them, or where the Buyer's right to possession has terminated, to recover them.

7.8. Where the Company is unable to determine whether any Goods are the goods in respect of which the Buyer's right to possession has terminated, the Buyer will be deemed to have sold all goods of the kind sold by the Company to the Buyer in the order in which they were invoiced to the Buyer.

7.9. On termination of the Contract, howsoever caused, the Company's (but not the Buyer's) rights contained in this Condition 7 will remain in effect.

8. LIABILITY OF COMPANY

8.1. The Company will, free of charge, within a period of 12 months from the date of delivery of Goods, or where a Guarantee has been issued, for the Guarantee Period, which are proved to the reasonable satisfaction of the Company to be missing, damaged or defective due to defects in material or design (other than a design made, furnished or specified by the Buyer), repair, or at its option provide or replace, such Goods. This obligation will not apply where:

8.1.1. the Goods have been improperly altered in any way whatsoever, or have been subject to misuse or unauthorised repair;

8.1.2. the Goods have been improperly installed or connected;

8.1.3. any maintenance requirements relating to the Goods have not been complied with;

8.1.4. the Buyer has failed to notify the Company of any defect(s) or missing item(s) from the order acknowledgement within 48 hours of delivery where the defect(s) or missing item(s) should be apparent on reasonable inspection, or within 48 hours of the same coming to the knowledge of the Buyer where the defect(s) or missing item(s) is not that which should be apparent on reasonable inspection, and in any event no later than 12 months from the date of delivery;

8.1.5. where a guarantee has been issued, and has been breached by the third party beneficiary of the Guarantee within the Guarantee Period.

8.2. Any Goods which have been replaced by the Company will belong to the Company. Any repaired or replacement Goods will be liable to repair or replacement under the terms specified in Condition 8.1 for the unexpired portion of the 12 month period from the original date of delivery of the replaced Goods or where a Guarantee has been issued, for the Guarantee Period.

8.3. In the event of any breach of the Company's express obligations under Conditions 6.5, 8.1 and 8.2 above the remedies of the Buyer will be limited to damages.

8.4. The Company does not exclude its liability (if any) to the Buyer:

8.4.1. for breach of the Company's obligations arising under section 12 Sale of Goods Act 1979 or section 2 Supply of Goods and Services Act 1982;

8.4.2. for personal injury or death resulting from the Company's negligence; 8.4.3. under section 2(3) Consumer Protection Act 1987;

8.4.4. for any matter which it would be illegal for the Company to exclude (or to attempt to exclude) its liability; or

8.4.5. for fraud.

8.5. Except as provided in Conditions 6.5 and 8.1 to 8.4, the Company's liability to the Buyer (whether in contract, tort (including negligence), breach of statutory duty, restitution or otherwise) for any injury, death, damage or direct, indirect or consequential

loss (all three of which terms include, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss) howsoever caused arising out of or in connection with:

8.5.1. any of the Goods, or the manufacture or sale or supply, or failure or delay in supply, of the Goods by the Company or on the part of the Company's employees, agents or sub-contractors;

8.5.2. any of the Services, or their performance, or failure or delay in performance, of the Services by the Company or on the part of the Company's employees, agents or sub-contractors;

8.5.3. any breach by the Company of any of the express or implied terms of the Contract;

8.5.4. any use made or resale by the Buyer of any of the Goods, or of any product incorporating any of the Goods;

8.5.5. any use made by the Buyer of any of the Services, or of any product incorporating any of the Services; or

8.5.6. any statement made or not made, or advice given or not given, by or on behalf of the Company or otherwise under the Contract, shall be limited to the invoiced value of the Goods.

8.6. Except as set out in Conditions 6.5 and 8.1 to 8.5, the Company hereby excludes to the fullest extent permissible in law, all conditions, warranties and stipulations, express (other than those set out in the Contract) or implied, statutory, customary or otherwise which, but for such exclusion, would or might subsist in favour of the Buyer.

8.7. Each of the Company's employees, agents and sub-contractors may rely upon and enforce the exclusions and restrictions of liability in Conditions 6.5 and 8.3 to 8.6 in that person's own name and for that person's own benefit, as if the words "its employees, agents and sub-contractors" followed the word Company wherever it appears in those conditions save each reference in Condition 8.5.1.

8.8. The Buyer agrees to indemnify, keep indemnified and hold harmless the Company from and against all costs (including the costs of enforcement), expenses, liabilities (including any tax liability), injuries, direct, indirect or consequential loss (all three of which terms include, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss), damages, claims, demands, proceedings or legal costs (on a full indemnity basis) and judgments which the Company incurs or suffers as a consequence of a direct or indirect breach or negligent performance or failure or the Contract which is not capable of remedy, delay in performance by the Buyer of the terms of the Contract. Where a Guarantee has been issued, such indemnity shall continue until the end of the Guarantee Period.

9. GUARANTEE

9.1 Where the Company provides a Warranty additional to the guarantee in Condition 8 hereof, the Buyer may request that the Warranty be provided in favour of an interested third party nominated by the Buyer.

9.2 The Warranty shall be on such terms and in such form as the Company considers appropriate.

9.3 The Warranty shall only be provided when all payments due from the Buyer have been received and if in association with a Final Inspection Certificate, when the Company has been given all reasonable opportunity to carry out a technical audit.

9.4 The Buyer acknowledges that in the event of a claim being brought against the Company under, and in accordance with the terms of a Warranty, which is solely or partially due to the installation of the Goods not having been carried out in accordance with the Company's recommendations or with the skill and care expected of an experienced contractor, the Buyer shall indemnify the Company and shall:

9.4.1 recognise the continuing obligations of the Company and the Buyer to remedy defects in the Goods for the Guarantee Period; and

9.4.2 not seek to rely on and, if and to the extent necessary, expressly waive any entitlement to rely on the provisions of the Limitation Act 1980 in defence of such claim.

10. FORCE MAJEURE

The Company will not be in breach of the Contract and / or liable to the Buyer for any failure or delay, or for the consequences of any failure or delay, in performance of the Contract if such failure or delay is due to any event or circumstance beyond the reasonable control of the Company including, without limitation, any act of God, disease, epidemic, pandemic, war, industrial dispute, protest, fire, tempest, explosion, act of terrorism, and national emergency, and the Company will be entitled to a reasonable extension of time for performing its obligations in such event or circumstance.

11. TERMINATION

11.1. The Company may by written notice terminate the Contract immediately if the Buyer:

11.1.1. is in material breach of any of the terms of the Contract. Failure to pay any sums due in accordance with Condition 4.2 is a material breach of the terms of the Contract which is not capable of remedy.

11.1.2. becomes bankrupt, insolvent, makes any composition with his creditors, has a receiver appointed under the Mental Health Act 1983 or dies;

11.1.3. has any distraint, execution or other process levied or enforced on any of its property;

11.1.4. ceases to trade or appears in the reasonable opinion of the Company likely or is threatening to cease trade; or

11.1.5. the equivalent of any of the above occurs to the Buyer under the jurisdiction to which the Buyer is subject.

11.2. The Company may terminate the Contract in accordance with Condition 14.14.

11.3. The termination of the Contract howsoever arising is without prejudice to the rights, duties and liability of either the Buyer or the Company accrued prior to termination. The conditions which expressly or impliedly have effect after termination will continue to be in force notwithstanding termination, which shall include but shall not be limited to, the Buyer's obligations in relation to any Guarantee.

12. INTELLECTUAL PROPERTY

12.1. No right or licence is granted to the Buyer in respect of the existing Intellectual Property Rights of the Company, except the right to use, or re-sell the Goods in the Buyer's ordinary course of business.

12.2. All Intellectual Property Rights in or arising out of or in connection with the performance of Services shall be owned by the Company.

12.3. The Buyer will not without the Company's prior consent allow the Trademark or any other trade marks of the Company or other words or marks applied to the Goods to be obliterated, obscured or omitted nor will he add any additional marks or words.

13. DISTRIBUTION

13.1. The Buyer shall not give additional or more favourable warranties than the ones given under clause 8 if it resells the Goods, and the Company shall not bear any liability whatsoever in relation thereto. Furthermore, if the Buyer intends to resell the Goods for a non-approved Sika use or outside of the United Kingdom and / or Great Britain, then the Buyer/Reseller shall do so at its own risk and the Company shall not bear any liability whatsoever with respect to such a resale. Furthermore, the Buyer/Reseller shall indemnify and hold harmless the Company against any third party claim in relation to such a resale, including without limitation, expenses, fees and damages that could be claimed against the Company.

14. GENERAL

14.1. Time for performance of all obligations of the Buyer is of the essence. Time for performance of all obligations of the Company is not of the essence.

14.2. Each right or remedy of the Company under the Contract is without prejudice to any other right or remedy of the Company whether under the Contract or not.

14.3. If any condition or part of the Contract is found by any court, tribunal, administrative body or authority of competent jurisdiction to be illegal, invalid or unenforceable then that provision will, to the extent required, be severed from the Contract and will be ineffective, without, as far as is possible, modifying any other provision or part of the Contract and this will not affect any other

provisions of the Contract which will remain in full force and effect.

14.4. No failure or delay by the Company to exercise any right, power or remedy will operate as a waiver of it, nor will any partial exercise preclude any further exercise of the same, or of any other right, power or remedy.

14.5. Save as set out in the Contract and Condition 8.1.5, these Terms and Conditions may only be varied or amended in writing and signed by a senior manager of the Company.

14.6. The Company may assign, delegate, license, hold on trust or sub-contract all or any part of its rights or obligations under the Contract.

14.7. The Contract is personal to the Buyer who may not assign, delegate, license, hold on trust or sub-contract all or any of its rights or obligations under the Contract without the Company's prior written consent.

14.8. The Contract contains all the terms which the Company and the Buyer have agreed in relation to the Goods and/or Services and supersedes any prior written or oral agreements, representations or understandings between the parties relating to such Goods and/or Services. The Buyer acknowledges that it has not relied on any statement, promise or representation made or given by or on behalf of the Company which is not set out in the Contract. Nothing in this Condition 14.8 will exclude any liability which one party would otherwise have to the other party in respect of any statements made fraudulently.

14.9. Save as set out in Condition 8.7 the parties to the Contract do not intend that any of its terms will be enforceable by virtue of the Contracts (Rights of Third Parties) Act 1999 by any person not a party to it.

14.10. Any notice in connection with the Contract will be in writing addressed to the other party at its registered office, or principal place of business and will be delivered by hand, or first class or special delivery post or Airmail. The notice will be deemed to have been duly served, if delivered by hand, when left at the proper address for service or if made by pre-paid, first class post or special delivery post, 48 hours after being posted or in the case of Airmail, 14 days after being posted.

14.11. The formation, existence, construction, performance, validity and all aspects whatsoever of the Contract or of any term of the Contract will be governed by English law. The English courts will have exclusive jurisdiction to settle any dispute which may arise out of, or in connection with the Contract.

The parties agree to submit to that jurisdiction.

14.12. Where Part II of the Housing Grants, Construction and Regeneration Act 1996 applies, either party may refer any dispute or difference arising under this Agreement to adjudication. The adjudication procedures and the agreement for the appointment of

an adjudicator shall be set out in the Model Adjudication Procedures published by the Construction Industry Council current at the date of reference. The nominating body shall be the Technology and Construction Solicitors' Association or any successor organisation.

14.13. The Buyer will keep confidential any and all Confidential Information that it may acquire. The Buyer will not use the Confidential Information for any purpose other than to perform its obligations under the Contract. The Buyer will ensure that its officers and employees comply with the provisions of this Condition 14.13. The obligations on the Buyer set out in this Condition will not apply to any information which is publicly available or becomes publicly available through no act or omission of the Buyer or if the Buyer is required to disclose by order of a court of competent jurisdiction.

14.14. Where a Brexit Trigger Event occurs (as defined below) and the Company gives notice to the Buyer of the same:

14.14.1. the Company shall not be liable to the Buyer for any failure or delay or for the consequences of any failure or delay in performance of the Contract where there is a Brexit Trigger Event (and the notice shall have effect from its date);

14.14.2. the Company may require the Buyer to negotiate in good faith an amendment to the Contract to alleviate the Brexit Trigger Event; and if no such amendment is made to the Contract within 7 days from notice given by the Company, the Company may terminate the Contract by giving Buyer not less than 21 days written notice.

14.15. For the avoidance of doubt the rights afforded by this clause 14.14 are without prejudice to the entitlement of the Company to exercise its rights pursuant to Condition 2.5, and the Company may cancel the Contract at any time prior to delivery of the Goods or commencement of the performance of the Services, for any reason.

14.16. "Brexit Trigger Event" means any of the following events occurring at any time on or after Brexit:

14.16.1. an adverse impact on the Company's ability to perform the Contract in accordance with its terms and the law (and the Company shall determine in its absolute discretion whether such an adverse impact has occurred));

14.16.2. an increase in the costs incurred by the Company performing the Contract since the price for the Goods was last agreed;

Revised updates April 2025

Numbers

| | |
|---|-----|
| 101 Multi Purpose Linseed Oil Putty | 144 |
| 102 Premium Butyl Glazing Compound | 144 |
| 103 Premium Trowel Mastic | 144 |
| 2 Part High Performance | 97 |
| 30 Minute Polyurethane Wood Adhesive Gel | 44 |
| 30 Minute Polyurethane Wood Adhesive Liquid | 44 |
| 404 Fungicidal Wash | 57 |
| 409 Block Guard | 63 |
| 5 Minute Polyurethane Wood Adhesive Gel | 43 |
| 5 Minute Polyurethane Wood Adhesive Liquid | 43 |
| 502 All Purpose Weatherproof | 43 |
| 505 Plasterers Gripcoat | 141 |
| 507 Rendagrip | 141 |
| 700 TileSet Universal | 152 |
| 701 Non Slip Showerproof | 151 |
| 702 Water Resistant | 151 |
| 703 Fix and Grout | 151 |
| 705 TileSet Rapid | 152 |
| 711 TileSet Flexiplus S1 | 152 |
| 730 Universal Flexible Hygienic | 153 |

A

| | |
|---|-----|
| Acropol Scrim | 79 |
| Acrypol+ | 79 |
| All Purpose Powder Filler | 96 |
| All Purpose Ready Mixed Filler | 95 |
| All Purpose Ready Mixed Filler Easi Squeeze | 96 |
| All Purpose Silicone Spray | 108 |
| American Duct Tape | 100 |
| Anchorfix-1 | 142 |
| Anchorset Green 150 | 143 |
| Anchorset Green 300 | 143 |
| Anchorset Spare Nozzle | 143 |
| Aqua Mate | 87 |
| Aquaseal Waterproof Tanking Membrane | 149 |
| Aquaseal Wet Room System Kit | 148 |
| Aquaseal Wet Room System Tape | 149 |

B

| | |
|--------------------------|-----|
| B1 FireFoam Handheld | 86 |
| B1 FireFoam Gun Grade | 86 |
| B2 FireFoam Gun Grade | 86 |
| B2 FireFoam | 86 |
| Bath & Kitchen Sealant | 15 |
| Black Jack Flashing Tape | 73 |
| Black Jack 901 | 74 |
| Black Jack 902 | 74 |
| Black Jack 903 | 74 |
| Black Jack 904 | 74 |
| Black Jack 905 | 75 |
| Black Jack 906 | 75 |
| Black Jack 907 | 75 |
| Black Jack 908 | 75 |
| Blanc Du Littoral | 159 |
| Blue Grit | 140 |
| Brick and Patio Cleaner | 57 |

C

| | |
|---------------------------------|----|
| Caulk Once | 9 |
| Cement and Mortar Stain Remover | 58 |
| Clear Fix | 37 |
| Constructa-Pro | 27 |
| Contract 115 | 10 |
| Contract 225 | 12 |
| Contract 700T | 12 |
| Contract AC50 | 13 |
| Contract AC95 | 85 |
| Cotton Dust Sheets | 93 |
| Coving Adhesive & Joint Filler | 39 |
| Cromapol | 78 |

D

| | |
|---------------------------------|-----|
| D4 Wood Adhesive | 43 |
| Damp-Proof Slurry | 124 |
| Decorators Flexible Filler | 15 |
| Deep Gap Filler | 95 |
| Dustproofer & Concrete Hardener | 57 |
| Dust Sheets - Laminated Cotton | 93 |
| Dust Sheets - Polythene | 93 |

E

| | |
|---|-----|
| EB25 | 35 |
| Efflorescence Remover | 59 |
| Epoxyset 105 | 137 |
| Euroscrim Self Adhesive | 103 |
| Evercrl Emergency Roof Repair Cartridge | 71 |
| Evercrl One Coat | 70 |
| Exact Gap | 26 |
| External Frame Sealant | 16 |

F

| | |
|---------------------------------------|-----|
| FastFix All Weather | 54 |
| Febgrout Flowable | 137 |
| Febset 45 Rapid | 137 |
| Febtank Plug | 124 |
| Febtank Super | 124 |
| Fill and Skim | 96 |
| Filler Coat | 96 |
| Fine Surface | 95 |
| Fire Mate | 85 |
| Fix & Fill | 26 |
| Fix & Fill Additional Nozzle | 26 |
| Fixing Clips | 80 |
| Flue Jointing Compound | 118 |
| Foam Cleaner - Dual Purpose | 28 |
| Foil Applicator Gun | 110 |
| Foil Pack Spare Nozzles and Push Disc | 111 |
| Forever White | 8 |
| Forever Clear | 8 |
| Forever Grey | 8 |
| Forever Ivory | 8 |
| Forever White Powder Wall Tile Grout | 155 |
| Forever White Grout Reviver | 155 |

G

| | |
|--------------------------|-----|
| Galva Mate Duct Sealant | 14 |
| General Purpose Silicone | 15 |
| Glass Cleaner | 108 |
| Griptite | 39 |
| Gun A Nail Standard | 37 |

H

| | |
|---------------------------------|-----|
| Heat Mate | 85 |
| Heat Resistant Silicone | 118 |
| Historic Mortar | 162 |
| Historic Mortar KL | 162 |
| Hybriflex® 25 LM | 19 |
| Hybriflex® 40 | 19 |
| Hybriflex® 55 | 20 |
| Hybriflex® Antipick 109 | 20 |
| Hybriflex® FR | 20 |
| Hybriflex® SMP | 20 |
| Hydrosil Reinforcement Roll | 77 |
| Hydrosil Seam Sealer & Detailer | 77 |
| Hydrosil Silicone Roof Coating | 77 |

I

| | |
|---------------|----|
| Instant Nails | 39 |
|---------------|----|

J

| | |
|-------------------|-----|
| Jetcem Deep | 136 |
| Jetcem Plaster | 136 |
| Jetcem Rapid | 136 |
| Jetcem Waterproof | 136 |
| Jumbo Sealant Gun | 111 |

L

| | |
|-------------------------------|----|
| Lead Mate Patination Oil | 71 |
| Lead Mate Sealant | 14 |
| Leadax Easy FA | 81 |
| Leadax Original | 80 |
| Leadax Sealant | 80 |
| Lumberjack 160 Woodbond | 45 |
| Lumberjack 550 Floor Adhesive | 45 |
| Lumberjack 650 Floor Adhesive | 45 |

M

| | |
|---|-----|
| Mammoth Aluminium Tape | 101 |
| Mammoth Clear Weatherproof Tape | 101 |
| Mammoth Gaffa Tape | 101 |
| Mammoth Labelled GP Masking Tape | 102 |
| Mammoth Low Tack Masking Tape | 102 |
| Mammoth Mega All Purpose Tape | 101 |
| Mammoth Multi-Purpose Double Sided Tape | 103 |
| Mammoth Powerful Grip Tape | 99 |
| Mammoth Pro Blue Masking Tape | 102 |
| Mammoth Spray Adhesive | 48 |
| Mammoth Value GP Masking Tape | 102 |
| Masonry Dry Rot Treatment | 67 |
| Maximim Torque | 38 |
| MaxMix® Concentrated Frostproof and Hardener | 128 |
| MaxMix® Concentrated Integral Waterproof | 128 |
| MaxMix® Concentrated Mortar Plasticiser | 128 |
| MaxMix® Concentrated Mortar Tone | 128 |
| MaxMix® Powder Mortar Tone | 127 |
| Mirror Mate | 37 |
| Mitre Fast | 51 |
| Mouldbuster | 57 |
| Multi Purpose Joinery Grade Wood Filler | 97 |
| Multi Stick | 36 |

N

| | |
|---------------------------------|----|
| No Waste Foam | 27 |
| No Waste Foam Additional Nozzle | 27 |

O

| | |
|--------------|-----|
| One Strike | 94 |
| One-Coat GPR | 160 |
| Oil Remover | 59 |

P

| | |
|--|-----|
| P13 Plumbers Putty | 117 |
| P16 Plumbers PVC Pipe Cement | 117 |
| P20 Plumbers Flux | 117 |
| P45 Medium Duty Foam Applicator | 112 |
| P65 Heavy Duty Foam Applicator | 112 |
| Parex Crylane | 161 |
| Parex Fixopierre | 163 |
| Parex Micro Gobetis 3000 | 163 |
| Parex Monacel Plus | 163 |
| Parex Monoblanco | 158 |
| Parex Monorex GM/GF | 158 |
| Parex Paraguard | 163 |
| Parex Render Based Adhesive | 163 |
| Parex Revlane Siloxane Ignifuge Taloché Fin | 161 |
| Parex Revlane Siloxane Ignifuge Taloché Gros | 161 |
| Parex Revlane+ Ignifuge Taloché Fin | 161 |
| Parex Revlane+ Ignifuge Taloché Gros | 161 |

| | | | |
|----------------------------------|-----|---|-----|
| Parex Revlane+ Regulateur | 161 | Sika® Stabilising Solution | 58 |
| Parex TV10 Reinforcement Mesh | 163 | Sika® Stone Protector | 63 |
| ParexLanko Maite | 160 | Sika®-1 Waterproof | 122 |
| ParexLanko Monogris E | 160 | Sika®-2 | 123 |
| ParexLanko Parmurex | 160 | Sika®-4 | 123 |
| Parinter Renovation | 159 | Sika®-4a | 123 |
| Parlumiere Clair | 159 | SikaBond® -52 Wood Floor Adhesive | 46 |
| Parlumiere Fin | 159 | SikaBond® -52 Wood Floor Foil Adhesive | 46 |
| Parlumiere Moyen | 159 | SikaBond® 5500 S | 47 |
| Parlumiere STH | 159 | SikaBond® Contractors PVA | 139 |
| Path & Patio Sealer | 62 | SikaBond® MS | 46 |
| Patio Wizard | 58 | SikaBond® PVA+ | 139 |
| Penny Roller | 81 | SikaBond® Rapid DPM Primer | 138 |
| Pinkgrip | 40 | SikaBond® SBR | 139 |
| Pinkgrip Dry Fix | 42 | SikaBond® Waterproof PVA Ultra | 139 |
| Pinkgrip Dry Fix FR | 42 | SikaBond®-52 | 46 |
| Pinkgrip SF | 41 | SikaBoom -405 | 87 |
| Plastix-22A Premium LMN Silicone | 17 | SikaCeram -140 | 150 |
| Plumbers Gold | 116 | SikaCeram -240 | 150 |
| Power Pro Sealant Gun | 110 | SikaCeram -272 | 150 |
| Premium+ 145 | 10 | SikaCeram -277 | 150 |
| Premium+ 500 | 12 | Sikaceram -282 | 151 |
| Premium+ 565 | 12 | SikaCeram -621 FlowFix | 55 |
| Pro Point Gun Kit | 112 | SikaCeram -62 FlowFix | 55 |
| Professional Sealant Gun | 111 | SikaCeram CleanGrout | 154 |
| Professional Gun Grade Foam | 27 | Sikacryl®-620 Fire | 84 |
| Pro-Fill | 97 | Sikadur® -31+ | 134 |
| PVCu Solvent Cleaner | 108 | Sikadur® 33 | 143 |
| Pyro Mate | 85 | Sikaflex® -117 Metal Force | 87 |
| | | Sikaflex®-423 Powercure | 88 |
| | | Sikaflex® Construction Purform | 23 |
| | | Sikaflex® EBT+ | 34 |
| | | Sikaflex® PRO-3 Purform | 21 |
| | | Sikaflex® PRO-3 Self-Levelling | 21 |
| | | Sikaflex® Tank N | 24 |
| | | Sikaflex®-11 FC Purform | 22 |
| | | Sikaflex®-403 Tank & Silo | 24 |
| | | Sikaflex®-406 KC | 24 |
| | | Sikaflex®-415 Universal | 23 |
| | | Sikafloor® -122 Level | 130 |
| | | Sikafloor® -125 Level | 130 |
| | | Sikafloor® -131 Level | 131 |
| | | Sikafloor® -132 Level | 131 |
| | | Sikafloor® -245 Level | 132 |
| | | Sikafloor® -360 Level | 132 |
| | | Sikafloor® -440 Level | 133 |
| | | Sikagard® Universal 5 Star Wood Treatment | 66 |
| | | Sikagard® Wood Preserver | 66 |
| | | Sikagard® Woodworm Killer | 66 |
| | | Sikagard® 550 W Elastic | 135 |
| | | SikaGrout®-111 GP | 134 |
| | | SikaHyflex® -250 Façade | 22 |
| | | Sikalastic®-IK | 123 |
| | | SikaMix 3 in 1 | 126 |
| | | SikaMix Frostproof and Hardener | 129 |
| | | SikaMix Frostproof and Plasticiser | 127 |
| | | SikaMix Integral Waterproof | 129 |
| | | SikaMix Mortar Plasticiser | 126 |
| | | SikaMix Powdered Mortar Plasticiser | 126 |

R

| | |
|---|-----|
| Reproface | 162 |
| Resiblock Indian Sandstone Sealer | 61 |
| Resiblock Superior Block Paving Sealer | 60 |
| Resiblock Trade All Purpose Paving Sealer | 61 |
| Roll & Stroll Contract Carpet Protector | 92 |
| Roll & Stroll Glass Protector | 93 |
| Roll & Stroll Hard Surface Protector | 92 |
| Roll & Stroll Premium Carpet Protector | 92 |
| Roll & Stroll Textured Carpet Protector | 92 |
| Roof & Gutter Sealant | 16 |

S

| | |
|--|-----|
| Scissors - Multi-Purpose | 80 |
| Seal Rite Strip Out Tool | 113 |
| Seal Rite Smooth Out Tool | 113 |
| Seal Rite Strip Out and Smooth Out Twin Pack | 113 |
| Showerproof Bathroom Silicone | 16 |
| Sika® PowerCure | 110 |
| Sika® Primer 3N | 25 |
| Sika® Primer MB | 138 |
| Sika® Primer-115 | 25 |
| Sika® Release Oil | 127 |
| Sika® Sanisil | 17 |
| Sika® Setting Sand | 56 |
| Sika® Silent Layer Mat | 47 |

| | |
|---|-----|
| Sikamur® InjectoCream-100 | 124 |
| SikaRoof® Liquid Membrane | 72 |
| SikaSeal®-632 Firespan | 84 |
| SikaSeal® Construction Silicone | 11 |
| SikaSeal® Construction Silicone + | 11 |
| SikaSeal® Construction Silicone Ultra | 11 |
| SikaSeal® Mould Resistant Caulk+ | 10 |
| SikaSeal® Multi Purpose Silicone | 17 |
| SikaSeal® One Hour Caulk | 10 |
| SikaSeal®-414 Backer Rod | 22 |
| SikaSeal®-632 Firespan Ablative Pad | 84 |
| SikaSeal®-75 | 88 |
| SikaSeal®-75 Spare Cartridge and Nozzle | 88 |
| Sikasil® DW | 23 |
| Sikasil® HM | 19 |
| Sikasil® Pool | 23 |
| Sikasil® S50 | 19 |
| Sikasil®-670 Fire | 84 |
| Sikasil®-825 | 18 |
| SikaWall®-100 | 160 |
| SikaWall®-1015 | 160 |
| SikaWall®-500 Wet Dash | 158 |
| SikaWall®-530 Top Coat | 158 |
| SikaWall®-571 Dash Receiver | 158 |
| SikaWall®-580 Monorex GM UK | 158 |
| Silicone Eater | 13 |
| Silweld Silicone Repair Tape Black | 103 |
| Smart Tack Handy | 49 |
| Stain Block | 98 |
| Standard Mortar | 162 |
| Standard Nozzles | 113 |
| Steel Roller | 81 |
| Stick 2 All Purpose Clear Adhesive | 50 |
| Stick 2 All Purpose Superglue | 50 |
| Stick 2 Carpet Fix Spray Adhesive | 48 |
| Stick 2 Hard Plastic Adhesive | 50 |
| Stick 2 Industrial Superglue GP | 49 |
| Stick 2 Industrial Superglue HV | 49 |
| Stick 2 Instant Bond Contact Adhesive | 50 |
| Stick 2 Instant Contact Adhesive | 48 |
| Stick 2 Instant Spray Contact Adhesive | 48 |
| Stick 2 Rapid Epoxy Syringe Adhesive | 51 |
| Stick 2 Superglue Gel Formula | 51 |
| Stick 2 Superglue De-bonder | 49 |
| Stick 2 Touch-Up Enamel | 51 |
| Stick 2 Thread Lock GP | 49 |
| Stixall® Extreme Power | 32 |
| Superflow | 110 |
| Surveyline | 145 |

T

| | |
|------------------------------|----|
| Tarmac Restorer | 59 |
| Thermofoam | 26 |
| Timber & Laminate Sealant | 16 |
| Triple Action Wood Treatment | 67 |

W

| | |
|--|-----|
| Water Seal Waterproofing and Protector | 63 |
| Water Sealer | 62 |
| Weather Mate | 13 |
| White Spirit | 98 |
| Wonder Wipes Biodegradable | 107 |
| Wonder Wipes Heavy Duty | 107 |
| Wonder Wipes Multi Use | 106 |
| Wonder Wipes Multi-Use Spray | 107 |
| Wood Filler | 97 |
| Wood Preserver | 67 |
| Woodworm Killer | 67 |

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

BRING IT ON



FOR ALL YOUR BUILDING SOLUTIONS.

[SIKA.CO.UK/BRINGITON](https://www.sika.co.uk/bringiton)



BUILDING TRUST

SALES SUPPORT:

☎ 0113 240 2424

✉ distribution.sales@uk.sika.com

TECHNICAL SUPPORT:

☎ 0808 141 0709

✉ distribution.technical@uk.sika.com

Sika® Leeds Manufacturing Centre
Site 41, Knowsthorpe Way
Cross Green Industrial Estate
Leeds, LS9 0SW

Sika® Leeds Distribution Centre
Lennerton Lane
Sherburn In Elmet
Leeds, LS25 6RE

☎ 0113 240 3456

✉ distribution.info@uk.sika.com

🌐 sika.co.uk/distribution



VIEW THE LATEST
PRODUCT GUIDE ONLINE

BUILDING TRUST

