

Date of last issue: 05.12.2023	Version 1.6	Print Date 29.02.2024
Revision Date: 12.12.2023		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Parex[®] MONOREX GM

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited
		Watchmead Welwyn Garden City
		Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person	:	EHS@uk.sika.com
responsible for the SDS		

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1

H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word	:	Danger	
Hazard statements	:	H318	Causes serious eye damage.
Precautionary statements	:	P101 P102 P103	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.



Date of last issue: 05.12.2023 Revision Date: 12.12.2023	Version 1.6		Print Date 29.02.2024
	Prevention: P280	Wear eye protection/ face prote	ection.
	Response:		
	P305 + P351 +	P338 + P310 IF IN EYES: Rins with water for several minutes.	

CENTER/ doctor.

tact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

Hazardous components which must be listed on the label:

calcium dihydroxide

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.	Classification	(% w/w)
	Registration number		(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
calcium dihydroxide	1305-62-0	Skin Irrit. 2; H315	>= 2,5 - < 3
	215-137-3	Eye Dam. 1; H318	
	01-2119475151-45-	STOT SE 3; H335	
	XXXX	(Respiratory system)	
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 2,5 - < 3
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
Lime (chemical), hydraulic	85117-09-5	Skin Irrit. 2; H315	>= 2,5 - < 3
	285-561-1	Eye Dam. 1; H318	
	01-2119475523-36-	STOT SE 3; H335	
	XXXX	(Respiratory system)	
Substances with a workplace exp	oosure limit :		
Quartz (SiO2)	14808-60-7		>= 40 - < 60
· · ·	238-878-4		



Date of last issue: 05.12.2023 Revision Date: 12.12.2023	Version 1.6	Print Date 29.02.202	
Limestone Contains: Quartz (SiO2) <5µm >= 0,1 %	1317-65-3 215-279-6 6	>= 2,5 - < 5	
For explanation of abbreviation	ons see section 16.		

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms an	nd e	effects, both acute and delayed
Symptoms	:	•
Risks	:	No known significant effects or hazards.
		Causes serious eye damage.
4.3 Indication of any immediate r	nec	dical attention and special treatment needed
Treatment	:	Treat symptomatically.



Date of last issue: 05.12.2023 Revision Date: 12.12.2023		Version 1.6	Print Date 29.02.202
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water j ide/sand/foam/alcohol resistant foam/chemic extinction.	
5.2 Special hazards arising from	the	substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are know	wn
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained brea	thing apparatus.
Further information	:	Standard procedure for chemical fires.	
Personal precautions	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Try to prevent the material from entering dra courses.	
		No special environmental precautions requir	ea.
6.3 Methods and material for cor	ntai		
Methods for cleaning up	:	Pick up and arrange disposal without creatin Keep in suitable, closed containers for dispo	
6.4 Reference to other sections			
For personal protection see se	ecti	on 8.	
SECTION 7: Handling and sto	ra	je	
7.1 Precautions for safe handling	3		

section 8).

Do not get in eyes, on skin, or on clothing. For personal protection see section 8.



Date of last issue: 05.12.2023 Revision Date: 12.12.2023	Version 1.6	Print Date 29.02.2024
	Smoking, eating and drinking should be prohibite plication area. Follow standard hygiene measures when handlir products	
Advice on protection against : fire and explosion	Avoid dust formation. Provide appropriate exhau at places where dust is formed.	st ventilation
Hygiene measures :	Handle in accordance with good industrial hygier practice. When using do not eat or drink. When u smoke. Wash hands before breaks and at the er	using do not
7.2 Conditions for safe storage, inc	luding any incompatibilities	
Requirements for storage : areas and containers	Keep container tightly closed in a dry and well-ve place. Store in accordance with local regulations	
Further information on stor- : age stability	Keep in a dry place. No decomposition if stored and applied as direct	ed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU
	Further inform	Further information: Indicative		
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU
		TWA	5 mg/m3	GB EH40
		TWA (Respirable fraction)	1 mg/m3	GB EH40
		STEL (Respirable fraction)	4 mg/m3	GB EH40
Limestone	1317-65-3	TWA (inhalable dust)	10 mg/m3	GB EH40
	dust and inha will be collect the methods of pling and grav aerosols., The health include in air equal to	nation: For the purpo lable dust are those ed when sampling is described in MDHS1 vimetric analysis or r e COSHH definition es dust of any kind w or greater than 10 r m-3 8-hour TWA of r	fractions of airbor undertaken in ac 4/4 General meth espirable, thoracio of a substance ha hen present at a o ng.m-3 8-hour TV	ne dust which cordance with ods for sam- c and inhalable zardous to concentration /A of inhalable



te of last issue: 05.12.2023 vision Date: 12.12.2023	Version	1.6	Print [Date 29.02.2024
	above these le WELs and exp limits., Most in sizes. The beh after entry into sponse that it HSE distinguis termed 'inhala the fraction of during breathin respiratory tra- penetrates to t tions and expl dusts contain the relevant lin short-term exp	e subject to COSHI evels. Some dusts h posure to these must dustrial dusts conta- naviour, deposition a o the human respira elicits, depend on the shes two size fraction ble' and 'respirable' airborne material the gand is therefore ct. Respirable dust the gas exchange re- anatory material are components that has nits should be compo- posure limit is listed e limit should be use	have been assign at comply with the ain particles of a and fate of any p tory system, and he nature and size ons for limit-settin ., Inhalable dust hat enters the non available for dep approximates to egion of the lung e given in MDHS ave their own assist plied with., Wher , a figure three time	hed specific e appropriate wide range of articular particle the body re- ze of the particle. In purposes approximates to se and mouth osition in the the fraction that . Fuller defini- 14/4., Where signed WEL, all e no specific
	· · ·	TWA (Respirable dust)	4 mg/m3	GB EH40
Cement (chromium reduced)	65997-15-1	TWA (inhalable dust)	10 mg/m3	GB EH40
		TWA (Respirable dust)	4 mg/m3	GB EH40

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Value type	Control parameters	Basis
Inhalable	TWA	10 mg/m3	GB EH40
Respirable fraction	TWA	4 mg/m3	GB EH40

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing



Date of last issue: 05.12.2023 Revision Date: 12.12.2023	Version 1.6	Print Date 29.02.2024
	and stirring work.	
Respiratory protection	Respirator selection must b exposure levels, the hazarc ing limits of the selected resparticulate filter P P1: Inert material; P2, P3: h Ensure adequate ventilation exhaust extraction or by ge ods for determining inhalati ticular to the mixing / stirring to keep the concentrations	
Environmental exposure	ontrols	
General advice	: Try to prevent the material courses. No special environmental p	from entering drains or water precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

intermation on basic physical	un	a onennoar properti
Physical state Appearance	:	solid powder
Colour	:	grey
Odour	:	No data available
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	exp	losive limits
Upper explosion limit / Up- per flammability limit	•	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Parex[®] MONOREX GM

Date of last issue: 05.12.2023 Revision Date: 12.12.2023	Version 1.6	Print Date 29.02.2024
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
pH	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	
Solubility(ies) Water solubility	: soluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: No data available	
Density	: ca. 1 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.



Date of last issue: 05.12.2023 Revision Date: 12.12.2023	Version 1.6	Print Date 29.02.202
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition	products	
No decomposition if stored a	nd applied as directed.	
SECTION 11: Toxicological i	nformation	
11.1 Information on hazard clas	sses as defined in Regulation (EC) No 1272	/2008
Acute toxicity	alla information	
Not classified based on avail	able information.	
Skin corrosion/irritation Not classified based on avail	able information	
Serious eye damage/eye ir		
Causes serious eye damage		
Respiratory or skin sensiti		
Skin sensitisation		
Not classified based on avail	able information.	
Respiratory sensitisation		
Not classified based on avail	able information.	
Germ cell mutagenicity		
Not classified based on avail	able information.	
Carcinogenicity		
Not classified based on avail	able information.	
Reproductive toxicity		
Not classified based on avail	able information.	
STOT - single exposure		
Not classified based on avail	able information.	
STOT - repeated exposure		
Not classified based on avail	able information.	
Aspiration toxicity		
	able information.	



Date of last issue: 05.12.2023 Revision Date: 12.12.2023 Version 1.6

Print Date 29.02.2024

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

: The generation of waste should be avoided or minimized wherever possible.

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



Date of last issue: 05.12.2023 Revision Date: 12.12.2023 Version 1.6

Print Date 29.02.2024

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Not applicable
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable



_

Date of last issue: 05.12.2023 Revision Date: 12.12.2023	Version 1.6	Print Date 29.02.2024
Regulation (EC) No 1005/2009 on plete the ozone layer	substances that de- : Not applicable	
GB Export and import of hazardou Informed Consent (PIC) Regulation		
Control of Major Accident Hazards 2015 (COMAH) Volatile organic compounds :	s Regulations Not applicable Law on the incentive tax for volatile organic co (VOCV) no VOC duties Directive 2010/75/EU of 24 November 2010 o emissions (integrated pollution prevention and Not applicable	n industrial
If other regulatory information app Sheet, then it is described in this s	lies that is not already provided elsewhere in th subsection.	ne Safety Data
Health, safety and environ- : mental regulation/legislation specific for the substance or mixture:	Environmental Protection Act 1990 & Subsidia Health and Safety at Work Act 1974 & Subsid Control of Substances Hazardous to Health R (COSHH)	iary Regulations egulations

May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

Other regulations:

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statemer	nts	
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbre	eviations	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
2017/164/EU		Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
2017/164/EU / STEL	:	Short term exposure limit



Date of last issue: 05.12.2023 Revision Date: 12.12.2023		Version 1.6	Print Date 29.02.2024
2017/164/EU / TWA	:	Limit Value - eight hours	
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference	
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference p	
ADR	:	European Agreement concerning the Internation	al Carriage of
		Dangerous Goods by Road	
CAS	:	Chemical Abstracts Service	
DNEL	:	Derived no-effect level	
EC50	:	Half maximal effective concentration	
GHS	:	Globally Harmonized System	
ΙΑΤΑ	:	International Air Transport Association	
IMDG	:	International Maritime Code for Dangerous Good	
LD50	:	Median lethal dosis (the amount of a material, give	
		once, which causes the death of 50% (one half)	of a group of
		test animals)	
LC50	:	Median lethal concentration (concentrations of th	
		air that kills 50% of the test animals during the ol	oservation
		period)	
MARPOL	:	International Convention for the Prevention of Po	ollution from
		Ships, 1973 as modified by the Protocol of 1978	
OEL	:	Occupational Exposure Limit	
PBT	:	Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the European	Parliament
		and of the Council of 18 December 2006 concern	ning the Reg-
		istration, Evaluation, Authorisation and Restriction	on of Chemi-
		cals (REACH), establishing a European Chemica	als Agency
SVHC	:	Substances of Very High Concern	
vPvB	:	Very persistent and very bioaccumulative	
Further information			

Classification of the mixtu	Classification procedure:	
Eye Dam. 1	H318	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN