

Date of last issue: 14.06.2022	Version 4.1	Print Date 29.02.2024
Revision Date: 04.11.2022		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

EVERBUILD[®] JETCEM DEEP

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1

H318: Causes serious eye damage.

2.2 Label elements

. .

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	A REAL	
Signal word	:	Danger	
Hazard statements	:	H318	Causes serious eye damage.
Precautionary statements	:	Prevention: P280	Wear protective gloves/ eye protection/ face protection.



Date of last issue: 14.06.2022 Revision Date: 04.11.2022 Version 4.1

Print Date 29.02.2024

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

Cement, portland, chemicals

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement, portland, chemicals	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
Substances with a workplace expo	sure limit :		
Quartz (SiO2)	14808-60-7		>= 40 - < 60
	238-878-4		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.



EVERBUILD[®] JETCEM DEEP

ate of last issue: 14.06.2022 evision Date: 04.11.2022	Version 4.1	Print Date 29.02.2024
	If symptoms persist, call a physician.	
In case of eye contact	 Small amounts splashed into eyes can sue damage and blindness. In the case of contact with eyes, rinse in of water and seek medical advice. Continue rinsing eyes during transport to Remove contact lenses. Keep eye wide open while rinsing. 	mmediately with plenty
If swallowed	 Do not induce vomiting without medical Rinse mouth with water. Do not give milk or alcoholic beverages Never give anything by mouth to an uno 	i.
.2 Most important symptoms a	d effects, both acute and delayed	
Symptoms	: Excessive lachrymation See Section 11 for more detailed inform and symptoms.	nation on health effects
Risks	: No known significant effects or hazards	
Risks	: No known significant effects or hazards Causes serious eye damage.	ж.
	-	
I.3 Indication of any immediate	Causes serious eye damage. nedical attention and special treatment n : Treat symptomatically.	
3.3 Indication of any immediate Treatment SECTION 5: Firefighting mea s	Causes serious eye damage. nedical attention and special treatment n : Treat symptomatically.	
I.3 Indication of any immediate Treatment	Causes serious eye damage. nedical attention and special treatment n : Treat symptomatically. ures	ppropriate to local cir-
 3 Indication of any immediate Treatment 3 ECTION 5: Firefighting meas 5.1 Extinguishing media 	Causes serious eye damage.	ppropriate to local cir-
 5.2 Special hazards arising from 	Causes serious eye damage.	ppropriate to local cir-
 5.2 Special hazards arising from Hazardous combustion prod- 	Causes serious eye damage. nedical attention and special treatment n Treat symptomatically. ures Use extinguishing measures that are ap cumstances and the surrounding enviro the substance or mixture	ppropriate to local cir-
 3 Indication of any immediate Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 	Causes serious eye damage.	ppropriate to local cir- onment.



Date of last issue: 14.06.2022 Revision Date: 04.11.2022		Version 4.1	Print Date 29.02.2024
SECTION 6: Accidental relea	ase	measures	
6.1 Personal precautions, prote	ectiv	e equipment and emergency procedures	5
Personal precautions	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Try to prevent the material from entering courses.	drains or water
6.3 Methods and material for c	onta	inment and cleaning up	
Methods for cleaning up	:	Pick up and arrange disposal without creater Keep in suitable, closed containers for dis	-
6.4 Reference to other sections For personal protection see	-	on 8.	

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage,	incl	uding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor-	:	Keep in a dry place.

No decomposition if stored and applied as directed.

age stability



Date of last issue: 14.06.2022 Revision Date: 04.11.2022 Version 4.1

Print Date 29.02.2024

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
Cement, portland, chemicals	65997-15-1	TWA (inhalable	10 mg/m3	GB EH40
		dust)		
		TWA (Respirable	4 mg/m3	GB EH40
		dust)		

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Value type	Control parameters	Basis
Inhalable	TWA	10 mg/m3	GB EH40
Respirable fraction	TWA	4 mg/m3	GB EH40

8.2 Exposure controls

Personal protective equipment					
Eye protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water				
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.				
	Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.				
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.				
Respiratory protection	 Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- 				

courses.



EVERBUILD® JETCEM DEEP

Date of last issue: 14.06.2022 Revision Date: 04.11.2022	Version 4.1	Print Date 29.02.2024
	ods for determining inhalation exposure ticular to the mixing / stirring area. In ca to keep the concentrations under the oc limits then respiration protection measu	se this is not sufficent cupational exposure
Environmental exposure	e controls	
General advice	: Try to prevent the material from entering	g drains or water

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid powder No data available
Odour	:	No data available
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	avn	losive limits
Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
		Not applicable



Date of last issue: 14.06.2022 Revision Date: 04.11.2022	Version 4.1	Print Date 29.02.2024
Viscosity Viscosity, kinematic	: No data available	
Solubility(ies)		
Water solubility	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: No data available	
Density	: No data available	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information		
No data available		
SECTION 10: Stability and re	activity	
10.1 Reactivity		
No dangerous reaction know	under conditions of normal use.	
10.2 Chemical stability		
The product is chemically sta	ble.	
10.3 Possibility of hazardous re	actions	
Hazardous reactions	: Stable under recommended storage conc	ditions.
10.4 Conditions to avoid		
Conditions to avoid	: No data available	

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



Date of last issue: 14.06.2022 Revision Date: 04.11.2022 Version 4.1

Print Date 29.02.2024

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available



Date of last issue: 14.06.2022 Revision Date: 04.11.2022 Version 4.1

Print Date 29.02.2024

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues.
	This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with
	soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good



Date of last issue: 14.06.2022 Revision Date: 04.11.2022		Version 4.1	Print Date 29.02.2024
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name	;		
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es	s)		
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards Not regulated as a dangero	us go	bd	
14.6 Special precautions for u Not applicable	ser		
14.7 Maritime transport in bull Not applicable for product a		_	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant EU provisions transposed through retained EU law

International Chemical Weapons Schedules of Toxic Chemicals a	:	Not applicable	
Regulation (EC) No 1005/2009 of plete the ozone layer	n substances that de-	:	Not applicable
Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	ix f	or volatile organic compounds



Date of last issue: 14.06.2022	Version 4.1	Print Date 29.02.2024
Revision Date: 04.11.2022		

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	 Environmental Protection Act 1990 & Subsidiary Regulations Health and Safety at Work Act 1974 & Subsidiary Regulations Control of Substances Hazardous to Health Regulations (COSHH) May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.
---	--

Other regulations:

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviation	ns	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	·	International Convention for the Prevention of Pollution from
OEL		Ships, 1973 as modified by the Protocol of 1978 Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	
NEAUN	·	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg-



Date of last issue: 14.06.2022 Revision Date: 04.11.2022	Version 4.	1	Print Date 29.02.2024
SVHC vPvB	, , , ,		
Further information Classification of the mixture	:	Classification procedu	re:
Eye Dam. 1	H318	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN