

Date of last issue: 05.01.2023	Version 1.2	Print Date 29.02.2024
Revision Date: 11.12.2023		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Parex[®] MONOGRIS E

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone Telefax E-mail address of person	:	+44 (0)1707 394444 +44 (0)1707 329129 EHS@uk.sika.com
responsible for the SDS		

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Skin irritation, Category 2	H315: Causes skin irritation.				
Serious eye damage, Category 1	H318: Causes serious eye damage.				
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.				

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	LE	!
Signal word	:	Danger	
Hazard statements	:	H315 H317	Causes skin irritation. May cause an allergic skin reaction.



Date of last issue: 05.01.2023 Revision Date: 11.12.2023	Version 1.2		Print Date 29.02.2024
	H318	Causes serious eye damage.	
Precautionary statements :	Prevention:		
	P261	Avoid breathing dust/ fume/ gas/ pours/ spray.	/ mist/ va-
	P264	Wash skin thoroughly after hand	lling
	P280	Wear protective gloves/ eye prot protection.	
	Response:		
	P305 + P351 + F	P338 + P310 IF IN EYES: Rinse with water for several minutes. F tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	P333 + P313	If skin irritation or rash occurs: G advice/ attention.	Set medical
	P362 + P364	Take off contaminated clothing a before reuse.	and wash it

Hazardous components which must be listed on the label:

Cement, portland, chemicals

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name		Classification	Concentration
Chemical hame	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement, portland, chemicals	65997-15-1	Skin Irrit. 2; H315	>= 10 - < 20
	266-043-4	Eye Dam. 1; H318	
		Skin Sens. 1; H317	
		STOT SE 3; H335	
calcium dihydroxide	1305-62-0	Skin Irrit. 2; H315	>= 2,5 - < 3
	215-137-3	Eye Dam. 1; H318	
	01-2119475151-45-	STOT SE 3; H335	
	XXXX	(Respiratory system)	



Version 1.2		Print Date 29.02.2024	
68475-76-3 270-659-9 01-2119486767-17- XXXX	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335	>= 2,5 - < 3	
posure limit :			
14808-60-7 238-878-4		>= 40 - < 60	
1317-65-3 215-279-6		>= 25 - < 40	
	68475-76-3 270-659-9 01-2119486767-17- XXXX cposure limit : 14808-60-7 238-878-4 1317-65-3	68475-76-3 Skin Irrit. 2; H315 270-659-9 Eye Dam. 1; H318 01-2119486767-17- STOT SE 3; H335 xxxx xxxx xposure limit : 14808-60-7 1317-65-3 1317-65-3	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms and	effects, both acute and delayed
Symptoms	 Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.



Date of last issue: 05.01.2023 Revision Date: 11.12.2023	Version 1.2	Print Date 29.02.202
Risks	: irritant effects sensitising effects	
	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.	
4.3 Indication of any immediate n	nedical attention and special treatment ne	eded
Treatment	: Treat symptomatically.	
SECTION 5: Firefighting meas	ures	
5.1 Extinguishing media		
Suitable extinguishing media	: In case of fire, use water/water spray/wa ide/sand/foam/alcohol resistant foam/cho extinction.	
5.2 Special hazards arising from	the substance or mixture	
Hazardous combustion prod- ucts	: No hazardous combustion products are	known
5.3 Advice for firefighters		
Special protective equipment for firefighters	: In the event of fire, wear self-contained b	preathing apparatus.
Further information	: Standard procedure for chemical fires.	
SECTION 6: Accidental release	e measures	
6 1 Personal precautions, protect	ive equipment and emergency procedure	s
Personal precautions	: Use personal protective equipment.	
·	Avoid breathing dust.	
	Deny access to unprotected persons.	
6.2 Environmental precautions		
Environmental precautions	: Do not flush into surface water or sanital	ry sewer system.
6.3 Methods and material for con	tainment and cleaning up	
Methods for cleaning up	: Pick up and arrange disposal without cre Keep in suitable, closed containers for d	
6.4 Reference to other sections		



Date of last issue: 05.01.2023 Revision Date: 11.12.2023 Version 1.2

Print Date 29.02.2024

SECTION 7: Handling and storage

7.1	Precautions for safe handling		
	Advice on safe handling :		Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against : fire and explosion		Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures :		Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, inc	clı	uding any incompatibilities
	Requirements for storage : areas and containers		Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- : age stability		Keep in a dry place. No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
Limestone	1317-65-3	TWA (inhalable dust)	10 mg/m3	GB EH40	
	Further information: For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/4 General methods for sam-				

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Parex[®] MONOGRIS E

Date of last issue: 05.01.2023 Revision Date: 11.12.2023

	aerosols., The health includes in air equal to o dust or 4 mg.m any dust will be above these le WELs and exp limits., Most ind sizes. The beh after entry into sponse that it e HSE distinguis termed 'inhalat the fraction of a during breathin respiratory trac penetrates to t tions and expla dusts contain o the relevant lim short-term exp	metric analysis or r COSHH definition of dust of any kind w or greater than 10 m -3 8-hour TWA of r e subject to COSHH vels. Some dusts h osure to these mus dustrial dusts conta aviour, deposition a the human respirat elicits, depend on th hes two size fractio ble' and 'respirable'. airborne material the g and is therefore a ct. Respirable dust a he gas exchange re anatory material are components that ha hits should be comp osure limit is listed, limit should be use	of a substance ha hen present at a of ng.m-3 8-hour TW espirable dust. The dif people are exp ave been assigned t comply with the in particles of a w and fate of any pa ory system, and t is nature and size ns for limit-setting , Inhalable dust a at enters the nose available for depo approximates to the gion of the lung. given in MDHS1 we their own assigned with., Where a figure three tim	zardous to concentration /A of inhalable his means that posed to dust ed specific appropriate ide range of rticular particle he body re- of the particle. g purposes pproximates to e and mouth sition in the he fraction that Fuller defini- 4/4., Where gned WEL, all no specific
		TWA (Respirable	4 mg/m3	GB EH40
		dust)		
Cement, portland, chemicals	65997-15-1	TWA (inhalable dust)	10 mg/m3	GB EH40
		TWA (Respirable dust)	4 mg/m3	GB EH40
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU
	Further informa	ation: Indicative	•	·
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU
		TWA	5 mg/m3	GB EH40
		TIA/A (Decembrale)	1 ma ar/ma 2	

TWA (Respirable

STEL (Respirable

fraction)

1 mg/m3

4 mg/m3

Version 1.2

fraction) *The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Value type	Control parameters	Basis
Inhalable	TWA	10 mg/m3	GB EH40
Respirable fraction	TWA	4 mg/m3	GB EH40

8.2 Exposure controls

Personal protective equipment

Eye/face protection Safety glasses with side-shields conforming to EN166 GB EH40

GB EH40





te of last issue: 05.01.2023 vision Date: 11.12.2023	Version 1.2	Print Date 29.02.2024
	Eye wash bottle with pure water	
Hand protection	: Chemical-resistant, impervious glove proved standard must be worn at all chemical products. Reference numb facturer specifications.	times when handling
	Recommended: Butyl rubber/nitrile r Contaminated gloves should be rem	
Skin and body protection	: Dust impervious protective suit Protective clothing (e.g. Safety shoe long-sleeved working clothing, long t and protective boots are additionaly and stirring work.	trousers). Rubber aprons
Respiratory protection	 In case of inadequate ventilation were Respirator selection must be based exposure levels, the hazards of the pring limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous Ensure adequate ventilation. This care exhaust extraction or by general very ods for determining inhalation expositicular to the mixing / stirring area. In to keep the concentrations under the limits then respiration protection means 	on known or anticipated product and the safe work- s substances an be achieved by local ntilation. (EN 689 - Meth- sure). This applies in par- n case this is not sufficent e occupational exposure
	limits then respiration protection mea	

Environmental exposure controls

General advice	General	advice
----------------	---------	--------

: Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	: : :	solid powder No data available
Odour	:	No data available
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Parex[®] MONOGRIS E

Date of last issue: 05.01.2023 Revision Date: 11.12.2023	Version 1.2	Print Date 29.02.2024
Flammability (solid, gas)	: No data available	
Upper/lower flammability or	-	
Upper explosion limit / Up- per flammability limit	: No data available	
Lower explosion limit / Lower flammability limit	: No data available	
Flash point	: Not applicable	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
рН	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	
Solubility(ies)		
Water solubility	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: No data available	
Density	: > 1 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

9.2 Other information

No data available



Date of last issue: 05.01.2023
Revision Date: 11.12.2023

Version 1.2

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.



Date of last issue: 05.01.2023 Revision Date: 11.12.2023	Version 1.2	Print Date 29.02.2024
Reproductive toxicity Not classified based on available information.		

STOT - single exposure Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

: The generation of waste should be avoided or minimized



Version 1.2	Print Date 29.02.2024
wherever possible. Empty containers or liners may retain so	me product residues.
This material and its container must be d	
Dispose of surplus and non-recyclable p	roducts via a licensed
Disposal of this product, solutions and ar at all times comply with the requirements protection and waste disposal legislation local authority requirements.	of environmental
Avoid dispersal of spilled material and ru soil, waterways, drains and sewers.	noff and contact with
	wherever possible. Empty containers or liners may retain so This material and its container must be c way. Dispose of surplus and non-recyclable p waste disposal contractor. Disposal of this product, solutions and an at all times comply with the requirements protection and waste disposal legislation local authority requirements. Avoid dispersal of spilled material and ru

14.1 UN number or ID number

	ADR	:	Not regulated as a dangerous good		
	IMDG	:	Not regulated as a dangerous good		
	ΙΑΤΑ	:	Not regulated as a dangerous good		
14.	2 UN proper shipping name				
	ADR	:	Not regulated as a dangerous good		
	IMDG	:	Not regulated as a dangerous good		
	ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)					
	ADR	:	Not regulated as a dangerous good		
	IMDG	:	Not regulated as a dangerous good		
	ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group					
	ADR	:	Not regulated as a dangerous good		
	IMDG	:	Not regulated as a dangerous good		
	IATA (Cargo)	:	Not regulated as a dangerous good		
	IATA (Passenger)	:	Not regulated as a dangerous good		
14.	5 Environmental hazards				
	Not regulated as a dangerous good				
	44.C. Changing have an entry in the second				

14.6 Special precautions for user

Not applicable



Date of last issue: 05.01.2023	Version 1.2	Print Date 29.02.2024
Revision Date: 11.12.2023		

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

International Chemical Weapons Schedules of Toxic Chemicals an	, , , , , , , , , , , , , , , , , , ,	Not applicable
Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de-	Not applicable
Volatile organic compounds :	Law on the incentive tax (VOCV) no VOC duties	for volatile organic compounds
		24 November 2010 on industrial Ilution prevention and control)

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	 Environmental Protection Act 1990 & Subsidiary Regulation Health and Safety at Work Act 1974 & Subsidiary Regulation Control of Substances Hazardous to Health Regulations (COSHH) May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments. 	
-----------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

Other regulations:

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H335 :	May cause respiratory irritation.



Date of last issue: 05.01.2023 Revision Date: 11.12.2023 Version 1.2

Print Date 29.02.2024

Full text of other abbreviations				
Eye Dam.	:	Serious eye damage		
Skin Irrit.	:	Skin irritation		
Skin Sens.	:	Skin sensitisation		
STOT SE	:	Specific target organ toxicity - single exposure		
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a		
		fourth list of indicative occupational exposure limit values		
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits		
2017/164/EU / STEL	:	Short term exposure limit		
2017/164/EU / TWA	:	Limit Value - eight hours		
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)		
GB EH40 / STEL ADR	:	Short-term exposure limit (15-minute reference period)		
ADR	·	European Agreement concerning the International Carriage of Dangerous Goods by Road		
CAS		Chemical Abstracts Service		
DNEL	:	Derived no-effect level		
EC50	:	Half maximal effective concentration		
GHS	:	Globally Harmonized System		
IATA	÷	International Air Transport Association		
IMDG		International Maritime Code for Dangerous Goods		
LD50	:	Median lethal dosis (the amount of a material, given all at		
		once, which causes the death of 50% (one half) of a group of		
		test animals)		
LC50	:	Median lethal concentration (concentrations of the chemical in		
		air that kills 50% of the test animals during the observation		
		period)		
MARPOL	:	International Convention for the Prevention of Pollution from		
		Ships, 1973 as modified by the Protocol of 1978		
OEL	:	Occupational Exposure Limit		
PBT	:	Persistent, bioaccumulative and toxic		
PNEC	:	Predicted no effect concentration		
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament		
		and of the Council of 18 December 2006 concerning the Reg-		
		istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency		
SVHC		Substances of Very High Concern		
vPvB	:	Very persistent and very bioaccumulative		
	•			

Further information

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Version 1.2

Parex[®] MONOGRIS E

Date of last issue: 05.01.2023 Revision Date: 11.12.2023

Changes as compared to previous version !

GB / EN



Print Date 29.02.2024