

Date of last issue: 26.10.2022	Version 5.0	Print Date 29.02.2024
Revision Date: 23.02.2024		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : SikaBiresin® CR122 (Biresin CR122) Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Composites system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City
		Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Sub-category 1C	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Germ cell mutagenicity, Category 2	H341: Suspected of causing genetic defects.
Reproductive toxicity, Category 1B	H360F: May damage fertility.
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



SikaBiresin[®] CR122 (Biresin CR122) Part A

Date of last issue: 26.10.2022 Revision Date: 23.02.2024			Version 5.0	Print Date 29.02.2024
Hazard pictograms	:			
Signal word	:	Danger	· ·	
Hazard statements	:	H317 M H341 S H360F M	auses severe skin burns and e lay cause an allergic skin reac uspected of causing genetic d lay damage fertility. oxic to aquatic life with long lat	tion. efects.
Precautionary statements	:	Prevention: P201 P273 P280	Obtain special instructions Avoid release to the enviro Wear protective gloves/ pro eye protection/ face protect	onment. otective clothing/
		Response: P303 + P361 - P304 + P340 -	ately all contaminated cloth with water.	ning. Rinse skin ve person to fresh or breathing. Im-
		P305 + P351 ·		Rinse cautiously ites. Remove con- easy to do. Con-
		P308 + P313 P391	IF exposed or concerned: vice/ attention. Collect spillage.	Get medical ad-

Hazardous components which must be listed on the label:

bis-[4-(2,3-epoxypropoxy)phenyl]methane Trimethylolpropane triglycidylether bis-[4-(2,3-epoxipropoxi)phenyl]propane

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Date of last issue: 26.10.2022	
Revision Date: 23.02.2024	

Version 5.0

Print Date 29.02.2024

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
bis-[4-(2,3-	Not Assigned	Skin Irrit. 2; H315	>= 40 - < 60
epoxypropoxy)phenyl]methane	701-263-0	Skin Sens. 1A; H317	
	01-2119454392-40-	Aquatic Chronic 2;	
	XXXX	H411	
Trimethylolpropane triglycidylether	Not Assigned	Skin Corr. 1C; H314	>= 25 - < 40
	701-135-4	Eye Dam. 1; H318	
	01-2120078341-60-	Skin Sens. 1B; H317	
	XXXX	Muta. 2; H341	
		Repr. 1B; H360F	
		Aquatic Chronic 2;	
		H411	
bis-[4-(2,3-	1675-54-3	Skin Irrit. 2; H315	>= 10 - < 20
epoxipropoxi)phenyl]propane	216-823-5	Eye Irrit. 2; H319	
	01-2119456619-26-	Skin Sens. 1; H317	
	XXXX	Aquatic Chronic 2;	
		H411	
		specific concentration	
		limit	
		Eye Irrit. 2; H319	
		>= 5 %	
		Skin Irrit. 2; H315	
		>= 5 %	
For evolve the of other intime of	a anation AC		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.



Date of last issue: 26.10.2022 Revision Date: 23.02.2024		Version 5.0	Print Date 29.02.202
If inhaled		Move to fresh air. Consult a physician after significant ex	posure.
In case of skin contact		Take off contaminated clothing and sho Wash off with soap and plenty of water Immediate medical treatment is necess wounds from corrosion of the skin heal sy.	sary as untreated
In case of eye contact		Small amounts splashed into eyes can sue damage and blindness. In the case of contact with eyes, rinse is of water and seek medical advice. Continue rinsing eyes during transport Remove contact lenses. Keep eye wide open while rinsing.	immediately with plenty
If swallowed		Do not induce vomiting without medica Rinse mouth with water. Do not give milk or alcoholic beverages Never give anything by mouth to an un	S.
.2 Most important symptoms a	nd ef	fects, both acute and delayed	
Symptoms		Allergic reactions Dermatitis See Section 11 for more detailed inforr and symptoms.	nation on health effects
Risks	:	Health injuries may be delayed. corrosive effects sensitising effects coxic effects for reproduction	
		May cause an allergic skin reaction. Causes serious eye damage. Suspected of causing genetic defects. May damage fertility. Causes severe burns.	
4.3 Indication of any immediate	medi	cal attention and special treatment r	needed
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting mea	sure	S	
5.1 Extinguishing media			
Suitable extinguishing media	i	n case of fire, use water/water spray/w de/sand/foam/alcohol resistant foam/c extinction.	
Country GB 000000120780			4 / 16



Date of last issue: 26.10.2022	Version 5.0	Print Date 29.02.2024
Revision Date: 23.02.2024		

5.2 Special hazards arising from the substance or mixture

	Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
	Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3		:	In the event of fire, wear self-contained breathing apparatus.
	for firefighters Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
			Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment.
		Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform
		respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	: Avoid exceeding the given occupational exposure limits (see section 8).
	Do not get in eyes, on skin, or on clothing.
	For personal protection see section 8.
	Persons with a history of skin sensitisation problems or asth-



SikaBiresin[®] CR122 (Biresin CR122) Part A

Date of last issue: 26.10.2022 Revision Date: 23.02.2024		Version 5.0	Print Date 29.02.2024
		ma, allergies, chronic or recurrent respiratory not be employed in any process in which this used. Smoking, eating and drinking should be proh plication area. Pregnant women or women of child-bearing exposed to this product. Follow standard hygiene measures when ha products	s mixture is being nibited in the ap- age should not be
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection	on.
Hygiene measures	:	Handle in accordance with good industrial hy practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the	nen using do not
7.2 Conditions for safe storage, i	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and we place. Containers which are opened must be sealed and kept upright to prevent leakage. ance with local regulations.	e carefully re-
Further information on stor- age stability	:	No decomposition if stored and applied as di	irected.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data She use.	et prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

of exposure)	ype (Form Control parame- Basis * osure) ters *
--------------	--

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

1

Personal protective equipment

Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water



Date of last issue: 26.10.2022 Revision Date: 23.02.2024		Version 5.0	Print Date 29.02.2024
		Wear eye/face protection.	
Hand protection	:	Chemical-resistant, impervious gloves complying proved standard must be worn at all times when chemical products. Reference number EN 374. facturer specifications.	handling
		Suitable for short time use or protection against Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	splashes:
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN long-sleeved working clothing, long trousers). Re and protective boots are additionally recommend and stirring work.	ubber aprons
Respiratory protection	:	No special measures required.	
Environmental exposure co	ntr	ols	
General advice	:	Do not flush into surface water or sanitary sewer If the product contaminates rivers and lakes or or respective authorities.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid various		
Odour	:	epoxy-like		
Melting point/range / Freezing point	:	No data available		
Boiling point/boiling range	:	No data available		
Flammability (solid, gas)	:	No data available		
Upper/lower flammability or explosive limits				

Upper explosion limit / Up- : No data available per flammability limit



Date of last issue: 26.10.2022 Revision Date: 23.02.2024		Version 5.0	Print Date 29.02.2024
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	> 101 °C Method: closed cup	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture is non-soluble (in water)	
Viscosity Viscosity, dynamic	:	ca. 1.000 mPa.s (25 °C)	
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	0,01 hPa	
Density	:	ca. 1,16 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available



	Version 5.0	Print Date 29.02.2024		
reactivity				
own under co	onditions of normal use.			
stable.				
reactions				
: Stab	ble under recommended storage cond	ditions.		
: No c	data available			
: No c	data available			
10.6 Hazardous decomposition products				
: No h	hazardous decomposition products ar	re known.		
linformatic	on			
	stable. reactions : Sta : No : No on products : No	own under conditions of normal use. stable. reactions : Stable under recommended storage cond : No data available : No data available		

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not classified due to lack of Components:	data.	
Trimethylolpropane triglyc	cidyle	ether:
Acute oral toxicity	:	LD50 Oral (Rat): 3.398 mg/kg
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2.000 mg/kg
bis-[4-(2,3-epoxipropoxi)p	heny	
Acute oral toxicity		LD50 Oral (Rat): > 5.000 mg/kg
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg
Skin corrosion/irritation Causes severe burns.		
Serious eye damage/eye i	rritati	on
Causes serious eye damage	ə.	



Date of last issue: 26.10.2022	
Revision Date: 23.02.2024	

Version 5.0

Print Date 29.02.2024

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity May damage fertility.

STOT - single exposure Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

bis-[4-(2,3-epoxypropoxy)phenyl]methane:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 2,54 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 2,55 mg/l Exposure time: 48 h
Toxicity to algae/aquatic	:	EC50 (algae): 1,8 mg/l



Date of last issue: 26.10.2022 Revision Date: 23.02.2024	Version 5.0	Print Date 29.02.202
plants	Exposure time: 72 h	
Trimethylolpropane triglycic	dylether:	
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitate Exposure time: 72 h	a (microalgae)): 9 mg/l
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	: EC50: 3,7 mg/l Exposure time: 48 d Species: Daphnia magna (Water flea)	
bis-[4-(2,3-epoxipropoxi)phe	enyl]propane:	
Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow Exposure time: 96 h	trout)): 2 mg/l
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1 Exposure time: 48 h	,8 mg/l
12.2 Persistence and degradabil	ity	
No data available		
12.3 Bioaccumulative potential No data available		
12.4 Mobility in soil No data available		
12.5 Results of PBT and vPvB as	ssessment	
Product:		
Assessment	 This substance/mixture contains no control to be either persistent, bioaccumulative very persistent and very bioaccumulation 0.1% or higher 	e and toxic (PBT), or
12.6 Endocrine disrupting prope	rtios	
<u>Product:</u> Assessment	: The substance/mixture does not contai ered to have endocrine disrupting prop REACH Article 57(f) or Commission De (EU) 2017/2100 or Commission Regula levels of 0.1% or higher.	erties according to elegated regulation
12.7 Other adverse effects		
Product:		
Additional ecological infor- mation	: An environmental hazard cannot be ex unprofessional handling or disposal. Toxic to aquatic life with long lasting ef	



Date of last issue: 26.10.2022 Revision Date: 23.02.2024 Version 5.0

Print Date 29.02.2024

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 1760			
IMDG	:	UN 1760			
ΙΑΤΑ	:	UN 1760			
14.2 UN proper shipping name					
ADR	: CORROSIVE LIQUID, N.O.S. (Trimethylolpropane triglycidylether)				
IMDG	:	CORROSIVE LIQUID, N.O.S. (Trimethylolpropane triglycidylether)			
ΙΑΤΑ	:	Corrosive liquid, n.o.s. (Trimethylolpropane triglycidylether)			
14.3 Transport hazard class(es)					
		Class	Subsidiary risks		
ADR	:	8			
IMDG	:	8			



Date of last issue: 26.10.2022 Revision Date: 23.02.2024		Version 5.0	Print Date 29.02.202
ΙΑΤΑ	:	8	
14.4 Packing group			
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code		III C9 80 8 (E)	
IMDG Packing group Labels EmS Code Remarks	: : :	III 8 F-A, S-B Alkalis	
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	:	856 Y841 III Corrosive	
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels	:	852 Y841 III Corrosive	
14.5 Environmental hazards			
ADR Environmentally hazardous	:	yes	
IMDG Marine pollutant	:	yes	
IATA (Passenger) Environmentally hazardous	:	yes	
IATA (Cargo) Environmentally hazardous	:	yes	
14.6 Special precautions for use	r		
		vided herein are for informational purpo aged material as it is described within th	

upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



Date of last issue: 26.10.2022	Version 5.0	Print Date 29.02.2024
Revision Date: 23.02.2024		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Ar	REACH List of restrictions (Annex 17)			
	UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation			
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)			Not applicable	
International Chemical Weapons Schedules of Toxic Chemicals an		:	Not applicable	
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer			Not applicable	
UK REACH List of substances su (Annex XIV)	:	Not applicable		
GB Export and import of hazardous chemicals - Prior : Not applicable Informed Consent (PIC) Regulation				
Control of Major Accident Hazard 2015 (COMAH)	s Regulations E2	ΕŊ	VIRONMENTAL HAZARDS	
Volatile organic compounds : Law on the incentive tax for volatile organic compou (VOCV)				
		volatile organic compounds (VOC) content: <= 3% w/w		
Directive 2010/75/EU of 24 November 2010 on indu emissions (integrated pollution prevention and contr Volatile organic compounds (VOC) content: 0,1% w				

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ-	:	Environmental Protection Act 1990 & Subsidiary Regulations
mental regulation/legislation		Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or		Control of Substances Hazardous to Health Regulations



Date of last issue: 26.10.2022
Revision Date: 23.02.2024

Version 5.0

Print Date 29.02.2024

mixture:

(COSHH) May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H314 H315 H317 H318 H319 H341 H360F H411		Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Suspected of causing genetic defects. May damage fertility. Toxic to aquatic life with long lasting effects.
Full text of other abbreviat	tions	
Aquatic Chronic Eye Dam. Eye Irrit. Muta. Repr. Skin Corr. Skin Irrit. Skin Sens. ADR		Long-term (chronic) aquatic hazard Serious eye damage Eye irritation Germ cell mutagenicity Reproductive toxicity Skin corrosion Skin irritation Skin sensitisation European Agreement concerning the International Carriage of
CAS DNEL EC50 GHS IATA IMDG LD50		Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50 MARPOL	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) International Convention for the Prevention of Pollution from
OEL PBT PNEC REACH		Ships, 1973 as modified by the Protocol of 1978 Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg-



Date of last issue: 26.10.2022 Revision Date: 23.02.2024	Version 5	Version 5.0		
SVHC vPvB	cals (REACH), establis : Substances of Very Hig	 istration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency Substances of Very High Concern Very persistent and very bioaccumulative 		
Further information				
Classification of the mixtu	re:	Classification procedu	ire:	
Skin Corr. 1C	H314	Calculation method		
Eye Dam. 1	H318	Calculation method		
Skin Sens. 1	H317	Calculation method		
Muta. 2	H341	Calculation method		
Repr. 1B	H360F	Calculation method		
Aquatic Chronic 2	H411	Calculation method		

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN