

EVERBUILD® Forever Silicone

DECLARATION OF PERFORMANCE

No. 38151033

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:	FOREVER
2	INTENDED USE/S	Non-structural sealants for external and internal side of facade elements
3	MANUFACTURER:	Sika Services AG Tüffenwies 16-22 8064 Zürich
4	AUTHORISED REPRESENTATIVE:	
5	SYSTEM/S OF AVCP:	3
6a	DESIGNATED STANDARD:	BS EN15651-1:2012
	Conformity Assessment body/ies:	2538

7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	AVCP	Designated Technical Specification	
Reaction to fire	Class E	3		
Release of chemicals dangerous to the environment and health	See sds			
Water tightness and air tightness				
Resistance to flow	≤3 mm	3		
Loss of volume	≤10 %	3		
Tensile properties at maintained extension after immersion in water	NF @ 100 %	3	BS EN15651-1: 2012	
Durability	Pass	3		
	_			

8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name: Paul Thomas Function: Technical Product

Coordinator

At Leeds on 16 February 2022

Name: Victor Rodrigues Function: Product Manager At Leeds on 16 February 2022

End of information as required by UKCA





	22					
	Sika Services AG, Zurich, Switzerland DoP No. 38151033					
	BS EN15651-1:2012					
	Conformity Assessment Body 2538					
	Non-structural sealants for external and internal side of facade elements					
	Reaction to fire	Class E				
	Release of chemicals dangerous to the environment and health	See sds				
	Water tightness and air tightness					
	Resistance to flow	≤3 mm				

≤10 %

Pass

NF @ 100 %

Declarations of Performance Downloads | Sika Limited

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

User must read the most recent corresponding Safety Data Sheets (SDS) before using any products. The SDS provides information and advice on the safe handling, storage and disposal of chemical products and contains physical, ecological, toxicological and other safety-related data.

LEGAL NOTE

Loss of volume

Durability

immersion in water

Tensile properties at maintained extension after

Any information provided in this Declaration of Performance ("DoP"), including any descriptions and recommendations relating to the application and end-use of any Sika products ("Products"), are given in good faith based on Sika's current knowledge and experience of the Products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. Please note that the materials, substrates and actual site conditions may vary considerably, and therefore Sika makes no warranty for merchantability or fitness for a particular purpose, and accepts no liability for the application and use of the Products, for any recommendations, or for any advice offered. Prior to using, the Product must be tested for its suitability for the intended application and purpose, and the most recent version of the Product Data Sheet must be consulted. Sika reserves the right to change the properties of its Products any time without prior notice. Any orders for Products or services provided by Sika are subject to Sika's current terms and conditions of sale.

Declaration of Performance

FOREVER 38151033 2022/02 , ver. 01 1213



38151033 2022/02 , ver. 01 1213

