Safety Data Sheet

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II - United Kingdom (UK)



1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the substance/preparation

Product name or Trade name :

Sika Frame Sealant

Use of the substance/preparation : Chemical product for construction and industry

Company/undertaking identification

Manufacturer/Distributor	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ United Kingdom
Telephone no.	:	01707 394444
Fax no.	:	01707 329129
e-mail address of person responsible for this SDS	:	EHS@uk.sika.com
Emergency telephone number	:	+44 (0)1707 363899 (available during office hours).

2. HAZARDS IDENTIFICATION

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification	:	Carc. Cat. 3; R40
		R43

Human health hazards : Limited evidence of a carcinogenic effect. May cause sensitisation by skin contact. See section 11 for more detailed information on health effects and symptoms.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family/ Characteristics : Filled silicone polymer

Ingredient name	CAS number	%	EC number	Classification
2-butanone oxime	96-29-7	3-5	202-496-6	Carc. Cat. 3; R40 [1] Xn; R21 Xi; R41 R43
See section 16 for the full text of the R- phrases declared above				

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] PBT-substance

[4] vPvB-substance

Occupational exposure limits, if available, are listed in section 8.

4. FIRST AID MEASURES

First-aid measures	
Inhalation	: Get medical attention.
Ingestion	: Do not induce vomiting unless directed to do so by medical personnel. Maintain an open airway. Seek immediate medical attention.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention if symptoms occur.
Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Notes to physician	 In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

See section 11 for more detailed information on health effects and symptoms.

5. FIRE-FIGHTING MEASURES

Extinguishing media	
Suitable	: Use an extinguishing agent suitable for the surrounding fire.
Not suitable	: None known.
Special exposure hazards	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides
Special protective equipment for fire-fighters	 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	: Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment (see sectio 8).
Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13).
Small spill	: Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container.

7. HANDLING AND STORAGE

Handling

: Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous.

HANDLING AND STORAGE

7. HANDLING	AND STORAGE
Storage	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
Packaging materials	
Recommended	: Use original container.

EXPOSURE CONTROLS/PERSONAL PROTECTION 8.

Exposure limit values		
Ingredient name		Occupational exposure limits
No exposure limit value knowr	า.	
Recommended monitoring procedures	:	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.
Exposure controls		
Occupational exposure controls	:	If user operations generate dust, fumes, gas, vapour or mist, use process enclosures local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.
Respiratory protection		No special measures required.
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Recommended: Butyl rubber/nitrile rubber gloves.
Eye protection		Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
Skin protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Use barrier skin cream.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. PHYSICAL AND CHEMICAL PROPERTIES

Date of issue	: 21.06.2010.	MSDS no. : 602301	3/6
Flash point	: Closed cup: >100°C (>212°F)		
Boiling point	: >300°C (>572°F)		
Important health, safe	ety and environmental information		
Odour	: Characteristic.		
Colour	: Various.		
Form	: Paste.		
<u>Appearance</u>			
General information			

9. PHYSICAL AND CHEMICAL PROPERTIES

Density Solubility : ~1.04 g/cm³

: Insoluble in the following materials: water

10. STABILITY AND REACTIVITY

Stability	:	The product is stable.
Conditions to avoid	:	No specific data.
Materials to avoid	:	No specific data.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

Potential acute health effects	2	
Inhalation	:	May cause irritation.
Ingestion	:	Can cause gastrointestinal disturbances.
Skin contact	:	May cause sensitisation by skin contact.
Eye contact	:	May cause eye irritation.
Chronic effects	:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	:	May cause cancer, based on animal data. Limited evidence of a carcinogenic effect. Risk of cancer depends on duration and level of exposure.

12. ECOLOGICAL INFORMATION

Environmental effects : Avoid contact of spilt material and runoff with soil and surface waterways. Do not empty into drains; dispose of this material and its container in a safe way.

13. DISPOSAL CONSIDERATIONS

Methods of disposal	:	The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
European waste catalogue (EWC)	:	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
Packaging	:	Completely emptied packaging or practically empty packaging containing dried/cured residues, once relieved of all pressure can be disposed of as non-hazardous waste.
		Packaging may still contain hazardous residues and disposal should undertaken by a licensed waste contractor.
		Any disposal practice must be in compliance with local and national laws and regulations.
		15 01 10* packaging containing residues of or contaminated by dangerous substances

14. TRANSPORT INFORMATION

International transport regulations

<u>adr</u>

Not regulated.

<u>IMDG</u>

Not regulated.

Marine pollutant : No

<u>IATA</u>

Not regulated.

15. REGULATORY INFORMATION

EU regulations

Classification and labeling have been determined according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and take into account the intended product use.

Hazard symbol or symbols	:	Xn
		Hormful

	Harmful
Contains	: 2-butanone oxime
Risk phrases	: R40- Limited evidence of a carcinogenic effect. R43- May cause sensitisation by skin contact.
Safety phrases	: S2- Keep out of the reach of children. S36/37- Wear suitable protective clothing and gloves. S46- If swallowed, seek medical advice immediately and show this container or label. S56- Dispose of this material and its container at hazardous or special waste collection point.
VOC content (EU)	: VOC (w/w): 0%
National regulations	
Regulatory information	 Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (CHIP 4)
	Control of Substances Hazardous to Health Regulations 2002 (COSHH) (as amended)
	Health & Safety at Work Act 1974 The Environmental Protection (Duty of Care) Regulations 1991
	Hazardous waste regulations 2005
	The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2007
Guidance Publications	 Approved Code of Practice - Management of Health and Safety at Work, HSE General Approved Code of Practice to COSHH Regulations, HSE.

16. OTHER INFORMATION

Full text of classifications referred to in sections 2 and 3	: R40- Limited evidence of a carcinogenic effect. R21- Harmful in contact with skin. R41- Risk of serious damage to eyes. R43- May cause sensitisation by skin contact.
Full text of classifications referred to in sections 2 and 3	: Carc. Cat. 3 - Carcinogen category 3 Xn - Harmful Xi - Irritant
History	

Date of printing	: 21.06.2010.		
Date of issue	: 21.06.2010.	MSDS no. : 602301	5/6

16. OTHER INFORMATION

Date of issue

: 21.06.2010.

Date of previous issue : 21.06.2010.

 $\pmb{\mathbb{V}}$ Indicates information that has changed from previously issued version.

Notice to reader

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.