
Sika® Injection-101 RC

DECLARATION OF PERFORMANCE

No. 60270744

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:	60270744
2	INTENDED USE/S	EN 13813:2002 Synthetic resin screed material
3	MANUFACTURER:	Sika Services AG Tüffenwies 16-22 8064 Zürich
4	AUTHORISED REPRESENTATIVE:	
5	SYSTEM/S OF AVCP:	System 4
6a	HARMONISED STANDARD:	EN 13813:2002
	Notified body/ies:	No Notified Body Required

Declaration of Performance

Sika® Injection-101 RC

60270744

2018.10 , ver. 1

1063

7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Reaction to fire	Efl	System 4	EN 13813:2002
Release of corrosive substances	SR	System 4	
Water permeability	NPD	System 4	
Wear resistance	NPD	System 4	
Bond strength	B0.2	System 4	
Impact strength	NPD	System 4	
Sound Isolation	NPD	System 4	
Sound Absorption	NPD	System 4	
Thermal Insulation	NPD	System 4	
Chemical resistance	NPD	System 4	


8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name: Stephen Armfield
 Function: Product Manager -
 Waterproofing
 At Sika Ltd on 11 May 2020

Name: Lee Sleight
 Function: Concrete & Waterproofing
 Manager
 At Sika Ltd on 11 May 2020




End of information as required by Regulation (EU) No 305/2011





18

Sika Services AG, Zurich, Switzerland

DoP No. 60270744

EN 13813:2002

No Notified Body required

Synthetic resin screed material

Reaction to fire	E _{fl}
Release of corrosive substances	SR
Bond strength	B0.2

<http://dop.sika.com>

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Declaration of Performance

Sika® Injection-101 RC
60270744
2018.10 , ver. 1
1063

Watchmead

Welwyn Garden City
AL7 1BQ
United Kingdom
sikawaterproofing.co.uk

Declaration of Performance

Sika® Injection-101 RC
60270744
2018.10 , ver. 1
1063

