

Version 2.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	[:] SikaGlaze [®] GG-735 (B)
Substance name	: Diphenylmethanediisocyanate, isomeres and homologues
Substance No.	: 9016-87-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use	: Sealant/adhesi	ve
-------------	------------------	----

1.3 Details of the supplier of the safety data sheet

Company	 Sika Limited Watchmead Welwyn Garden City Hertfordshire AL7 1BQ United Kingdom
Telephone	: +44 (0)1707 394444

1.4 Emergency telephone number

Emergency telephone num-	: +44 (0)1707 363899 (available during office hours)
ber	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Type of product : Substance

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure.

2.2 Label elements

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SikaGlaze[®] GG-735 (B)

Revision Date 03.06.2016



Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms Signal word Danger • Hazard statements H315 Causes skin irritation. ÷ May cause an allergic skin reaction. H317 Causes serious eye irritation. H319 H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. H335 Suspected of causing cancer. H351 May cause damage to organs through pro-H373 longed or repeated exposure. **Prevention:** Precautionary statements P201 Obtain special instructions before use. Do not breathe dust/ fume/ gas/ mist/ va-P260 pours/ spray. Wear protective gloves/ eye protection/ face P280 protection. P281 Use personal protective equipment as required. **Response:** P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

Version 2.2

Additional Labelling:

EUH204 Contains isocyanates. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	CAS-No. EC-No.	Concentration [%]
Diphenylmethanediisocya- nate, isomeres and homo- logues	9016-87-9	>= 50 - <= 100



Revision Date 03.06.2016 Version 2.2

SECTION 4: First aid measures

4.1 Description of first aid measures			
General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.		
If inhaled	: Move to fresh air. Consult a physician after significant exposure.		
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician. 		
In case of eye contact	 Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. 		
If swallowed	 Clean mouth with water and drink afterwards plenty of water. Induce vomiting immediately and call a physician. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 		
4.2 Most important symptoms a	nd effects, both acute and delayed		
Symptoms	: Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed information on health effects and symptoms.		
Risks	 irritant effects sensitising effects Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure. 		



Version 2.2

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- ucts	: No hazardous combustion products are known
5.3 Advice for firefighters	
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.
Further information	: Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment.	
		Deny access to unprotected persons.	

6.2 Environmental precautions

Environmental precautions	: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform
	respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel,
	acid binder, universal binder, sawdust).
	Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SikaGlaze® GG-735 (B)



Revision Date 03.06.2016	Version 2.2	Print Date 01.09.2016
Advice on safe handling	: Avoid formation of aerosol. Avoid excer pational exposure limits (see section 8) skin, or on clothing. For personal protect Persons with a history of skin sensitisa ma, allergies, chronic or recurrent resp not be employed in any process in whic used. Smoking, eating and drinking sho application area. Provide sufficient air of haust in work rooms. Follow standard h when handling chemical products). Do not get in eyes, on ction see section 8. tion problems or asth- iratory disease should ch this mixture is being ould be prohibited in the exchange and/or ex-
Advice on protection against fire and explosion	: Normal measures for preventive fire pre-	otection.
Hygiene measures	: Handle in accordance with good indust practice. When using do not eat or drin smoke. Wash hands before breaks and	k. When using do not
7.2 Conditions for safe storage, i	ncluding any incompatibilities	
Requirements for storage areas and containers	: Keep container tightly closed in a dry a place. Containers which are opened musealed and kept upright to prevent leak ance with local regulations.	ust be carefully re-
Other data	: No decomposition if stored and applied	l as directed.
7.3 Specific end use(s)		
Specific use(s)	: No data available	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Components	CAS-No.	Value	Control parame- ters *	Basis *
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	TWA	0,02 mg/m3	GB EH40
		STEL	0,07 mg/m3	GB EH40

Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
Diphenylmethanediisocy-	9016-87-9	urinary diamine:	Post task	GB EH40
anate, isomeres and		1µmol/mol creati-		BAT
homologues		nine		

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SikaGlaze® GG-735 (B)



Revision Date 03.06.2016	Version 2.2	Print Date 01.09.2016
	(Urine)	

8.2 Exposure controls

Personal protective equipment			
Eye protection	Safety glasses with side-shields Eye wash bottle with pure water		
Hand protection	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.		
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (0,4 mm), Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.		
Skin and body protection	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.		
Respiratory protection	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.		
Environmental exposure controls			
General advice	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.		



Version 2.2

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	ii ai :	liquid
Colour	:	brown
Odour	:	characteristic
Odour Threshold	:	No data available
Flash point	:	> 200 °C
Autoignition temperature	:	No data available
Lower explosion limit (Vol-%)	:	No data available
Upper explosion limit (Vol-%)	:	No data available
Flammability	:	No data available
Oxidizing properties	:	No data available
рН	:	No data available
Melting point/range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Vapour pressure	:	0,01 hPa
Density	:	ca.1,24 g/cm3 at 20 °C
Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Viscosity, dynamic	:	ca.250 mPa.s at 20 °C
Viscosity, kinematic	:	> 20,5 mm2/s at 40 °C
Relative vapour density	:	No data available
Evaporation rate	:	No data available

9.2 Other information

No data available



Version 2.2

SECTION 10: Stability and reactivity
10.1 Reactivity
No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity	
Harmful if inhaled.	
Components:	
Diphenylmethanediisocya Acute oral toxicity	nate, isomeres and homologues: : LD50 Oral (Rat): > 10.000 mg/kg
Acute inhalation toxicity	: Acute toxicity estimate: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 9.400 mg/kg
Skin corrosion/irritation	
Causes skin irritation.	
Product:	
Remarks: Causes skin irritat	tion.
Serious eye damage/eye ir	ritation
Causes serious eye irritation	ı.
Product:	
Remarks: Causes serious e	ye irritation.
Country GB 000000217611	



Version 2.2

Respiratory or skin sensitisation

Skin sensitisation: May cause an allergic skin reaction. Respiratory sensitisation: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Product:

Remarks: May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

Not classified based on available information.

Product:

Germ cell mutagenicity- As- : No data available sessment

Carcinogenicity

Suspected of causing cancer.

Product:

Carcinogenicity - Assess- : Suspected of causing cancer. ment

Reproductive toxicity

Not classified based on available information.

Product:

Reproductive toxicity - As- : No data available sessment

No data available

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential



Version 2.2

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	: 08 05 01* waste isocyanates
Contaminated packaging	 15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

ADR Not dangerous goods IATA Not dangerous goods IMDG

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SikaGlaze[®] GG-735 (B)

Print Date 01.09.2016

Revision Date 03.06.2016

Version 2.2

Not dangerous goods

14.6 Special precautions for user

No data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibition/Restriction REACH - Restrictions on the manufacture, placing on : Banned and/or restricted the market and use of certain dangerous substances, (Diphenylmethanediisocyanate, preparations and articles (Annex XVII) isomeres and homologues) REACH - Candidate List of Substances of Very High : None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation : Not applicable (Annex XIV) **REACH Information:** All substances contained in our Products are - preregistered or registered by our upstream suppliers, and/or - preregistered or registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable VOC-CH (VOCV) : no VOC duties VOC-EU (solvent) : Not applicable If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	 The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002 Control of Substances Hazardous to Health Regulations 2002 The Management of Health and Safety at Work Regulations 1999 Health and Safety at Work Act 1974 Environmental Protection Act 1990 & Subsidiary Regulations
---	--



Version 2.2

15.2 Chemical safety assessment

This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

ADR	Accord européen relatif au transport international des marchandises
CAS	Dangereuses par Route Chemical Abstracts Service
DNEL	Derived no-effect level
EC50	Half maximal effective concentration
GHS	Globally Harmonized System
IATA	International Air Transport Association
IMDG	International Maritime Code for Dangerous Goods
LD50	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	International Convention for the Prevention of Pollution from Ships,
	1973 as modified by the Protocol of 1978
OEL	Occupational Exposure Limit
PBT	Persistent, bioaccumulative and toxic
PNEC	Predicted no effect concentration
REACH	Regulation (EC) No 1907/2006 of the European Parliament and of the
	Council of 18 December 2006 concerning the Registration, Evaluation,
	Authorisation and Restriction of Chemicals (REACH), establishing a
SVHC	European Chemicals Agency Substances of Very High Concern
vPvB	Very persistent and very bioaccumulative
	very persistent and very bloaccunulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !