

# PRODUCT DATA SHEET

## Sika® ViscoCrete® Premier (GB)

### ACCELERATING HIGH RANGE WATER REDUCING/SUPERPLASTICISING CONCRETE ADMIXTURE

#### PRODUCT DESCRIPTION

Sika® ViscoCrete® Premier (GB) is a liquid admixture for concrete which is used as an accelerating high range water reducer or superplasticiser. It meets the requirements of BS EN 934-2.

#### USES

- Sika® ViscoCrete® Premier (GB) has been specifically formulated for the production of concrete mixes which require high early strength development, powerful water reduction and excellent flowability.
- Precast concrete
- Fast track concrete
- Self compacting concrete

#### CHARACTERISTICS / ADVANTAGES

- Significantly increased early age strength
- Excellent water reduction
- Excellent flowability
- Reduced drying shrinkage
- Improved surface finish

#### APPROVALS / STANDARDS

Conforms to the requirements of BS EN 934-2 Tables 3.1 & 3.2

#### PRODUCT INFORMATION

<b>Packaging</b>	1000 litres IBC
<b>Appearance / Colour</b>	Pale Brown
<b>Shelf Life</b>	12 months from date of production if stored properly in undamaged containers.
<b>Storage Conditions</b>	Store in dry conditions at temperatures between +5°C and +25°C. Protect from direct sunlight and frost.
<b>Specific Gravity</b>	1.07 kg/litre
<b>pH-Value</b>	Awaiting further testing

#### APPLICATION INFORMATION

<b>Recommended Dosage</b>	0.2 - 0.8% by weight of cement (medium workability) 1.0 – 2.0% by weight of cement (high workability/SCC)
<b>Compatibility</b>	Sika® Admixtures: <ul style="list-style-type: none"> <li>▪ Compatibility information available on request</li> </ul> Cements: <ul style="list-style-type: none"> <li>▪ All cement combinations</li> </ul>

## APPLICATION INSTRUCTIONS

### Application Conditions/Limitations

- Sika® ViscoCrete® Premier (GB) should not be added to dry cement
- Sika® ViscoCrete® Premier (GB) should be added with the mixing water

### Notes on Application/Limitations

Support from our Technical Services Departments is recommended

### DISPENSING

Sika® ViscoCrete® Premier (GB) should be dispensed through suitable calibrated equipment

## FURTHER DOCUMENTS

<b>Alkali Content</b>	Awaiting further testing
<b>Chemical Base</b>	Modified polycarboxylate
<b>Water Soluble Chloride Content</b>	Awaiting further testing

user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

## VALUE BASE

All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

## LOCAL RESTRICTIONS

Please note that as a result of specific local regulations the performance of this product may vary from country to country. Please consult the local Product Data Sheet for the exact description of the application fields.

## ECOLOGY, HEALTH AND SAFETY

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety-related data.

## LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The

**SIKA LIMITED**

Watchmead  
Welwyn Garden City  
Hertfordshire, AL7 1BQ  
Tel: 01707 394444  
Web: [www.sika.co.uk](http://www.sika.co.uk)  
Twitter: @SikaLimited

**SIKA IRELAND LIMITED**

Ballymun Industrial Estate  
Ballymun  
Dublin 11, Ireland  
Tel: +353 1 862 0709  
Web: [www.sika.ie](http://www.sika.ie)  
Twitter: @SikaIreland



Product Data Sheet  
Sika® ViscoCrete® Premier (GB)  
November 2018, Version 01.01  
021301011000003283

SikaViscoCretePremierGB-en-GB-(11-2018)-1-1.pdf

