

SikaFast®-5200 (B)

Date of last issue: 18.08.2021	Version 7.0	Print Date 04.02.2022
Revision Date: 04.02.2022		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : SikaFast[®]-5200 (B)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited
		Watchmead Welwyn Garden City
		Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 Skin sensitisation, Category 1 H319: Causes serious eye irritation. H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H317 H319	May cause an allergic skin reaction. Causes serious eye irritation.
Precautionary statements	:	P101	If medical advice is needed, have product container or label at hand.
		P102	Keep out of reach of children.



SikaFast®-5200 (B)

Date of last issue: 18.08.2021 Revision Date: 04.02.2022	Version 7.0		Print Date 04.02.2022
	Prevention: P261 P264 P280	Avoid breathing mist or vapours Wash skin thoroughly after hand Wear protective gloves/ eye pro protection.	dling.
	Disposal: P501	Dispose of contents/container ir with local regulation.	n accordance

Hazardous components which must be listed on the label:

dibenzoyl peroxide

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponents			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
dibenzoyl peroxide	94-36-0	Org. Perox. B; H241	>= 10 - < 20
	202-327-6	Eye Irrit. 2; H319	
	01-2119511472-50-	Skin Sens. 1; H317	
	XXXX	Aquatic Acute 1;	
		H400	
		Aquatic Chronic 1;	
		H410	
		M-Factor (Acute	
		aquatic toxicity): 10	
		M-Factor (Chronic	
		aquatic toxicity): 10	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Print Date 04.02.2022

SikaFast®-5200 (B)

Date of last issue: 18.08.2021

ision Date: 04.02.2022	Version 7		
Benzoic acid isononylester	670241-72-2 447-010-5 01-0000018876-55- XXXX	Aquatic Chronic 2; H411	>= 2,5 - < 5
Oxirane, methyl-, polymer with oxirane, monobutyl ether	9038-95-3 Not Assigned	Acute Tox. 4; H302 Eye Irrit. 2; H319	>= 1 - < 2,5

Version 7.0

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid mea	sure	S
General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms	and e	effects, both acute and delayed
Symptoms	:	Allergic reactions Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms.
Risks	:	irritant effects sensitising effects
		May cause an allergic skin reaction. Causes serious eye irritation.
-	e me	dical attention and special treatment needed
Treatment	:	Treat symptomatically.



SikaFast®-5200 (B)

Date of last issue: 18.08.2021 Revision Date: 04.02.2022		Version 7.0	Print Date 04.02.20
SECTION 5: Firefighting meas	sure	25	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water juide/sand/foam/alcohol resistant foam/chemic extinction.	
5.2 Special hazards arising from	the	substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are know	vn
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breat	hing apparatus.
Further information SECTION 6: Accidental releas		Standard procedure for chemical fires.	
SECTION 6: Accidental releas	se n	equipment and emergency procedures	
SECTION 6: Accidental releas 6.1 Personal precautions, protect Personal precautions	se m	neasures e equipment and emergency procedures Use personal protective equipment.	
SECTION 6: Accidental releas 6.1 Personal precautions, protect Personal precautions	se m	neasures e equipment and emergency procedures Use personal protective equipment.	
SECTION 6: Accidental releas 6.1 Personal precautions, protect Personal precautions 6.2 Environmental precautions	se m : :	equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary se If the product contaminates rivers and lakes or respective authorities.	
 SECTION 6: Accidental releas 6.1 Personal precautions, protections Personal precautions 6.2 Environmental precautions Environmental precautions 	se m : :	equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary se If the product contaminates rivers and lakes or respective authorities.	or drains inform and, silica gel,
 SECTION 6: Accidental releas 6.1 Personal precautions, protections Personal precautions 6.2 Environmental precautions Environmental precautions 6.3 Methods and material for cor 	se m : :	equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary se If the product contaminates rivers and lakes respective authorities. Inment and cleaning up Soak up with inert absorbent material (e.g. sa acid binder, universal binder, sawdust).	or drains inform and, silica gel,

7.1 Precautions for safe handling

:

Advice on safe handling

Avoid exceeding the given occupational exposure limits (see section 8).



SikaFast®-5200 (B)

Date of last issue: 18.08.2021 Revision Date: 04.02.2022		Version 7.0	Print Date 04.02.2022
		Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation pro ma, allergies, chronic or recurrent respiratory of not be employed in any process in which this r used. Smoking, eating and drinking should be prohib plication area. Follow standard hygiene measures when hand products	disease should nixture is being pited in the ap-
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection	1.
Hygiene measures	:	Handle in accordance with good industrial hyg practice. When using do not eat or drink. Whe smoke. Wash hands before breaks and at the	n using do not
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Store between 5 and 25 °C in a dry, well venti away from sources of heat, ignition and direct	
		Keep container tightly closed in a dry and well place. Store in accordance with local regulatio	
Further information on stor- age stability	:	No decomposition if stored and applied as dire	ected.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Shee use.	t prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
dibenzoyl peroxide	94-36-0	TWA	5 mg/m3	GB EH40
	listed, a figure	ation: Where no spe three times the long		•
	used.			

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.



SikaFast®-5200 (B)

Date of last issue: 18.08.2021 Revision Date: 04.02.2022	Vers	ion 7.0	Print Date 04.02.2022
Personal protective equipm	nt		
Eye protection	: Safety glasses wit Eye wash bottle w	h side-shields conformi ith pure water	ing to EN166
Hand protection	: Chemical-resistan proved standard n	t, impervious gloves co nust be worn at all time . Reference number El	s when handling
	Butyl rubber/nitrile	mm),	nm)
Skin and body protection	long-sleeved work	g (e.g. Safety shoes acc ing clothing, long trous ots are additionaly reco	ers). Rubber aprons
Respiratory protection	: In case of inadequ Respirator selection exposure levels, the ing limits of the second A1: < 1000 ppm; A Ensure adequate exhaust extraction ods for determinin ticular to the mixin to keep the concert		nown or anticipated uct and the safe work- 10000 ppm achieved by local on. (EN 689 - Meth- This applies in par- e this is not sufficent upational exposure
Environmental exposure co	trols		
General advice		urface water or sanitary aminates rivers and lak	

respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Appearance	:	paste
Colour	:	various
Odour	:	very faint
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SikaFast®-5200 (B)

Date of last issue: 18.08.2021 Revision Date: 04.02.2022	Version 7.0	Print Date 04.02.2022

	Flammability (solid, gas)	:	No data available
	Upper/lower flammability or o Upper explosion limit / Up- per flammability limit	•	
	Lower explosion limit / Lower flammability limit	:	No data available
	Flash point	:	> 255 °C Method: closed cup
	Auto-ignition temperature	:	No data available
	Decomposition temperature	:	No data available
	рН	:	Not applicable substance/mixture is non-soluble (in water)
	Viscosity		
	Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
	Solubility(ies)		
	Water solubility	:	insoluble
	Partition coefficient: n- octanol/water	:	No data available
	Vapour pressure	:	0,01 hPa
	Density	:	ca. 1,49 g/cm3 (20 °C)
	Relative vapour density	:	No data available
	Particle characteristics	:	No data available
9.2	Other information		
	Explosives	:	Not explosive

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

Country GB 00000038746

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SikaFast®-5200 (B)

Date of last issue: 18.08.2021 Revision Date: 04.02.2022	Version 7.0	Print Date 04.02.2022
10.3 Possibility of hazardous re	actions	
Hazardous reactions	: No hazards to be specially mentioned.	
10.4 Conditions to avoid Conditions to avoid	: No data available	
10.5 Incompatible materials Materials to avoid	: No data available	

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 24,3 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SikaFast®-5200 (B)

Date of last issue: 18.08.2021 Revision Date: 04.02.2022

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Product:			
Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 500 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Information given is based on data on the compo nents and the ecotoxicology of similar products.)—
		NOEC (Danio rerio (zebra fish)): 250 mg/l Remarks: Information given is based on data on the compo nents and the ecotoxicology of similar products.)-
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia dubia (water flea)): > 500 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Information given is based on data on the compo nents and the ecotoxicology of similar products.)-
		NOEC (Daphnia dubia (water flea)): 100 mg/l Remarks: Information given is based on data on the compo nents and the ecotoxicology of similar products.)-
Toxicity to algae/aquatic plants	:	IC50 (Desmodesmus subspicatus (green algae)): 150 mg/l Exposure time: 72 h	
Country GB 00000038746			9

Version 7.0

Print Date 04.02.2022





According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SikaFast[®]-5200 (B)

Date of last issue: 18.08.2021 Revision Date: 04.02.2022		Version 7.0	Print Date 04.02.2022
		Method: OECD Test Guideline 201 Remarks: Information given is based or nents and the ecotoxicology of similar p	
Ecotoxicology Assessment			
Acute aquatic toxicity	:	This product has no known ecotoxicolog	gical effects.
Chronic aquatic toxicity	:	This product has no known ecotoxicolog	gical effects.
Components:			
dibenzoyl peroxide:			
M-Factor (Acute aquatic tox- icity)	:	10	
M-Factor (Chronic aquatic toxicity)	:	10	
12.2 Persistence and degradabil No data available	ity		
12.3 Bioaccumulative potential No data available			
12.4 Mobility in soil			
No data available			
	sse	ssment	
	SSE	ssment	
12.5 Results of PBT and vPvB as	sse :	This substance/mixture contains no con to be either persistent, bioaccumulative very persistent and very bioaccumulativ 0.1% or higher	and toxic (PBT), or
12.5 Results of PBT and vPvB as <u>Product:</u> Assessment	:	This substance/mixture contains no con to be either persistent, bioaccumulative very persistent and very bioaccumulativ 0.1% or higher	and toxic (PBT), or
12.5 Results of PBT and vPvB as <u>Product:</u>	:	This substance/mixture contains no con to be either persistent, bioaccumulative very persistent and very bioaccumulativ 0.1% or higher	and toxic (PBT), or
12.5 Results of PBT and vPvB as <u>Product:</u> Assessment 12.6 Endocrine disrupting prope	:	This substance/mixture contains no con to be either persistent, bioaccumulative very persistent and very bioaccumulativ 0.1% or higher	and toxic (PBT), or /e (vPvB) at levels of n components consid- erties according to legated regulation
 12.5 Results of PBT and vPvB as <u>Product:</u> Assessment 12.6 Endocrine disrupting prope <u>Product:</u> Assessment 	:	This substance/mixture contains no con to be either persistent, bioaccumulative very persistent and very bioaccumulativ 0.1% or higher s The substance/mixture does not contain ered to have endocrine disrupting prope REACH Article 57(f) or Commission De (EU) 2017/2100 or Commission Regula	and toxic (PBT), or /e (vPvB) at levels of n components consid- erties according to legated regulation
 12.5 Results of PBT and vPvB as <u>Product:</u> Assessment 12.6 Endocrine disrupting prope <u>Product:</u> 	:	This substance/mixture contains no con to be either persistent, bioaccumulative very persistent and very bioaccumulativ 0.1% or higher s The substance/mixture does not contain ered to have endocrine disrupting prope REACH Article 57(f) or Commission De (EU) 2017/2100 or Commission Regula	and toxic (PBT), or /e (vPvB) at levels of n components consid- erties according to legated regulation
 12.5 Results of PBT and vPvB as <u>Product:</u> Assessment 12.6 Endocrine disrupting prope <u>Product:</u> Assessment 12.7 Other adverse effects 	:	This substance/mixture contains no con to be either persistent, bioaccumulative very persistent and very bioaccumulativ 0.1% or higher s The substance/mixture does not contain ered to have endocrine disrupting prope REACH Article 57(f) or Commission De (EU) 2017/2100 or Commission Regula	and toxic (PBT), or /e (vPvB) at levels of n components consid- erties according to legated regulation



SikaFast[®]-5200 (B)

Date of last issue: 18.08.2021	
Revision Date: 04.02.2022	

Version 7.0

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	: 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
Contaminated packaging	: 15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ		Not regulated as a dangerous good
14.4 Packing group		

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SikaFast®-5200 (B)

Date of last issue: 18.08.2021 Revision Date: 04.02.2022	Version 7.0	Print Date 04.02.2022
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
IATA (Cargo)	: Not regulated as a dangerous good	
IATA (Passenger)	: Not regulated as a dangerous good	
14.5 Environmental hazards Not regulated as a dangerou	s good	
14.6 Special precautions for us Not applicable	r	

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)		:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors			Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).			None of the components are listed (=> 0.1 %).
REACH - List of substances subject to authorisation (Annex XIV)			Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer			Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)			Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals			Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation		:	Not applicable
REACH Information: - registered by our ups - registered by us, and - excluded from the registered from		strea I/or gula	am suppliers, and/or ition, and/or



SikaFast®-5200 (B)

 Date of last issue: 18.08.2021
 Version 7.0
 Print Date 04.02.2022

 Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable
 Not applicable

 Volatile organic compounds
 :
 Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties

 Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Regulations (COMAH), and amendments.	Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	:	Environmental Protection Act 1990 & Subsidiary Regulations Health and Safety at Work Act 1974 & Subsidiary Regulations Control of Substances Hazardous to Health Regulations (COSHH) May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.
--------------------------------------	---	---	--

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements						
H241	: Heating may cause a fire or explosion.					
H302	: Harmful if swallowed.					
H317	: May cause an allergic skin reaction.					
H319	: Causes serious eye irritation.					
H400	: Very toxic to aquatic life.					
H410	: Very toxic to aquatic life with long lasting effects.					
H411	: Toxic to aquatic life with long lasting effects.					
Full text of other abbreviations						
Acute Tox.	: Acute toxicity					
Aquatic Acute	: Short-term (acute) aquatic hazard					
Aquatic Chronic	: Long-term (chronic) aquatic hazard					
Eye Irrit.	: Eye irritation					
Org. Perox.	: Organic peroxides					
Skin Sens.	: Skin sensitisation					
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits					
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)					
ADR	: European Agreement concerning the International Carriage of					
	Dangerous Goods by Road					
CAS	: Chemical Abstracts Service					

Country GB 00000038746



SikaFast®-5200 (B)

Date of last issue: 18.08.2021 Revision Date: 04.02.2022		Version 7.0	Print Date 04.02.2022	
DNEL EC50 GHS IATA IMDG LD50		Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous O Median lethal dosis (the amount of a materia	al, given all at	
LC50	:	once, which causes the death of 50% (one half) of a group of test animals) Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)		
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978		
OEL	:	Occupational Exposure Limit		
PBT PNEC	÷	Persistent, bioaccumulative and toxic Predicted no effect concentration		
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency		
SVHC	:	Substances of Very High Concern		
vPvB	:	Very persistent and very bioaccumulative		
Further information				
Classification of the mixtu	re:	Classification pro	cedure:	
Eye Irrit. 2	H	Calculation method		

Skin Sens. 1 H317 Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN