

# **EVERBUILD®** Forever Silicone

### DECLARATION OF PERFORMANCE

## No. 24559896

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:	FOREVER
2	INTENDED USE/S	Non-structural elastic sealants used for sealing glazing
3	MANUFACTURER:	Sika Services AG Tüffenwies 16-22 8064 Zürich
4	AUTHORISED REPRESENTATIVE:	
5	SYSTEM/S OF AVCP:	3
6a	DESIGNATED STANDARD:	BS EN15651-2:2012
	Conformity Assessment body/ies:	2538

FOREVER 24559896 2022/02, ver. 01 1213

#### 7 DECLARED PERFORMANCE/S

Adhesion / cohesion properties after exposure to artificial light  Elastic recovery  ≥60 %  3  2012	Essential Characteristics	Performance	AVCP	Desginated Technical Specification
the environment and health  Water tightness and air tightness  Resistance to flow ≤3 mm 3  Loss of volume ≤10 % 3  Adhesion / cohesion properties after exposure to artificial light  Elastic recovery ≥60 % 3	Reaction to fire	Class E	3	
Resistance to flow ≤3 mm 3   Loss of volume ≤10 % 3   Adhesion / cohesion properties after exposure to artificial light NF @ 100 % 3   Elastic recovery ≥60 % 3	_	See sds		
Loss of volume  ≤10 %  Adhesion / cohesion properties after exposure to artificial light  Elastic recovery  ≤10 %  NF @ 100 %  3  BS EN156 2012	Water tightness and air tightness			
Adhesion / cohesion properties after exposure to artificial light  Elastic recovery  NF @ 100 %  3  BS EN156 2012	Resistance to flow	≤3 mm	3	
Adhesion / cohesion properties after exposure to artificial light  Elastic recovery  ≥60 %  3  2012	Loss of volume	≤10 %	3	
		NF @ 100 %	3	BS EN15651-2 2012
Durability Pass 3	Elastic recovery	≥60 %	3	
•	Durability	Pass	3	

### 8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, under the sole responsibility of the manufacturer identified above.


Signed for and on behalf of the manufacturer by:

Name : Paul Thomas Function: Technical Product

Coordinator

At Leeds on 17 February 2022

Name: Victor Rodrigues Function: Product Manager At Leeds on 17 February 2022







C'I C '			<b>~</b> ·· · · ·
Sika Services	Δ(¬	/urich	. Switzerland

DoP No. 24559896

BS EN15651-2:2012

Conformity Assessment Body 2538

Non-structural elastic sealants used for sealing glazing

Reaction to fire	Class E
Release of chemicals dangerous to the environment and health	See sds
Water tightness and air tightness	
Resistance to flow	≤3 mm
Loss of volume	≤10 %
Adhesion / cohesion properties after exposure to artificial light	NF @ 100 %
Elastic recovery	≥60 %
Durability	Pass

Declarations of Performance Downloads | Sika Limited

#### **ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)**

User must read the most recent corresponding Safety Data Sheets (SDS) before using any products. The SDS provides information and advice on the safe handling, storage and disposal of chemical products and contains physical, ecological, toxicological and other safety-related data.

#### **LEGAL NOTE**

Any information provided in this Declaration of Performance ("DoP"), including any descriptions and recommendations relating to the application and end-use of any Sika products ("Products"), are given in good faith based on Sika's current knowledge and experience of the Products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. Please note that the materials, substrates and actual site conditions may vary considerably, and therefore Sika makes no warranty for merchantability or fitness for a particular purpose, and accepts no liability for the application and use of the Products, for any recommendations, or for any advice offered. Prior to using, the Product must be tested for its suitability for the intended application and purpose, and the most recent version of the Product Data Sheet must be consulted. Sika reserves the right to change the properties of its Products any time without prior notice. Any orders for Products or services provided by Sika are subject to Sika's current terms and conditions of sale.

**Declaration of Performance** 

FOREVER 24559896 2022/02 , ver. 01 1213

