

# Sarnafil® T Clean

Cleaner for heavily soiled Sarnafil® T

## Product Description

Mixture of organic solvents

## Uses

Sarnafil® T Clean is a cleaner to remove heavy soiling and adhesive residues from Sarnafil® TG and TS membranes.  
Sarnafil® T Clean is also suitable for cleaning tools and degreasing metal sheets.

## Characteristics / Advantages

- Dissolves surface dirt
- Evaporates quickly
- Suitable for heavily stained seam overlaps of Sarnafil® T membranes
- Highly flammable

## Tests

### Approvals / Standards

- Quality management system EN ISO 9001

## Product Data

### Form

### Consistency

liquid

### Colour

red

### Packaging

Canister: 2 l  
Packing unit: Europallet or single canister

## Storage

### Storage Conditions

Store in dry conditions at temperatures between 0 °C and +30 °C

### Shelf-Life

24 months from date of production if stored properly in original, unopened and undamaged sealed canister. Expiry date on canister.

## Technical Data

### Chemical Basis

Mixture of organic solvents

### Density

0.88 kg/l (+20 °C)



---

## System Information

---

### Processing Requirements / Limits

---

**Ambient Temperature**      At least -20 °C

---

**Substrate Temperature**      At least -30 °C

---

**Limits**                              Avoid contact to materials that are not resistant to solvents.

---

### Processing

---

**Application Guideline**              Based on the valid installation instructions of the relevant roof waterproofing membrane.

**Application Method**                Depending on the degree of soiling, the subjected area should be cleaned first with water, brush or cleaning pad. Soak a clean white cloth with Sarnafil® T Clean and then clean the membrane, tool or metal sheet. The cloths should be changed frequently to avoid the spreading of dirt. When cleaning seams a new cloth is to be used. Allow Sarnafil® T Clean to evaporate completely.  
In seam areas allow Sarnafil® T Clean to evaporate completely before preparing the seams with Sarnafil® T Prep.

**Notes of Application / Limits**              In seam areas Sarnafil® T Clean can only be used for cleaning purposes and may not be used as seam preparation. Sarnafil® T Clean reduces the seam quality and should only be used on heavily soiled areas.  
White cloths will effectively absorb dirt and the colour will not stain the membrane.  
Use solvent resistant gloves and eye protection glasses during application. Sarnafil® T Clean contains high volatile and flammable solvents. Application in closed rooms is allowed only with sufficient room ventilation. Smoking and open fire are not permitted.

---

<b>Value Base</b>	All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.
<b>Local Restrictions</b>	Please note that as a result of specific local regulations the performance of this product may vary from country to country. Please consult the local Product Data Sheet for the exact description of the application fields.
<b>Health and Safety Information</b>	For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety-related data. REACH relevant information is available in the most recent SDS.

**Legal note:** The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.



Sika Ireland Ltd  
Sika House  
Ballymun Ind.Est  
Dublin 11  
Ireland

Phone +353 1 8620709  
Telefax +353 1 8620707  
Irl.sika.com

